



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:35 PM UTC

PDB ID : 1YF8 / pdb_00001yf8
Title : Crystal structure of Himalayan mistletoe RIP reveals the presence of a natural inhibitor and a new functionally active sugar-binding site
Authors : Mishra, V.; Bilgrami, S.; Sharma, R.S.; Kaur, P.; Yadav, S.; Betzel, C.; Babu, C.R.; Singh, T.P.
Deposited on : 2004-12-31
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	240	47% 36% 15% .
2	B	255	53% 35% 9% .
3	C	2	100%
4	D	4	25% 50% 25%
5	E	3	67% 33%
6	F	2	100%
6	G	2	100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MAN	D	3	X	-	-	-
5	MAN	E	3	X	-	-	-
6	GAL	G	2	-	-	X	-
7	NAG	A	1003	X	-	-	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 4125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactoside-specific lectin 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	0	0
			1875	1191	319	361	4			

- Molecule 2 is a protein called Beta-galactoside-specific lectin 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	255	Total	C	N	O	S	0	0	0
			1938	1199	343	384	12			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 6 is an oligosaccharide called beta-D-galactopyranose-(1-4)-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
6	F	2	Total	C	O	0	0	0
			23	12	11			
6	G	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is 2-AMINO-4-ISOPROPYL-PTERIDINE-6-CARBOXYLIC ACID (CCD ID: P6C) (formula: $C_{10}H_{11}N_5O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			17	10	5	2		

- Molecule 9 is beta-D-galactopyranose (CCD ID: GAL) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			11	6	5		

- Molecule 10 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	55	Total	O	0	0
			55	55		
10	B	52	Total	O	0	0
			52	52		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Beta-galactoside-specific lectin 4



• Molecule 2: Beta-galactoside-specific lectin 4



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: beta-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  25% 50% 25%


NAG1
NAG2
MAN3
BMA4

- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  67% 33%

NAG1
NAG2
MAN3

- Molecule 6: beta-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain F:  100%

BGC1
GAL2

- Molecule 6: beta-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain G:  100%

BGC1
GAL2

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	109.42Å 109.42Å 309.80Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.80	Depositor
% Data completeness (in resolution range)	100.0 (20.00-2.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
Refinement program	REFMAC 5.1.19	Depositor
R, R_{free}	0.234 , 0.287	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4125	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, GAL, MAN, BMA, P6C, BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.12	7/1913 (0.4%)	1.44	33/2602 (1.3%)
2	B	1.16	3/1978 (0.2%)	1.48	28/2697 (1.0%)
All	All	1.14	10/3891 (0.3%)	1.46	61/5299 (1.2%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	166	ASN	C-N	8.13	1.44	1.33
1	A	93	THR	N-CA	5.82	1.53	1.46
1	A	96	PHE	C-N	5.78	1.41	1.33
1	A	93	THR	CA-CB	5.63	1.62	1.53
1	A	230	ILE	CA-CB	5.40	1.60	1.54
1	A	216	ILE	CA-CB	5.25	1.60	1.54
1	A	89	SER	CB-OG	5.24	1.52	1.42
2	B	54	ILE	C-O	-5.08	1.18	1.24
1	A	210	ASN	CA-C	-5.07	1.47	1.52
2	B	132	ASN	CA-C	-5.04	1.45	1.52

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	139	PHE	CA-C-N	11.38	134.06	119.84
1	A	139	PHE	C-N-CA	11.38	134.06	119.84
1	A	96	PHE	N-CA-CB	10.27	126.29	111.19
2	B	165	GLN	OE1-CD-NE2	-9.96	112.64	122.60
2	B	164	GLN	OE1-CD-NE2	-9.42	113.18	122.60
2	B	163	SER	N-CA-C	9.21	123.80	113.21
1	A	127	ILE	N-CA-CB	8.61	120.07	110.51
2	B	236	GLY	N-CA-C	8.38	129.75	116.01
2	B	165	GLN	CA-C-N	-8.14	106.02	122.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	165	GLN	C-N-CA	-8.14	106.02	122.31
2	B	50	ARG	N-CA-C	8.05	122.69	113.02
2	B	166	ASN	CA-C-N	7.88	135.26	122.65
2	B	166	ASN	C-N-CA	7.88	135.26	122.65
1	A	37	ILE	CA-C-N	7.80	127.85	119.90
1	A	37	ILE	C-N-CA	7.80	127.85	119.90
1	A	90	GLY	CA-C-N	7.48	129.19	119.84
1	A	90	GLY	C-N-CA	7.48	129.19	119.84
2	B	164	GLN	N-CA-C	6.92	120.58	108.75
1	A	139	PHE	N-CA-C	6.83	121.29	109.82
2	B	164	GLN	CG-CD-NE2	6.67	126.40	116.40
1	A	93	THR	CA-C-N	6.65	134.25	121.54
1	A	93	THR	C-N-CA	6.65	134.25	121.54
1	A	96	PHE	O-C-N	6.61	131.03	121.78
1	A	216	ILE	CA-C-N	6.41	127.86	119.84
1	A	216	ILE	C-N-CA	6.41	127.86	119.84
2	B	37	LYS	N-CA-C	-6.36	98.82	108.67
2	B	17	ASN	N-CA-C	6.28	119.38	110.14
1	A	143	THR	O-C-N	-6.24	114.29	122.59
1	A	7	ASP	N-CA-C	6.15	118.43	108.34
1	A	143	THR	N-CA-C	6.14	123.88	110.80
2	B	165	GLN	CG-CD-NE2	6.11	125.57	116.40
1	A	94	HIS	N-CA-C	6.05	123.69	110.80
1	A	219	ASN	N-CA-C	6.00	117.65	108.52
1	A	96	PHE	N-CA-C	-5.79	100.86	109.83
2	B	164	GLN	CA-C-N	5.69	132.40	121.54
2	B	164	GLN	C-N-CA	5.69	132.40	121.54
2	B	41	ASP	CA-C-N	5.67	126.93	119.84
2	B	41	ASP	C-N-CA	5.67	126.93	119.84
1	A	142	ASN	CA-C-N	5.54	132.11	121.54
1	A	142	ASN	C-N-CA	5.54	132.11	121.54
2	B	192	ASP	N-CA-C	5.52	117.06	110.44
1	A	110	TYR	CA-C-N	-5.51	113.04	119.32
1	A	110	TYR	C-N-CA	-5.51	113.04	119.32
2	B	105	ALA	N-CA-C	5.46	118.13	109.50
1	A	217	PRO	N-CA-C	5.45	123.69	112.47
2	B	64	TYR	N-CA-C	-5.41	106.53	113.23
2	B	217	GLY	N-CA-C	5.39	122.51	115.40
1	A	142	ASN	O-C-N	5.31	130.25	123.24
1	A	92	GLY	N-CA-C	5.31	125.76	113.18
1	A	89	SER	N-CA-C	5.29	118.03	110.68
2	B	166	ASN	CA-CB-CG	-5.24	107.36	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	228	ASP	N-CA-C	-5.24	106.40	112.89
1	A	6	LEU	CA-CB-CG	5.23	134.59	116.30
1	A	95	LEU	CA-C-N	-5.16	114.20	121.83
1	A	95	LEU	C-N-CA	-5.16	114.20	121.83
2	B	34	TRP	N-CA-C	5.14	116.56	108.23
2	B	34	TRP	CA-C-N	-5.11	114.52	119.78
2	B	34	TRP	C-N-CA	-5.11	114.52	119.78
1	A	18	PHE	CB-CA-C	5.07	120.58	109.99
2	B	212	VAL	N-CA-C	5.06	115.41	108.12
2	B	89	ILE	CB-CA-C	-5.01	105.21	111.08

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1875	0	1849	103	0
2	B	1938	0	1851	97	0
3	C	28	0	25	2	0
4	D	50	0	43	5	0
5	E	39	0	34	1	0
6	F	23	0	21	0	0
6	G	23	0	21	8	0
7	A	14	0	13	1	0
8	A	17	0	9	2	0
9	B	11	0	10	5	0
10	A	55	0	0	4	0
10	B	52	0	0	2	0
All	All	4125	0	3876	205	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:PHE:HB2	1:A:167:LEU:HD21	1.27	1.16
3:C:1:NAG:H62	3:C:2:NAG:H2	1.17	1.10
4:D:2:NAG:H83	4:D:2:NAG:H3	1.39	1.02
1:A:139:PHE:HB3	1:A:140:PRO:HD2	1.45	0.96
1:A:101:ARG:HG2	1:A:101:ARG:HH11	1.32	0.94
2:B:32:GLN:HE22	9:B:1013:GAL:H4	1.34	0.92
2:B:244:THR:HG22	2:B:249:GLN:CD	1.97	0.90
2:B:224:ASN:C	2:B:224:ASN:HD22	1.83	0.86
2:B:224:ASN:ND2	2:B:226:LEU:H	1.72	0.86
2:B:244:THR:HG23	2:B:246:LYS:H	1.40	0.86
1:A:127:ILE:HD12	1:A:127:ILE:H	1.42	0.83
2:B:34:TRP:CZ2	2:B:111:LYS:HE3	2.15	0.82
1:A:166:ILE:HG23	1:A:186:MET:HE2	1.62	0.80
2:B:97:ASN:ND2	2:B:100:SER:H	1.79	0.80
1:A:120:ARG:H	1:A:120:ARG:CD	1.96	0.79
1:A:127:ILE:HD12	1:A:127:ILE:N	1.96	0.79
2:B:224:ASN:HD22	2:B:226:LEU:H	1.29	0.77
2:B:64:TYR:HE1	6:G:1:BGC:H1	1.50	0.75
1:A:114:GLU:N	1:A:114:GLU:OE2	2.21	0.74
1:A:25:ARG:HD2	1:A:161:ALA:O	1.87	0.73
2:B:17:ASN:HD21	2:B:36:SER:HB3	1.53	0.72
1:A:3:ARG:HG3	1:A:27:TYR:CE2	2.25	0.72
6:G:1:BGC:H4	6:G:2:GAL:O2	1.88	0.71
1:A:182:PRO:HB3	1:A:186:MET:SD	2.31	0.70
2:B:181:GLN:HA	2:B:181:GLN:OE1	1.91	0.70
1:A:120:ARG:H	1:A:120:ARG:HD3	1.57	0.70
2:B:73:MET:CE	6:G:2:GAL:H5	2.21	0.69
1:A:10:SER:H	1:A:12:THR:CG2	2.05	0.69
2:B:144:PHE:HE2	2:B:233:PRO:HD3	1.59	0.68
1:A:139:PHE:CB	1:A:140:PRO:HD2	2.12	0.68
4:D:2:NAG:H3	4:D:2:NAG:C8	2.19	0.68
2:B:221:ASN:HD22	2:B:224:ASN:H	1.41	0.66
1:A:127:ILE:HD11	1:A:177:GLY:HA2	1.76	0.66
2:B:133:ASP:HB3	2:B:137:ARG:HH12	1.60	0.66
1:A:53:VAL:HG12	1:A:69:ILE:HG13	1.78	0.66
1:A:197:SER:OG	1:A:236:MET:HB3	1.95	0.66
2:B:81:VAL:HG12	2:B:83:GLU:HG2	1.76	0.66
2:B:166:ASN:C	2:B:166:ASN:HD22	2.00	0.66
1:A:194:GLY:HA3	8:A:1001:P6C:H61	1.80	0.64
2:B:148:CYS:O	2:B:158:VAL:HA	1.98	0.63
1:A:220:PHE:CD1	1:A:220:PHE:N	2.66	0.63
1:A:87:PHE:HZ	1:A:94:HIS:O	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:34:TRP:CZ3	2:B:111:LYS:HG2	2.34	0.62
2:B:197:ILE:HB	2:B:238:ILE:O	1.99	0.62
1:A:105:PRO:HG2	1:A:116:TYR:CE2	2.35	0.62
1:A:59:ASN:C	1:A:59:ASN:HD22	2.07	0.61
2:B:195:ALA:HB2	10:B:1036:HOH:O	2.00	0.61
1:A:120:ARG:H	1:A:120:ARG:NE	1.99	0.61
1:A:155:GLN:HG2	1:A:190:GLU:OE2	2.01	0.61
2:B:133:ASP:HB3	2:B:137:ARG:NH1	2.15	0.61
1:A:11:GLN:NE2	10:A:1038:HOH:O	2.12	0.60
1:A:110:TYR:HD2	10:A:1014:HOH:O	1.84	0.60
4:D:2:NAG:H83	4:D:2:NAG:C3	2.23	0.60
1:A:52:PHE:CD2	1:A:95:LEU:HD21	2.37	0.60
1:A:18:PHE:CB	1:A:167:LEU:HD21	2.18	0.60
1:A:96:PHE:O	1:A:99:THR:HB	2.02	0.59
2:B:34:TRP:CH2	2:B:111:LYS:HE3	2.37	0.59
1:A:52:PHE:CG	1:A:95:LEU:HD21	2.38	0.58
2:B:193:SER:O	2:B:194:VAL:CG2	2.51	0.58
1:A:220:PHE:HD1	1:A:220:PHE:H	1.50	0.58
1:A:101:ARG:HH11	1:A:101:ARG:CG	2.09	0.58
2:B:219:ILE:HG21	2:B:228:MET:HE2	1.85	0.58
2:B:18:VAL:HG12	2:B:46:TRP:CZ2	2.39	0.57
4:D:3:MAN:H2	4:D:4:BMA:O2	2.05	0.56
1:A:94:HIS:O	1:A:95:LEU:HB2	2.06	0.56
2:B:193:SER:O	2:B:194:VAL:HG22	2.05	0.56
1:A:9:THR:HG23	1:A:9:THR:O	2.06	0.55
1:A:1:TYR:HD2	1:A:2:GLU:H	1.53	0.55
1:A:3:ARG:HG3	1:A:27:TYR:CZ	2.42	0.55
1:A:48:GLU:HG3	1:A:49:ALA:H	1.72	0.55
2:B:37:LYS:HZ3	2:B:43:ASN:HD21	1.55	0.55
1:A:101:ARG:HG2	1:A:101:ARG:NH1	2.11	0.54
1:A:196:GLN:HB3	1:A:233:LEU:HD22	1.90	0.54
1:A:166:ILE:HG12	1:A:186:MET:HG3	1.89	0.54
1:A:139:PHE:O	1:A:141:GLY:N	2.40	0.54
2:B:169:TRP:CZ3	2:B:187:LEU:HD13	2.42	0.54
1:A:70:ASP:OD1	1:A:72:THR:HB	2.08	0.54
2:B:188:THR:HG23	2:B:209:GLN:HG2	1.89	0.54
1:A:43:SER:O	1:A:44:GLY:C	2.50	0.53
2:B:8:VAL:HG13	2:B:9:ARG:O	2.09	0.53
2:B:166:ASN:C	2:B:166:ASN:ND2	2.62	0.53
2:B:17:ASN:HD21	2:B:36:SER:CB	2.20	0.53
1:A:69:ILE:CG2	1:A:76:VAL:HG22	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:224:ASN:C	2:B:224:ASN:ND2	2.56	0.52
1:A:70:ASP:HB3	1:A:73:ASN:OD1	2.09	0.52
1:A:93:THR:OG1	10:A:1006:HOH:O	2.19	0.52
1:A:93:THR:HB	1:A:94:HIS:CD2	2.44	0.52
1:A:220:PHE:O	1:A:221:VAL:HG23	2.10	0.52
2:B:192:ASP:N	2:B:192:ASP:OD1	2.41	0.52
1:A:127:ILE:O	1:A:131:ILE:HD13	2.10	0.52
1:A:139:PHE:HB3	1:A:140:PRO:CD	2.31	0.52
2:B:195:ALA:HA	2:B:239:ILE:HB	1.91	0.51
1:A:48:GLU:CG	1:A:49:ALA:N	2.71	0.51
2:B:37:LYS:NZ	2:B:43:ASN:HD21	2.09	0.51
2:B:232:ASN:HB3	2:B:234:GLY:H	1.74	0.51
2:B:22:ASP:O	2:B:23:ASP:HB2	2.09	0.51
1:A:48:GLU:CG	1:A:49:ALA:H	2.22	0.51
2:B:34:TRP:CE2	9:B:1013:GAL:C1	2.94	0.51
2:B:71:TYR:HA	2:B:116:THR:HG22	1.93	0.51
2:B:168:ARG:NH1	10:B:1021:HOH:O	2.35	0.50
1:A:17:TYR:O	1:A:21:ILE:HG12	2.12	0.50
1:A:146:GLN:O	1:A:150:ILE:HG12	2.11	0.50
2:B:21:ARG:NH2	2:B:112:GLY:O	2.45	0.50
2:B:34:TRP:CZ2	9:B:1013:GAL:C1	2.95	0.50
2:B:144:PHE:HB2	2:B:248:ASN:HA	1.93	0.49
1:A:110:TYR:O	1:A:111:PRO:C	2.52	0.49
1:A:105:PRO:HB2	1:A:116:TYR:OH	2.12	0.49
1:A:101:ARG:CG	1:A:101:ARG:NH1	2.72	0.49
2:B:224:ASN:HD22	2:B:225:GLY:N	2.09	0.49
1:A:87:PHE:CZ	1:A:94:HIS:O	2.64	0.49
1:A:205:GLU:HB2	2:B:89:ILE:HB	1.94	0.49
2:B:193:SER:C	2:B:194:VAL:CG2	2.86	0.49
2:B:193:SER:C	2:B:194:VAL:HG23	2.37	0.49
3:C:1:NAG:C6	3:C:2:NAG:H2	2.12	0.49
1:A:150:ILE:O	1:A:153:LEU:N	2.45	0.48
1:A:164:ASN:N	1:A:165:PRO:CD	2.76	0.48
2:B:42:PRO:HG2	5:E:1:NAG:H82	1.94	0.48
1:A:93:THR:HB	1:A:94:HIS:HD2	1.78	0.48
1:A:120:ARG:NE	1:A:120:ARG:N	2.61	0.48
2:B:165:GLN:NE2	2:B:180:GLU:OE2	2.46	0.48
2:B:32:GLN:NE2	9:B:1013:GAL:H4	2.16	0.48
1:A:120:ARG:CD	1:A:120:ARG:N	2.72	0.48
2:B:24:ASP:HB3	2:B:29:ASN:ND2	2.28	0.48
2:B:81:VAL:HG23	6:G:2:GAL:O4	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:13:ARG:C	2:B:15:GLY:H	2.22	0.48
2:B:231:ALA:O	2:B:232:ASN:HB2	2.12	0.47
1:A:18:PHE:C	1:A:18:PHE:HD1	2.22	0.47
1:A:220:PHE:N	1:A:220:PHE:HD1	2.06	0.47
2:B:144:PHE:CE2	2:B:233:PRO:HD3	2.44	0.47
1:A:162:ARG:HD3	1:A:193:TRP:CD2	2.49	0.47
2:B:22:ASP:N	9:B:1013:GAL:O4	2.47	0.47
1:A:59:ASN:HD21	1:A:63:ASP:H	1.63	0.46
1:A:204:THR:C	1:A:206:GLY:H	2.23	0.46
1:A:18:PHE:C	1:A:18:PHE:CD1	2.93	0.46
1:A:20:PHE:HZ	1:A:55:VAL:HG21	1.81	0.46
2:B:213:PHE:CD1	2:B:219:ILE:HG12	2.50	0.46
1:A:127:ILE:N	1:A:127:ILE:CD1	2.73	0.46
2:B:133:ASP:CB	2:B:137:ARG:HH12	2.28	0.46
1:A:159:GLU:OE1	1:A:159:GLU:HA	2.15	0.46
1:A:127:ILE:O	1:A:128:ASP:C	2.59	0.46
1:A:134:VAL:CG2	1:A:135:THR:N	2.78	0.46
1:A:240:CYS:HB2	2:B:1:CYS:HB2	1.75	0.45
2:B:97:ASN:HD22	2:B:100:SER:H	1.62	0.45
2:B:213:PHE:CE1	2:B:219:ILE:HG12	2.51	0.45
1:A:20:PHE:HZ	1:A:55:VAL:CG2	2.29	0.45
2:B:64:TYR:CE1	6:G:1:BGC:H1	2.39	0.45
2:B:73:MET:HE1	6:G:2:GAL:H5	1.98	0.45
2:B:103:ALA:HB2	2:B:120:LEU:HD12	1.99	0.45
1:A:23:LEU:HD13	1:A:23:LEU:HA	1.85	0.45
2:B:62:THR:CG2	6:G:2:GAL:H62	2.47	0.45
2:B:241:TYR:CG	2:B:242:PRO:HD2	2.52	0.45
1:A:69:ILE:HA	1:A:75:TYR:O	2.16	0.45
1:A:110:TYR:CD2	1:A:111:PRO:HD3	2.52	0.45
2:B:34:TRP:CH2	2:B:111:LYS:CE	2.99	0.45
2:B:166:ASN:ND2	2:B:166:ASN:N	2.63	0.45
1:A:159:GLU:HG3	1:A:190:GLU:HG2	1.98	0.45
2:B:8:VAL:HG13	2:B:131:GLY:H	1.82	0.45
2:B:26:HIS:O	2:B:27:ASP:C	2.59	0.44
2:B:188:THR:HA	2:B:208:GLY:O	2.18	0.44
2:B:31:ILE:HG22	2:B:115:LEU:HD22	2.00	0.44
2:B:213:PHE:CE1	2:B:219:ILE:HD11	2.53	0.44
1:A:162:ARG:HH12	8:A:1001:P6C:C1	2.31	0.44
1:A:159:GLU:OE2	1:A:190:GLU:HG2	2.18	0.43
2:B:166:ASN:HD22	2:B:166:ASN:N	2.13	0.43
2:B:244:THR:HG22	2:B:249:GLN:NE2	2.30	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:SER:H	1:A:12:THR:HG22	1.83	0.43
2:B:149:MET:HE3	2:B:149:MET:HB3	1.79	0.43
2:B:8:VAL:HG11	2:B:130:ALA:HB1	2.00	0.43
2:B:34:TRP:CD1	2:B:35:PRO:HD2	2.53	0.43
2:B:62:THR:HG22	6:G:2:GAL:H62	1.99	0.43
1:A:107:ASN:CG	7:A:1003:NAG:H82	2.44	0.43
2:B:226:LEU:HB2	2:B:240:ILE:HG23	1.99	0.43
2:B:20:VAL:O	2:B:20:VAL:HG22	2.18	0.42
1:A:85:SER:OG	1:A:99:THR:HG22	2.19	0.42
1:A:196:GLN:HB3	1:A:233:LEU:CD2	2.49	0.42
1:A:204:THR:OG1	1:A:205:GLU:N	2.52	0.42
1:A:86:TYR:HB3	1:A:104:LEU:CD2	2.49	0.42
1:A:213:ARG:HG2	10:A:1054:HOH:O	2.18	0.42
1:A:221:VAL:O	1:A:221:VAL:HG12	2.18	0.42
2:B:41:ASP:HA	2:B:42:PRO:HD2	1.83	0.42
2:B:81:VAL:O	2:B:82:ARG:C	2.61	0.42
1:A:129:GLN:HB3	1:A:152:ILE:HD13	2.01	0.42
2:B:18:VAL:HG12	2:B:46:TRP:CE2	2.55	0.42
1:A:76:VAL:HG23	1:A:154:ILE:HD13	2.02	0.41
1:A:86:TYR:HB3	1:A:104:LEU:HD21	2.01	0.41
1:A:13:THR:O	1:A:16:GLU:HB2	2.21	0.41
1:A:188:GLU:HB3	1:A:214:LEU:HD22	2.02	0.41
2:B:143:GLY:O	2:B:144:PHE:C	2.63	0.41
1:A:3:ARG:HA	1:A:3:ARG:HH11	1.85	0.41
2:B:46:TRP:HA	2:B:55:ARG:O	2.19	0.41
2:B:13:ARG:C	2:B:15:GLY:N	2.77	0.41
2:B:186:CYS:O	2:B:199:ILE:HA	2.20	0.41
1:A:204:THR:HG21	2:B:6:PRO:HD2	2.02	0.41
1:A:116:TYR:HD2	1:A:143:THR:CG2	2.34	0.41
1:A:130:LEU:HD12	1:A:130:LEU:HA	1.92	0.41
1:A:159:GLU:OE1	1:A:159:GLU:CA	2.69	0.41
2:B:162:VAL:HG12	2:B:163:SER:N	2.35	0.41
2:B:166:ASN:HD22	2:B:167:ASP:N	2.18	0.41
2:B:185:GLN:C	2:B:202:CYS:SG	3.04	0.41
2:B:246:LYS:HB3	2:B:247:PRO:CD	2.50	0.41
1:A:94:HIS:CD2	1:A:94:HIS:N	2.88	0.41
2:B:133:ASP:HB3	2:B:137:ARG:NH2	2.37	0.40
4:D:2:NAG:C8	4:D:2:NAG:C3	2.86	0.40
1:A:7:ASP:HB2	1:A:20:PHE:CD1	2.56	0.40
2:B:20:VAL:HB	2:B:31:ILE:HD13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/240 (99%)	200 (84%)	27 (11%)	11 (5%)	2	6
2	B	253/255 (99%)	223 (88%)	21 (8%)	9 (4%)	2	10
All	All	491/495 (99%)	423 (86%)	48 (10%)	20 (4%)	2	8

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	110	TYR
1	A	140	PRO
1	A	143	THR
1	A	204	THR
1	A	217	PRO
1	A	221	VAL
2	B	165	GLN
1	A	92	GLY
1	A	141	GLY
1	A	235	ILE
2	B	91	GLY
1	A	93	THR
2	B	39	ASN
2	B	144	PHE
2	B	197	ILE
2	B	243	ALA
2	B	232	ASN
2	B	207	SER
1	A	150	ILE
2	B	194	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/205 (100%)	154 (75%)	51 (25%)	0	2
2	B	211/211 (100%)	176 (83%)	35 (17%)	2	8
All	All	416/416 (100%)	330 (79%)	86 (21%)	1	4

All (86) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ARG
1	A	5	ASP
1	A	6	LEU
1	A	12	THR
1	A	15	GLU
1	A	18	PHE
1	A	23	LEU
1	A	24	LEU
1	A	25	ARG
1	A	32	SER
1	A	47	VAL
1	A	53	VAL
1	A	54	LEU
1	A	57	LEU
1	A	59	ASN
1	A	60	GLU
1	A	69	ILE
1	A	72	THR
1	A	74	LEU
1	A	80	GLN
1	A	85	SER
1	A	88	LEU
1	A	93	THR
1	A	101	ARG
1	A	104	LEU
1	A	109	SER
1	A	114	GLU
1	A	120	ARG
1	A	123	ILE
1	A	127	ILE
1	A	130	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	131	ILE
1	A	132	GLN
1	A	133	SER
1	A	134	VAL
1	A	138	ARG
1	A	144	ARG
1	A	145	THR
1	A	148	ARG
1	A	151	LEU
1	A	154	ILE
1	A	159	GLU
1	A	167	LEU
1	A	169	ARG
1	A	171	ARG
1	A	181	LEU
1	A	205	GLU
1	A	216	ILE
1	A	219	ASN
1	A	220	PHE
1	A	221	VAL
2	B	8	VAL
2	B	17	ASN
2	B	20	VAL
2	B	36	SER
2	B	38	SER
2	B	45	LEU
2	B	50	ARG
2	B	83	GLU
2	B	110	ILE
2	B	115	LEU
2	B	119	THR
2	B	120	LEU
2	B	129	LEU
2	B	158	VAL
2	B	163	SER
2	B	164	GLN
2	B	166	ASN
2	B	180	GLU
2	B	182	ASN
2	B	187	LEU
2	B	191	ARG
2	B	192	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	197	ILE
2	B	198	ASN
2	B	200	VAL
2	B	212	VAL
2	B	216	GLU
2	B	224	ASN
2	B	228	MET
2	B	232	ASN
2	B	235	LEU
2	B	237	GLN
2	B	238	ILE
2	B	240	ILE
2	B	250	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	ASN
1	A	42	GLN
1	A	59	ASN
1	A	94	HIS
1	A	115	GLN
1	A	119	HIS
1	A	146	GLN
2	B	17	ASN
2	B	32	GLN
2	B	43	ASN
2	B	88	GLN
2	B	97	ASN
2	B	145	ASN
2	B	165	GLN
2	B	166	ASN
2	B	183	GLN
2	B	198	ASN
2	B	215	ASN
2	B	221	ASN
2	B	224	ASN
2	B	232	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	C	1	3,2	14,14,15	0.92	1 (7%)	17,19,21	3.31	9 (52%)
3	NAG	C	2	3	14,14,15	0.76	0	17,19,21	1.72	3 (17%)
4	NAG	D	1	4,2	14,14,15	0.77	0	17,19,21	1.56	3 (17%)
4	NAG	D	2	4	14,14,15	0.57	0	17,19,21	2.12	7 (41%)
4	MAN	D	3	4	11,11,12	0.59	0	15,15,17	2.20	4 (26%)
4	BMA	D	4	4	11,11,12	0.55	0	15,15,17	1.39	3 (20%)
5	NAG	E	1	5,2	14,14,15	0.57	0	17,19,21	1.94	3 (17%)
5	NAG	E	2	5	14,14,15	0.72	0	17,19,21	1.78	3 (17%)
5	MAN	E	3	5	11,11,12	0.46	0	15,15,17	1.44	3 (20%)
6	BGC	F	1	6	12,12,12	0.57	0	17,17,17	2.08	5 (29%)
6	GAL	F	2	6	11,11,12	0.55	0	15,15,17	2.07	4 (26%)
6	BGC	G	1	6	12,12,12	0.93	1 (8%)	17,17,17	1.97	8 (47%)
6	GAL	G	2	6	11,11,12	0.62	0	15,15,17	2.06	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	5/6/23/26	0/1/1/1
4	NAG	D	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	D	2	4	-	5/6/23/26	0/1/1/1
4	MAN	D	3	4	2/2/4/5	2/2/19/22	0/1/1/1
4	BMA	D	4	4	-	2/2/19/22	0/1/1/1
5	NAG	E	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	E	2	5	-	3/6/23/26	0/1/1/1
5	MAN	E	3	5	1/1/4/5	1/2/19/22	1/1/1/1
6	BGC	F	1	6	-	2/2/22/22	0/1/1/1
6	GAL	F	2	6	-	1/2/19/22	0/1/1/1
6	BGC	G	1	6	-	1/2/22/22	0/1/1/1
6	GAL	G	2	6	-	2/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	G	1	BGC	O1-C1	2.18	1.46	1.39
3	C	1	NAG	C2-N2	2.11	1.49	1.46

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1	NAG	C1-C2-N2	7.67	122.53	110.43
3	C	1	NAG	C1-O5-C5	6.80	121.30	112.19
6	F	2	GAL	C1-O5-C5	5.15	119.09	112.19
4	D	3	MAN	O3-C3-C2	5.07	120.39	110.05
3	C	2	NAG	C4-C3-C2	4.69	117.89	111.02
5	E	2	NAG	C4-C3-C2	4.46	117.55	111.02
5	E	1	NAG	C1-O5-C5	4.42	118.12	112.19
4	D	2	NAG	C3-C4-C5	-4.36	102.33	110.23
4	D	3	MAN	O3-C3-C4	4.21	120.31	110.38
5	E	2	NAG	C1-O5-C5	-4.21	106.55	112.19
3	C	1	NAG	C3-C4-C5	-4.15	102.71	110.23
6	F	1	BGC	O5-C1-C2	4.13	117.56	110.30
6	G	2	GAL	C1-O5-C5	-4.06	106.74	112.19
6	F	1	BGC	C1-C2-C3	4.06	118.63	110.36
4	D	3	MAN	C2-C3-C4	3.81	117.57	110.86
6	F	1	BGC	O5-C5-C4	3.79	116.52	109.70
6	G	1	BGC	C3-C4-C5	3.78	117.09	110.23
3	C	1	NAG	O7-C7-C8	-3.65	115.55	122.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	1	BGC	C1-O5-C5	3.62	120.66	113.65
4	D	4	BMA	O5-C5-C6	3.60	114.66	107.66
4	D	2	NAG	O5-C5-C6	3.42	114.33	107.66
4	D	1	NAG	C3-C4-C5	-3.34	104.17	110.23
3	C	1	NAG	O3-C3-C2	3.28	116.21	109.40
6	F	2	GAL	C3-C4-C5	3.21	116.05	110.23
5	E	1	NAG	C4-C3-C2	3.19	115.69	111.02
3	C	1	NAG	C8-C7-N2	3.18	121.39	116.12
6	G	2	GAL	O3-C3-C2	-3.10	103.72	110.05
5	E	2	NAG	O4-C4-C5	3.08	116.90	109.32
6	G	2	GAL	O2-C2-C3	-3.05	103.84	110.15
4	D	2	NAG	C6-C5-C4	3.03	120.46	113.02
6	F	1	BGC	C4-C3-C2	3.02	116.13	110.83
3	C	1	NAG	O5-C1-C2	-2.97	106.69	111.29
4	D	2	NAG	O5-C5-C4	-2.93	103.69	110.83
6	G	2	GAL	C3-C4-C5	2.87	115.43	110.23
6	G	1	BGC	O2-C2-C1	2.86	115.84	109.25
4	D	3	MAN	O5-C5-C6	2.84	113.18	107.66
3	C	1	NAG	C2-N2-C7	2.77	126.61	122.90
3	C	2	NAG	O5-C5-C4	-2.75	104.14	110.83
6	G	1	BGC	C1-C2-C3	2.72	115.90	110.36
3	C	2	NAG	O3-C3-C2	2.70	115.01	109.40
4	D	2	NAG	O4-C4-C5	2.65	115.85	109.32
4	D	2	NAG	O5-C1-C2	-2.64	107.20	111.29
6	G	1	BGC	O5-C1-C2	2.62	114.91	110.30
5	E	1	NAG	C1-C2-N2	2.62	114.56	110.43
4	D	4	BMA	C1-C2-C3	2.61	113.44	109.64
6	F	2	GAL	C1-C2-C3	2.60	113.43	109.64
6	F	2	GAL	C2-C3-C4	2.57	115.38	110.86
6	G	1	BGC	O2-C2-C3	-2.57	104.32	110.38
6	G	1	BGC	O3-C3-C4	2.53	116.34	110.38
5	E	3	MAN	C2-C3-C4	-2.52	106.43	110.86
5	E	3	MAN	O2-C2-C1	2.49	114.94	109.22
4	D	1	NAG	C1-O5-C5	2.48	115.51	112.19
3	C	1	NAG	C4-C3-C2	-2.36	107.55	111.02
4	D	1	NAG	O4-C4-C3	-2.23	105.11	110.38
4	D	2	NAG	C1-O5-C5	-2.19	109.25	112.19
6	G	1	BGC	O5-C5-C6	2.13	111.73	106.44
4	D	4	BMA	O2-C2-C1	2.08	113.99	109.22
6	G	2	GAL	C2-C3-C4	2.07	114.50	110.86
6	G	2	GAL	O4-C4-C5	-2.06	104.24	109.32
6	G	1	BGC	C4-C3-C2	2.04	114.41	110.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	3	MAN	O5-C1-C2	-2.02	105.96	110.79

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	D	3	MAN	C3
4	D	3	MAN	C1
5	E	3	MAN	C1

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	2	NAG	C3-C2-N2-C7
4	D	2	NAG	C3-C2-N2-C7
6	G	2	GAL	O5-C5-C6-O6
3	C	2	NAG	O5-C5-C6-O6
6	F	1	BGC	O5-C5-C6-O6
4	D	4	BMA	O5-C5-C6-O6
5	E	1	NAG	C4-C5-C6-O6
3	C	2	NAG	C4-C5-C6-O6
5	E	1	NAG	O5-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6
6	G	2	GAL	C4-C5-C6-O6
3	C	1	NAG	C4-C5-C6-O6
4	D	4	BMA	C4-C5-C6-O6
4	D	3	MAN	C4-C5-C6-O6
4	D	2	NAG	C8-C7-N2-C2
5	E	2	NAG	C4-C5-C6-O6
6	F	1	BGC	C4-C5-C6-O6
3	C	2	NAG	C8-C7-N2-C2
3	C	2	NAG	O7-C7-N2-C2
4	D	2	NAG	O7-C7-N2-C2
4	D	2	NAG	O5-C5-C6-O6
6	G	1	BGC	O5-C5-C6-O6
3	C	1	NAG	O5-C5-C6-O6
5	E	2	NAG	O5-C5-C6-O6
4	D	3	MAN	O5-C5-C6-O6
6	F	2	GAL	O5-C5-C6-O6
5	E	3	MAN	C4-C5-C6-O6
5	E	2	NAG	C3-C2-N2-C7


All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	E	3	MAN	C1-C2-C3-C4-C5-O5


8 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	2	NAG	2	0
6	G	2	GAL	6	0
6	G	1	BGC	3	0
4	D	3	MAN	1	0
4	D	4	BMA	1	0
4	D	2	NAG	4	0
3	C	1	NAG	2	0
5	E	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





Oligosaccharide Chain D



Oligosaccharide Chain E







5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	GAL	B	1013	-	11,11,12	0.55	0	15,15,17	2.57	8 (53%)
7	NAG	A	1003	1	14,14,15	0.61	0	17,19,21	1.73	3 (17%)
8	P6C	A	1001	-	17,18,18	2.81	3 (17%)	22,26,26	3.72	12 (54%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GAL	B	1013	-	-	2/2/19/22	0/1/1/1
7	NAG	A	1003	1	1/1/5/7	4/6/23/26	0/1/1/1
8	P6C	A	1001	-	-	2/8/8/8	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1001	P6C	C8-C5	8.48	1.63	1.51
8	A	1001	P6C	C9-C14	5.91	1.50	1.40
8	A	1001	P6C	C8-C9	2.74	1.47	1.43

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1001	P6C	N13-C14-N15	8.43	124.96	115.77
8	A	1001	P6C	C4-C5-C8	8.41	129.74	110.76
8	A	1001	P6C	C16-N7-C8	7.01	121.30	116.28
8	A	1001	P6C	C14-C9-N10	-4.68	117.12	122.35
9	B	1013	GAL	O4-C4-C3	4.62	121.27	110.38
8	A	1001	P6C	C12-N13-C14	4.42	123.35	117.20
9	B	1013	GAL	C3-C4-C5	4.12	117.70	110.23
8	A	1001	P6C	C16-N15-C14	4.11	119.91	115.48
7	A	1003	NAG	C1-O5-C5	4.05	117.61	112.19
9	B	1013	GAL	O5-C5-C6	3.86	115.18	107.66
9	B	1013	GAL	C1-C2-C3	-3.55	104.47	109.64
8	A	1001	P6C	C8-C9-N10	3.54	124.83	118.75
9	B	1013	GAL	O3-C3-C4	3.21	117.94	110.38
8	A	1001	P6C	C11-N10-C9	2.98	123.73	117.41
8	A	1001	P6C	C6-C5-C8	2.97	117.45	110.76
9	B	1013	GAL	C1-O5-C5	2.77	115.90	112.19
7	A	1003	NAG	C4-C3-C2	-2.70	107.06	111.02
7	A	1003	NAG	O3-C3-C2	2.69	115.00	109.40
9	B	1013	GAL	C2-C3-C4	2.48	115.22	110.86
8	A	1001	P6C	C9-C14-N15	-2.37	118.06	121.74
8	A	1001	P6C	O2-C1-C11	2.25	120.05	114.71
9	B	1013	GAL	O2-C2-C1	2.20	114.25	109.22
8	A	1001	P6C	C11-C12-N13	-2.19	119.44	122.77

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	A	1003	NAG	C1

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	1003	NAG	C8-C7-N2-C2
7	A	1003	NAG	O7-C7-N2-C2
8	A	1001	P6C	C4-C5-C8-N7
7	A	1003	NAG	C4-C5-C6-O6
7	A	1003	NAG	O5-C5-C6-O6
9	B	1013	GAL	O5-C5-C6-O6
9	B	1013	GAL	C4-C5-C6-O6
8	A	1001	P6C	C4-C5-C8-C9

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	1013	GAL	5	0
7	A	1003	NAG	1	0
8	A	1001	P6C	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.