



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:08 PM UTC

PDB ID : 1YFG / pdb_00001yfg
Title : YEAST INITIATOR TRNA
Authors : Basavappa, R.; Sigler, P.B.
Deposited on : 1997-05-08
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2977 (3.00-3.00)
RNA backbone	3983	1109 (3.20-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	75	 . 29% 44% 23%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1639 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called YEAST INITIATOR TRNA.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	A	75	1639	734	298	531	76	0	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: YEAST INITIATOR TRNA



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value
Space group	P 64 2 2
Cell constants a, b, c, α , β , γ	113.72Å 113.72Å 136.54Å 90.00° 90.00° 120.00°
Resolution (Å)	10.00 – 3.00
% Data completeness (in resolution range)	81.7 (10.00-3.00)
R_{merge}	(Not available)
R_{sym}	0.08
Refinement program	NUCLIN/PROFFT, MODIFIED BY Z.OTWINOWSKI, NUCLIN, PROFFT
R, R_{free}	0.215 , (Not available)
Estimated twinning fraction	No twinning to report.
Total number of atoms	1639
Average B, all atoms (Å ²)	57.0

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: M2G, 1MG, H2U, T6A, 7MG, 5MC, 1MA, RIA, 2MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.33	5/1530 (0.3%)	2.26	90/2380 (3.8%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	A	OP3-P	9.47	1.67	1.48
1	A	41	C	O3'-P	-6.87	1.50	1.61
1	A	18	G	O3'-P	5.72	1.69	1.61
1	A	41	C	O5'-C5'	5.46	1.50	1.42
1	A	54	A	O3'-P	5.10	1.68	1.61

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	37	T6A	P-O3'-C3'	26.06	150.97	119.70
1	A	38	A	P-O3'-C3'	15.93	144.09	120.20
1	A	63	G	P-O5'-C5'	-14.20	99.60	120.90
1	A	29	G	P-O3'-C3'	13.82	140.92	120.20
1	A	15	G	P-O5'-C5'	-12.80	101.70	120.90
1	A	32	C	P-O5'-C5'	12.69	139.94	120.90
1	A	34	C	P-O3'-C3'	12.66	139.20	120.20
1	A	18	G	P-O5'-C5'	-12.05	102.82	120.90
1	A	74	C	P-O3'-C3'	11.66	137.69	120.20
1	A	55	U	P-O5'-C5'	-11.32	103.92	120.90
1	A	76	A	O4'-C1'-N9	10.62	124.44	108.50
1	A	50	U	P-O3'-C3'	-10.54	104.39	120.20
1	A	54	A	P-O3'-C3'	-10.54	104.39	120.20
1	A	57	G	P-O5'-C5'	-10.50	105.15	120.90
1	A	31	G	O3'-P-O5'	10.35	119.53	104.00
1	A	52	G	P-O5'-C5'	-10.04	105.83	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	60	A	P-O5'-C5'	-9.81	106.18	120.90
1	A	56	C	P-O5'-C5'	-9.55	106.57	120.90
1	A	35	A	P-O3'-C3'	9.37	134.25	120.20
1	A	39	C	P-O3'-C3'	9.15	133.92	120.20
1	A	72	U	P-O5'-C5'	-9.01	107.38	120.90
1	A	19	G	O4'-C1'-N9	-9.00	94.70	108.20
1	A	6	C	P-O5'-C5'	-8.42	108.27	120.90
1	A	70	G	P-O5'-C5'	-8.20	108.60	120.90
1	A	18	G	P-O3'-C3'	-8.16	107.95	120.20
1	A	53	G	P-O5'-C5'	-8.14	108.69	120.90
1	A	69	C	P-O3'-C3'	-8.12	108.03	120.20
1	A	16	H2U	P-O3'-C3'	-8.08	108.08	120.20
1	A	72	U	P-O3'-C3'	-8.02	108.17	120.20
1	A	2	G	P-O5'-C5'	-7.99	108.92	120.90
1	A	51	C	O3'-P-O5'	-7.98	92.04	104.00
1	A	11	C	P-O3'-C3'	-7.96	108.25	120.20
1	A	50	U	P-O5'-C5'	-7.80	109.20	120.90
1	A	24	G	P-O3'-C3'	7.67	131.70	120.20
1	A	23	C	P-O5'-C5'	-7.61	109.48	120.90
1	A	18	G	O4'-C1'-N9	7.40	119.29	108.20
1	A	32	C	P-O3'-C3'	7.16	130.93	120.20
1	A	5	C	P-O3'-C3'	-7.10	109.55	120.20
1	A	51	C	P-O3'-C3'	-7.04	109.63	120.20
1	A	22	G	P-O5'-C5'	-6.95	110.48	120.90
1	A	50	U	C5'-C4'-C3'	-6.91	105.63	116.00
1	A	65	G	O5'-C5'-C4'	-6.89	101.17	111.50
1	A	67	G	O3'-P-O5'	6.80	114.20	104.00
1	A	66	C	P-O5'-C5'	-6.76	110.75	120.90
1	A	39	C	P-O5'-C5'	-6.71	110.84	120.90
1	A	76	A	P-O5'-C5'	-6.58	111.04	120.90
1	A	51	C	P-O5'-C5'	-6.56	111.06	120.90
1	A	49	5MC	P-O3'-C3'	-6.49	110.47	120.20
1	A	19	G	O5'-P-OP2	6.46	127.39	108.00
1	A	21	A	O4'-C1'-N9	6.42	118.13	108.50
1	A	15	G	N9-C1'-C2'	-6.41	102.39	112.00
1	A	52	G	P-O3'-C3'	-6.34	110.68	120.20
1	A	32	C	O3'-P-O5'	6.17	113.26	104.00
1	A	3	C	O5'-C5'-C4'	-6.12	102.31	111.50
1	A	63	G	C3'-C2'-O2'	-6.11	101.53	110.70
1	A	50	U	C1'-C2'-O2'	6.10	117.55	108.40
1	A	49	5MC	O3'-P-O5'	-6.07	94.90	104.00
1	A	60	A	C3'-C2'-O2'	-6.07	105.50	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	71	C	P-O5'-C5'	-6.03	111.86	120.90
1	A	18	G	O3'-P-O5'	-6.00	95.00	104.00
1	A	56	C	O3'-P-O5'	-5.95	95.07	104.00
1	A	3	C	C3'-C2'-O2'	-5.88	101.89	110.70
1	A	67	G	O5'-C5'-C4'	-5.78	102.83	111.50
1	A	65	G	O3'-P-O5'	-5.77	95.34	104.00
1	A	24	G	N9-C1'-C2'	-5.76	103.36	112.00
1	A	72	U	O3'-P-O5'	-5.75	95.37	104.00
1	A	72	U	C3'-C2'-O2'	-5.65	102.22	110.70
1	A	68	G	O3'-P-O5'	-5.54	95.69	104.00
1	A	73	A	O5'-C5'-C4'	-5.48	103.28	111.50
1	A	12	G	P-O5'-C5'	-5.46	112.72	120.90
1	A	71	C	O5'-P-OP2	5.40	124.20	108.00
1	A	53	G	O5'-C5'-C4'	-5.38	103.43	111.50
1	A	45	U	O4'-C1'-N1	5.36	116.53	108.50
1	A	45	U	P-O5'-C5'	-5.31	112.93	120.90
1	A	7	G	C3'-C2'-O2'	-5.31	106.63	114.60
1	A	59	A	OP1-P-OP2	-5.30	103.70	119.60
1	A	51	C	O5'-P-OP1	5.30	123.89	108.00
1	A	7	G	P-O5'-C5'	-5.29	112.96	120.90
1	A	18	G	N9-C1'-C2'	-5.29	106.07	114.00
1	A	69	C	OP1-P-OP2	-5.28	103.76	119.60
1	A	3	C	P-O3'-C3'	5.25	128.08	120.20
1	A	11	C	O3'-P-O5'	-5.25	96.13	104.00
1	A	12	G	P-O3'-C3'	-5.24	112.34	120.20
1	A	60	A	OP1-P-OP2	-5.21	103.95	119.60
1	A	1	A	O5'-C5'-C4'	-5.17	103.75	111.50
1	A	40	C	O5'-P-OP2	5.13	123.40	108.00
1	A	32	C	O5'-C5'-C4'	-5.12	103.82	111.50
1	A	57	G	O5'-C5'-C4'	-5.11	103.83	111.50
1	A	18	G	O4'-C1'-C2'	-5.05	100.75	105.80
1	A	52	G	O5'-C5'-C4'	-5.03	103.96	111.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1639	0	848	69	0
All	All	1639	0	848	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:C:H2'	1:A:42:U:C6	2.07	0.90
1:A:47:H2U:O2	1:A:47:H2U:H2'	1.75	0.86
1:A:50:U:H5'	1:A:51:C:OP2	1.77	0.83
1:A:59:A:O2'	1:A:60:A:H5'	1.84	0.78
1:A:38:A:H2'	1:A:39:C:H6	1.48	0.77
1:A:32:C:H2'	1:A:32:C:O2	1.85	0.75
1:A:49:5MC:H2'	1:A:49:5MC:O2	1.87	0.74
1:A:38:A:O2'	1:A:39:C:H5'	1.87	0.74
1:A:35:A:H2'	1:A:36:U:O4'	1.91	0.70
1:A:38:A:H2'	1:A:39:C:C6	2.28	0.67
1:A:38:A:H5'	1:A:38:A:H8	1.60	0.67
1:A:39:C:N3	1:A:40:C:C5	2.64	0.65
1:A:35:A:H2'	1:A:36:U:C6	2.32	0.65
1:A:43:G:H2'	1:A:43:G:N3	2.13	0.63
1:A:38:A:C2	1:A:39:C:C2	2.88	0.62
1:A:10:2MG:H2'	1:A:10:2MG:N3	2.16	0.61
1:A:14:A:C2'	1:A:15:G:H5'	2.31	0.60
1:A:35:A:C2	1:A:36:U:C2	2.90	0.59
1:A:38:A:H5'	1:A:38:A:C8	2.37	0.59
1:A:11:C:H2'	1:A:11:C:O2	2.02	0.59
1:A:54:A:H5''	1:A:55:U:OP2	2.02	0.59
1:A:35:A:H2'	1:A:36:U:H6	1.68	0.58
1:A:23:C:C2'	1:A:24:G:H5'	2.34	0.57
1:A:13:C:H2'	1:A:14:A:H5''	1.86	0.57
1:A:56:C:H2'	1:A:56:C:O2	2.04	0.57
1:A:24:G:O2'	1:A:25:C:H5'	2.05	0.56
1:A:38:A:N3	1:A:39:C:C6	2.74	0.56
1:A:44:A:H8	1:A:44:A:OP2	1.91	0.53
1:A:38:A:C4	1:A:39:C:C5	2.96	0.53
1:A:23:C:O2'	1:A:24:G:H5'	2.08	0.53
1:A:49:5MC:O2	1:A:49:5MC:C2'	2.57	0.53
1:A:61:C:H2'	1:A:61:C:O2	2.08	0.52
1:A:50:U:H2'	1:A:50:U:O2	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:C:H5''	1:A:57:G:OP2	2.10	0.52
1:A:40:C:C2'	1:A:41:C:H5'	2.40	0.51
1:A:75:C:H2'	1:A:76:A:O4'	2.11	0.51
1:A:38:A:C4	1:A:39:C:C6	2.99	0.51
1:A:39:C:C2	1:A:40:C:C5	2.98	0.51
1:A:35:A:C6	1:A:36:U:C4	3.00	0.50
1:A:14:A:H2'	1:A:15:G:H5'	1.95	0.49
1:A:40:C:H2'	1:A:41:C:O4'	2.13	0.49
1:A:33:U:O2	1:A:35:A:N7	2.46	0.48
1:A:31:G:C2	1:A:40:C:C4	3.02	0.47
1:A:12:G:OP2	1:A:12:G:H8	1.97	0.47
1:A:13:C:C2'	1:A:14:A:H5''	2.43	0.47
1:A:39:C:C2	1:A:40:C:C6	3.03	0.47
1:A:24:G:H3'	1:A:24:G:C8	2.51	0.46
1:A:31:G:N1	1:A:40:C:C4	2.84	0.46
1:A:25:C:N4	1:A:26:M2G:C5	2.85	0.45
1:A:31:G:H2'	1:A:32:C:H6	1.82	0.44
1:A:31:G:H2'	1:A:32:C:C6	2.52	0.44
1:A:38:A:H2'	1:A:39:C:O4'	2.17	0.44
1:A:26:M2G:HM22	1:A:44:A:H2	1.82	0.43
1:A:58:1MA:H1'	1:A:60:A:N7	2.34	0.43
1:A:24:G:C2'	1:A:25:C:H5'	2.49	0.43
1:A:5:C:H2'	1:A:6:C:O4'	2.19	0.43
1:A:15:G:C2	1:A:59:A:C2	3.07	0.43
1:A:31:G:H1	1:A:39:C:H42	1.65	0.43
1:A:61:C:O2	1:A:61:C:C2'	2.64	0.42
1:A:11:C:O2	1:A:11:C:C2'	2.67	0.42
1:A:25:C:C4	1:A:26:M2G:C8	3.08	0.42
1:A:35:A:C4	1:A:36:U:C6	3.07	0.42
1:A:35:A:C5	1:A:36:U:C5	3.08	0.42
1:A:24:G:C8	1:A:24:G:C3'	3.03	0.41
1:A:27:C:O2'	1:A:28:A:H5'	2.19	0.41
1:A:56:C:O2	1:A:56:C:C2'	2.66	0.41
1:A:4:G:H2'	1:A:5:C:C6	2.56	0.41
1:A:71:C:O2	1:A:71:C:H2'	2.21	0.41
1:A:34:C:H6	1:A:34:C:OP1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	73/75 (97%)	37 (50%)	7 (9%)

All (37) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	5	C
1	A	9	1MG
1	A	11	C
1	A	12	G
1	A	13	C
1	A	14	A
1	A	16	H2U
1	A	18	G
1	A	19	G
1	A	21	A
1	A	22	G
1	A	24	G
1	A	29	G
1	A	30	G
1	A	32	C
1	A	33	U
1	A	34	C
1	A	35	A
1	A	36	U
1	A	37	T6A
1	A	38	A
1	A	39	C
1	A	40	C
1	A	41	C
1	A	42	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	43	G
1	A	44	A
1	A	47	H2U
1	A	48	5MC
1	A	49	5MC
1	A	50	U
1	A	54	A
1	A	56	C
1	A	58	1MA
1	A	61	C
1	A	64	RIA
1	A	75	C

All (7) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	35	A
1	A	36	U
1	A	37	T6A
1	A	38	A
1	A	39	C
1	A	47	H2U
1	A	74	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	T6A	A	37	1	31,34,35	1.58	5 (16%)	43,49,52	3.31	11 (25%)
1	1MA	A	58	1	21,25,26	1.55	3 (14%)	30,37,40	1.89	7 (23%)
1	RIA	A	64	1	35,38,39	1.07	2 (5%)	50,57,60	2.07	8 (16%)
1	5MC	A	49	1	19,22,23	1.01	2 (10%)	26,32,35	1.26	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	7MG	A	46	1	23,26,27	3.24	3 (13%)	27,39,42	1.93	4 (14%)
1	M2G	A	26	1	24,27,28	0.69	0	33,40,43	1.19	2 (6%)
1	1MG	A	9	1	23,26,27	0.73	0	33,39,42	1.32	3 (9%)
1	2MG	A	10	1	23,26,27	0.73	0	33,38,41	1.50	3 (9%)
1	H2U	A	47	1	18,21,22	1.04	0	19,30,33	2.30	5 (26%)
1	H2U	A	16	1	18,21,22	0.97	0	19,30,33	1.31	3 (15%)
1	5MC	A	48	1	19,22,23	1.10	2 (10%)	26,32,35	1.18	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	T6A	A	37	1	-	11/23/41/42	0/3/3/3
1	1MA	A	58	1	-	2/7/25/26	0/3/3/3
1	RIA	A	64	1	-	4/17/51/52	0/4/4/4
1	5MC	A	49	1	-	4/7/25/26	0/2/2/2
1	7MG	A	46	1	-	4/7/37/38	0/3/3/3
1	M2G	A	26	1	-	2/11/29/30	0/3/3/3
1	1MG	A	9	1	-	2/7/25/26	0/3/3/3
1	2MG	A	10	1	-	0/9/27/28	0/3/3/3
1	H2U	A	47	1	-	5/7/38/39	0/2/2/2
1	H2U	A	16	1	-	2/7/38/39	0/2/2/2
1	5MC	A	48	1	-	1/7/25/26	0/2/2/2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	46	7MG	C8-N9	-14.71	1.36	1.45
1	A	58	1MA	O2'-C2'	3.83	1.52	1.43
1	A	64	RIA	P'-O3X	-3.79	1.40	1.54
1	A	37	T6A	C15-C14	-3.65	1.41	1.51
1	A	37	T6A	O14-C14	-3.40	1.34	1.43
1	A	48	5MC	C5-C4	-3.22	1.41	1.44
1	A	58	1MA	O4'-C1'	3.14	1.49	1.42
1	A	46	7MG	C5-N7	3.01	1.39	1.35
1	A	58	1MA	O4'-C4'	-2.98	1.38	1.45
1	A	49	5MC	C5-C4	-2.95	1.41	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	37	T6A	ODB-C13	-2.94	1.21	1.30
1	A	37	T6A	C12-N11	-2.89	1.40	1.45
1	A	37	T6A	ODA-C13	2.61	1.29	1.22
1	A	48	5MC	O4'-C4'	-2.35	1.39	1.45
1	A	46	7MG	C8-N7	-2.20	1.31	1.42
1	A	64	RIA	C2-N1	2.18	1.37	1.33
1	A	49	5MC	C2-N1	-2.05	1.35	1.40

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	37	T6A	O14-C14-C15	11.29	143.46	109.68
1	A	64	RIA	O2A-C1'-O1'	-9.03	102.15	111.37
1	A	37	T6A	O14-C14-C12	-8.25	92.45	109.07
1	A	37	T6A	N6-C10-N11	8.06	124.86	113.77
1	A	37	T6A	ODA-C13-C12	-7.35	97.47	121.86
1	A	10	2MG	CM2-N2-C2	-7.01	108.58	123.65
1	A	46	7MG	N9-C8-N7	7.01	113.29	103.37
1	A	47	H2U	O2-C2-N1	6.28	130.66	123.10
1	A	64	RIA	O5'-P'-O1X	5.93	122.47	106.44
1	A	37	T6A	ODB-C13-C12	5.91	134.64	114.15
1	A	37	T6A	C13-C12-N11	5.53	122.32	110.17
1	A	64	RIA	C1'-O2A-C2A	5.10	130.08	117.98
1	A	47	H2U	O2-C2-N3	-4.79	112.65	121.49
1	A	9	1MG	O4'-C1'-N9	4.75	119.12	108.36
1	A	58	1MA	O4'-C1'-N9	-4.67	97.77	108.36
1	A	37	T6A	O10-C10-N6	-4.58	115.50	123.64
1	A	37	T6A	C12-N11-C10	4.54	129.54	121.99
1	A	58	1MA	O2'-C2'-C3'	-4.42	97.65	111.82
1	A	9	1MG	N2-C2-N1	-4.37	115.27	118.79
1	A	46	7MG	C4-C5-N7	4.23	110.38	105.38
1	A	26	M2G	CM2-N2-CM1	4.19	129.24	115.87
1	A	26	M2G	CM1-N2-C2	-3.78	112.88	120.61
1	A	64	RIA	C2A-C1A-N9	-3.62	107.79	113.75
1	A	47	H2U	O3'-C3'-C4'	3.60	121.42	111.08
1	A	58	1MA	C3'-C2'-C1'	3.57	108.21	101.46
1	A	58	1MA	O3'-C3'-C2'	3.34	122.54	111.82
1	A	58	1MA	O2'-C2'-C1'	-3.31	98.71	110.10
1	A	16	H2U	O2-C2-N3	-3.19	115.61	121.49
1	A	49	5MC	O2'-C2'-C3'	-3.17	101.67	111.82
1	A	64	RIA	O2X-P'-O5'	-3.08	98.63	106.67
1	A	48	5MC	C2'-C1'-N1	-3.02	104.84	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	37	T6A	C14-C12-C13	3.02	115.30	110.03
1	A	64	RIA	O3X-P'-O5'	2.85	114.10	106.67
1	A	47	H2U	O3'-C3'-C2'	2.83	120.87	111.82
1	A	64	RIA	O1'-C1'-C2'	2.77	108.50	104.98
1	A	16	H2U	O2'-C2'-C3'	-2.71	103.14	111.82
1	A	10	2MG	N2-C2-N3	-2.70	117.07	120.51
1	A	37	T6A	O4'-C1'-N9	2.62	113.12	108.09
1	A	58	1MA	O4'-C4'-C5'	2.61	117.70	109.33
1	A	58	1MA	O3'-C3'-C4'	2.55	118.42	111.08
1	A	46	7MG	C6-C5-C4	-2.45	118.09	122.40
1	A	37	T6A	C2'-C1'-N9	2.36	119.17	113.30
1	A	49	5MC	C5-C4-N3	-2.29	119.40	121.75
1	A	16	H2U	O2-C2-N1	2.26	125.82	123.10
1	A	9	1MG	C6-C5-C4	-2.26	117.41	119.97
1	A	46	7MG	C5-C6-N1	2.20	114.81	110.94
1	A	10	2MG	C2-N1-C6	-2.18	121.92	124.55
1	A	48	5MC	O4'-C1'-C2'	-2.10	102.13	106.62
1	A	64	RIA	O1'-C4'-C5'	-2.06	102.72	109.33
1	A	47	H2U	O2'-C2'-C1'	2.05	117.17	110.10

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	37	T6A	O4'-C4'-C5'-O5'
1	A	37	T6A	O4'-C1'-N9-C8
1	A	37	T6A	O4'-C1'-N9-C4
1	A	37	T6A	N11-C12-C13-ODA
1	A	37	T6A	N11-C12-C13-ODB
1	A	37	T6A	N11-C12-C14-O14
1	A	37	T6A	C13-C12-C14-O14
1	A	47	H2U	C2'-C1'-N1-C2
1	A	64	RIA	C5'-O5'-P'-O1X
1	A	64	RIA	C5'-O5'-P'-O2X
1	A	64	RIA	C5'-O5'-P'-O3X
1	A	49	5MC	O4'-C4'-C5'-O5'
1	A	49	5MC	C3'-C4'-C5'-O5'
1	A	58	1MA	O4'-C4'-C5'-O5'
1	A	37	T6A	C3'-C4'-C5'-O5'
1	A	47	H2U	O4'-C4'-C5'-O5'
1	A	47	H2U	C4'-C5'-O5'-P
1	A	47	H2U	C2'-C1'-N1-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A	46	7MG	C2'-C1'-N9-C8
1	A	47	H2U	C3'-C4'-C5'-O5'
1	A	58	1MA	C3'-C4'-C5'-O5'
1	A	37	T6A	C14-C12-C13-ODA
1	A	37	T6A	C14-C12-C13-ODB
1	A	49	5MC	C2'-C1'-N1-C2
1	A	46	7MG	O4'-C4'-C5'-O5'
1	A	37	T6A	N11-C12-C14-C15
1	A	26	M2G	C3'-C4'-C5'-O5'
1	A	49	5MC	C2'-C1'-N1-C6
1	A	16	H2U	O4'-C4'-C5'-O5'
1	A	26	M2G	O4'-C4'-C5'-O5'
1	A	46	7MG	C3'-C4'-C5'-O5'
1	A	16	H2U	C3'-C4'-C5'-O5'
1	A	9	1MG	C2'-C1'-N9-C8
1	A	9	1MG	C2'-C1'-N9-C4
1	A	48	5MC	C4'-C5'-O5'-P
1	A	46	7MG	O4'-C1'-N9-C8
1	A	64	RIA	O1'-C4'-C5'-O5'

There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	58	1MA	1	0
1	A	49	5MC	2	0
1	A	26	M2G	3	0
1	A	10	2MG	1	0
1	A	47	H2U	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.