



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 09:54 PM UTC

PDB ID : 5YFB / pdb_00005yfb
Title : Crystal structure of a new DPP III family member
Authors : Xu, T.; Sun, Z.; Liu, J.
Deposited on : 2017-09-20
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	703	% 86% 11% ..
1	B	703	5% 85% 11% ...

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	691	Total	C	N	O	S	0	1	0
			5421	3466	901	1046	8			
1	B	690	Total	C	N	O	S	0	3	0
			5419	3465	901	1045	8			


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	696	LEU	-	expression tag	UNP B0S4Q0
A	697	GLU	-	expression tag	UNP B0S4Q0
A	698	HIS	-	expression tag	UNP B0S4Q0
A	699	HIS	-	expression tag	UNP B0S4Q0
A	700	HIS	-	expression tag	UNP B0S4Q0
A	701	HIS	-	expression tag	UNP B0S4Q0
A	702	HIS	-	expression tag	UNP B0S4Q0
A	703	HIS	-	expression tag	UNP B0S4Q0
B	696	LEU	-	expression tag	UNP B0S4Q0
B	697	GLU	-	expression tag	UNP B0S4Q0
B	698	HIS	-	expression tag	UNP B0S4Q0
B	699	HIS	-	expression tag	UNP B0S4Q0
B	700	HIS	-	expression tag	UNP B0S4Q0
B	701	HIS	-	expression tag	UNP B0S4Q0
B	702	HIS	-	expression tag	UNP B0S4Q0
B	703	HIS	-	expression tag	UNP B0S4Q0

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	151	Total O 151 151	0	0
5	B	130	Total O 130 130	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Dipeptidyl peptidase 3



• Molecule 1: Dipeptidyl peptidase 3



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	207.21 Å 84.63 Å 90.22 Å 90.00° 108.46° 90.00°	Depositor
Resolution (Å)	98.27 – 2.20 98.27 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.2 (98.27-2.20) 98.2 (98.27-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.26 (at 2.20 Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.187 , 0.248 0.195 , 0.252	Depositor DCC
R_{free} test set	3734 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	20.1	Xtriage
Anisotropy	0.525	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 30.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11177	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ZN, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.19	5/5538 (0.1%)	1.14	6/7513 (0.1%)
1	B	1.22	9/5542 (0.2%)	1.14	18/7518 (0.2%)
All	All	1.21	14/11080 (0.1%)	1.14	24/15031 (0.2%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	224	PRO	CA-C	7.32	1.55	1.51
1	B	160	SER	CA-C	5.83	1.60	1.52
1	B	200	ILE	C-O	-5.47	1.18	1.24
1	B	156	LEU	C-O	-5.38	1.16	1.24
1	B	404	LEU	N-CA	-5.34	1.39	1.46
1	A	34	LYS	CA-C	5.33	1.59	1.52
1	A	48	ALA	CA-C	5.24	1.59	1.52
1	A	554	ALA	CA-C	5.15	1.59	1.52
1	B	95	TRP	N-CA	-5.13	1.40	1.46
1	A	143	SER	C-O	-5.12	1.18	1.24
1	A	307	ILE	C-O	-5.07	1.17	1.23
1	B	683	ALA	N-CA	-5.06	1.40	1.46
1	B	143	SER	CA-C	-5.05	1.46	1.52
1	B	142	GLY	N-CA	5.01	1.52	1.45

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	619	GLN	N-CA-C	7.48	119.44	111.28
1	B	248	SER	CA-CB-OG	-6.54	98.02	111.10
1	B	129	PHE	N-CA-C	-6.24	104.39	111.07
1	B	254	VAL	N-CA-CB	6.22	119.01	110.54
1	A	693	ARG	NE-CZ-NH2	5.77	124.39	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	248	SER	N-CA-C	5.66	120.72	111.37
1	B	570	THR	N-CA-CB	5.61	118.94	110.30
1	B	193	ALA	N-CA-C	5.54	117.00	111.07
1	B	493	GLY	CA-C-N	5.54	127.96	120.38
1	B	493	GLY	C-N-CA	5.54	127.96	120.38
1	A	84	LEU	N-CA-C	-5.51	105.35	111.36
1	B	674	VAL	N-CA-CB	5.48	116.69	110.72
1	B	415	GLU	N-CA-C	-5.42	101.15	109.76
1	A	536	THR	N-CA-CB	5.39	118.14	110.16
1	A	143	SER	CB-CA-C	-5.33	102.28	110.81
1	B	41	TYR	N-CA-C	5.33	118.00	111.82
1	B	489	ASP	N-CA-C	5.28	117.03	111.28
1	B	143	SER	CB-CA-C	-5.22	102.69	110.88
1	B	392	GLU	N-CA-CB	5.14	118.26	110.14
1	B	139	ALA	N-CA-C	5.08	116.82	111.28
1	B	224	PRO	CA-C-N	-5.08	114.50	119.99
1	B	224	PRO	C-N-CA	-5.08	114.50	119.99
1	A	41	TYR	N-CA-C	5.06	116.79	111.28
1	B	693	ARG	NE-CZ-NH2	5.04	123.73	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5421	0	5399	40	0
1	B	5419	0	5402	36	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	18	0	24	0	0
3	B	12	0	16	0	0
4	A	8	0	12	1	0
4	B	16	0	24	1	0
5	A	151	0	0	1	0
5	B	130	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	11177	0	10877	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:571:GLN:HE22	1:B:640:PRO:HA	1.44	0.83
1:A:532:ILE:O	1:A:536:THR:HG23	1.80	0.82
1:A:566:ARG:O	1:A:570:THR:HG23	1.83	0.78
1:A:247:ALA:O	1:A:251:THR:HG23	1.87	0.74
1:B:141:GLN:OE1	5:B:902:HOH:O	2.08	0.71
1:B:392:GLU:HG3	5:B:911:HOH:O	1.91	0.70
1:B:666:ASN:HD21	1:B:693:ARG:HE	1.39	0.69
1:A:666:ASN:HD22	4:A:806:EDO:H21	1.56	0.69
1:A:583:LEU:O	1:A:584:ILE:HD13	1.97	0.64
1:A:591:LEU:HD21	1:A:594:LEU:HD21	1.82	0.62
1:A:157:SER:HA	1:A:158:PRO:C	2.24	0.61
1:A:571:GLN:HE22	1:A:640:PRO:HA	1.65	0.61
1:A:544:GLY:HA3	1:A:570:THR:HG21	1.84	0.60
1:B:656:LYS:NZ	5:B:905:HOH:O	2.32	0.60
1:A:330:VAL:HG12	1:A:371:LEU:CD2	2.34	0.57
1:B:544:GLY:HA3	1:B:570:THR:CG2	2.34	0.57
1:A:41:TYR:CE1	1:A:259:GLU:HG2	2.40	0.56
1:A:666:ASN:HD21	1:A:693:ARG:HE	1.52	0.56
1:A:532:ILE:O	1:A:536:THR:CG2	2.51	0.56
1:A:560:GLN:NE2	1:A:563:MET:H	2.04	0.55
1:A:544:GLY:HA3	1:A:570:THR:CG2	2.37	0.55
1:B:544:GLY:HA3	1:B:570:THR:HG23	1.88	0.55
1:B:666:ASN:HD21	1:B:693:ARG:NE	2.04	0.54
1:A:480:SER:HB3	1:A:624:THR:O	2.07	0.54
1:B:518:LEU:HD13	1:B:529:ILE:HG23	1.91	0.53
1:B:566:ARG:O	1:B:570:THR:HG23	2.09	0.53
1:B:270:SER:O	1:B:274:GLU:HG3	2.09	0.52
1:B:514:ASN:HD21	1:B:516:ASP:HB2	1.75	0.52
1:B:293:THR:HG23	1:B:397:THR:HG21	1.92	0.52
1:B:151:GLN:HG2	5:B:990:HOH:O	2.11	0.51
1:A:293:THR:HG23	1:A:397:THR:HG21	1.93	0.51
1:A:512:VAL:HG21	1:A:536:THR:HG21	1.91	0.51
1:B:514:ASN:HD22	1:B:517:ILE:H	1.58	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:266:ASN:HD22	1:B:268:HIS:H	1.57	0.50
1:B:190:GLN:HE22	1:B:200:ILE:HG12	1.75	0.50
1:B:666:ASN:ND2	1:B:693:ARG:HE	2.08	0.50
1:B:157:SER:HA	1:B:158:PRO:C	2.38	0.49
1:A:392:GLU:OE2	5:A:901:HOH:O	2.19	0.48
1:B:560:GLN:HE22	1:B:562:HIS:HB2	1.78	0.48
4:B:804:EDO:H21	5:B:911:HOH:O	2.14	0.47
1:A:47:TRP:CD2	1:A:693:ARG:HD3	2.50	0.47
1:A:514:ASN:HD21	1:A:516:ASP:HB2	1.79	0.47
1:B:404:LEU:HB3	1:B:407:ILE:HG12	1.97	0.47
1:B:480:SER:HB3	1:B:624:THR:O	2.14	0.47
1:A:41:TYR:CZ	1:A:259:GLU:HG2	2.50	0.47
1:B:473:LEU:HD12	1:B:620:VAL:HG11	1.97	0.47
1:A:560:GLN:HE21	1:A:563:MET:H	1.62	0.46
1:A:512:VAL:HG21	1:A:536:THR:CG2	2.46	0.46
1:A:99:ILE:CG2	1:A:683:ALA:HB1	2.46	0.45
1:A:386:ASN:HD22	1:A:386:ASN:C	2.25	0.45
1:A:666:ASN:ND2	1:A:693:ARG:HE	2.14	0.45
1:A:203:THR:HA	1:A:216:LEU:O	2.17	0.45
1:B:487:THR:H	1:B:490:SER:HG	1.64	0.45
1:B:266:ASN:ND2	1:B:269:GLN:H	2.15	0.45
1:A:514:ASN:HD22	1:A:517:ILE:H	1.65	0.44
1:B:41:TYR:CE1	1:B:259:GLU:HG2	2.52	0.44
1:A:566:ARG:O	1:A:570:THR:CG2	2.61	0.44
1:B:509:LEU:O	1:B:512:VAL:HG12	2.18	0.43
1:A:288:HIS:HD2	1:A:390:TYR:OH	2.01	0.43
1:A:37:LEU:HD13	1:A:263:TYR:CE1	2.53	0.42
1:B:558:HIS:HD2	5:B:989:HOH:O	2.02	0.42
1:B:269:GLN:HA	1:B:272:MET:SD	2.60	0.42
1:B:428:TYR:HA	1:B:535:ILE:HD12	2.00	0.42
1:A:666:ASN:HD21	1:A:693:ARG:NE	2.16	0.42
1:B:560:GLN:NE2	1:B:563:MET:H	2.18	0.42
1:A:220:ALA:HB1	1:A:251:THR:HG22	2.01	0.42
1:A:540:MET:SD	1:A:566:ARG:HG2	2.60	0.42
1:B:431:TRP:HB2	1:B:535:ILE:HG13	2.02	0.41
1:B:266:ASN:HD22	1:B:268:HIS:N	2.18	0.41
1:B:352:LEU:HD13	1:B:354:TRP:CZ2	2.55	0.41
1:A:17:ALA:H	1:A:100:GLN:HE22	1.68	0.41
1:B:9:GLU:HA	1:B:12:LEU:HD22	2.01	0.41
1:A:427:LEU:HD12	1:A:427:LEU:HA	1.97	0.40
1:B:250:LEU:O	1:B:254:VAL:HG13	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:415:GLU:HG2	1:A:657:LEU:HD13	2.03	0.40
1:A:8:ARG:HG2	1:A:156:LEU:HD13	2.04	0.40
1:A:560:GLN:HE22	1:A:562:HIS:HB2	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	690/703 (98%)	675 (98%)	15 (2%)	0	100	100
1	B	691/703 (98%)	674 (98%)	17 (2%)	0	100	100
All	All	1381/1406 (98%)	1349 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	584/594 (98%)	553 (95%)	31 (5%)	20	26
1	B	585/594 (98%)	550 (94%)	35 (6%)	17	21
All	All	1169/1188 (98%)	1103 (94%)	66 (6%)	18	24

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ARG
1	A	12	LEU
1	A	168	LYS
1	A	266	ASN
1	A	270	SER
1	A	273	ILE
1	A	333	GLN
1	A	334	LEU
1	A	385	ILE
1	A	386	ASN
1	A	387	ILE
1	A	397	THR
1	A	408	LEU
1	A	422	PRO
1	A	446	LEU
1	A	468	LYS
1	A	476	LYS
1	A	480	SER
1	A	514	ASN
1	A	526	LYS
1	A	536	THR
1	A	570	THR
1	A	585	GLN
1	A	592	GLU
1	A	606	LYS
1	A	611	VAL
1	A	654	LYS
1	A	669	VAL
1	A	670	VAL
1	A	674	VAL
1	A	696	LEU
1	B	7	HIS
1	B	8	ARG
1	B	12	LEU
1	B	127	GLU
1	B	159	GLU
1	B	186	VAL
1	B	254	VAL
1	B	259	GLU
1	B	266	ASN
1	B	272	MET
1	B	284	SER
1	B	286	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	330	VAL
1	B	375	SER
1	B	386	ASN
1	B	387	ILE
1	B	392	GLU
1	B	397	THR
1	B	404	LEU
1	B	408	LEU
1	B	416	GLU
1	B	468	LYS
1	B	476	LYS
1	B	480	SER
1	B	522	ASN
1	B	570	THR
1	B	575	GLN
1	B	592	GLU
1	B	596	VAL
1	B	611	VAL
1	B	647	LYS
1	B	669	VAL
1	B	670	VAL
1	B	674	VAL
1	B	696	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	GLN
1	A	190	GLN
1	A	262	GLN
1	A	266	ASN
1	A	288	HIS
1	A	333	GLN
1	A	386	ASN
1	A	401	ASN
1	A	442	ASN
1	A	514	ASN
1	A	522	ASN
1	A	560	GLN
1	A	571	GLN
1	A	666	ASN
1	A	675	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	100	GLN
1	B	141	GLN
1	B	151	GLN
1	B	190	GLN
1	B	266	ASN
1	B	386	ASN
1	B	401	ASN
1	B	442	ASN
1	B	514	ASN
1	B	558	HIS
1	B	560	GLN
1	B	571	GLN
1	B	588	ASN
1	B	666	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	B	806	-	3,3,3	0.54	0	2,2,2	0.15	0
3	GOL	A	803	-	5,5,5	0.17	0	5,5,5	1.05	0
4	EDO	A	806	-	3,3,3	0.55	0	2,2,2	0.48	0
4	EDO	B	807	-	3,3,3	0.57	0	2,2,2	0.17	0
3	GOL	B	802	-	5,5,5	0.75	0	5,5,5	0.65	0
4	EDO	A	805	-	3,3,3	0.54	0	2,2,2	0.37	0
3	GOL	A	804	-	5,5,5	0.58	0	5,5,5	0.66	0
3	GOL	B	803	-	5,5,5	0.46	0	5,5,5	0.79	0
4	EDO	B	804	-	3,3,3	0.36	0	2,2,2	0.71	0
4	EDO	B	805	-	3,3,3	0.59	0	2,2,2	0.93	0
3	GOL	A	802	-	5,5,5	0.27	0	5,5,5	1.42	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	806	-	-	0/1/1/1	-
3	GOL	A	803	-	-	2/4/4/4	-
4	EDO	A	806	-	-	0/1/1/1	-
4	EDO	B	807	-	-	1/1/1/1	-
3	GOL	B	802	-	-	3/4/4/4	-
4	EDO	A	805	-	-	0/1/1/1	-
3	GOL	A	804	-	-	2/4/4/4	-
3	GOL	B	803	-	-	2/4/4/4	-
4	EDO	B	804	-	-	1/1/1/1	-
4	EDO	B	805	-	-	0/1/1/1	-
3	GOL	A	802	-	-	0/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	GOL	O1-C1-C2	-2.57	98.82	110.38

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	802	GOL	O1-C1-C2-O2
3	B	802	GOL	O1-C1-C2-C3
3	B	803	GOL	C1-C2-C3-O3
3	A	803	GOL	O2-C2-C3-O3
3	A	803	GOL	C1-C2-C3-O3
3	A	804	GOL	O1-C1-C2-C3
3	B	803	GOL	O2-C2-C3-O3
3	A	804	GOL	O2-C2-C3-O3
3	B	802	GOL	O2-C2-C3-O3
4	B	804	EDO	O1-C1-C2-O2
4	B	807	EDO	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	806	EDO	1	0
4	B	804	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	691/703 (98%)	-0.12	7 (1%) 79 77	9, 20, 38, 63	1 (0%)
1	B	690/703 (98%)	0.33	36 (5%) 33 29	8, 25, 48, 82	3 (0%)
All	All	1381/1406 (98%)	0.10	43 (3%) 51 48	8, 22, 43, 82	4 (0%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	7	HIS	3.9
1	B	458	ALA	3.6
1	B	412	VAL	3.6
1	B	587	ALA	3.5
1	B	589	GLY	3.5
1	A	8	ARG	3.5
1	B	365	LYS	3.2
1	B	468	LYS	3.2
1	B	227	VAL	3.2
1	B	591	LEU	3.2
1	B	586	ASP	3.0
1	B	413	PRO	2.9
1	A	697	GLU	2.9
1	B	584	ILE	2.9
1	B	470	ILE	2.8
1	A	7	HIS	2.8
1	B	355	GLY	2.8
1	B	224	PRO	2.7
1	B	477	PRO	2.7
1	B	26	LYS	2.6
1	A	584	ILE	2.6
1	B	469	VAL	2.5
1	B	461	LYS	2.4
1	A	647	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	588	ASN	2.3
1	A	526	LYS	2.3
1	B	416	GLU	2.3
1	B	417	LEU	2.2
1	B	349	ILE	2.2
1	B	590	GLU	2.2
1	B	411	LYS	2.2
1	B	467	GLU	2.2
1	B	391	TYR	2.1
1	B	696	LEU	2.1
1	A	606	LYS	2.1
1	B	525	ASP	2.1
1	B	336	ALA	2.1
1	B	8	ARG	2.1
1	B	267	ASP	2.0
1	B	343	ASN	2.0
1	B	462	LEU	2.0
1	B	597	ARG	2.0
1	B	236	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	B	804	4/4	0.81	0.16	27,30,32,41	0
3	GOL	B	803	6/6	0.82	0.16	42,48,49,49	0
4	EDO	A	806	4/4	0.84	0.17	33,33,34,36	0
3	GOL	A	803	6/6	0.84	0.17	30,34,35,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	804	6/6	0.85	0.13	23,32,39,40	0
4	EDO	B	805	4/4	0.87	0.12	32,34,35,35	0
4	EDO	B	807	4/4	0.87	0.16	36,38,38,39	0
4	EDO	A	805	4/4	0.89	0.10	25,28,29,30	0
4	EDO	B	806	4/4	0.91	0.10	36,36,37,39	0
3	GOL	B	802	6/6	0.92	0.10	26,28,30,32	0
3	GOL	A	802	6/6	0.95	0.07	17,18,20,20	0
2	ZN	B	801	1/1	0.99	0.02	23,23,23,23	0
2	ZN	A	801	1/1	1.00	0.01	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.