



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 12, 2026 – 12:51 PM UTC

PDB ID : 8YH1 / pdb_00008yh1
Title : Crystal structure of Thermus thermophilus UMP kinase complexed with a phosphoryl group acceptor and donor.
Authors : Fukui, K.; Nishiwaki, A.; Nakagawa, N.; Kuramitsu, S.; Masui, R.
Deposited on : 2024-02-27
Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	233	2% 87% 12%
1	B	233	3% 88% 11%
1	C	233	2% 88% 12%
1	D	233	2% 88% 10%
1	E	233	3% 88% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	233	2%85%15%
1	G	233	4%89%11%
1	H	233	4%87%12%.
1	I	233	9%83%16%. .

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 16733 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridylate kinase.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	233	Total	C	N	O	S	0	0	0
			1764	1123	305	328	8			
1	B	233	Total	C	N	O	S	0	0	0
			1766	1123	307	328	8			
1	C	233	Total	C	N	O	S	0	0	0
			1764	1123	307	326	8			
1	D	233	Total	C	N	O	S	0	0	0
			1749	1114	299	328	8			
1	E	233	Total	C	N	O	S	0	0	0
			1754	1114	304	328	8			
1	F	233	Total	C	N	O	S	0	0	0
			1754	1114	304	328	8			
1	G	233	Total	C	N	O	S	0	0	0
			1740	1108	299	325	8			
1	H	233	Total	C	N	O	S	0	0	0
			1748	1113	303	324	8			
1	I	231	Total	C	N	O	S	0	0	0
			1705	1082	295	320	8			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	D	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	E	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	F	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	G	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	H	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $\text{C}_9\text{H}_{14}\text{N}_2\text{O}_{12}\text{P}_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		
5	E	1	Total	Mg	0	0
			1	1		
5	G	1	Total	Mg	0	0
			1	1		
5	H	1	Total	Mg	0	0
			1	1		
5	I	1	Total	Mg	0	0
			1	1		

- Molecule 6 is URIDINE-5'-MONOPHOSPHATE (CCD ID: U5P) (formula: C₉H₁₃N₂O₉P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	E	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
6	F	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
6	G	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
6	H	1	Total	C	N	O	P	0	0
			21	9	2	9	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	91	Total 91	O 91	0	0
7	B	74	Total 74	O 74	0	0
7	C	61	Total 61	O 61	0	0
7	D	48	Total 48	O 48	0	0
7	E	50	Total 50	O 50	0	0
7	F	39	Total 39	O 39	0	0
7	G	31	Total 31	O 31	0	0
7	H	35	Total 35	O 35	0	0
7	I	19	Total 19	O 19	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Uridylate kinase




- Molecule 1: Uridylate kinase




- Molecule 1: Uridylate kinase




- Molecule 1: Uridylate kinase




- Molecule 1: Uridylate kinase








- Molecule 1: Uridylate kinase





- Molecule 1: Uridylate kinase



- Molecule 1: Uridylate kinase



- Molecule 1: Uridylate kinase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	150.22Å 232.20Å 284.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.32 – 2.60 26.32 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.8 (26.32-2.60) 99.8 (26.32-2.60)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.15 (at 2.60Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.180 , 0.203 (Not available) , 0.194	Depositor DCC
R_{free} test set	1999 reflections (1.31%)	wwPDB-VP
Wilson B-factor (Å ²)	42.7	Xtriage
Anisotropy	0.008	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16733	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: U5P, ADP, MG, UDP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/1789	0.57	0/2422
1	B	0.40	0/1791	0.58	0/2425
1	C	0.38	0/1789	0.58	0/2422
1	D	0.32	0/1774	0.49	0/2406
1	E	0.35	0/1778	0.51	0/2409
1	F	0.32	0/1778	0.48	0/2409
1	G	0.31	0/1765	0.49	0/2396
1	H	0.32	0/1773	0.52	0/2404
1	I	0.28	0/1727	0.47	0/2345
All	All	0.35	0/15964	0.52	0/21638

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1764	0	1817	25	0
1	B	1766	0	1817	24	0
1	C	1764	0	1817	22	0
1	D	1749	0	1779	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1754	0	1799	14	0
1	F	1754	0	1799	26	0
1	G	1740	0	1760	15	0
1	H	1748	0	1787	21	0
1	I	1705	0	1709	22	0
2	A	27	0	12	0	0
2	B	27	0	12	2	0
2	C	27	0	12	1	0
2	D	27	0	12	2	0
2	E	27	0	12	1	0
2	F	27	0	12	2	0
2	G	27	0	12	2	0
2	H	27	0	12	2	0
3	A	25	0	11	1	0
3	B	25	0	11	4	0
3	C	25	0	11	1	0
3	D	25	0	11	3	0
3	I	25	0	11	3	0
4	A	15	0	0	0	0
4	B	30	0	0	1	0
4	C	20	0	0	0	0
4	D	10	0	0	0	0
4	E	10	0	0	0	0
4	F	10	0	0	0	0
4	G	10	0	0	0	0
4	I	5	0	0	0	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
5	E	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
6	E	21	0	11	1	0
6	F	21	0	11	3	0
6	G	21	0	11	2	0
6	H	21	0	11	2	0
7	A	91	0	0	1	0
7	B	74	0	0	4	0
7	C	61	0	0	0	0
7	D	48	0	0	0	0
7	E	50	0	0	0	0
7	F	39	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	G	31	0	0	1	0
7	H	35	0	0	2	0
7	I	19	0	0	2	0
All	All	16733	0	16279	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 176 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:50:ALA:H	6:F:302:U5P:H5'1	1.29	0.94
1:E:60:GLY:HA3	1:E:63:MET:HE3	1.63	0.80
1:H:17:ARG:HG2	1:H:26:ALA:HB2	1.69	0.75
1:H:163:VAL:HG13	1:H:192:VAL:HG21	1.68	0.74
1:B:163:VAL:HG13	1:B:192:VAL:HG21	1.71	0.72

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/233 (99%)	228 (99%)	3 (1%)	0	100	100
1	B	231/233 (99%)	226 (98%)	4 (2%)	1 (0%)	30	51
1	C	231/233 (99%)	225 (97%)	6 (3%)	0	100	100
1	D	231/233 (99%)	225 (97%)	6 (3%)	0	100	100
1	E	231/233 (99%)	222 (96%)	8 (4%)	1 (0%)	30	51
1	F	231/233 (99%)	223 (96%)	8 (4%)	0	100	100
1	G	231/233 (99%)	224 (97%)	6 (3%)	1 (0%)	30	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	231/233 (99%)	224 (97%)	7 (3%)	0	100	100
1	I	227/233 (97%)	217 (96%)	9 (4%)	1 (0%)	30	51
All	All	2075/2097 (99%)	2014 (97%)	57 (3%)	4 (0%)	43	66

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	18	ASN
1	B	170	LYS
1	I	137	THR
1	E	18	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/183 (99%)	179 (99%)	2 (1%)	65	84
1	B	181/183 (99%)	176 (97%)	5 (3%)	38	66
1	C	180/183 (98%)	178 (99%)	2 (1%)	65	84
1	D	177/183 (97%)	173 (98%)	4 (2%)	44	71
1	E	179/183 (98%)	175 (98%)	4 (2%)	45	72
1	F	179/183 (98%)	175 (98%)	4 (2%)	45	72
1	G	174/183 (95%)	173 (99%)	1 (1%)	78	91
1	H	177/183 (97%)	173 (98%)	4 (2%)	44	71
1	I	168/183 (92%)	162 (96%)	6 (4%)	31	58
All	All	1596/1647 (97%)	1564 (98%)	32 (2%)	48	74

5 of 32 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	103	THR
1	I	153	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	192	VAL
1	D	105	VAL
1	I	160	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	28	GLN
1	F	84	GLN
1	I	224	GLN
1	H	233	HIS
1	I	84	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 45 ligands modelled in this entry, 6 are monoatomic - leaving 39 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	U5P	G	302	5	22,22,22	0.50	0	32,33,33	0.97	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	C	303	-	4,4,4	0.22	0	6,6,6	0.12	0
4	SO4	D	303	-	4,4,4	0.20	0	6,6,6	0.18	0
2	ADP	D	301	-	28,29,29	1.35	3 (10%)	43,45,45	2.06	9 (20%)
4	SO4	G	304	-	4,4,4	0.23	0	6,6,6	0.18	0
3	UDP	D	302	-	25,26,26	0.53	0	38,40,40	0.63	0
2	ADP	H	301	5	28,29,29	1.46	4 (14%)	43,45,45	1.88	9 (20%)
2	ADP	E	301	5	28,29,29	1.37	4 (14%)	43,45,45	1.93	11 (25%)
4	SO4	B	308	-	4,4,4	0.22	0	6,6,6	0.21	0
4	SO4	F	303	-	4,4,4	0.22	0	6,6,6	0.18	0
2	ADP	A	301	5	28,29,29	1.42	3 (10%)	43,45,45	1.92	12 (27%)
4	SO4	C	306	-	4,4,4	0.23	0	6,6,6	0.25	0
2	ADP	G	301	5	28,29,29	1.36	3 (10%)	43,45,45	2.01	9 (20%)
4	SO4	G	303	-	4,4,4	0.24	0	6,6,6	0.14	0
2	ADP	C	301	5	28,29,29	1.40	3 (10%)	43,45,45	1.97	12 (27%)
4	SO4	A	305	-	4,4,4	0.25	0	6,6,6	0.07	0
4	SO4	B	304	-	4,4,4	0.20	0	6,6,6	0.14	0
4	SO4	B	306	-	4,4,4	0.26	0	6,6,6	0.21	0
3	UDP	C	302	5	25,26,26	0.49	0	38,40,40	0.47	0
6	U5P	E	302	5	22,22,22	0.57	0	32,33,33	0.88	1 (3%)
4	SO4	I	302	-	4,4,4	0.23	0	6,6,6	0.12	0
4	SO4	F	304	-	4,4,4	0.23	0	6,6,6	0.14	0
3	UDP	A	302	5	25,26,26	1.10	1 (4%)	38,40,40	0.68	1 (2%)
3	UDP	B	302	-	25,26,26	0.49	0	38,40,40	0.47	0
6	U5P	H	302	5	22,22,22	0.56	0	32,33,33	0.92	2 (6%)
4	SO4	E	304	-	4,4,4	0.22	0	6,6,6	0.33	0
2	ADP	F	301	-	28,29,29	1.35	3 (10%)	43,45,45	1.92	7 (16%)
4	SO4	E	303	-	4,4,4	0.25	0	6,6,6	0.12	0
6	U5P	F	302	-	22,22,22	0.52	0	32,33,33	0.95	1 (3%)
4	SO4	B	305	-	4,4,4	0.28	0	6,6,6	0.20	0
4	SO4	D	304	-	4,4,4	0.21	0	6,6,6	0.13	0
4	SO4	A	304	-	4,4,4	0.22	0	6,6,6	0.23	0
4	SO4	C	305	-	4,4,4	0.21	0	6,6,6	0.27	0
4	SO4	C	304	-	4,4,4	0.25	0	6,6,6	0.12	0
4	SO4	A	303	-	4,4,4	0.20	0	6,6,6	0.35	0
2	ADP	B	301	-	28,29,29	1.44	5 (17%)	43,45,45	1.88	10 (23%)
4	SO4	B	303	-	4,4,4	0.25	0	6,6,6	0.15	0
3	UDP	I	301	-	25,26,26	0.63	1 (4%)	38,40,40	0.63	1 (2%)
4	SO4	B	307	-	4,4,4	0.24	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	U5P	G	302	5	-	1/10/26/26	0/2/2/2
2	ADP	A	301	5	-	5/16/32/32	0/3/3/3
3	UDP	A	302	5	-	5/16/32/32	0/2/2/2
2	ADP	G	301	5	-	7/16/32/32	0/3/3/3
3	UDP	B	302	-	-	7/16/32/32	0/2/2/2
6	U5P	F	302	-	-	3/10/26/26	0/2/2/2
2	ADP	C	301	5	-	7/16/32/32	0/3/3/3
6	U5P	H	302	5	-	4/10/26/26	0/2/2/2
2	ADP	H	301	5	-	9/16/32/32	0/3/3/3
2	ADP	D	301	-	-	6/16/32/32	0/3/3/3
3	UDP	D	302	-	-	7/16/32/32	0/2/2/2
3	UDP	I	301	-	-	4/16/32/32	0/2/2/2
2	ADP	B	301	-	-	5/16/32/32	0/3/3/3
3	UDP	C	302	5	-	5/16/32/32	0/2/2/2
6	U5P	E	302	5	-	4/10/26/26	0/2/2/2
2	ADP	E	301	5	-	5/16/32/32	0/3/3/3
2	ADP	F	301	-	-	6/16/32/32	0/3/3/3

The worst 5 of 30 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	301	ADP	C5-C4	5.13	1.48	1.39
2	A	301	ADP	C5-C4	5.09	1.48	1.39
3	A	302	UDP	PA-O3A	5.03	1.64	1.59
2	C	301	ADP	C5-C4	4.99	1.48	1.39
2	B	301	ADP	C5-C4	4.94	1.47	1.39

The worst 5 of 86 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	ADP	C5-C4-N3	-6.60	117.63	126.72
2	C	301	ADP	C5-C4-N3	-6.18	118.21	126.72
2	F	301	ADP	C5-C4-N3	-6.09	118.33	126.72
2	B	301	ADP	C5-C4-N3	-6.01	118.44	126.72
2	H	301	ADP	C5-C4-N3	-5.97	118.49	126.72

There are no chirality outliers.

5 of 90 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	301	ADP	C5'-O5'-PA-O1A
2	C	301	ADP	C5'-O5'-PA-O3A
2	D	301	ADP	C5'-O5'-PA-O3A
2	E	301	ADP	PA-O3A-PB-O2B
2	F	301	ADP	C5'-O5'-PA-O2A


There are no ring outliers.

17 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	G	302	U5P	2	0
2	D	301	ADP	2	0
3	D	302	UDP	3	0
2	H	301	ADP	2	0
2	E	301	ADP	1	0
2	G	301	ADP	2	0
2	C	301	ADP	1	0
3	C	302	UDP	1	0
6	E	302	U5P	1	0
3	A	302	UDP	1	0
3	B	302	UDP	4	0
6	H	302	U5P	2	0
2	F	301	ADP	2	0
6	F	302	U5P	3	0
4	B	305	SO4	1	0
2	B	301	ADP	2	0
3	I	301	UDP	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand U5P G 302




Ligand ADP D 301










Ligand ADP E 301





Ligand ADP A 301












Ligand U5P H 302




Ligand ADP F 301




Ligand U5P F 302



Ligand ADP B 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/233 (100%)	-0.58	4 (1%) 69 64	24, 34, 53, 69	0
1	B	233/233 (100%)	-0.37	6 (2%) 57 51	24, 37, 64, 82	0
1	C	233/233 (100%)	-0.45	4 (1%) 69 64	24, 38, 61, 84	0
1	D	233/233 (100%)	-0.41	5 (2%) 63 58	29, 42, 59, 74	0
1	E	233/233 (100%)	-0.22	8 (3%) 48 42	31, 44, 64, 105	0
1	F	233/233 (100%)	-0.27	4 (1%) 69 64	32, 48, 66, 89	0
1	G	233/233 (100%)	-0.17	10 (4%) 40 34	33, 48, 74, 89	0
1	H	233/233 (100%)	-0.04	9 (3%) 43 38	35, 51, 74, 95	0
1	I	231/233 (99%)	0.39	22 (9%) 14 10	37, 58, 94, 120	0
All	All	2095/2097 (99%)	-0.24	72 (3%) 48 42	24, 44, 72, 120	0

The worst 5 of 72 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	20	PHE	5.9
1	I	20	PHE	5.7
1	I	158	ASN	5.3
1	I	159	LYS	5.3
1	I	175	VAL	5.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	B	308	5/5	0.66	0.15	106,109,124,128	0
4	SO4	G	304	5/5	0.66	0.14	104,110,125,134	0
4	SO4	I	302	5/5	0.70	0.14	106,108,129,130	0
4	SO4	E	304	5/5	0.72	0.19	86,97,118,126	0
4	SO4	A	303	5/5	0.74	0.22	92,101,115,134	0
4	SO4	B	305	5/5	0.74	0.18	101,108,130,141	0
4	SO4	A	305	5/5	0.78	0.13	111,111,116,125	0
6	U5P	F	302	21/21	0.78	0.27	78,94,100,111	0
4	SO4	G	303	5/5	0.79	0.20	87,107,114,121	0
3	UDP	D	302	25/25	0.79	0.33	72,80,93,95	25
5	MG	H	303	1/1	0.80	0.28	76,76,76,76	0
4	SO4	C	303	5/5	0.80	0.14	103,104,126,135	0
5	MG	A	306	1/1	0.81	0.21	72,72,72,72	0
4	SO4	A	304	5/5	0.82	0.23	88,90,113,122	0
4	SO4	D	303	5/5	0.84	0.20	85,88,95,101	0
4	SO4	D	304	5/5	0.84	0.11	105,109,121,132	0
4	SO4	B	306	5/5	0.84	0.21	99,108,115,133	0
4	SO4	B	303	5/5	0.85	0.19	79,84,93,103	0
5	MG	G	305	1/1	0.85	0.20	56,56,56,56	0
2	ADP	D	301	27/27	0.85	0.14	50,61,92,115	0
4	SO4	F	303	5/5	0.85	0.20	89,97,102,109	0
4	SO4	F	304	5/5	0.86	0.21	91,97,117,124	0
4	SO4	C	304	5/5	0.86	0.22	101,104,108,118	0
4	SO4	C	305	5/5	0.87	0.24	82,85,100,107	0
4	SO4	E	303	5/5	0.87	0.16	79,83,95,99	0
4	SO4	C	306	5/5	0.87	0.21	89,91,110,112	0
3	UDP	B	302	25/25	0.87	0.21	44,54,63,75	25
3	UDP	C	302	25/25	0.88	0.18	42,49,58,71	25
4	SO4	B	307	5/5	0.88	0.13	98,108,125,132	0
2	ADP	F	301	27/27	0.89	0.13	53,65,93,112	0
2	ADP	G	301	27/27	0.89	0.12	61,69,76,84	0
2	ADP	C	301	27/27	0.89	0.12	53,62,86,93	0
5	MG	I	303	1/1	0.90	0.58	80,80,80,80	0
5	MG	E	305	1/1	0.90	0.20	57,57,57,57	0
3	UDP	I	301	25/25	0.91	0.15	62,73,86,91	25
2	ADP	B	301	27/27	0.91	0.11	46,56,79,80	0
4	SO4	B	304	5/5	0.92	0.21	89,90,99,104	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ADP	H	301	27/27	0.92	0.10	52,63,82,84	0
3	UDP	A	302	25/25	0.94	0.10	42,47,54,72	0
5	MG	C	307	1/1	0.95	0.08	73,73,73,73	0
2	ADP	E	301	27/27	0.95	0.09	37,45,55,59	0
2	ADP	A	301	27/27	0.95	0.09	36,42,57,62	0
6	U5P	H	302	21/21	0.95	0.08	45,50,57,60	0
6	U5P	G	302	21/21	0.96	0.07	49,55,61,65	0
6	U5P	E	302	21/21	0.96	0.08	46,49,53,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U5P F 302:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP D 302:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG H 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG G 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP F 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG I 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG E 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP I 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)


**Electron density around UDP A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U5P G 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around U5P E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.