



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:22 PM UTC

PDB ID : 2YIJ / pdb_00002yij
Title : Crystal Structure of phospholipase A1
Authors : Lee, I.
Deposited on : 2011-05-13
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	
1	B	419	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6596 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOSPHOLIPASE A1-II GAMMA.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	390	Total	C	N	O	S	Se	0	0	0
			3115	1979	538	587	4	7			
1	B	386	Total	C	N	O	S	Se	0	0	0
			3075	1945	535	584	4	7			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	198	Total	O	0	0
			198	198		
2	B	208	Total	O	0	0
			208	208		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.22Å 95.85Å 78.89Å 90.00° 105.31° 90.00°	Depositor
Resolution (Å)	19.92 – 2.00 19.92 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.92-2.00) 96.8 (19.92-2.00)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.37 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.231 , 0.264 0.259 , 0.228	Depositor DCC
R_{free} test set	1264 reflections (1.84%)	wwPDB-VP
Wilson B-factor (Å ²)	18.8	Xtriage
Anisotropy	0.235	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 28.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6596	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	5/3183 (0.2%)	0.84	0/4296
1	B	0.68	9/3140 (0.3%)	0.79	2/4239 (0.0%)
All	All	0.70	14/6323 (0.2%)	0.81	2/8535 (0.0%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	390	VAL	C-O	-6.27	1.16	1.24
1	A	390	VAL	C-O	-6.24	1.16	1.24
1	B	250	VAL	C-O	-5.67	1.17	1.24
1	A	236	SER	C-O	-5.67	1.19	1.24
1	B	130	MSE	C-O	-5.59	1.16	1.24
1	A	396	MSE	C-O	-5.40	1.17	1.23
1	B	341	LEU	C-O	-5.38	1.18	1.24
1	B	53	MSE	C-O	-5.37	1.17	1.24
1	B	329	MSE	C-O	-5.33	1.17	1.23
1	B	285	LEU	C-O	-5.26	1.18	1.24
1	B	236	SER	C-O	-5.23	1.19	1.24
1	A	329	MSE	C-O	-5.11	1.17	1.23
1	A	53	MSE	C-O	-5.07	1.18	1.24
1	B	195	MSE	C-O	-5.03	1.17	1.24

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	250	VAL	N-CA-C	6.16	116.33	110.42
1	B	195	MSE	N-CA-C	5.58	120.36	113.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3115	0	3028	71	0
1	B	3075	0	2989	86	0
2	A	198	0	0	2	0
2	B	208	0	0	3	0
All	All	6596	0	6017	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:GLN:HB3	1:A:159:PRO:CD	1.36	1.48
1:B:132:TYR:CE1	1:B:152:SER:HB3	1.69	1.27
1:A:158:GLN:HB3	1:A:159:PRO:HD3	1.25	1.17
1:A:158:GLN:CB	1:A:159:PRO:CD	2.24	1.14
1:A:158:GLN:CB	1:A:159:PRO:HD2	1.79	1.11
1:A:157:VAL:HG12	1:A:158:GLN:N	1.55	1.08
1:B:132:TYR:HE1	1:B:152:SER:CB	1.67	1.07
1:A:158:GLN:HB3	1:A:159:PRO:HD2	1.19	1.07
1:B:132:TYR:HE1	1:B:152:SER:HB3	0.94	1.07
1:A:157:VAL:CG1	1:A:158:GLN:H	1.66	1.04
1:A:157:VAL:HG12	1:A:158:GLN:H	0.86	1.00
1:A:195:MSE:HE1	2:A:2094:HOH:O	1.61	0.99
1:A:115:LEU:HD23	1:A:116:PHE:N	1.82	0.94
1:B:235:HIS:CD2	1:B:341:LEU:HB2	2.10	0.87
1:A:115:LEU:H	1:A:128:ASN:HD21	1.24	0.85
1:B:255:ASN:HD22	1:B:255:ASN:H	1.30	0.80
1:A:65:THR:HG22	1:A:115:LEU:HD21	1.61	0.80
1:B:115:LEU:H	1:B:128:ASN:HD21	1.28	0.80
1:B:147:ARG:HD3	1:B:223:TYR:CD1	2.18	0.79
1:B:260:ARG:HH11	1:B:260:ARG:HG2	1.48	0.78
1:B:147:ARG:HB2	1:B:147:ARG:HH11	1.50	0.77
1:A:195:MSE:SE	1:A:209:ARG:HD2	2.33	0.77
1:A:255:ASN:H	1:A:255:ASN:HD22	1.32	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:299:ASN:HD21	1:B:323:THR:H	1.37	0.71
1:B:147:ARG:NE	1:B:226:GLU:OE1	2.24	0.70
1:A:299:ASN:HD21	1:A:323:THR:H	1.41	0.68
1:B:187:HIS:HB3	1:B:190:TRP:CD1	2.30	0.66
1:B:257:PRO:HG2	1:B:260:ARG:HB2	1.77	0.66
1:B:146:ARG:NH1	1:B:148:ASP:HB2	2.10	0.66
1:B:256:ARG:CZ	1:B:264:SER:HB3	2.25	0.66
1:A:68:GLN:OE1	1:B:383:MSE:HE2	1.93	0.66
1:A:158:GLN:HB2	1:A:159:PRO:HD2	1.72	0.66
1:B:132:TYR:CD1	1:B:152:SER:HB3	2.28	0.65
1:A:158:GLN:OE1	1:A:159:PRO:HD3	1.97	0.64
1:B:102:TYR:HE1	1:B:129:TRP:CD1	2.15	0.64
1:B:102:TYR:CE2	1:B:203:PHE:CD1	2.86	0.64
1:A:187:HIS:HB3	1:A:190:TRP:CD1	2.33	0.63
1:B:102:TYR:HE1	1:B:129:TRP:HD1	1.47	0.63
1:B:96:LYS:HE3	2:B:2044:HOH:O	1.98	0.63
1:B:53:MSE:HE1	1:B:95:TYR:CE1	2.34	0.62
1:A:115:LEU:HD23	1:A:115:LEU:C	2.25	0.61
1:A:166:PHE:O	1:A:167:GLU:C	2.43	0.61
1:A:180:ARG:HH22	1:A:252:ASN:ND2	1.99	0.60
1:B:147:ARG:CZ	1:B:226:GLU:HB3	2.31	0.60
1:A:221:GLU:OE1	1:A:259:SER:HB2	2.02	0.59
1:B:146:ARG:HD2	1:B:229:SER:CB	2.33	0.59
1:A:63:ILE:CG2	1:A:157:VAL:HG11	2.33	0.58
1:B:146:ARG:HD2	1:B:229:SER:OG	2.02	0.58
1:B:235:HIS:ND1	1:B:236:SER:HB2	2.18	0.58
1:A:50:TYR:HA	1:A:53:MSE:HG3	1.85	0.57
1:A:93:THR:O	1:A:93:THR:HG22	2.03	0.57
1:B:268:THR:HB	1:B:293:ARG:HB2	1.87	0.56
1:A:174:ILE:CD1	1:A:179:GLU:HA	2.35	0.56
1:B:174:ILE:HD12	1:B:175:LYS:N	2.21	0.55
1:B:102:TYR:CD1	1:B:129:TRP:HA	2.42	0.55
1:A:63:ILE:HG22	1:A:157:VAL:HG11	1.88	0.55
1:B:23:TRP:CH2	1:B:146:ARG:HD3	2.41	0.55
1:A:180:ARG:HH22	1:A:252:ASN:HD22	1.53	0.54
1:A:226:GLU:O	1:A:228:VAL:HG23	2.07	0.54
1:B:235:HIS:CE1	1:B:236:SER:HB2	2.42	0.54
1:B:27:SER:O	1:B:268:THR:HG21	2.08	0.54
1:B:255:ASN:HD22	1:B:255:ASN:N	2.00	0.54
1:A:393:ASN:HD22	1:B:389:ARG:HA	1.72	0.53
1:A:393:ASN:HA	1:B:388:TRP:O	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:146:ARG:HD2	1:B:229:SER:HB3	1.88	0.53
1:B:232:ILE:O	1:B:269:ALA:HA	2.09	0.53
1:B:260:ARG:HG2	1:B:260:ARG:NH1	2.21	0.52
1:A:115:LEU:H	1:A:128:ASN:ND2	2.01	0.52
1:A:232:ILE:O	1:A:269:ALA:HA	2.09	0.52
1:A:48:ILE:O	1:A:52:GLU:HG3	2.10	0.52
1:B:67:SER:HB2	1:B:406:LEU:HD21	1.92	0.51
1:A:172:ASN:HD22	1:A:174:ILE:HG22	1.74	0.51
1:A:388:TRP:O	1:B:393:ASN:HA	2.11	0.51
1:A:245:SER:O	1:A:249:ILE:HG13	2.10	0.51
1:B:115:LEU:H	1:B:128:ASN:ND2	2.04	0.51
1:A:389:ARG:HA	1:B:393:ASN:HD22	1.76	0.50
1:B:361:ARG:NE	2:B:2170:HOH:O	2.45	0.50
1:A:255:ASN:HD22	1:A:255:ASN:N	2.02	0.50
1:B:180:ARG:HH22	1:B:252:ASN:ND2	2.09	0.50
1:B:102:TYR:CD2	1:B:203:PHE:CD1	2.99	0.50
1:A:95:TYR:CE2	1:A:136:THR:HG23	2.47	0.50
1:B:296:ARG:HD3	1:B:315:VAL:O	2.12	0.49
1:A:95:TYR:CE2	1:A:136:THR:CG2	2.95	0.49
1:A:174:ILE:HD12	1:A:178:GLY:C	2.38	0.49
1:A:62:ASN:ND2	1:A:64:ASN:H	2.10	0.49
1:A:130:MSE:O	1:A:130:MSE:HG3	2.13	0.49
1:B:102:TYR:CE2	1:B:203:PHE:HD1	2.28	0.49
1:B:235:HIS:ND1	1:B:235:HIS:C	2.70	0.49
1:A:35:MSE:HE2	1:A:43:LEU:HD22	1.95	0.48
1:B:130:MSE:O	1:B:130:MSE:HG3	2.12	0.48
1:B:102:TYR:HE2	1:B:203:PHE:CD1	2.29	0.48
1:B:157:VAL:O	1:B:157:VAL:HG12	2.14	0.48
1:B:99:LYS:NZ	2:B:2064:HOH:O	2.30	0.48
1:B:180:ARG:HH22	1:B:252:ASN:HD22	1.62	0.48
1:B:50:TYR:HA	1:B:53:MSE:HG2	1.95	0.48
1:A:172:ASN:HD21	1:A:174:ILE:HB	1.79	0.48
1:B:132:TYR:CE1	1:B:152:SER:CB	2.56	0.47
1:A:136:THR:HG21	1:A:144:LEU:HD12	1.96	0.47
1:A:201:SER:HA	1:A:202:PRO:HD3	1.81	0.47
1:B:50:TYR:HA	1:B:53:MSE:CG	2.44	0.47
1:B:130:MSE:CE	1:B:154:ARG:NH2	2.78	0.47
1:A:361:ARG:NH1	1:A:363:ASP:OD1	2.48	0.47
1:B:195:MSE:SE	1:B:209:ARG:HD2	2.65	0.47
1:B:44:ARG:HH11	1:B:349:ALA:C	2.23	0.46
1:B:48:ILE:O	1:B:52:GLU:HG3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:TRP:CZ2	1:B:146:ARG:HD3	2.50	0.46
1:B:102:TYR:HD2	1:B:203:PHE:HB3	1.81	0.46
1:A:174:ILE:HD13	1:A:179:GLU:HA	1.97	0.46
1:B:235:HIS:CD2	1:B:341:LEU:CB	2.90	0.46
1:A:296:ARG:HD3	1:A:315:VAL:O	2.15	0.46
1:A:383:MSE:HE2	1:B:119:SER:HB2	1.98	0.45
1:B:361:ARG:NH1	1:B:363:ASP:OD1	2.48	0.45
1:B:157:VAL:O	1:B:157:VAL:CG1	2.65	0.45
1:A:115:LEU:C	1:A:115:LEU:CD2	2.89	0.45
1:B:130:MSE:HE1	1:B:154:ARG:NH2	2.32	0.45
1:B:235:HIS:HD2	1:B:341:LEU:HB2	1.76	0.45
1:A:389:ARG:HA	1:B:393:ASN:ND2	2.32	0.45
1:A:393:ASN:ND2	1:B:389:ARG:HA	2.32	0.44
1:A:62:ASN:HD22	1:A:64:ASN:H	1.65	0.44
1:B:101:ILE:O	1:B:102:TYR:HD1	2.01	0.44
1:B:35:MSE:HE2	1:B:43:LEU:HD22	1.99	0.44
1:A:50:TYR:HA	1:A:53:MSE:CG	2.48	0.43
1:B:147:ARG:HH11	1:B:147:ARG:CB	2.24	0.43
1:B:273:ALA:HB2	1:B:344:TYR:CZ	2.52	0.43
1:A:139:GLN:NE2	2:A:2064:HOH:O	2.47	0.43
1:A:299:ASN:ND2	1:A:301:PRO:HD2	2.33	0.43
1:B:226:GLU:O	1:B:228:VAL:HG23	2.18	0.43
1:B:260:ARG:HH11	1:B:260:ARG:CG	2.25	0.43
1:B:44:ARG:NH1	1:B:349:ALA:O	2.51	0.43
1:B:174:ILE:HD12	1:B:175:LYS:HG3	2.00	0.42
1:B:61:PHE:CZ	1:B:71:GLY:HA2	2.54	0.42
1:A:56:ALA:O	1:A:60:THR:HG22	2.20	0.42
1:B:102:TYR:CD2	1:B:203:PHE:HD1	2.37	0.42
1:A:109:VAL:HB	1:A:110:PRO:HD2	2.01	0.42
1:A:49:HIS:O	1:A:53:MSE:HG2	2.21	0.41
1:A:257:PRO:HG2	1:A:260:ARG:HB2	2.03	0.41
1:B:53:MSE:HE3	1:B:150:VAL:HG21	2.03	0.41
1:A:62:ASN:HD22	1:A:62:ASN:C	2.29	0.41
1:A:130:MSE:O	1:A:130:MSE:CG	2.68	0.41
1:A:239:ALA:HB1	1:A:271:VAL:HB	2.02	0.41
1:B:141:THR:HG23	1:B:146:ARG:C	2.46	0.41
1:B:260:ARG:NH1	1:B:260:ARG:CG	2.84	0.41
1:B:304:ILE:N	1:B:305:PRO:CD	2.84	0.41
1:A:304:ILE:N	1:A:305:PRO:CD	2.84	0.40
1:B:216:VAL:HG12	1:B:220:LEU:HD22	2.03	0.40
1:A:63:ILE:HG21	1:A:157:VAL:HG11	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:THR:HG22	1:A:115:LEU:CD2	2.43	0.40
1:A:302:ASP:O	1:A:305:PRO:HD2	2.22	0.40
1:B:268:THR:HA	1:B:293:ARG:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/419 (92%)	374 (97%)	9 (2%)	1 (0%)	36	35
1	B	382/419 (91%)	374 (98%)	8 (2%)	0	100	100
All	All	766/838 (91%)	748 (98%)	17 (2%)	1 (0%)	48	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	158	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/355 (94%)	323 (96%)	12 (4%)	31	31
1	B	331/355 (93%)	314 (95%)	17 (5%)	21	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	666/710 (94%)	637 (96%)	29 (4%)	25	24

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	GLN
1	A	37	GLN
1	A	53	MSE
1	A	115	LEU
1	A	167	GLU
1	A	255	ASN
1	A	290	GLU
1	A	295	LEU
1	A	304	ILE
1	A	314	GLU
1	A	335	LEU
1	A	337	THR
1	B	132	TYR
1	B	144	LEU
1	B	146	ARG
1	B	147	ARG
1	B	174	ILE
1	B	179	GLU
1	B	220	LEU
1	B	227	GLU
1	B	235	HIS
1	B	255	ASN
1	B	260	ARG
1	B	268	THR
1	B	295	LEU
1	B	304	ILE
1	B	314	GLU
1	B	335	LEU
1	B	337	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	GLN
1	A	49	HIS
1	A	62	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	128	ASN
1	A	139	GLN
1	A	172	ASN
1	A	252	ASN
1	A	255	ASN
1	A	299	ASN
1	A	352	GLN
1	A	393	ASN
1	B	64	ASN
1	B	128	ASN
1	B	252	ASN
1	B	255	ASN
1	B	299	ASN
1	B	352	GLN
1	B	393	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	383/419 (91%)	-1.40	0 100 100	12, 20, 32, 42	0
1	B	379/419 (90%)	-1.38	0 100 100	12, 20, 33, 47	0
All	All	762/838 (90%)	-1.39	0 100 100	12, 20, 32, 47	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.