



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:16 PM UTC

PDB ID : 6YIZ / pdb_00006yiz
Title : Crystal structure of PqsR (MvfR) ligand-binding domain in complex with triazolo-pyridine inverse agonist A
Authors : Schmelz, S.; Blankenfeldt, W.
Deposited on : 2020-04-01
Resolution : 2.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	229	9% 64% 25% 8%
1	B	229	7% 69% 21% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	OT2	A	401	X	-	-	-
2	OT2	B	502	X	-	-	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 6829 atoms, of which 3321 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcriptional regulator MvfR.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	211	Total	C	H	N	O	S	0	1	0
			3305	1051	1641	294	313	6			
1	B	208	Total	C	H	N	O	S	0	0	0
			3269	1038	1626	290	309	6			

- Molecule 2 is 7-oxidanylidene-8-[2-(4-sulfonaphthalen-1-yl)hydrazinyl]-8 {H}-naphthalene-1,3-disulfonic acid (CCD ID: OT2) (formula: $C_{20}H_{16}N_2O_{10}S_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	S	0	0
			46	20	11	2	10	3		
2	B	1	Total	C	H	N	O	S	0	0
			46	20	11	2	10	3		

- Molecule 3 is {N}-[[1-(4-phenoxyphenyl)-1,2,3-triazol-4-yl]methyl]-2-(trifluoromethyl)pyridin-4-amine (CCD ID: OT8) (formula: $C_{21}H_{16}F_3N_5O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	H	N	O	0	0
			46	21	3	16	5	1		
3	B	1	Total	C	F	H	N	O	0	0
			46	21	3	16	5	1		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	39	Total	O	0	0
			39	39		
5	B	31	Total	O	0	0
			31	31		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Transcriptional regulator MvfR



• Molecule 1: Transcriptional regulator MvfR



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	109.81Å 120.65Å 113.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	60.32 – 2.16 60.32 – 2.16	Depositor EDS
% Data completeness (in resolution range)	50.6 (60.32-2.16) 47.2 (60.32-2.16)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.71 (at 2.16Å)	Xtriage
Refinement program	PHENIX 1.18rc4	Depositor
R, R_{free}	0.203 , 0.260 0.204 , 0.258	Depositor DCC
R_{free} test set	1025 reflections (2.53%)	wwPDB-VP
Wilson B-factor (Å ²)	40.4	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 31.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6829	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, OT2, OT8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/1699	0.90	0/2305
1	B	0.65	0/1674	0.85	0/2271
All	All	0.66	0/3373	0.88	0/4576

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1664	1641	1644	51	1
1	B	1643	1626	1629	36	1
2	A	35	11	0	2	0
2	B	35	11	0	3	0
3	A	30	16	0	1	0
3	B	30	16	0	2	0
4	B	1	0	0	0	0
5	A	39	0	0	3	0
5	B	31	0	0	0	0
All	All	3508	3321	3273	85	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 13.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:183:LEU:CD1	1:B:189:LEU:HD13	2.09	0.82
1:B:183:LEU:HD22	3:B:503:OT8:C29	2.11	0.80
1:A:137:LYS:HE2	1:A:155:ILE:HG23	1.70	0.73
1:B:183:LEU:HD21	1:B:185:SER:O	1.95	0.67
1:B:95:LEU:HD22	1:B:119:PHE:CE2	2.32	0.65
1:B:103:ILE:HG22	1:B:107:PHE:HB3	1.80	0.63
1:B:204:HIS:O	1:B:209:ARG:NH1	2.32	0.63
1:B:129:PRO:HB2	1:B:208:LEU:HD21	1.80	0.61
1:B:100:ASP:O	1:B:126:ARG:NH1	2.34	0.60
1:B:183:LEU:HD11	1:B:189:LEU:HD13	1.83	0.59
1:A:193[A]:ARG:NH1	1:A:232:VAL:O	2.36	0.58
1:B:176:HIS:CE1	1:B:178:LEU:HD12	2.37	0.58
1:A:155:ILE:N	1:A:155:ILE:HD12	2.18	0.58
2:B:502:OT2:N14	2:B:502:OT2:O11	2.37	0.57
1:A:276:GLU:HG2	1:B:184:HIS:CG	2.40	0.57
1:B:183:LEU:C	1:B:183:LEU:HD23	2.30	0.56
1:A:246:LEU:HD22	1:A:253:VAL:HG23	1.87	0.55
1:B:279:ARG:O	1:B:283:ARG:HG2	2.07	0.55
1:A:93:ARG:HG3	1:A:94:ASN:H	1.73	0.53
1:B:183:LEU:HD13	1:B:189:LEU:HD13	1.88	0.51
1:A:246:LEU:CD2	1:A:253:VAL:HG23	2.41	0.50
1:A:155:ILE:O	1:A:156:SER:O	2.30	0.49
1:A:159:ASN:HB3	1:B:184:HIS:O	2.11	0.49
1:A:137:LYS:NZ	1:A:152:GLU:OE1	2.45	0.49
1:A:279:ARG:NH1	1:A:283:ARG:HD2	2.28	0.49
1:A:141:ALA:O	1:A:142:GLU:C	2.56	0.48
1:A:190:ALA:HB2	1:A:211:VAL:HG12	1.96	0.48
1:A:100:ASP:HA	1:A:127:THR:O	2.14	0.48
1:B:100:ASP:HA	1:B:127:THR:O	2.13	0.48
1:B:263:ILE:HD13	3:B:503:OT8:C23	2.44	0.47
1:A:273:THR:HA	1:A:276:GLU:OE2	2.14	0.47
1:A:98:LEU:HD11	1:A:127:THR:HG21	1.94	0.47
1:B:161:CYS:HB3	1:B:271:TYR:HE1	1.79	0.47
1:A:155:ILE:O	1:A:156:SER:C	2.57	0.47
1:A:159:ASN:OD1	1:B:184:HIS:HB2	2.15	0.47
1:A:186:ILE:CD1	1:B:153:LEU:HD22	2.45	0.47
1:A:207:LEU:HD23	1:A:208:LEU:HD12	1.95	0.47
1:B:221:PHE:HB2	1:B:241:PHE:CZ	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:TYR:CD1	1:A:165:TYR:N	2.82	0.46
1:A:285:LEU:HD23	1:A:285:LEU:HA	1.81	0.46
1:A:298:GLN:O	1:A:298:GLN:HG2	2.15	0.46
1:A:276:GLU:HG2	1:B:184:HIS:CD2	2.51	0.46
1:A:99:LEU:O	1:A:126:ARG:HD2	2.16	0.46
1:A:137:LYS:CE	1:A:155:ILE:HG23	2.41	0.46
1:A:179:CYS:O	1:A:180:ASN:C	2.58	0.46
1:B:207:LEU:HB3	1:B:208:LEU:HD12	1.97	0.46
2:A:401:OT2:O11	2:A:401:OT2:N14	2.48	0.45
1:B:99:LEU:O	1:B:126:ARG:HD2	2.16	0.45
1:B:136:ILE:HG22	1:B:143:ILE:HG21	1.98	0.45
1:A:159:ASN:O	1:A:270:TYR:HA	2.16	0.45
1:A:160:GLN:HG3	1:A:270:TYR:CE1	2.51	0.45
1:A:301:ASP:N	1:A:301:ASP:OD1	2.49	0.45
1:A:98:LEU:HD11	1:A:127:THR:CG2	2.47	0.45
1:B:107:PHE:O	1:B:111:VAL:HG23	2.17	0.44
1:B:189:LEU:HG	1:B:234:TRP:CE2	2.51	0.44
1:A:103:ILE:N	1:A:103:ILE:HD13	2.31	0.44
1:A:259:GLU:OE1	1:B:165:TYR:OH	2.22	0.44
1:B:167:LYS:HB2	2:B:502:OT2:O26	2.17	0.44
1:B:95:LEU:HD22	1:B:119:PHE:CD2	2.53	0.44
1:A:154:LYS:HE3	1:A:155:ILE:O	2.18	0.44
1:A:263:ILE:HD13	3:A:402:OT8:C23	2.47	0.44
1:A:193[A]:ARG:HA	1:A:214:LYS:O	2.19	0.43
1:A:112:SER:HB2	5:A:522:HOH:O	2.18	0.43
1:A:185:SER:OG	1:A:186:ILE:N	2.51	0.43
2:A:401:OT2:N13	2:A:401:OT2:S32	2.92	0.43
1:A:153:LEU:N	1:A:153:LEU:HD23	2.33	0.43
1:B:141:ALA:O	1:B:142:GLU:C	2.62	0.43
1:B:221:PHE:O	1:B:222:ASP:C	2.62	0.43
2:B:502:OT2:N13	2:B:502:OT2:S32	2.92	0.43
1:A:106:SER:HB3	5:A:532:HOH:O	2.17	0.43
1:A:120:ASN:HA	5:A:523:HOH:O	2.19	0.42
1:A:178:LEU:HD23	1:A:178:LEU:HA	1.80	0.42
1:B:248:ASN:HB2	1:B:250:THR:OG1	2.19	0.42
1:A:92:PRO:O	1:A:93:ARG:C	2.62	0.42
1:B:155:ILE:O	1:B:156:SER:C	2.63	0.42
1:A:275:LEU:O	1:A:276:GLU:C	2.63	0.42
1:A:167:LYS:HZ3	1:A:264:ASP:HB2	1.84	0.42
1:A:164:GLY:C	1:A:165:TYR:CD1	2.98	0.42
1:A:104:PRO:HG2	1:A:107:PHE:HB2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:SER:C	1:A:124:LEU:HD23	2.45	0.41
1:A:103:ILE:HG22	1:A:107:PHE:HB3	2.03	0.41
1:B:137:LYS:NZ	1:B:152:GLU:OE2	2.52	0.41
1:B:192:TYR:CD1	1:B:192:TYR:N	2.87	0.41
1:A:177:PRO:O	1:A:180:ASN:HB2	2.21	0.40
1:A:194:GLN:HB2	1:A:234:TRP:CZ2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193[B]:ARG:NH2	1:B:230:ALA:O[6_444]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/229 (92%)	194 (92%)	15 (7%)	1 (0%)	24	20
1	B	206/229 (90%)	194 (94%)	12 (6%)	0	100	100
All	All	416/458 (91%)	388 (93%)	27 (6%)	1 (0%)	43	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	156	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/199 (92%)	171 (94%)	11 (6%)	17	13
1	B	181/199 (91%)	174 (96%)	7 (4%)	28	28
All	All	363/398 (91%)	345 (95%)	18 (5%)	22	18

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	112	SER
1	A	120	ASN
1	A	121	MET
1	A	147	ILE
1	A	151	GLU
1	A	153	LEU
1	A	200	ARG
1	A	207	LEU
1	A	241	PHE
1	A	250	THR
1	A	301	ASP
1	B	161	CYS
1	B	186	ILE
1	B	207	LEU
1	B	212	SER
1	B	216	LEU
1	B	244	GLU
1	B	247	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	175	GLN
1	B	176	HIS
1	B	204	HIS
1	B	206	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	OT8	B	503	-	33,33,33	1.34	3 (9%)	43,46,46	1.58	9 (20%)
2	OT2	A	401	-	35,38,38	2.59	11 (31%)	49,60,60	2.46	19 (38%)
3	OT8	A	402	-	33,33,33	1.51	5 (15%)	43,46,46	1.75	10 (23%)
2	OT2	B	502	-	35,38,38	2.45	13 (37%)	49,60,60	2.36	12 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OT8	B	503	-	-	1/19/19/19	0/4/4/4
2	OT2	A	401	-	1/1/8/9	2/21/36/36	0/4/4/4
3	OT8	A	402	-	-	1/19/19/19	0/4/4/4
2	OT2	B	502	-	1/1/8/9	3/21/36/36	0/4/4/4

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	OT2	C29-C12	-9.93	1.42	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	OT2	C29-C12	-9.88	1.42	1.51
3	A	402	OT8	C13-C12	5.44	1.45	1.36
3	B	503	OT8	C13-C12	4.98	1.44	1.36
2	A	401	OT2	C29-C30	4.94	1.46	1.41
2	A	401	OT2	C09-C10	-4.30	1.40	1.46
2	A	401	OT2	C24-C19	-3.51	1.36	1.43
2	B	502	OT2	C09-C10	-3.22	1.42	1.46
2	B	502	OT2	C09-C08	3.14	1.40	1.34
2	A	401	OT2	C17-C18	3.14	1.41	1.37
3	B	503	OT8	C04-N11	3.08	1.47	1.38
2	B	502	OT2	C24-C19	-3.04	1.37	1.43
2	A	401	OT2	C07-C29	-2.84	1.37	1.40
2	B	502	OT2	C29-C30	2.84	1.44	1.41
2	B	502	OT2	C15-N14	2.82	1.45	1.38
3	A	402	OT8	C04-N11	2.72	1.46	1.38
2	A	401	OT2	C15-N14	2.64	1.44	1.38
2	B	502	OT2	C05-S02	2.45	1.82	1.77
2	A	401	OT2	O04-S02	2.44	1.55	1.43
3	B	503	OT8	C17-C12	2.40	1.53	1.49
2	A	401	OT2	O33-S32	2.35	1.55	1.43
2	B	502	OT2	C17-C18	2.25	1.40	1.37
2	B	502	OT2	O03-S02	2.24	1.54	1.43
2	B	502	OT2	C21-C20	2.23	1.41	1.36
3	A	402	OT8	C17-C12	2.22	1.53	1.49
2	B	502	OT2	O34-S32	2.21	1.54	1.43
2	A	401	OT2	C09-C08	2.21	1.38	1.34
2	B	502	OT2	O27-S25	2.13	1.54	1.43
2	A	401	OT2	O28-S25	2.12	1.54	1.43
3	A	402	OT8	C12-N16	-2.10	1.32	1.36
3	A	402	OT8	N16-N15	2.08	1.35	1.32
2	B	502	OT2	O33-S32	2.00	1.53	1.43

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	OT2	C29-C30-S32	8.46	128.53	121.33
2	A	401	OT2	C07-C29-C12	-6.93	117.39	122.38
2	A	401	OT2	C29-C30-S32	6.84	127.15	121.33
2	A	401	OT2	C29-C12-N13	5.98	122.04	109.64
2	B	502	OT2	C07-C29-C12	-5.57	118.37	122.38
2	B	502	OT2	C29-C12-N13	5.54	121.11	109.64
2	B	502	OT2	O33-S32-C30	5.39	118.97	106.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402	OT8	N14-N15-N16	4.63	112.14	107.02
3	B	503	OT8	F09-C07-C06	-4.52	104.47	112.43
2	A	401	OT2	O28-S25-C18	4.16	118.42	106.37
3	A	402	OT8	C19-C18-N14	4.12	124.62	119.58
2	A	401	OT2	C12-C10-C09	3.90	121.88	116.52
2	A	401	OT2	O33-S32-C30	3.83	115.37	106.52
2	A	401	OT2	C08-C09-C10	-3.71	118.14	122.00
2	A	401	OT2	O34-S32-C30	3.66	114.98	106.52
2	B	502	OT2	O34-S32-C30	3.53	114.68	106.52
3	B	503	OT8	C18-N14-N15	3.43	125.67	120.28
2	B	502	OT2	O28-S25-C18	3.42	116.29	106.37
3	A	402	OT8	C18-N14-N15	3.35	125.54	120.28
3	B	503	OT8	F10-C07-C06	3.15	117.97	112.43
3	B	503	OT8	C02-N01-C06	3.13	121.54	117.48
3	B	503	OT8	N14-N15-N16	3.12	110.47	107.02
3	A	402	OT8	F08-C07-C06	-3.11	106.96	112.43
3	A	402	OT8	C02-N01-C06	3.07	121.46	117.48
3	A	402	OT8	C13-N14-N15	-3.06	106.67	110.31
2	B	502	OT2	C30-C29-C12	2.93	122.66	119.10
2	A	401	OT2	C06-C07-C08	-2.79	117.74	122.88
2	A	401	OT2	C30-C29-C12	2.76	122.46	119.10
2	A	401	OT2	C31-C05-C06	2.74	124.02	120.34
3	A	402	OT8	C23-C18-N14	-2.63	116.36	119.58
2	B	502	OT2	C08-C09-C10	-2.53	119.36	122.00
2	B	502	OT2	O35-S32-C30	-2.52	101.24	106.12
3	B	503	OT8	C18-N14-C13	-2.49	125.52	129.12
2	A	401	OT2	O04-S02-C05	2.43	112.25	106.68
2	A	401	OT2	O28-S25-O27	-2.42	100.72	112.88
3	A	402	OT8	C03-C02-N01	-2.40	121.04	123.97
2	A	401	OT2	C23-C24-C15	-2.36	119.41	123.03
2	B	502	OT2	C16-C17-C18	-2.28	118.88	121.66
2	B	502	OT2	O35-S32-O34	-2.27	101.00	111.55
3	A	402	OT8	C17-C12-N16	2.25	126.03	121.61
2	A	401	OT2	C31-C05-S02	-2.24	116.11	119.88
2	A	401	OT2	C29-C07-C08	2.24	122.46	118.54
2	A	401	OT2	C23-C24-C19	2.20	121.15	118.42
2	A	401	OT2	C16-C17-C18	-2.19	118.99	121.66
2	B	502	OT2	C12-C10-C09	2.14	119.45	116.52
3	B	503	OT8	C17-N11-C04	-2.11	118.34	122.42
3	A	402	OT8	C19-C20-C21	2.09	122.12	119.73
3	B	503	OT8	C03-C02-N01	-2.09	121.42	123.97
3	B	503	OT8	C19-C20-C21	2.02	122.03	119.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	OT2	C07-C06-C05	-2.00	118.20	120.59

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	401	OT2	C12
2	B	502	OT2	C12

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	502	OT2	C29-C30-S32-O35
2	A	401	OT2	C12-N13-N14-C15
2	B	502	OT2	C12-N13-N14-C15
3	A	402	OT8	C12-C17-N11-C04
3	B	503	OT8	C12-C17-N11-C04
2	B	502	OT2	C31-C30-S32-O35
2	A	401	OT2	C29-C30-S32-O35


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	503	OT8	2	0
2	A	401	OT2	2	0
3	A	402	OT8	1	0
2	B	502	OT2	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand OT8 B 503




Ligand OT2 A 401



Ligand OT8 A 402





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	211/229 (92%)	0.62	20 (9%) 14 15	20, 42, 82, 93	1 (0%)
1	B	208/229 (90%)	0.56	15 (7%) 21 25	24, 42, 82, 106	0
All	All	419/458 (91%)	0.59	35 (8%) 17 18	20, 42, 82, 106	1 (0%)

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	153	LEU	4.6
1	A	153	LEU	4.6
1	B	93	ARG	4.5
1	A	182	SER	3.7
1	B	183	LEU	3.6
1	A	203	GLN	3.5
1	B	181	ALA	3.2
1	A	211	VAL	3.0
1	A	155	ILE	3.0
1	A	181	ALA	2.9
1	A	184	HIS	2.9
1	B	208	LEU	2.8
1	A	204	HIS	2.8
1	A	183	LEU	2.8
1	A	92	PRO	2.6
1	A	91	GLY	2.6
1	B	154	LYS	2.6
1	B	157	ARG	2.6
1	A	156	SER	2.5
1	A	178	LEU	2.5
1	A	290	GLN	2.5
1	B	300	PHE	2.5
1	A	208	LEU	2.4
1	B	155	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	200	ARG	2.3
1	B	141	ALA	2.3
1	B	156	SER	2.2
1	A	189	LEU	2.2
1	A	186	ILE	2.2
1	B	142	GLU	2.1
1	A	202	GLY	2.1
1	A	247	ARG	2.1
1	B	139	ASP	2.1
1	B	236	ILE	2.1
1	A	201	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OT8	A	402	30/30	0.95	0.07	19,35,47,58	0
3	OT8	B	503	30/30	0.95	0.07	20,36,50,58	0
2	OT2	A	401	35/35	0.96	0.07	21,31,46,53	0
2	OT2	B	502	35/35	0.97	0.07	27,39,49,59	0
4	MG	B	501	1/1	0.99	0.03	23,23,23,23	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OT8 A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OT8 B 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OT2 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OT2 B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.