



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 17, 2026 – 10:13 PM UTC

PDB ID : 7YIW / pdb_00007yiw
Title : The Crystal Structure of Human Tissue Nonspecific Alkaline Phosphatase (ALPL) at Acidic pH
Authors : Yu, Y.T.; Yao, D.Q.; Zhang, Q.; Rao, B.; Xia, Y.; Lu, Y.; Qin, A.; Cao, Y.
Deposited on : 2022-07-18
Resolution : 2.89 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	503	% 81% 15% ..
1	B	503	% 78% 17% ..
1	C	503	78% 17% ..
1	D	503	81% 14% ..
1	E	503	% 76% 19% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	503	73% 22% • •
1	G	503	79% 17% •
1	H	503	78% 17% • •
2	1	2	100%
2	8	2	50% 50%
2	BA	2	100%
2	IA	2	50% 50%
2	K	2	100%
2	LA	2	50% 50%
2	N	2	100%
2	SA	2	50% 50%
2	U	2	100%
2	VA	2	100%
2	X	2	50% 50%
2	e	2	100%
2	h	2	50% 50%
2	o	2	50% 50%
2	r	2	100%
2	y	2	100%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 30683 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alkaline phosphatase, tissue-nonspecific isozyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	484	Total	C	N	O	S	0	0	0
			3748	2345	665	719	19			
1	D	482	Total	C	N	O	S	0	0	0
			3738	2339	663	717	19			
1	C	484	Total	C	N	O	S	0	0	0
			3748	2345	665	719	19			
1	B	484	Total	C	N	O	S	0	0	0
			3748	2345	665	719	19			
1	G	484	Total	C	N	O	S	0	0	0
			3748	2345	665	719	19			
1	H	484	Total	C	N	O	S	0	0	0
			3748	2345	665	719	19			
1	F	483	Total	C	N	O	S	0	0	0
			3743	2342	664	718	19			
1	E	484	Total	C	N	O	S	0	0	0
			3748	2345	665	719	19			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P05186
A	0	LYS	-	expression tag	UNP P05186
A	1	THR	-	expression tag	UNP P05186
A	2	ILE	-	expression tag	UNP P05186
A	3	ILE	-	expression tag	UNP P05186
A	4	ALA	-	expression tag	UNP P05186
A	5	LEU	-	expression tag	UNP P05186
A	6	SER	-	expression tag	UNP P05186
A	7	TYR	-	expression tag	UNP P05186
A	8	ILE	-	expression tag	UNP P05186
A	9	PHE	-	expression tag	UNP P05186
A	10	CYS	-	expression tag	UNP P05186
A	11	LEU	-	expression tag	UNP P05186

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	VAL	-	expression tag	UNP P05186
A	13	PHE	-	expression tag	UNP P05186
A	14	ALA	-	expression tag	UNP P05186
A	15	GLY	-	expression tag	UNP P05186
A	16	ARG	-	expression tag	UNP P05186
A	17	ALA	-	expression tag	UNP P05186
A	501	ALA	-	expression tag	UNP P05186
D	-1	MET	-	initiating methionine	UNP P05186
D	0	LYS	-	expression tag	UNP P05186
D	1	THR	-	expression tag	UNP P05186
D	2	ILE	-	expression tag	UNP P05186
D	3	ILE	-	expression tag	UNP P05186
D	4	ALA	-	expression tag	UNP P05186
D	5	LEU	-	expression tag	UNP P05186
D	6	SER	-	expression tag	UNP P05186
D	7	TYR	-	expression tag	UNP P05186
D	8	ILE	-	expression tag	UNP P05186
D	9	PHE	-	expression tag	UNP P05186
D	10	CYS	-	expression tag	UNP P05186
D	11	LEU	-	expression tag	UNP P05186
D	12	VAL	-	expression tag	UNP P05186
D	13	PHE	-	expression tag	UNP P05186
D	14	ALA	-	expression tag	UNP P05186
D	15	GLY	-	expression tag	UNP P05186
D	16	ARG	-	expression tag	UNP P05186
D	17	ALA	-	expression tag	UNP P05186
D	501	ALA	-	expression tag	UNP P05186
C	-1	MET	-	initiating methionine	UNP P05186
C	0	LYS	-	expression tag	UNP P05186
C	1	THR	-	expression tag	UNP P05186
C	2	ILE	-	expression tag	UNP P05186
C	3	ILE	-	expression tag	UNP P05186
C	4	ALA	-	expression tag	UNP P05186
C	5	LEU	-	expression tag	UNP P05186
C	6	SER	-	expression tag	UNP P05186
C	7	TYR	-	expression tag	UNP P05186
C	8	ILE	-	expression tag	UNP P05186
C	9	PHE	-	expression tag	UNP P05186
C	10	CYS	-	expression tag	UNP P05186
C	11	LEU	-	expression tag	UNP P05186
C	12	VAL	-	expression tag	UNP P05186
C	13	PHE	-	expression tag	UNP P05186

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	14	ALA	-	expression tag	UNP P05186
C	15	GLY	-	expression tag	UNP P05186
C	16	ARG	-	expression tag	UNP P05186
C	17	ALA	-	expression tag	UNP P05186
C	501	ALA	-	expression tag	UNP P05186
B	-1	MET	-	initiating methionine	UNP P05186
B	0	LYS	-	expression tag	UNP P05186
B	1	THR	-	expression tag	UNP P05186
B	2	ILE	-	expression tag	UNP P05186
B	3	ILE	-	expression tag	UNP P05186
B	4	ALA	-	expression tag	UNP P05186
B	5	LEU	-	expression tag	UNP P05186
B	6	SER	-	expression tag	UNP P05186
B	7	TYR	-	expression tag	UNP P05186
B	8	ILE	-	expression tag	UNP P05186
B	9	PHE	-	expression tag	UNP P05186
B	10	CYS	-	expression tag	UNP P05186
B	11	LEU	-	expression tag	UNP P05186
B	12	VAL	-	expression tag	UNP P05186
B	13	PHE	-	expression tag	UNP P05186
B	14	ALA	-	expression tag	UNP P05186
B	15	GLY	-	expression tag	UNP P05186
B	16	ARG	-	expression tag	UNP P05186
B	17	ALA	-	expression tag	UNP P05186
B	501	ALA	-	expression tag	UNP P05186
G	-1	MET	-	initiating methionine	UNP P05186
G	0	LYS	-	expression tag	UNP P05186
G	1	THR	-	expression tag	UNP P05186
G	2	ILE	-	expression tag	UNP P05186
G	3	ILE	-	expression tag	UNP P05186
G	4	ALA	-	expression tag	UNP P05186
G	5	LEU	-	expression tag	UNP P05186
G	6	SER	-	expression tag	UNP P05186
G	7	TYR	-	expression tag	UNP P05186
G	8	ILE	-	expression tag	UNP P05186
G	9	PHE	-	expression tag	UNP P05186
G	10	CYS	-	expression tag	UNP P05186
G	11	LEU	-	expression tag	UNP P05186
G	12	VAL	-	expression tag	UNP P05186
G	13	PHE	-	expression tag	UNP P05186
G	14	ALA	-	expression tag	UNP P05186
G	15	GLY	-	expression tag	UNP P05186

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	16	ARG	-	expression tag	UNP P05186
G	17	ALA	-	expression tag	UNP P05186
G	501	ALA	-	expression tag	UNP P05186
H	-1	MET	-	initiating methionine	UNP P05186
H	0	LYS	-	expression tag	UNP P05186
H	1	THR	-	expression tag	UNP P05186
H	2	ILE	-	expression tag	UNP P05186
H	3	ILE	-	expression tag	UNP P05186
H	4	ALA	-	expression tag	UNP P05186
H	5	LEU	-	expression tag	UNP P05186
H	6	SER	-	expression tag	UNP P05186
H	7	TYR	-	expression tag	UNP P05186
H	8	ILE	-	expression tag	UNP P05186
H	9	PHE	-	expression tag	UNP P05186
H	10	CYS	-	expression tag	UNP P05186
H	11	LEU	-	expression tag	UNP P05186
H	12	VAL	-	expression tag	UNP P05186
H	13	PHE	-	expression tag	UNP P05186
H	14	ALA	-	expression tag	UNP P05186
H	15	GLY	-	expression tag	UNP P05186
H	16	ARG	-	expression tag	UNP P05186
H	17	ALA	-	expression tag	UNP P05186
H	501	ALA	-	expression tag	UNP P05186
F	-1	MET	-	initiating methionine	UNP P05186
F	0	LYS	-	expression tag	UNP P05186
F	1	THR	-	expression tag	UNP P05186
F	2	ILE	-	expression tag	UNP P05186
F	3	ILE	-	expression tag	UNP P05186
F	4	ALA	-	expression tag	UNP P05186
F	5	LEU	-	expression tag	UNP P05186
F	6	SER	-	expression tag	UNP P05186
F	7	TYR	-	expression tag	UNP P05186
F	8	ILE	-	expression tag	UNP P05186
F	9	PHE	-	expression tag	UNP P05186
F	10	CYS	-	expression tag	UNP P05186
F	11	LEU	-	expression tag	UNP P05186
F	12	VAL	-	expression tag	UNP P05186
F	13	PHE	-	expression tag	UNP P05186
F	14	ALA	-	expression tag	UNP P05186
F	15	GLY	-	expression tag	UNP P05186
F	16	ARG	-	expression tag	UNP P05186
F	17	ALA	-	expression tag	UNP P05186

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	501	ALA	-	expression tag	UNP P05186
E	-1	MET	-	initiating methionine	UNP P05186
E	0	LYS	-	expression tag	UNP P05186
E	1	THR	-	expression tag	UNP P05186
E	2	ILE	-	expression tag	UNP P05186
E	3	ILE	-	expression tag	UNP P05186
E	4	ALA	-	expression tag	UNP P05186
E	5	LEU	-	expression tag	UNP P05186
E	6	SER	-	expression tag	UNP P05186
E	7	TYR	-	expression tag	UNP P05186
E	8	ILE	-	expression tag	UNP P05186
E	9	PHE	-	expression tag	UNP P05186
E	10	CYS	-	expression tag	UNP P05186
E	11	LEU	-	expression tag	UNP P05186
E	12	VAL	-	expression tag	UNP P05186
E	13	PHE	-	expression tag	UNP P05186
E	14	ALA	-	expression tag	UNP P05186
E	15	GLY	-	expression tag	UNP P05186
E	16	ARG	-	expression tag	UNP P05186
E	17	ALA	-	expression tag	UNP P05186
E	501	ALA	-	expression tag	UNP P05186

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	N	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	U	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	X	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	e	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	h	2	Total	C	N	O	0	0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	o	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	r	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	y	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	1	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	8	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	BA	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	IA	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	LA	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	SA	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	VA	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	H	1	Total	C	N	O	0	0
			14	8	1	5		
3	H	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total 1	Mg 1	0	0
4	H	1	Total 1	Mg 1	0	0
4	F	1	Total 1	Mg 1	0	0
4	E	1	Total 1	Mg 1	0	0

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total 2	Zn 2	0	0
5	D	2	Total 2	Zn 2	0	0
5	C	2	Total 2	Zn 2	0	0
5	B	2	Total 2	Zn 2	0	0
5	G	2	Total 2	Zn 2	0	0
5	H	2	Total 2	Zn 2	0	0
5	F	2	Total 2	Zn 2	0	0
5	E	2	Total 2	Zn 2	0	0

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total 1	Ca 1	0	0
6	D	1	Total 1	Ca 1	0	0
6	C	1	Total 1	Ca 1	0	0
6	B	1	Total 1	Ca 1	0	0
6	G	1	Total 1	Ca 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	1	Total 1	Ca 1	0	0
6	F	1	Total 1	Ca 1	0	0
6	E	1	Total 1	Ca 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	2	Total 2	O 2	0	0
7	B	4	Total 4	O 4	0	0
7	G	2	Total 2	O 2	0	0
7	H	1	Total 1	O 1	0	0
7	F	1	Total 1	O 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme




- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme





- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme








- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme




- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme




- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme






- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme



- Molecule 1: Alkaline phosphatase, tissue-nonspecific isozyme



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain y:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 1:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 8:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain BA:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain IA:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain LA:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain SA:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain VA:  100%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	159.36Å 166.53Å 181.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.96 – 2.89 48.96 – 2.89	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.96-2.89) 99.8 (48.96-2.89)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.91Å)	Xtriage
Refinement program	PHENIX (1.19.2_4158: ???)	Depositor
R, R_{free}	0.201 , 0.230 0.201 , 0.230	Depositor DCC
R_{free} test set	2003 reflections (1.84%)	wwPDB-VP
Wilson B-factor (Å ²)	47.0	Xtriage
Anisotropy	0.216	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	30683	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ZN, MG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.10	0/3834	0.32	0/5201
1	B	0.10	0/3834	0.32	0/5201
1	C	0.11	0/3834	0.31	0/5201
1	D	0.10	0/3824	0.33	0/5187
1	E	0.12	0/3834	0.33	0/5201
1	F	0.13	0/3829	0.34	0/5194
1	G	0.10	0/3834	0.31	0/5201
1	H	0.12	0/3834	0.32	0/5201
All	All	0.11	0/30657	0.32	0/41587

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3748	0	3628	41	0
1	B	3748	0	3629	61	0
1	C	3748	0	3629	53	0
1	D	3738	0	3619	43	0
1	E	3748	0	3628	60	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3743	0	3624	71	0
1	G	3748	0	3629	51	0
1	H	3748	0	3629	53	0
2	1	28	0	25	0	0
2	8	28	0	25	1	0
2	BA	28	0	25	0	0
2	IA	28	0	25	2	0
2	K	28	0	25	0	0
2	LA	28	0	25	1	0
2	N	28	0	25	0	0
2	SA	28	0	25	1	0
2	U	28	0	25	0	0
2	VA	28	0	25	0	0
2	X	28	0	25	1	0
2	e	28	0	25	0	0
2	h	28	0	25	1	0
2	o	28	0	25	1	0
2	r	28	0	25	0	0
2	y	28	0	25	0	0
3	A	28	0	26	0	0
3	B	28	0	26	1	0
3	C	28	0	26	1	0
3	D	28	0	26	0	0
3	E	28	0	26	2	0
3	F	28	0	26	1	0
3	G	28	0	26	1	0
3	H	28	0	26	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	2	0	0	0	0
5	E	2	0	0	0	0
5	F	2	0	0	0	0
5	G	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	2	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	0	0
7	B	4	0	0	0	0
7	D	2	0	0	0	0
7	F	1	0	0	0	0
7	G	2	0	0	0	0
7	H	1	0	0	0	0
All	All	30683	0	29623	403	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 403 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:239:ASP:OD1	1:F:241:LYS:HD2	1.68	0.94
1:F:246:ARG:HH11	1:F:252:LEU:HD11	1.38	0.88
1:E:109:ASP:OD2	1:E:184:ARG:NH1	2.10	0.83
1:C:390:PRO:HD3	1:C:400:PRO:HG3	1.60	0.82
1:F:268:PHE:HD1	1:F:287:LEU:HD12	1.48	0.78

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	482/503 (96%)	464 (96%)	13 (3%)	5 (1%)	12	39
1	B	482/503 (96%)	459 (95%)	19 (4%)	4 (1%)	16	44
1	C	482/503 (96%)	460 (95%)	19 (4%)	3 (1%)	21	51
1	D	480/503 (95%)	460 (96%)	16 (3%)	4 (1%)	16	44
1	E	482/503 (96%)	454 (94%)	25 (5%)	3 (1%)	21	51
1	F	481/503 (96%)	451 (94%)	24 (5%)	6 (1%)	10	34
1	G	482/503 (96%)	464 (96%)	16 (3%)	2 (0%)	30	59
1	H	482/503 (96%)	461 (96%)	19 (4%)	2 (0%)	30	59
All	All	3853/4024 (96%)	3673 (95%)	151 (4%)	29 (1%)	16	44

5 of 29 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	497	CYS
1	A	268	PHE
1	E	282	ASN
1	C	268	PHE
1	H	268	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	398/413 (96%)	385 (97%)	13 (3%)	33	67
1	B	398/413 (96%)	387 (97%)	11 (3%)	38	72
1	C	398/413 (96%)	389 (98%)	9 (2%)	44	76
1	D	398/413 (96%)	389 (98%)	9 (2%)	44	76
1	E	398/413 (96%)	388 (98%)	10 (2%)	42	74
1	F	398/413 (96%)	377 (95%)	21 (5%)	20	52
1	G	398/413 (96%)	391 (98%)	7 (2%)	51	80
1	H	398/413 (96%)	384 (96%)	14 (4%)	32	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3184/3304 (96%)	3090 (97%)	94 (3%)	36 70

5 of 94 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	266	SER
1	F	197	LEU
1	H	303	ASN
1	F	95	VAL
1	F	247	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 39 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	379	HIS
1	F	469	HIS
1	F	32	GLN
1	F	211	ASN
1	E	267	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

32 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	1	1	1,2	14,14,15	0.38	0	17,19,21	0.77	0
2	NAG	1	2	2	14,14,15	0.42	0	17,19,21	0.52	0
2	NAG	8	1	1,2	14,14,15	0.23	0	17,19,21	0.41	0
2	NAG	8	2	2	14,14,15	0.31	0	17,19,21	0.44	0
2	NAG	BA	1	1,2	14,14,15	0.29	0	17,19,21	0.73	0
2	NAG	BA	2	2	14,14,15	0.36	0	17,19,21	0.61	0
2	NAG	IA	1	1,2	14,14,15	0.24	0	17,19,21	0.62	1 (5%)
2	NAG	IA	2	2	14,14,15	0.36	0	17,19,21	0.48	0
2	NAG	K	1	1,2	14,14,15	0.29	0	17,19,21	0.39	0
2	NAG	K	2	2	14,14,15	0.27	0	17,19,21	0.44	0
2	NAG	LA	1	1,2	14,14,15	0.28	0	17,19,21	0.80	1 (5%)
2	NAG	LA	2	2	14,14,15	0.37	0	17,19,21	0.78	0
2	NAG	N	1	1,2	14,14,15	0.33	0	17,19,21	0.71	0
2	NAG	N	2	2	14,14,15	0.50	0	17,19,21	0.50	0
2	NAG	SA	1	1,2	14,14,15	0.49	0	17,19,21	0.77	0
2	NAG	SA	2	2	14,14,15	0.30	0	17,19,21	0.38	0
2	NAG	U	1	1,2	14,14,15	0.20	0	17,19,21	0.46	0
2	NAG	U	2	2	14,14,15	0.20	0	17,19,21	0.48	0
2	NAG	VA	1	1,2	14,14,15	0.28	0	17,19,21	0.60	0
2	NAG	VA	2	2	14,14,15	0.34	0	17,19,21	0.48	0
2	NAG	X	1	1,2	14,14,15	0.23	0	17,19,21	0.59	0
2	NAG	X	2	2	14,14,15	0.20	0	17,19,21	0.72	0
2	NAG	e	1	1,2	14,14,15	0.21	0	17,19,21	0.52	0
2	NAG	e	2	2	14,14,15	0.28	0	17,19,21	0.48	0
2	NAG	h	1	1,2	14,14,15	0.24	0	17,19,21	0.59	0
2	NAG	h	2	2	14,14,15	0.31	0	17,19,21	0.35	0
2	NAG	o	1	1,2	14,14,15	0.27	0	17,19,21	0.47	0
2	NAG	o	2	2	14,14,15	0.27	0	17,19,21	0.41	0
2	NAG	r	1	1,2	14,14,15	0.30	0	17,19,21	0.61	0
2	NAG	r	2	2	14,14,15	0.39	0	17,19,21	0.54	0
2	NAG	y	1	1,2	14,14,15	0.29	0	17,19,21	0.46	0
2	NAG	y	2	2	14,14,15	0.37	0	17,19,21	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	1	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	1	2	2	-	3/6/23/26	0/1/1/1
2	NAG	8	1	1,2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	8	2	2	-	0/6/23/26	0/1/1/1
2	NAG	BA	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	BA	2	2	-	2/6/23/26	0/1/1/1
2	NAG	IA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	IA	2	2	-	2/6/23/26	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1
2	NAG	LA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	LA	2	2	-	3/6/23/26	0/1/1/1
2	NAG	N	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	N	2	2	-	2/6/23/26	0/1/1/1
2	NAG	SA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	SA	2	2	-	2/6/23/26	0/1/1/1
2	NAG	U	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	U	2	2	-	0/6/23/26	0/1/1/1
2	NAG	VA	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	VA	2	2	-	2/6/23/26	0/1/1/1
2	NAG	X	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	X	2	2	-	3/6/23/26	0/1/1/1
2	NAG	e	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	e	2	2	-	0/6/23/26	0/1/1/1
2	NAG	h	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	h	2	2	-	2/6/23/26	0/1/1/1
2	NAG	o	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	o	2	2	-	2/6/23/26	0/1/1/1
2	NAG	r	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	r	2	2	-	4/6/23/26	0/1/1/1
2	NAG	y	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	y	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	LA	1	NAG	C1-O5-C5	2.31	115.28	112.19
2	IA	1	NAG	C1-O5-C5	2.03	114.90	112.19

There are no chirality outliers.

5 of 35 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	LA	2	NAG	C1-C2-N2-C7
2	BA	1	NAG	O5-C5-C6-O6
2	IA	2	NAG	O5-C5-C6-O6
2	SA	2	NAG	O5-C5-C6-O6
2	LA	2	NAG	O5-C5-C6-O6


There are no ring outliers.


8 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	o	1	NAG	1	0
2	X	1	NAG	1	0
2	LA	1	NAG	1	0
2	8	1	NAG	1	0
2	SA	1	NAG	1	0
2	IA	2	NAG	1	0
2	h	1	NAG	1	0
2	IA	1	NAG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


































Oligosaccharide Chain BA



Oligosaccharide Chain LA





5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 32 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	H	602	1	14,14,15	0.32	0	17,19,21	0.62	1 (5%)
3	NAG	A	602	1	14,14,15	0.31	0	17,19,21	0.61	0
3	NAG	E	601	1	14,14,15	0.65	1 (7%)	17,19,21	0.73	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	D	601	1	14,14,15	0.31	0	17,19,21	0.56	0
3	NAG	D	602	1	14,14,15	0.55	0	17,19,21	0.61	0
3	NAG	C	601	1	14,14,15	0.35	0	17,19,21	0.56	0
3	NAG	F	601	1	14,14,15	0.46	0	17,19,21	0.38	0
3	NAG	E	602	1	14,14,15	0.68	1 (7%)	17,19,21	0.43	0
3	NAG	C	602	1	14,14,15	0.30	0	17,19,21	0.41	0
3	NAG	B	601	1	14,14,15	0.23	0	17,19,21	0.44	0
3	NAG	H	601	1	14,14,15	0.27	0	17,19,21	0.42	0
3	NAG	G	601	1	14,14,15	0.62	1 (7%)	17,19,21	0.68	1 (5%)
3	NAG	G	602	1	14,14,15	0.54	0	17,19,21	0.81	1 (5%)
3	NAG	A	601	1	14,14,15	0.31	0	17,19,21	0.43	0
3	NAG	F	602	1	14,14,15	0.37	0	17,19,21	0.59	0
3	NAG	B	602	1	14,14,15	0.34	0	17,19,21	1.44	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	H	602	1	-	2/6/23/26	0/1/1/1
3	NAG	A	602	1	-	1/6/23/26	0/1/1/1
3	NAG	E	601	1	-	2/6/23/26	0/1/1/1
3	NAG	D	601	1	-	0/6/23/26	0/1/1/1
3	NAG	D	602	1	-	1/6/23/26	0/1/1/1
3	NAG	C	601	1	-	1/6/23/26	0/1/1/1
3	NAG	F	601	1	-	3/6/23/26	0/1/1/1
3	NAG	E	602	1	-	1/6/23/26	0/1/1/1
3	NAG	C	602	1	-	3/6/23/26	0/1/1/1
3	NAG	B	601	1	-	1/6/23/26	0/1/1/1
3	NAG	H	601	1	-	2/6/23/26	0/1/1/1
3	NAG	G	601	1	-	3/6/23/26	0/1/1/1
3	NAG	G	602	1	-	4/6/23/26	0/1/1/1
3	NAG	A	601	1	-	0/6/23/26	0/1/1/1
3	NAG	F	602	1	-	2/6/23/26	0/1/1/1
3	NAG	B	602	1	-	4/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	602	NAG	C1-C2	2.33	1.55	1.52
3	E	601	NAG	C1-C2	2.17	1.55	1.52
3	G	601	NAG	C1-C2	2.07	1.55	1.52

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	NAG	C2-N2-C7	4.79	129.32	122.90
3	G	602	NAG	C1-O5-C5	2.66	115.75	112.19
3	E	601	NAG	C1-O5-C5	2.54	115.59	112.19
3	B	602	NAG	C1-C2-N2	2.51	114.38	110.43
3	G	601	NAG	C1-O5-C5	2.26	115.22	112.19

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	601	NAG	C4-C5-C6-O6
3	G	601	NAG	C4-C5-C6-O6
3	F	601	NAG	O5-C5-C6-O6
3	F	602	NAG	O5-C5-C6-O6
3	E	601	NAG	O5-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	601	NAG	1	0
3	E	602	NAG	2	0
3	C	602	NAG	1	0
3	G	602	NAG	1	0
3	B	602	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	484/503 (96%)	-0.27	4 (0%) 82 77	22, 32, 50, 70	0
1	B	484/503 (96%)	-0.14	5 (1%) 79 73	21, 35, 57, 95	0
1	C	484/503 (96%)	-0.16	2 (0%) 88 85	22, 35, 59, 72	0
1	D	482/503 (95%)	-0.29	2 (0%) 88 85	20, 31, 49, 74	0
1	E	484/503 (96%)	-0.04	5 (1%) 79 73	25, 43, 63, 82	0
1	F	483/503 (96%)	0.11	7 (1%) 73 65	27, 48, 74, 109	0
1	G	484/503 (96%)	-0.10	2 (0%) 88 85	26, 40, 57, 79	0
1	H	484/503 (96%)	-0.06	5 (1%) 79 73	26, 42, 65, 96	0
All	All	3869/4024 (96%)	-0.12	32 (0%) 82 77	20, 38, 63, 109	0

The worst 5 of 32 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	501	ALA	4.8
1	B	500	ALA	4.4
1	C	501	ALA	3.9
1	G	501	ALA	3.9
1	B	501	ALA	3.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	U	2	14/15	0.63	0.14	48,69,78,80	0
2	NAG	N	2	14/15	0.74	0.13	74,78,88,88	0
2	NAG	X	2	14/15	0.76	0.12	73,80,84,86	0
2	NAG	K	2	14/15	0.80	0.12	55,70,80,80	0
2	NAG	X	1	14/15	0.81	0.11	50,60,68,75	0
2	NAG	U	1	14/15	0.84	0.11	31,50,59,66	0
2	NAG	N	1	14/15	0.86	0.11	42,57,72,77	0
2	NAG	K	1	14/15	0.91	0.08	40,50,60,67	0
2	NAG	e	1	14/15	-	-	49,54,64,73	0
2	NAG	e	2	14/15	-	-	71,81,90,90	0
2	NAG	h	1	14/15	-	-	60,68,72,78	0
2	NAG	h	2	14/15	-	-	74,83,90,91	0
2	NAG	o	1	14/15	-	-	48,52,62,68	0
2	NAG	o	2	14/15	-	-	60,72,83,84	0
2	NAG	r	1	14/15	-	-	43,57,68,72	0
2	NAG	r	2	14/15	-	-	74,81,88,88	0
2	NAG	y	1	14/15	-	-	53,68,74,85	0
2	NAG	y	2	14/15	-	-	72,94,102,103	0
2	NAG	1	1	14/15	-	-	51,66,75,77	0
2	NAG	1	2	14/15	-	-	67,86,89,90	0
2	NAG	8	1	14/15	-	-	48,62,77,86	0
2	NAG	8	2	14/15	-	-	77,89,96,100	0
2	NAG	BA	1	14/15	-	-	37,58,76,77	0
2	NAG	BA	2	14/15	-	-	88,95,100,101	0
2	NAG	IA	1	14/15	-	-	63,71,78,86	0
2	NAG	IA	2	14/15	-	-	78,91,98,99	0
2	NAG	LA	1	14/15	-	-	52,59,71,72	0
2	NAG	LA	2	14/15	-	-	73,79,83,85	0
2	NAG	SA	1	14/15	-	-	54,64,71,72	0
2	NAG	SA	2	14/15	-	-	56,76,83,84	0
2	NAG	VA	1	14/15	-	-	53,69,76,80	0
2	NAG	VA	2	14/15	-	-	77,86,90,90	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain X:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain e:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain h:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain o:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain r:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain y:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain 1:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain 8:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain BA:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain IA:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain LA:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain SA:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	E	602	14/15	0.17	0.22	85,96,103,105	0
3	NAG	H	601	14/15	0.45	0.20	63,88,92,95	0
3	NAG	B	601	14/15	0.53	0.19	71,80,87,92	0
3	NAG	D	602	14/15	0.55	0.18	48,65,73,74	0
3	NAG	H	602	14/15	0.58	0.16	58,74,82,83	0
3	NAG	A	601	14/15	0.59	0.15	54,71,78,78	0
3	NAG	F	602	14/15	0.63	0.17	65,73,84,85	0
3	NAG	A	602	14/15	0.64	0.16	53,65,75,79	0
3	NAG	F	601	14/15	0.64	0.16	85,95,106,106	0
3	NAG	C	601	14/15	0.68	0.15	78,83,90,91	0
3	NAG	C	602	14/15	0.69	0.12	59,70,80,81	0
3	NAG	G	602	14/15	0.71	0.17	60,67,77,79	0
3	NAG	G	601	14/15	0.71	0.14	79,88,95,98	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	D	601	14/15	0.72	0.14	56,69,76,79	0
3	NAG	E	601	14/15	0.74	0.13	67,73,83,85	0
3	NAG	B	602	14/15	0.74	0.14	54,62,67,68	0
4	MG	H	603	1/1	0.74	0.12	59,59,59,59	0
4	MG	B	603	1/1	0.86	0.12	51,51,51,51	0
4	MG	G	603	1/1	0.89	0.07	51,51,51,51	0
4	MG	F	603	1/1	0.89	0.10	60,60,60,60	0
6	CA	H	605	1/1	0.91	0.08	50,50,50,50	0
5	ZN	B	606	1/1	0.92	0.12	80,80,80,80	0
5	ZN	C	604	1/1	0.93	0.05	35,35,35,35	0
4	MG	C	603	1/1	0.94	0.08	43,43,43,43	0
6	CA	G	605	1/1	0.94	0.07	40,40,40,40	0
5	ZN	C	606	1/1	0.94	0.12	71,71,71,71	0
4	MG	E	603	1/1	0.95	0.07	50,50,50,50	0
6	CA	D	605	1/1	0.95	0.04	37,37,37,37	0
6	CA	F	605	1/1	0.95	0.06	61,61,61,61	0
6	CA	A	605	1/1	0.96	0.06	42,42,42,42	0
5	ZN	A	606	1/1	0.96	0.08	68,68,68,68	0
6	CA	C	605	1/1	0.96	0.07	43,43,43,43	0
5	ZN	B	604	1/1	0.96	0.22	69,69,69,69	0
4	MG	D	603	1/1	0.96	0.07	44,44,44,44	0
5	ZN	H	604	1/1	0.96	0.07	43,43,43,43	0
6	CA	E	605	1/1	0.96	0.04	53,53,53,53	0
5	ZN	E	606	1/1	0.97	0.06	62,62,62,62	0
5	ZN	D	606	1/1	0.97	0.05	67,67,67,67	0
4	MG	A	603	1/1	0.97	0.15	41,41,41,41	0
5	ZN	F	606	1/1	0.97	0.11	75,75,75,75	0
5	ZN	G	606	1/1	0.98	0.06	68,68,68,68	0
6	CA	B	605	1/1	0.98	0.05	42,42,42,42	0
5	ZN	E	604	1/1	0.98	0.11	43,43,43,43	0
5	ZN	A	604	1/1	0.98	0.04	29,29,29,29	0
5	ZN	H	606	1/1	0.98	0.04	73,73,73,73	0
5	ZN	F	604	1/1	0.98	0.04	41,41,41,41	0
5	ZN	G	604	1/1	0.99	0.05	34,34,34,34	0
5	ZN	D	604	1/1	0.99	0.04	28,28,28,28	0

6.5 Other polymers

There are no such residues in this entry.