



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:25 PM UTC

PDB ID : 2YK0 / pdb_00002yk0
Title : Structure of the N-terminal NTS-DBL1-alpha and CIDR-gamma double domain of the PfEMP1 protein from Plasmodium falciparum varO strain.
Authors : Lewit-Bentley, A.; Juillerat, A.; Vigan-Womas, I.; Guillotte, M.; Hessel, A.; Raynal, B.; Mercereau-Puijalon, O.; Bentley, G.A.
Deposited on : 2011-05-25
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	790	10% 57% 24% 6% 12%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ERYTHROCYTE MEMBRANE PROTEIN 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	698	5684	3570	1012	1066	36	0	4	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	ILE	-	expression tag	UNP B7T1P0
A	-1	SER	-	expression tag	UNP B7T1P0
A	0	GLU	-	expression tag	UNP B7T1P0
A	1	PHE	-	expression tag	UNP B7T1P0
A	10	ALA	THR	engineered mutation	UNP B7T1P0
A	125	ALA	SER	engineered mutation	UNP B7T1P0
A	128	ALA	THR	engineered mutation	UNP B7T1P0
A	154	ALA	THR	engineered mutation	UNP B7T1P0
A	186	ALA	SER	engineered mutation	UNP B7T1P0
A	250	ALA	SER	engineered mutation	UNP B7T1P0
A	360	ALA	SER	engineered mutation	UNP B7T1P0
A	657	ALA	SER	engineered mutation	UNP B7T1P0

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	32	Total	O	0	0
			32	32		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ERYTHROCYTE MEMBRANE PROTEIN 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	157.91Å 144.36Å 75.84Å 90.00° 102.89° 90.00°	Depositor
Resolution (Å)	40.23 – 2.80 40.23 – 2.80	Depositor EDS
% Data completeness (in resolution range)	96.8 (40.23-2.80) 92.5 (40.23-2.80)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 2.81Å)	Xtriage
Refinement program	BUSTER 2.9.3	Depositor
R, R_{free}	0.213 , 0.255 (Not available) , 0.225	Depositor DCC
R_{free} test set	2007 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	51.8	Xtriage
Anisotropy	0.757	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 89.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5728	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	1/5824 (0.0%)	1.54	66/7833 (0.8%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	308	TYR	C-N	5.15	1.37	1.33

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	252	LEU	CA-C-N	7.36	130.75	120.29
1	A	252	LEU	C-N-CA	7.36	130.75	120.29
1	A	411	ASN	N-CA-C	6.98	120.77	109.40
1	A	682	ASP	CA-CB-CG	6.86	119.46	112.60
1	A	39	LYS	N-CA-C	-6.64	103.97	111.07
1	A	308	TYR	CA-C-N	6.51	129.00	123.33
1	A	308	TYR	C-N-CA	6.51	129.00	123.33
1	A	145	PHE	CA-C-N	6.30	130.68	120.60
1	A	145	PHE	C-N-CA	6.30	130.68	120.60
1	A	658	ASP	CA-CB-CG	6.20	118.80	112.60
1	A	145	PHE	CA-CB-CG	-6.14	107.66	113.80
1	A	234	PRO	CA-C-N	6.09	128.36	120.44
1	A	234	PRO	C-N-CA	6.09	128.36	120.44
1	A	527	LYS	CA-C-N	6.01	128.33	120.28
1	A	527	LYS	C-N-CA	6.01	128.33	120.28
1	A	74	ASN	CA-C-N	6.00	129.43	120.31
1	A	74	ASN	C-N-CA	6.00	129.43	120.31
1	A	74	ASN	N-CA-C	5.95	118.89	109.96
1	A	450	ASN	CA-CB-CG	5.81	118.41	112.60
1	A	291	SER	N-CA-C	5.71	117.20	110.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	562	LYS	CA-C-N	5.68	127.93	120.60
1	A	562	LYS	C-N-CA	5.68	127.93	120.60
1	A	414	ASP	CA-C-N	5.62	129.25	120.82
1	A	414	ASP	C-N-CA	5.62	129.25	120.82
1	A	424	LYS	N-CA-C	-5.60	102.24	110.52
1	A	365	PHE	CA-C-N	5.53	128.59	120.91
1	A	365	PHE	C-N-CA	5.53	128.59	120.91
1	A	116	ASP	N-CA-C	5.50	117.28	111.28
1	A	581	LYS	CA-C-N	5.48	127.57	120.44
1	A	581	LYS	C-N-CA	5.48	127.57	120.44
1	A	478	THR	CA-C-N	5.48	128.17	120.28
1	A	478	THR	C-N-CA	5.48	128.17	120.28
1	A	522	MET	CA-C-N	5.42	131.90	121.54
1	A	522	MET	C-N-CA	5.42	131.90	121.54
1	A	130	CYS	N-CA-C	5.39	118.23	107.62
1	A	273	PRO	CA-C-N	5.39	127.76	120.38
1	A	273	PRO	C-N-CA	5.39	127.76	120.38
1	A	359	LEU	N-CA-C	5.39	117.49	109.25
1	A	509	THR	CB-CA-C	5.39	118.64	109.75
1	A	160	ASN	CA-CB-CG	-5.36	107.24	112.60
1	A	153	THR	CA-C-N	5.35	127.45	120.28
1	A	153	THR	C-N-CA	5.35	127.45	120.28
1	A	72	ASP	N-CA-C	-5.34	101.67	109.63
1	A	369	ASP	N-CA-C	-5.33	102.59	110.48
1	A	198	ASP	CA-C-N	5.31	127.25	120.56
1	A	198	ASP	C-N-CA	5.31	127.25	120.56
1	A	553	ASP	CA-CB-CG	5.21	117.81	112.60
1	A	216	LYS	N-CA-C	5.19	117.02	111.36
1	A	585	GLU	CA-C-N	5.17	125.72	119.98
1	A	585	GLU	C-N-CA	5.17	125.72	119.98
1	A	534	CYS	CA-C-N	5.16	128.16	120.31
1	A	534	CYS	C-N-CA	5.16	128.16	120.31
1	A	202	ILE	CA-C-N	5.16	127.25	120.60
1	A	202	ILE	C-N-CA	5.16	127.25	120.60
1	A	57	PHE	CA-CB-CG	5.13	118.93	113.80
1	A	666	PHE	CA-C-N	5.12	127.15	120.28
1	A	666	PHE	C-N-CA	5.12	127.15	120.28
1	A	508	THR	CB-CA-C	5.12	118.33	110.14
1	A	212	ASN	CA-CB-CG	5.09	117.69	112.60
1	A	166	LYS	CA-C-N	5.09	127.10	120.28
1	A	166	LYS	C-N-CA	5.09	127.10	120.28
1	A	259	ILE	CA-C-N	5.06	128.70	120.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	259	ILE	C-N-CA	5.06	128.70	120.60
1	A	176	HIS	N-CA-C	5.06	116.06	109.64
1	A	213	LYS	CA-C-N	5.04	127.03	120.28
1	A	213	LYS	C-N-CA	5.04	127.03	120.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5684	0	5469	107	0
2	A	2	0	0	0	0
3	A	10	0	0	0	0
4	A	32	0	0	2	0
All	All	5728	0	5469	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:626:TRP:HZ3	1:A:697:THR:HG22	1.21	1.04
1:A:626:TRP:CZ3	1:A:697:THR:HG22	2.02	0.94
1:A:508:THR:CG2	1:A:632:HIS:HD2	1.88	0.85
1:A:54:ARG:HH11	1:A:54:ARG:HG2	1.40	0.85
1:A:626:TRP:HH2	1:A:694:ASP:HB2	1.42	0.84
1:A:508:THR:CG2	1:A:632:HIS:CD2	2.64	0.80
1:A:51:THR:H	1:A:155:HIS:HD2	1.27	0.79
1:A:364:ILE:HA	1:A:573:LYS:HG3	1.65	0.79
1:A:79:ASP:H	1:A:83:HIS:HD2	1.32	0.77
1:A:84:THR:HG23	1:A:86:ILE:H	1.52	0.73
1:A:79:ASP:H	1:A:83:HIS:CD2	2.07	0.71
1:A:519:ARG:HH21	1:A:532:SER:HB3	1.58	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:626:TRP:HH2	1:A:694:ASP:CB	2.06	0.69
1:A:533:THR:HG23	1:A:536:PHE:H	1.57	0.67
1:A:508:THR:HG23	1:A:632:HIS:CD2	2.30	0.66
1:A:508:THR:HG22	1:A:632:HIS:HD2	1.63	0.63
1:A:84:THR:HG21	1:A:94:ARG:HB3	1.80	0.63
1:A:51:THR:H	1:A:155:HIS:CD2	2.11	0.63
1:A:548:ILE:HG12	1:A:553:ASP:HB3	1.82	0.62
1:A:277:ASP:OD1	1:A:293:GLY:HA2	1.99	0.61
1:A:384:ILE:HD12	1:A:461:PHE:HA	1.82	0.61
1:A:453:ASP:H	1:A:460:THR:HG21	1.66	0.60
1:A:176:HIS:O	1:A:179:LYS:HB2	2.01	0.60
1:A:674:GLU:HB3	1:A:693:LYS:HD3	1.83	0.59
1:A:626:TRP:CH2	1:A:694:ASP:HB2	2.31	0.59
1:A:323:PHE:HD1	1:A:387:LYS:HG2	1.66	0.59
1:A:543:GLU:H	1:A:559:ASN:ND2	2.01	0.58
1:A:104:ARG:HD2	1:A:137:HIS:HB2	1.85	0.57
1:A:51:THR:N	1:A:155:HIS:HD2	2.00	0.57
1:A:576:LEU:HD22	1:A:580:LEU:HD11	1.87	0.56
1:A:648:VAL:HG12	1:A:695:ILE:HD12	1.88	0.55
1:A:430:ASP:HA	1:A:455:ASN:HD21	1.71	0.55
1:A:697:THR:O	1:A:701:LYS:HD3	2.08	0.53
1:A:519:ARG:HA	1:A:526:LEU:HD12	1.91	0.53
1:A:79:ASP:N	1:A:83:HIS:HD2	2.05	0.53
1:A:462:SER:HA	1:A:518:ARG:HH12	1.74	0.53
1:A:47:GLN:NE2	1:A:232:LEU:HA	2.24	0.52
1:A:559:ASN:HD22	1:A:559:ASN:H	1.57	0.52
1:A:157:LEU:HD13	1:A:224:VAL:HG11	1.93	0.51
1:A:426:TYR:HA	1:A:431:LYS:HB2	1.93	0.51
1:A:477:CYS:HA	1:A:483:CYS:HA	1.93	0.50
1:A:149:LYS:HE3	1:A:149:LYS:H	1.75	0.50
1:A:667:HIS:CD2	1:A:667:HIS:H	2.30	0.50
1:A:49:LYS:HD2	1:A:259:ILE:HG22	1.93	0.50
1:A:90:TYR:HD1	1:A:98:TYR:CE1	2.30	0.49
1:A:217:VAL:O	1:A:221:LEU:HB2	2.12	0.49
1:A:287:LEU:HD22	1:A:287:LEU:H	1.77	0.49
1:A:626:TRP:HZ3	1:A:697:THR:CG2	2.09	0.49
1:A:127:GLY:H	1:A:400:MET:HE1	1.77	0.49
1:A:475:VAL:HG12	1:A:485:HIS:HA	1.94	0.49
1:A:90:TYR:CD1	1:A:98:TYR:CE1	3.01	0.48
1:A:96:PRO:HG2	1:A:167:TYR:CG	2.48	0.48
1:A:351:GLY:O	1:A:368:LEU:HB2	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:562:LYS:HE3	1:A:563:VAL:HG23	1.94	0.48
1:A:341:GLU:HB3	1:A:482:ILE:HA	1.96	0.48
1:A:253:ARG:NH2	4:A:2018:HOH:O	2.41	0.48
1:A:518:ARG:HG3	4:A:2027:HOH:O	2.13	0.48
1:A:93:GLY:HA3	1:A:95:LYS:HE3	1.95	0.47
1:A:126:ASN:HB3	1:A:396:LEU:CD1	2.44	0.47
1:A:47:GLN:HE22	1:A:232:LEU:HA	1.78	0.47
1:A:536:PHE:HZ	1:A:586:GLY:HA2	1.79	0.47
1:A:166:LYS:HA	1:A:267:ALA:O	2.14	0.47
1:A:23:ARG:NH2	1:A:279:PHE:O	2.47	0.47
1:A:171:TYR:CD1	1:A:171:TYR:C	2.94	0.46
1:A:54:ARG:HG2	1:A:54:ARG:NH1	2.19	0.46
1:A:626:TRP:CH2	1:A:696:VAL:HB	2.51	0.46
1:A:79:ASP:OD1	1:A:81:LEU:HB2	2.16	0.46
1:A:608:CYS:HA	1:A:611:LYS:HD2	1.97	0.46
1:A:29:ILE:O	1:A:33:ILE:HG12	2.16	0.45
1:A:702:GLU:HG3	1:A:703:LEU:N	2.31	0.45
1:A:219:LYS:O	1:A:223:VAL:HG23	2.17	0.44
1:A:543:GLU:HG3	1:A:558:ASN:HB2	1.99	0.44
1:A:655:ASN:O	1:A:659:VAL:HG23	2.17	0.44
1:A:479:ASN:ND2	1:A:479:ASN:H	2.16	0.44
1:A:430:ASP:HB2	1:A:431:LYS:HE3	2.00	0.44
1:A:511:ASP:OD2	1:A:621:LYS:NZ	2.45	0.44
1:A:69[B]:ARG:HD3	1:A:82:PHE:HD1	1.83	0.43
1:A:54:ARG:HH11	1:A:54:ARG:CG	2.18	0.43
1:A:323:PHE:CD1	1:A:387:LYS:HG2	2.49	0.43
1:A:119:ARG:HD2	1:A:208:MET:HA	1.99	0.43
1:A:361:HIS:CD2	1:A:470:CYS:HB2	2.54	0.43
1:A:127:GLY:HA2	1:A:396:LEU:HB2	2.01	0.43
1:A:622:LYS:HA	1:A:625:GLU:HB2	2.01	0.43
1:A:157:LEU:HD23	1:A:256:TRP:CE2	2.54	0.42
1:A:453:ASP:OD2	1:A:456:LYS:HB2	2.19	0.42
1:A:581:LYS:HA	1:A:581:LYS:HD2	1.91	0.42
1:A:69[A]:ARG:HG3	1:A:82:PHE:HB3	2.01	0.42
1:A:605:ILE:HG22	1:A:607:LEU:HG	2.02	0.42
1:A:69[B]:ARG:HD3	1:A:82:PHE:CD1	2.54	0.42
1:A:103:ASN:ND2	1:A:175:ASP:OD2	2.52	0.42
1:A:158:LEU:O	1:A:162:LEU:HG	2.20	0.42
1:A:431:LYS:H	1:A:431:LYS:HG2	1.61	0.42
1:A:31:ILE:H	1:A:31:ILE:HG13	1.70	0.42
1:A:686:SER:HB2	1:A:689:ASN:HB2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:ASP:O	1:A:256:TRP:C	2.63	0.41
1:A:361:HIS:HD2	1:A:470:CYS:HB2	1.84	0.41
1:A:682:ASP:OD1	1:A:682:ASP:N	2.49	0.41
1:A:92:GLU:O	1:A:94:ARG:HD3	2.21	0.41
1:A:590:SER:HB3	1:A:615:VAL:HG13	2.03	0.41
1:A:216:LYS:H	1:A:216:LYS:NZ	2.19	0.41
1:A:392:TYR:CZ	1:A:396:LEU:HD11	2.56	0.41
1:A:626:TRP:HH2	1:A:694:ASP:CG	2.29	0.41
1:A:626:TRP:HD1	1:A:629:ILE:HG12	1.85	0.41
1:A:158:LEU:HG	1:A:162:LEU:HG	2.03	0.41
1:A:461:PHE:O	1:A:518:ARG:NH1	2.54	0.41
1:A:562:LYS:H	1:A:562:LYS:HD3	1.86	0.40
1:A:644:ILE:HG23	1:A:694:ASP:OD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	700/790 (89%)	637 (91%)	56 (8%)	7 (1%)	12	38

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	523	LYS
1	A	175	ASP
1	A	527	LYS
1	A	687	GLN
1	A	213	LYS
1	A	522	MET
1	A	600	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	618/720 (86%)	490 (79%)	128 (21%)	1 4

All (128) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	SER
1	A	31	ILE
1	A	41	LYS
1	A	49	LYS
1	A	54	ARG
1	A	61	LEU
1	A	62	SER
1	A	64	ARG
1	A	74	ASN
1	A	79	ASP
1	A	84	THR
1	A	95	LYS
1	A	101	GLU
1	A	115	SER
1	A	123	ASN
1	A	124	ASN
1	A	126	ASN
1	A	138	ILE
1	A	141[A]	GLN
1	A	141[B]	GLN
1	A	142	ASN
1	A	146	LEU
1	A	149	LYS
1	A	151	THR
1	A	152	ASN
1	A	158	LEU
1	A	210	LEU
1	A	212	ASN
1	A	214	ASP
1	A	216	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	218	GLN
1	A	258	THR
1	A	259	ILE
1	A	264	ILE
1	A	266	LYS
1	A	275	TYR
1	A	284	ASP
1	A	287	LEU
1	A	333	LYS
1	A	344	LYS
1	A	345	LYS
1	A	350	ASP
1	A	359	LEU
1	A	361	HIS
1	A	364	ILE
1	A	368	LEU
1	A	376	GLN
1	A	384	ILE
1	A	387	LYS
1	A	402	ILE
1	A	403	GLN
1	A	405	TRP
1	A	409	LYS
1	A	410	ASN
1	A	411	ASN
1	A	421	LEU
1	A	426	TYR
1	A	428	THR
1	A	430	ASP
1	A	431	LYS
1	A	434	ASN
1	A	446	LYS
1	A	448	GLU
1	A	450	ASN
1	A	451	LYS
1	A	456	LYS
1	A	459	LYS
1	A	476	THR
1	A	479	ASN
1	A	482	ILE
1	A	484	ILE
1	A	497	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	500	ILE
1	A	503	LYS
1	A	508	THR
1	A	509	THR
1	A	513	ASP
1	A	514	MET
1	A	517	LEU
1	A	519	ARG
1	A	520	GLN
1	A	521	TYR
1	A	525[A]	GLU
1	A	525[B]	GLU
1	A	527	LYS
1	A	528	SER
1	A	531[A]	GLU
1	A	531[B]	GLU
1	A	535	LEU
1	A	543	GLU
1	A	545	THR
1	A	549	LEU
1	A	552	LEU
1	A	559	ASN
1	A	562	LYS
1	A	564	ILE
1	A	566	ILE
1	A	567	ASP
1	A	573	LYS
1	A	576	LEU
1	A	581	LYS
1	A	589	LYS
1	A	603	SER
1	A	605	ILE
1	A	607	LEU
1	A	617	GLU
1	A	619	LEU
1	A	621	LYS
1	A	629	ILE
1	A	649	LYS
1	A	658	ASP
1	A	669	LEU
1	A	670	LYS
1	A	672	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	674	GLU
1	A	677	ILE
1	A	678	CYS
1	A	680	VAL
1	A	682	ASP
1	A	691	LYS
1	A	695	ILE
1	A	697	THR
1	A	698	ILE
1	A	702	GLU
1	A	703	LEU
1	A	706	LYS
1	A	710	CYS
1	A	711	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	ASN
1	A	47	GLN
1	A	74	ASN
1	A	83	HIS
1	A	142	ASN
1	A	155	HIS
1	A	160	ASN
1	A	174	ASN
1	A	184	ASN
1	A	248	ASN
1	A	352	HIS
1	A	362	ASN
1	A	363	GLN
1	A	374	GLN
1	A	410	ASN
1	A	438	ASN
1	A	443	HIS
1	A	445	ASN
1	A	455	ASN
1	A	479	ASN
1	A	486	ASN
1	A	501	ASN
1	A	559	ASN
1	A	569	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	595	ASN
1	A	632	HIS
1	A	636	GLN
1	A	638	HIS
1	A	671	ASN
1	A	712	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	1719	-	4,4,4	0.31	0	6,6,6	0.11	0
3	SO4	A	1720	-	4,4,4	0.32	0	6,6,6	0.05	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	698/790 (88%)	0.93	80 (11%) 9 7	27, 70, 130, 147	9 (1%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	494	GLU	12.3
1	A	496	ASP	10.1
1	A	495	ASN	8.9
1	A	683	ASN	6.1
1	A	677	ILE	5.6
1	A	497	LEU	5.1
1	A	493	GLY	5.1
1	A	492	LYS	5.0
1	A	500	ILE	4.7
1	A	287	LEU	4.6
1	A	101	GLU	4.5
1	A	90	TYR	4.2
1	A	602	ASN	4.1
1	A	73	GLY	3.9
1	A	498	ASN	3.9
1	A	487	SER	3.9
1	A	40	LYS	3.8
1	A	130	CYS	3.7
1	A	499	LYS	3.7
1	A	491	ASN	3.5
1	A	274	TYR	3.4
1	A	21	SER	3.3
1	A	534	CYS	3.1
1	A	713	GLN	2.9
1	A	488	ASN	2.9
1	A	408	THR	2.9
1	A	682	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	289	PHE	2.7
1	A	44	TYR	2.7
1	A	124	ASN	2.7
1	A	551	ASN	2.7
1	A	296	GLY	2.7
1	A	567	ASP	2.7
1	A	288	HIS	2.7
1	A	126	ASN	2.7
1	A	99	GLY	2.7
1	A	127	GLY	2.7
1	A	489	ASN	2.6
1	A	484	ILE	2.5
1	A	100	ARG	2.5
1	A	407	LYS	2.5
1	A	215	ASP	2.5
1	A	151	THR	2.5
1	A	525[A]	GLU	2.4
1	A	607	LEU	2.4
1	A	185	LYS	2.4
1	A	666	PHE	2.4
1	A	676	GLU	2.4
1	A	88	THR	2.4
1	A	716	ALA	2.3
1	A	69[A]	ARG	2.3
1	A	125	ALA	2.3
1	A	477	CYS	2.3
1	A	483	CYS	2.3
1	A	684	CYS	2.3
1	A	599	LYS	2.3
1	A	690	LYS	2.3
1	A	691	LYS	2.3
1	A	245	GLY	2.3
1	A	600	ASP	2.3
1	A	429	ILE	2.3
1	A	280	ARG	2.2
1	A	305	TYR	2.2
1	A	711	LYS	2.2
1	A	681	ASP	2.1
1	A	271	SER	2.1
1	A	72	ASP	2.1
1	A	285	GLY	2.1
1	A	262	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	113	CYS	2.1
1	A	270	CYS	2.1
1	A	680	VAL	2.1
1	A	610	ASN	2.1
1	A	344	LYS	2.0
1	A	678	CYS	2.0
1	A	679	ASN	2.0
1	A	145	PHE	2.0
1	A	533	THR	2.0
1	A	110	GLU	2.0
1	A	446	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	1719	5/5	0.82	0.14	134,138,139,139	3
3	SO4	A	1720	5/5	0.87	0.23	75,79,80,81	5
2	MG	A	1717	1/1	0.95	0.06	60,60,60,60	0
2	MG	A	1718	1/1	0.95	0.12	43,43,43,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.