



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:14 PM UTC

PDB ID : 4YKN / pdb_00004ykn
Title : Pi3K alpha lipid kinase with Active Site Inhibitor
Authors : Elkins, P.A.
Deposited on : 2015-03-04
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1383	5% 83% 13%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 18690 atoms, of which 9011 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphatidylinositol 3-kinase regulatory subunit alpha, Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform fusion protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	1205	Total	C	H	N	O	S	0	2	0
			18491	6087	9011	1596	1728	69			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	311	MET	-	initiating methionine	UNP P27986
A	312	HIS	-	expression tag	UNP P27986
A	313	HIS	-	expression tag	UNP P27986
A	314	HIS	-	expression tag	UNP P27986
A	315	HIS	-	expression tag	UNP P27986
A	316	HIS	-	expression tag	UNP P27986
A	317	HIS	-	expression tag	UNP P27986
A	991	GLY	-	linker	UNP P27986
A	992	SER	-	linker	UNP P27986
A	993	PRO	-	linker	UNP P27986
A	994	GLY	-	linker	UNP P27986
A	995	ILE	-	linker	UNP P27986
A	996	SER	-	linker	UNP P27986
A	997	GLY	-	linker	UNP P27986
A	998	GLY	-	linker	UNP P27986
A	999	GLY	-	linker	UNP P27986
A	1000	GLY	-	linker	UNP P27986
A	1001	GLY	-	linker	UNP P27986

- Molecule 2 is 3-(6-methoxypyridin-3-yl)-5-[(4-[(5-methyl-1,3,4-thiadiazol-2-yl)sulfamoyl]phenyl)amino)methyl]benzoic acid (CCD ID: 4EL) (formula: C₂₃H₂₁N₅O₅S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			35	23	5	5	2		
2	A	1	Total	C	N	O	S	0	0
			35	23	5	5	2		
2	A	1	Total	C	N	O	S	0	0
			35	23	5	5	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	94	Total	O	0	0
			94	94		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.67Å 118.19Å 190.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.93 – 2.90 29.93 – 2.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.93-2.90) 99.9 (29.93-2.90)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.55 (at 2.90Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1801)	Depositor
R, R_{free}	0.202 , 0.247 0.210 , 0.250	Depositor DCC
R_{free} test set	2183 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	51.8	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	18690	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4EL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.13	0/9687	0.31	0/13138

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9480	9011	9010	28	0
2	A	105	0	60	4	0
3	A	94	0	0	0	0
All	All	9679	9011	9070	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1704[B]:ARG:NH2	1:A:1746:ASP:O	2.22	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1950:GLU:OE1	1:A:2038:TYR:OH	2.12	0.67
1:A:1138:ASP:OD1	1:A:1141:ARG:NH2	2.28	0.67
1:A:1498:TRP:CE2	2:A:2103:4EL:H2	2.36	0.60
1:A:1936:HIS:ND1	1:A:2012:GLU:OE2	2.34	0.60
1:A:358:ARG:NH1	1:A:1542:GLU:OE2	2.38	0.56
1:A:1809:GLN:NE2	1:A:1935:GLY:O	2.38	0.56
1:A:2044:ASN:ND2	1:A:2051:TRP:O	2.40	0.55
1:A:1913:ILE:O	1:A:1951:ARG:NH2	2.38	0.54
1:A:1421:PRO:O	1:A:1448:VAL:HG21	2.07	0.53
1:A:1602:LEU:O	1:A:1612:ARG:NH2	2.41	0.52
1:A:1950:GLU:N	1:A:1950:GLU:OE2	2.43	0.52
1:A:1641:TYR:OH	1:A:2007:GLY:N	2.39	0.51
1:A:1498:TRP:CG	2:A:2103:4EL:H15	2.46	0.51
1:A:1577:ARG:HH22	2:A:2102:4EL:H9	1.77	0.50
1:A:368:TYR:N	1:A:383:ILE:O	2.46	0.48
1:A:1032:VAL:HG21	1:A:1049:LEU:HD11	1.95	0.47
1:A:1401[A]:ARG:NH2	1:A:1458:PRO:O	2.46	0.46
1:A:1908:THR:HG23	1:A:1913:ILE:HB	1.98	0.45
1:A:1915:ASP:OD1	1:A:1951:ARG:NH1	2.51	0.44
1:A:1639:LEU:HD22	1:A:1650:VAL:HG22	1.99	0.43
1:A:1612:ARG:NH1	1:A:1642:GLU:OE2	2.52	0.42
1:A:525:MET:HA	1:A:525:MET:HE2	2.02	0.42
1:A:1802:LYS:NZ	2:A:2101:4EL:H18	2.19	0.41
1:A:1363:GLY:N	1:A:1607:PRO:HG3	2.36	0.41
1:A:1470:THR:HB	1:A:1471:PRO:HD2	2.03	0.41
1:A:534:ARG:NH2	1:A:1023:GLU:OE1	2.50	0.41
1:A:1712:LEU:HD21	1:A:1748:LEU:HD21	2.02	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1183/1383 (86%)	1157 (98%)	25 (2%)	1 (0%)	48 77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1391	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	968/1260 (77%)	956 (99%)	12 (1%)	63 86

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	404	LEU
1	A	1125	VAL
1	A	1211	ILE
1	A	1241	LEU
1	A	1273	ILE
1	A	1329	VAL
1	A	1630	GLN
1	A	1710	GLU
1	A	1789	MET
1	A	1937	PHE
1	A	2008	SER
1	A	2022	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	410	ASN
1	A	499	GLN
1	A	552	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1189	GLN
1	A	1763	ASN
1	A	1809	GLN
1	A	1996	ASN
1	A	2014	GLN
1	A	2048	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	4EL	A	2103	-	38,38,38	1.73	8 (21%)	54,54,54	3.17	17 (31%)
2	4EL	A	2102	-	38,38,38	1.74	8 (21%)	54,54,54	3.17	15 (27%)
2	4EL	A	2101	-	38,38,38	1.69	8 (21%)	54,54,54	2.98	14 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4EL	A	2103	-	-	9/26/26/26	0/4/4/4
2	4EL	A	2102	-	-	7/26/26/26	0/4/4/4
2	4EL	A	2101	-	-	12/26/26/26	0/4/4/4

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2102	4EL	C24-N23	4.81	1.45	1.33
2	A	2101	4EL	C24-N23	4.58	1.45	1.33
2	A	2103	4EL	C24-N23	4.57	1.45	1.33
2	A	2103	4EL	C09-C06	-4.26	1.38	1.49
2	A	2102	4EL	C09-C06	-4.02	1.39	1.49
2	A	2101	4EL	C09-C06	-4.02	1.39	1.49
2	A	2103	4EL	C17-S20	3.87	1.82	1.76
2	A	2102	4EL	C17-S20	3.72	1.82	1.76
2	A	2101	4EL	C17-S20	3.70	1.82	1.76
2	A	2101	4EL	O02-C03	3.35	1.40	1.35
2	A	2102	4EL	O02-C03	3.26	1.40	1.35
2	A	2102	4EL	O22-S20	3.19	1.47	1.43
2	A	2103	4EL	O02-C03	3.13	1.40	1.35
2	A	2102	4EL	S20-N23	3.12	1.71	1.64
2	A	2102	4EL	O21-S20	3.08	1.47	1.43
2	A	2101	4EL	O21-S20	2.98	1.47	1.43
2	A	2103	4EL	O21-S20	2.96	1.47	1.43
2	A	2103	4EL	O22-S20	2.96	1.47	1.43
2	A	2103	4EL	S20-N23	2.95	1.71	1.64
2	A	2101	4EL	S20-N23	2.89	1.71	1.64
2	A	2101	4EL	O22-S20	2.84	1.46	1.43
2	A	2103	4EL	C14-N13	2.60	1.46	1.38
2	A	2101	4EL	C14-N13	2.53	1.45	1.38
2	A	2102	4EL	C14-N13	2.46	1.45	1.38

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2103	4EL	O22-S20-O21	-15.31	100.93	119.52
2	A	2102	4EL	O22-S20-O21	-15.01	101.29	119.52
2	A	2101	4EL	O22-S20-O21	-13.99	102.53	119.52
2	A	2102	4EL	C24-S29-C27	9.30	95.18	88.39
2	A	2103	4EL	C24-S29-C27	8.47	94.57	88.39
2	A	2101	4EL	C24-S29-C27	8.36	94.49	88.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2102	4EL	S29-C24-N25	-7.67	105.95	114.52
2	A	2103	4EL	S29-C24-N25	-7.08	106.62	114.52
2	A	2101	4EL	S29-C24-N25	-7.08	106.62	114.52
2	A	2102	4EL	S29-C27-N26	-5.87	105.75	113.49
2	A	2103	4EL	S29-C27-N26	-5.65	106.03	113.49
2	A	2101	4EL	S29-C27-N26	-5.55	106.16	113.49
2	A	2101	4EL	C07-N08-C03	5.16	121.41	116.72
2	A	2103	4EL	C07-N08-C03	4.98	121.25	116.72
2	A	2102	4EL	C07-N08-C03	4.97	121.24	116.72
2	A	2102	4EL	N23-C24-N25	4.97	127.12	120.40
2	A	2103	4EL	N23-C24-N25	4.25	126.15	120.40
2	A	2101	4EL	N23-C24-N25	4.23	126.12	120.40
2	A	2102	4EL	C24-N25-N26	3.35	116.28	112.02
2	A	2101	4EL	C24-N25-N26	3.14	116.01	112.02
2	A	2103	4EL	C24-N25-N26	3.11	115.97	112.02
2	A	2103	4EL	C17-S20-N23	2.90	110.68	106.06
2	A	2101	4EL	O22-S20-C17	2.86	111.59	107.98
2	A	2102	4EL	C27-N26-N25	2.86	116.84	112.87
2	A	2103	4EL	O22-S20-C17	2.84	111.56	107.98
2	A	2103	4EL	C27-N26-N25	2.83	116.81	112.87
2	A	2101	4EL	C27-N26-N25	2.77	116.72	112.87
2	A	2102	4EL	O22-S20-C17	2.65	111.33	107.98
2	A	2103	4EL	O21-S20-C17	2.59	111.24	107.98
2	A	2101	4EL	C06-C07-N08	-2.56	120.22	124.28
2	A	2103	4EL	C06-C07-N08	-2.55	120.22	124.28
2	A	2101	4EL	O21-S20-C17	2.54	111.18	107.98
2	A	2102	4EL	O21-S20-C17	2.45	111.07	107.98
2	A	2102	4EL	C17-S20-N23	2.45	109.97	106.06
2	A	2103	4EL	C24-N23-S20	-2.43	117.21	121.90
2	A	2102	4EL	C06-C07-N08	-2.41	120.44	124.28
2	A	2103	4EL	C04-C05-C06	-2.30	118.17	121.12
2	A	2101	4EL	C24-N23-S20	-2.29	117.48	121.90
2	A	2103	4EL	C28-C27-S29	2.26	127.36	122.51
2	A	2101	4EL	C28-C27-S29	2.20	127.22	122.51
2	A	2103	4EL	O34-C33-C31	2.18	120.42	114.84
2	A	2101	4EL	C17-S20-N23	2.12	109.45	106.06
2	A	2103	4EL	C01-O02-C03	-2.10	114.20	117.33
2	A	2102	4EL	C28-C27-S29	2.07	126.95	122.51
2	A	2102	4EL	C01-O02-C03	-2.01	114.35	117.33
2	A	2102	4EL	C04-C03-N08	-2.00	121.52	124.65

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2101	4EL	N25-C24-N23-S20
2	A	2101	4EL	S29-C24-N23-S20
2	A	2101	4EL	C24-N23-S20-O22
2	A	2102	4EL	N25-C24-N23-S20
2	A	2102	4EL	S29-C24-N23-S20
2	A	2103	4EL	N25-C24-N23-S20
2	A	2103	4EL	S29-C24-N23-S20
2	A	2101	4EL	C32-C31-C33-O35
2	A	2101	4EL	C30-C31-C33-O35
2	A	2101	4EL	C32-C31-C33-O34
2	A	2101	4EL	C30-C31-C33-O34
2	A	2103	4EL	C32-C31-C33-O34
2	A	2103	4EL	C30-C31-C33-O34
2	A	2103	4EL	C30-C31-C33-O35
2	A	2103	4EL	C32-C31-C33-O35
2	A	2103	4EL	C15-C14-N13-C12
2	A	2103	4EL	C19-C14-N13-C12
2	A	2102	4EL	N08-C03-O02-C01
2	A	2102	4EL	C04-C03-O02-C01
2	A	2102	4EL	C16-C17-S20-O21
2	A	2102	4EL	C18-C17-S20-O21
2	A	2101	4EL	C24-N23-S20-C17
2	A	2101	4EL	N08-C03-O02-C01
2	A	2101	4EL	C16-C17-S20-O21
2	A	2101	4EL	C18-C17-S20-O21
2	A	2101	4EL	C04-C03-O02-C01
2	A	2103	4EL	C11-C12-N13-C14
2	A	2102	4EL	C32-C31-C33-O34


There are no ring outliers.


3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2103	4EL	2	0
2	A	2102	4EL	1	0
2	A	2101	4EL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	1205/1383 (87%)	0.11	64 (5%)	32 25	20, 48, 92, 142	2 (0%)

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	385	HIS	6.7
1	A	1323	SER	6.1
1	A	452	TYR	6.0
1	A	1523	LEU	5.0
1	A	1351	ILE	4.8
1	A	1301	CYS	4.7
1	A	422	VAL	4.6
1	A	331	ALA	4.4
1	A	580	TYR	4.3
1	A	359	ASP	4.3
1	A	332	GLU	4.2
1	A	1888	GLU	4.1
1	A	1727	THR	4.1
1	A	1944	LYS	4.0
1	A	1943	LYS	3.9
1	A	1481	SER	3.8
1	A	1300	ASP	3.8
1	A	421	ASP	3.7
1	A	1411	GLY	3.6
1	A	1013	ILE	3.5
1	A	337	ASP	3.4
1	A	2052	THR	3.4
1	A	419	LYS	3.4
1	A	1201	ASN	3.4
1	A	1970	GLU	3.3
1	A	1299	MET	3.3
1	A	2033	GLN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1722	GLU	3.0
1	A	1297	LEU	3.0
1	A	1309	ARG	2.9
1	A	1014	HIS	2.9
1	A	423	LYS	2.8
1	A	1969	GLN	2.8
1	A	573	LEU	2.8
1	A	1011	TRP	2.7
1	A	1524	ARG	2.7
1	A	345	GLU	2.7
1	A	396	LEU	2.7
1	A	404	LEU	2.6
1	A	1202	ASN	2.6
1	A	397	THR	2.6
1	A	339	SER	2.6
1	A	1415	ALA	2.5
1	A	390	TYR	2.5
1	A	1347	ASN	2.5
1	A	1743	ASP	2.4
1	A	410	ASN	2.4
1	A	1724	LYS	2.4
1	A	1200	PRO	2.4
1	A	401	VAL	2.3
1	A	392	PHE	2.3
1	A	1186	ASP	2.3
1	A	1935	GLY	2.3
1	A	1721	GLN	2.3
1	A	391	GLY	2.3
1	A	1503	GLU	2.2
1	A	1379	SER	2.2
1	A	424	LEU	2.2
1	A	1019	ARG	2.1
1	A	428	VAL	2.1
1	A	1281	ARG	2.1
1	A	506	LYS	2.1
1	A	1010	LEU	2.0
1	A	384	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	4EL	A	2102	35/35	0.88	0.16	32,54,98,100	0
2	4EL	A	2103	35/35	0.93	0.13	44,48,54,54	0
2	4EL	A	2101	35/35	0.94	0.11	23,34,58,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 4EL A 2102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4EL A 2103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 4EL A 2101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.