



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:44 AM UTC

PDB ID : 6YKY / pdb_00006yky
Title : Biochemical, Cellular and Structural Characterization of Novel ERK3 Inhibitors
Authors : Graedler, U.
Deposited on : 2020-04-06
Resolution : 2.52 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7383 (2.54-2.50)
Clashscore	190562	8079 (2.54-2.50)
Ramachandran outliers	187476	7944 (2.54-2.50)
Sidechain outliers	187428	7946 (2.54-2.50)
RSRZ outliers	180081	7387 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	
1	B	319	
1	C	319	
1	D	319	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9474 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Mitogen-activated protein kinase 6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	S	0	0	0
			2231	1430	377	411	13			
1	B	289	Total	C	N	O	S	0	2	0
			2297	1472	386	426	13			
1	C	283	Total	C	N	O	S	0	0	0
			2244	1437	380	414	13			
1	D	301	Total	C	N	O	S	0	2	0
			2397	1533	404	448	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	290	VAL	LEU	engineered mutation	UNP Q16659
B	290	VAL	LEU	engineered mutation	UNP Q16659
C	290	VAL	LEU	engineered mutation	UNP Q16659
D	290	VAL	LEU	engineered mutation	UNP Q16659

- Molecule 2 is 3-(4-methoxyphenyl)- {N}-[(3 {R})-1-pyridin-4-ylpyrrolidin-3-yl]-[1,2,3]triazolo[4,5-d]pyrimidin-5-amine (CCD ID: OWQ) (formula: C₂₀H₂₀N₈O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			29	20	8	1		
2	B	1	Total	C	N	O	0	0
			29	20	8	1		
2	C	1	Total	C	N	O	0	0
			29	20	8	1		
2	D	1	Total	C	N	O	0	0
			29	20	8	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	45	Total	O	0	0
			45	45		
3	B	40	Total	O	0	0
			40	40		
3	C	56	Total	O	0	0
			56	56		
3	D	48	Total	O	0	0
			48	48		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Mitogen-activated protein kinase 6





• Molecule 1: Mitogen-activated protein kinase 6



• Molecule 1: Mitogen-activated protein kinase 6



• Molecule 1: Mitogen-activated protein kinase 6



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.98Å 100.88Å 195.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.08 – 2.52 48.08 – 2.52	Depositor EDS
% Data completeness (in resolution range)	82.2 (48.08-2.52) 82.2 (48.08-2.52)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 2.51Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.198 , 0.251 0.204 , 0.259	Depositor DCC
R_{free} test set	1857 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	60.5	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 71.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9474	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OWQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	1/2274 (0.0%)	1.33	4/3080 (0.1%)
1	B	0.88	0/2347	1.34	11/3178 (0.3%)
1	C	0.87	0/2285	1.39	14/3089 (0.5%)
1	D	0.88	0/2450	1.36	13/3320 (0.4%)
All	All	0.88	1/9356 (0.0%)	1.35	42/12667 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	263	ILE	CA-C	5.09	1.58	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	117	ASN	CA-CB-CG	8.41	121.01	112.60
1	C	150	HIS	CA-C-N	-6.73	112.11	122.60
1	C	150	HIS	C-N-CA	-6.73	112.11	122.60
1	D	40	ASN	CA-CB-CG	6.58	119.18	112.60
1	C	196	TRP	N-CA-C	6.40	119.07	111.33
1	A	196	TRP	N-CA-C	6.31	118.97	111.33
1	D	196	TRP	N-CA-C	6.22	118.86	111.33
1	D	53	LEU	CA-C-N	5.87	132.76	121.54
1	D	53	LEU	C-N-CA	5.87	132.76	121.54
1	B	288	GLU	CB-CG-CD	5.70	122.28	112.60
1	A	64	ARG	CA-C-N	5.68	127.90	120.28
1	A	64	ARG	C-N-CA	5.68	127.90	120.28
1	B	196	TRP	N-CA-C	5.68	119.02	111.75
1	B	195	LYS	CA-C-N	5.57	128.51	120.38
1	B	195	LYS	C-N-CA	5.57	128.51	120.38
1	C	219	GLY	CA-C-N	5.54	127.71	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	219	GLY	C-N-CA	5.54	127.71	120.28
1	C	75	ASP	CA-CB-CG	5.49	118.09	112.60
1	B	134	TYR	CA-C-N	5.42	127.54	120.28
1	B	134	TYR	C-N-CA	5.42	127.54	120.28
1	D	287	ARG	CA-C-N	5.39	127.44	120.44
1	D	287	ARG	C-N-CA	5.39	127.44	120.44
1	C	150	HIS	N-CA-C	-5.38	101.68	109.59
1	C	316	MET	CA-C-N	5.22	129.43	120.72
1	C	316	MET	C-N-CA	5.22	129.43	120.72
1	D	170	GLY	CA-C-N	5.21	127.79	120.28
1	D	170	GLY	C-N-CA	5.21	127.79	120.28
1	B	287	ARG	CA-C-N	5.19	127.23	120.28
1	B	287	ARG	C-N-CA	5.19	127.23	120.28
1	C	195	LYS	CA-C-N	5.17	127.47	120.38
1	C	195	LYS	C-N-CA	5.17	127.47	120.38
1	B	114	ASP	CA-CB-CG	5.16	117.76	112.60
1	C	287	ARG	CA-C-N	5.15	127.14	120.44
1	C	287	ARG	C-N-CA	5.15	127.14	120.44
1	A	75	ASP	CA-CB-CG	5.11	117.71	112.60
1	D	195	LYS	CA-C-N	5.08	127.35	120.38
1	D	195	LYS	C-N-CA	5.08	127.35	120.38
1	B	29	GLY	CA-C-N	5.08	126.53	120.13
1	B	29	GLY	C-N-CA	5.08	126.53	120.13
1	D	253	GLU	CA-C-N	5.05	127.31	120.44
1	D	253	GLU	C-N-CA	5.05	127.31	120.44
1	D	306	THR	N-CA-C	-5.01	103.32	110.59

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2231	0	2253	15	0
1	B	2297	0	2324	12	0
1	C	2244	0	2262	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2397	0	2402	12	0
2	A	29	0	0	0	0
2	B	29	0	0	0	0
2	C	29	0	0	1	0
2	D	29	0	0	0	0
3	A	45	0	0	0	0
3	B	40	0	0	1	0
3	C	56	0	0	0	0
3	D	48	0	0	0	0
All	All	9474	0	9241	49	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:53:LEU:HD13	1:D:59:VAL:HG22	1.68	0.75
1:D:149:LEU:HD23	1:D:177:ILE:HG12	1.68	0.75
1:A:282:LEU:HB3	1:A:285:ILE:HG12	1.81	0.62
1:B:302:MET:HB3	1:D:71:ARG:CZ	2.31	0.60
1:A:21:MET:HG3	1:A:38:VAL:HG13	1.83	0.59
1:B:140:LEU:HD21	1:B:153:LEU:HD11	1.85	0.58
1:A:154:LYS:HD2	1:C:163:GLU:HG2	1.86	0.56
1:A:31:ASN:HB2	1:A:49:LYS:HE3	1.87	0.56
1:C:150:HIS:O	1:C:214:ASP:OD1	2.24	0.55
1:A:226:LEU:HD13	1:A:285:ILE:HD13	1.89	0.54
1:C:51:ILE:HD11	1:C:106:ILE:HD11	1.89	0.54
1:B:164:ASP:HB2	1:B:166:VAL:HG23	1.90	0.53
1:C:55:ASP:HB3	1:C:56:PRO:HD3	1.90	0.53
1:D:164:ASP:HB2	1:D:166:VAL:HG23	1.91	0.52
1:C:164:ASP:HB2	1:C:166:VAL:HG23	1.91	0.51
1:D:222:PHE:HD2	1:D:293:LEU:HD13	1.75	0.51
1:A:31:ASN:HB3	1:A:51:ILE:HG12	1.93	0.50
1:C:152:ASP:HB2	1:C:174:LEU:HD12	1.93	0.50
1:B:222:PHE:HD2	1:B:293:LEU:HD13	1.76	0.49
1:A:164:ASP:HB2	1:A:166:VAL:HG23	1.95	0.49
1:B:291:ASP:HB3	3:B:509:HOH:O	2.13	0.47
1:A:235:ALA:HB3	2:C:401:OWQ:C26	2.45	0.46
1:B:238:LEU:CD1	1:B:263:ILE:HG21	2.46	0.46
1:C:13:GLY:HA3	1:C:22:ASP:HA	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:198:ARG:HG2	1:D:202:LEU:HD23	1.97	0.45
1:A:198:ARG:HG2	1:A:202:LEU:HD23	1.98	0.45
1:B:74:HIS:HB3	1:B:77:ILE:HG12	1.97	0.45
1:A:256:ARG:O	1:A:260:LEU:HD13	2.16	0.45
1:C:222:PHE:HD2	1:C:293:LEU:HD13	1.81	0.45
1:A:49:LYS:HE2	1:A:172:PHE:CD2	2.51	0.45
1:C:198:ARG:HG2	1:C:202:LEU:HD23	1.98	0.45
1:A:195:LYS:HA	1:A:198:ARG:HD2	1.99	0.44
1:B:200:PRO:HG3	1:B:244:ILE:HG21	2.00	0.44
1:A:34:VAL:HG22	1:A:49:LYS:HD3	2.00	0.44
1:D:181:HIS:O	1:D:185:LYS:HE3	2.18	0.44
1:D:34:VAL:HG22	1:D:49:LYS:HD2	2.00	0.43
1:B:154:LYS:HD3	1:B:194:THR:HG21	2.00	0.43
1:D:55:ASP:O	1:D:59:VAL:HG23	2.18	0.43
1:A:226:LEU:HB3	1:A:285:ILE:HG21	2.01	0.42
1:D:195:LYS:HA	1:D:198:ARG:HD2	2.01	0.42
1:C:195:LYS:HA	1:C:198:ARG:HD2	2.02	0.41
1:B:21:MET:HE3	1:B:22:ASP:HB2	2.01	0.41
1:B:90:GLN:HE21	1:B:91:LEU:H	1.69	0.41
1:D:44:LYS:HD3	1:D:45:ARG:H	1.86	0.41
1:B:198:ARG:HG2	1:B:202:LEU:HD23	2.01	0.41
1:D:74:HIS:HB3	1:D:77:ILE:HG12	2.01	0.41
1:C:51:ILE:HD11	1:C:106:ILE:CD1	2.51	0.40
1:A:49:LYS:O	1:A:105:TYR:HA	2.21	0.40
1:C:226:LEU:HD13	1:C:285:ILE:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/319 (86%)	267 (97%)	8 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	283/319 (89%)	275 (97%)	6 (2%)	2 (1%)	18	32
1	C	273/319 (86%)	266 (97%)	7 (3%)	0	100	100
1	D	299/319 (94%)	288 (96%)	11 (4%)	0	100	100
All	All	1130/1276 (89%)	1096 (97%)	32 (3%)	2 (0%)	48	62

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	171[A]	ASP
1	B	171[B]	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/283 (87%)	232 (94%)	14 (6%)	18	36
1	B	256/283 (90%)	244 (95%)	12 (5%)	23	44
1	C	247/283 (87%)	234 (95%)	13 (5%)	20	39
1	D	266/283 (94%)	248 (93%)	18 (7%)	14	28
All	All	1015/1132 (90%)	958 (94%)	57 (6%)	19	37

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	ASP
1	A	38	VAL
1	A	43	ASP
1	A	49	LYS
1	A	54	THR
1	A	82	GLU
1	A	84	LEU
1	A	164	ASP
1	A	188	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	237	GLU
1	A	263	ILE
1	A	265	VAL
1	A	267	ILE
1	A	272	THR
1	B	70	ARG
1	B	71	ARG
1	B	83	ILE
1	B	84	LEU
1	B	101	LEU
1	B	164	ASP
1	B	179	ASP
1	B	188	LEU
1	B	237	GLU
1	B	239	GLU
1	B	263	ILE
1	B	272	THR
1	C	21	MET
1	C	23	LEU
1	C	28	CYS
1	C	40	ASN
1	C	55	ASP
1	C	57	GLN
1	C	63	LEU
1	C	91	LEU
1	C	149	LEU
1	C	164	ASP
1	C	237	GLU
1	C	272	THR
1	C	278	LEU
1	D	21	MET
1	D	23	LEU
1	D	31	ASN
1	D	43	ASP
1	D	44	LYS
1	D	53	LEU
1	D	70	ARG
1	D	90	GLN
1	D	95	VAL
1	D	164	ASP
1	D	176	ARG
1	D	178	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	185	LYS
1	D	213	ILE
1	D	237	GLU
1	D	253	GLU
1	D	272	THR
1	D	275	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	242	GLN
1	A	257	GLN
1	A	269	ASN
1	A	295	GLN
1	B	76	ASN
1	B	90	GLN
1	B	121	GLN
1	B	295	GLN
1	C	242	GLN
1	C	257	GLN
1	C	295	GLN
1	D	76	ASN
1	D	102	ASN
1	D	121	GLN
1	D	242	GLN
1	D	257	GLN
1	D	295	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	OWQ	B	401	-	33,33,33	1.39	3 (9%)	38,46,46	3.29	14 (36%)
2	OWQ	A	401	-	33,33,33	1.10	2 (6%)	38,46,46	3.64	19 (50%)
2	OWQ	C	401	-	33,33,33	1.18	2 (6%)	38,46,46	3.21	16 (42%)
2	OWQ	D	401	-	33,33,33	1.28	5 (15%)	38,46,46	3.47	18 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OWQ	B	401	-	-	4/14/23/23	0/5/5/5
2	OWQ	A	401	-	-	5/14/23/23	0/5/5/5
2	OWQ	C	401	-	-	5/14/23/23	0/5/5/5
2	OWQ	D	401	-	-	6/14/23/23	0/5/5/5

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	OWQ	C1-N17	4.33	1.39	1.34
2	D	401	OWQ	C1-N17	3.50	1.38	1.34
2	B	401	OWQ	N7-N13	3.31	1.41	1.38
2	C	401	OWQ	N7-N13	3.26	1.41	1.38
2	D	401	OWQ	N7-N13	3.13	1.41	1.38
2	A	401	OWQ	N7-N13	3.10	1.41	1.38
2	C	401	OWQ	C1-N17	3.07	1.38	1.34
2	A	401	OWQ	C4-N8	-2.32	1.34	1.38
2	D	401	OWQ	C21-N22	2.27	1.50	1.46
2	D	401	OWQ	C4-N8	-2.22	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	OWQ	C21-N22	2.16	1.50	1.46
2	D	401	OWQ	C23-N22	2.12	1.50	1.46

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	OWQ	C5-N7-N13	-10.60	105.16	110.25
2	A	401	OWQ	C5-N7-N13	-10.56	105.17	110.25
2	B	401	OWQ	C5-N7-N13	-9.88	105.50	110.25
2	C	401	OWQ	C5-N7-N13	-9.40	105.73	110.25
2	A	401	OWQ	C9-N7-N13	8.38	126.80	119.25
2	D	401	OWQ	N6-C5-N7	8.09	135.13	126.02
2	C	401	OWQ	N6-C5-N7	8.07	135.10	126.02
2	B	401	OWQ	N6-C5-N7	7.89	134.90	126.02
2	A	401	OWQ	C23-N22-C24	-7.88	110.94	122.71
2	B	401	OWQ	C9-N7-N13	6.95	125.51	119.25
2	A	401	OWQ	N6-C5-N7	6.80	133.67	126.02
2	D	401	OWQ	C9-N7-N13	6.26	124.89	119.25
2	C	401	OWQ	C4-C5-N6	-6.14	118.26	126.55
2	D	401	OWQ	C4-C5-N6	-6.05	118.37	126.55
2	B	401	OWQ	N2-C1-N6	-6.01	120.61	126.42
2	C	401	OWQ	C23-N22-C24	-5.96	113.81	122.71
2	C	401	OWQ	C9-N7-N13	5.88	124.54	119.25
2	D	401	OWQ	C19-C23-N22	-5.72	97.32	103.55
2	C	401	OWQ	C19-C23-N22	-5.66	97.38	103.55
2	B	401	OWQ	C4-C5-N6	-5.61	118.97	126.55
2	A	401	OWQ	C4-C5-N6	-5.42	119.23	126.55
2	B	401	OWQ	C21-N22-C24	-5.10	114.52	123.53
2	A	401	OWQ	C19-C23-N22	-5.08	98.02	103.55
2	B	401	OWQ	C3-N2-C1	4.95	122.60	115.81
2	A	401	OWQ	C1-N17-C19	-4.93	116.66	124.32
2	D	401	OWQ	N2-C1-N6	-4.82	121.76	126.42
2	D	401	OWQ	C1-N17-C19	-4.68	117.05	124.32
2	D	401	OWQ	C3-N2-C1	4.44	121.89	115.81
2	A	401	OWQ	C21-N22-C24	-4.34	115.85	123.53
2	D	401	OWQ	C21-N22-C24	-4.33	115.88	123.53
2	B	401	OWQ	C23-N22-C24	-4.04	116.68	122.71
2	C	401	OWQ	N2-C1-N6	-3.94	122.61	126.42
2	D	401	OWQ	C23-N22-C24	-3.76	117.10	122.71
2	A	401	OWQ	N7-N13-N8	3.74	110.86	108.77
2	A	401	OWQ	C28-N27-C26	3.68	125.28	116.86
2	B	401	OWQ	N7-N13-N8	3.57	110.77	108.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	OWQ	N7-N13-N8	3.42	110.68	108.77
2	C	401	OWQ	C1-N17-C19	-3.30	119.19	124.32
2	C	401	OWQ	C3-N2-C1	3.21	120.21	115.81
2	A	401	OWQ	C3-N2-C1	3.20	120.20	115.81
2	A	401	OWQ	C12-C9-N7	3.19	123.34	119.93
2	A	401	OWQ	C9-N7-C5	-3.15	127.75	130.55
2	D	401	OWQ	C28-N27-C26	3.10	123.94	116.86
2	A	401	OWQ	N2-C1-N6	-3.00	123.52	126.42
2	D	401	OWQ	C12-C9-N7	2.86	122.99	119.93
2	A	401	OWQ	C10-C9-N7	-2.86	116.87	119.93
2	C	401	OWQ	C28-N27-C26	2.74	123.14	116.86
2	A	401	OWQ	C25-C26-N27	-2.74	118.92	123.60
2	A	401	OWQ	C29-C28-N27	-2.72	118.96	123.60
2	D	401	OWQ	C3-C4-C5	2.63	119.11	116.24
2	B	401	OWQ	C9-N7-C5	-2.57	128.26	130.55
2	C	401	OWQ	C3-C4-C5	2.54	119.02	116.24
2	D	401	OWQ	C4-N8-N13	2.52	110.39	108.41
2	C	401	OWQ	N7-N13-N8	2.50	110.17	108.77
2	D	401	OWQ	C25-C26-N27	-2.43	119.46	123.60
2	C	401	OWQ	C29-C28-N27	-2.37	119.55	123.60
2	B	401	OWQ	N17-C1-N6	2.31	120.72	117.09
2	C	401	OWQ	C4-N8-N13	2.30	110.22	108.41
2	C	401	OWQ	C21-N22-C24	-2.27	119.52	123.53
2	C	401	OWQ	C1-N6-C5	2.21	121.08	113.99
2	A	401	OWQ	C29-C24-N22	-2.18	118.36	121.39
2	D	401	OWQ	C1-N6-C5	2.17	120.96	113.99
2	A	401	OWQ	C3-C4-C5	2.17	118.61	116.24
2	B	401	OWQ	C1-N6-C5	2.16	120.93	113.99
2	D	401	OWQ	C29-C28-N27	-2.12	119.98	123.60
2	B	401	OWQ	C18-O16-C14	2.12	122.04	117.50
2	B	401	OWQ	C12-C9-N7	2.10	122.17	119.93

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	OWQ	C25-C24-N22-C23
2	A	401	OWQ	C29-C24-N22-C23
2	B	401	OWQ	C25-C24-N22-C21
2	D	401	OWQ	C25-C24-N22-C23
2	D	401	OWQ	C29-C24-N22-C23
2	B	401	OWQ	C29-C24-N22-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	401	OWQ	C11-C14-O16-C18
2	D	401	OWQ	C15-C14-O16-C18
2	A	401	OWQ	C11-C14-O16-C18
2	A	401	OWQ	C15-C14-O16-C18
2	D	401	OWQ	N2-C1-N17-C19
2	C	401	OWQ	C25-C24-N22-C21
2	C	401	OWQ	C29-C24-N22-C21
2	C	401	OWQ	C15-C14-O16-C18
2	C	401	OWQ	C11-C14-O16-C18
2	B	401	OWQ	C15-C14-O16-C18
2	B	401	OWQ	C11-C14-O16-C18
2	D	401	OWQ	N6-C1-N17-C19
2	C	401	OWQ	C29-C24-N22-C23
2	A	401	OWQ	C29-C24-N22-C21


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	OWQ	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand OWQ B 401



Ligand OWQ A 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	281/319 (88%)	0.42	16 (5%)	29 26	33, 67, 123, 150	0
1	B	289/319 (90%)	0.42	12 (4%)	40 37	40, 73, 119, 143	2 (0%)
1	C	283/319 (88%)	0.40	10 (3%)	47 43	34, 68, 113, 136	0
1	D	301/319 (94%)	0.51	18 (5%)	27 24	37, 74, 131, 151	2 (0%)
All	All	1154/1276 (90%)	0.44	56 (4%)	35 31	33, 71, 121, 151	4 (0%)

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	53	LEU	5.0
1	D	95	VAL	4.3
1	A	266	TYR	4.3
1	D	33	LEU	4.2
1	B	321	PHE	4.1
1	D	321	PHE	4.0
1	B	99	THR	3.7
1	B	44	LYS	3.6
1	A	90	GLN	3.5
1	C	282	LEU	3.3
1	B	68	ILE	3.3
1	A	204	LEU	3.2
1	C	91	LEU	3.2
1	D	26	LEU	3.2
1	D	262	VAL	3.1
1	B	23	LEU	3.1
1	D	259	LEU	3.1
1	B	16	LEU	2.9
1	A	265	VAL	2.9
1	C	319	TYR	2.9
1	C	14	PHE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	32	GLY	2.7
1	D	54	THR	2.7
1	C	272	THR	2.7
1	A	275	HIS	2.6
1	A	53	LEU	2.6
1	D	99	THR	2.6
1	D	278	LEU	2.5
1	B	92	THR	2.5
1	D	263	ILE	2.4
1	D	98	LEU	2.4
1	B	265	VAL	2.3
1	D	29	GLY	2.3
1	A	263	ILE	2.3
1	A	178	MET	2.3
1	B	57	GLN	2.2
1	C	27	GLY	2.2
1	A	267	ILE	2.2
1	D	53	LEU	2.1
1	D	96	GLY	2.1
1	C	318	ILE	2.1
1	B	21	MET	2.1
1	A	41	ASP	2.1
1	D	30	GLY	2.1
1	D	234	GLY	2.1
1	A	317	SER	2.1
1	B	28	CYS	2.1
1	A	56	PRO	2.1
1	B	285	ILE	2.1
1	A	172	PHE	2.0
1	C	312	SER	2.0
1	A	127	GLU	2.0
1	D	32	GLY	2.0
1	D	88	GLY	2.0
1	A	54	THR	2.0
1	A	55	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	OWQ	D	401	29/29	0.88	0.11	59,65,81,82	0
2	OWQ	A	401	29/29	0.90	0.10	47,59,81,83	0
2	OWQ	C	401	29/29	0.93	0.09	38,50,61,62	0
2	OWQ	B	401	29/29	0.93	0.09	49,55,77,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around OWQ D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OWQ A 401:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around OWQ C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.