



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 01:30 PM UTC

PDB ID : 4YLF / pdb_00004ylf
Title : Insights into flavin-based electron bifurcation via the NADH-dependent reduced ferredoxin-NADP oxidoreductase structure
Authors : Ermler, U.; Thauer, R.K.; Demmer, J.K.; Huang, H.; Wang, S.; Demmer, U.
Deposited on : 2015-03-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	 82% 16% .
1	C	276	 72% 20% . 5%
2	B	468	 85% 15%
2	D	468	 87% 12% .

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 11843 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit homolog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2140	1369	359	398	14			
1	C	263	Total	C	N	O	S	0	0	0
			2031	1301	339	378	13			

- Molecule 2 is a protein called Dihydropyrimidine dehydrogenase subunit A.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	468	Total	C	N	O	S	0	0	0
			3625	2295	636	673	21			
2	D	468	Total	C	N	O	S	0	0	0
			3625	2295	636	673	21			

- Molecule 3 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			4	2	2		
3	C	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
4	B	1	Total 53	C 27	N 9	O 15	P 2	0	0
4	C	1	Total 53	C 27	N 9	O 15	P 2	0	0
4	D	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 5 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	Fe	S	0	0
			8	4	4		
5	B	1	Total	Fe	S	0	0
			8	4	4		
5	D	1	Total	Fe	S	0	0
			8	4	4		
5	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	P	0	0
			5	4	1		
6	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	21	Total	O	0	0
			21	21		
7	B	58	Total	O	0	0
			58	58		
7	C	18	Total	O	0	0
			18	18		
7	D	63	Total	O	0	0
			63	63		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit homolog

Chain A: 




- Molecule 1: Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit homolog

Chain C: 




- Molecule 2: Dihydropyrimidine dehydrogenase subunit A

Chain B: 



- Molecule 2: Dihydropyrimidine dehydrogenase subunit A

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	81.42Å 81.42Å 311.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.29 – 2.30 46.29 – 2.30	Depositor EDS
% Data completeness (in resolution range)	96.9 (46.29-2.30) 96.9 (46.29-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.56 (at 2.29Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.187 , 0.219 (Not available) , 0.229	Depositor DCC
R_{free} test set	4317 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	35.8	Xtriage
Anisotropy	0.451	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 25.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.447 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11843	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FES, FAD, PO4, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/2178	0.82	3/2939 (0.1%)
1	C	0.47	0/2067	0.88	4/2789 (0.1%)
2	B	0.45	0/3697	0.77	2/4994 (0.0%)
2	D	0.46	0/3697	0.78	3/4994 (0.1%)
All	All	0.45	0/11639	0.80	12/15716 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	267	GLU	N-CA-C	-7.17	104.68	113.50
1	C	113	VAL	N-CA-C	-6.50	107.16	113.53
2	B	394	GLY	CA-C-N	5.67	125.87	120.31
2	B	394	GLY	C-N-CA	5.67	125.87	120.31
2	D	373	VAL	N-CA-C	5.55	114.21	107.61
1	A	150	PHE	N-CA-C	5.54	117.31	111.28
2	D	4	ARG	N-CA-C	-5.53	102.28	110.46
1	A	203	ALA	N-CA-C	-5.38	106.69	113.20
1	A	268	LYS	N-CA-C	5.38	116.83	111.07
2	D	89	VAL	N-CA-C	5.31	119.63	113.42
1	C	115	ILE	N-CA-C	5.10	119.94	109.34
1	C	210	ILE	N-CA-C	5.06	115.40	108.12

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	266	GLN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2140	0	2188	27	0
1	C	2031	0	2075	34	0
2	B	3625	0	3646	34	0
2	D	3625	0	3646	40	0
3	A	4	0	0	1	0
3	C	4	0	0	0	0
4	A	53	0	30	4	0
4	B	53	0	30	2	0
4	C	53	0	31	3	0
4	D	53	0	30	2	0
5	B	16	0	0	1	0
5	D	16	0	0	0	0
6	B	5	0	0	1	0
6	D	5	0	0	0	0
7	A	21	0	0	1	0
7	B	58	0	0	5	0
7	C	18	0	0	0	0
7	D	63	0	0	7	0
All	All	11843	0	11676	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:48:GLU:OE2	1:C:266:GLN:NE2	2.20	0.74
2:B:121:ALA:O	7:B:601:HOH:O	2.06	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:16:ARG:O	2:D:300:ARG:NH1	2.22	0.72
2:D:187:ARG:NH2	4:D:503:FAD:O4	2.21	0.72
2:B:385:ASP:N	2:B:385:ASP:OD1	2.23	0.71
1:A:178:LEU:O	1:A:182:ARG:N	2.25	0.70
2:B:171:ALA:O	7:B:602:HOH:O	2.09	0.70
2:B:414:ILE:O	7:B:603:HOH:O	2.09	0.70
2:D:161:LYS:NZ	7:D:604:HOH:O	2.24	0.69
2:B:313:THR:OG1	2:B:316:GLU:OE1	2.10	0.68
2:B:442:ILE:HD12	5:B:502:SF4:S3	2.34	0.67
2:D:148:SER:OG	2:D:175:PRO:O	2.08	0.67
1:A:1:MET:N	1:C:249:GLU:O	2.30	0.65
1:A:187:CYS:SG	1:A:188:TRP:N	2.71	0.63
2:B:182:GLY:O	2:B:262:ASN:ND2	2.32	0.63
1:A:220:ASP:OD1	1:A:221:GLY:N	2.32	0.63
6:B:504:PO4:O1	7:B:601:HOH:O	2.16	0.62
4:D:503:FAD:O2'	4:D:503:FAD:O4'	2.17	0.62
2:D:300:ARG:NH1	7:D:601:HOH:O	2.35	0.60
1:A:266:GLN:N	1:A:266:GLN:OE1	2.34	0.60
1:C:161:ASP:OD2	1:C:165:ALA:N	2.35	0.59
2:B:409:ASN:OD1	2:B:413:TYR:N	2.36	0.58
2:D:148:SER:OG	2:D:148:SER:O	2.22	0.58
1:A:232:VAL:O	1:A:234:GLY:N	2.37	0.57
2:B:360:GLU:N	2:B:373:VAL:O	2.37	0.57
2:D:406:LEU:CD1	2:D:423:THR:HG21	2.34	0.57
1:C:132:ILE:N	1:C:155:ASP:OD2	2.33	0.57
2:D:313:THR:OG1	2:D:314:GLU:N	2.38	0.57
2:D:21:GLU:O	7:D:601:HOH:O	2.17	0.56
2:D:406:LEU:CD1	2:D:423:THR:CG2	2.86	0.53
2:D:406:LEU:HD11	2:D:423:THR:HG21	1.91	0.53
2:B:256:GLU:OE1	7:B:604:HOH:O	2.18	0.53
1:A:177:LYS:O	1:A:180:ARG:NH2	2.42	0.53
2:B:138:SER:N	2:B:163:GLY:O	2.40	0.53
1:C:273:ARG:C	1:C:275:LEU:H	2.18	0.52
2:B:45:HIS:O	2:B:45:HIS:ND1	2.41	0.51
2:B:65:ARG:HG2	2:B:66:ASP:N	2.26	0.50
1:A:226:GLY:N	3:A:501:FES:S2	2.77	0.50
2:D:342:ARG:NH2	7:D:614:HOH:O	2.45	0.50
1:C:161:ASP:OD2	1:C:166:GLY:N	2.43	0.50
2:D:423:THR:HG22	2:D:424:SER:N	2.27	0.49
2:B:290:THR:HA	4:B:503:FAD:HM73	1.94	0.49
2:D:22:GLU:HA	2:D:186:PHE:HA	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:267:TYR:HB3	2:B:301:LEU:HD21	1.94	0.49
1:C:232:VAL:O	1:C:234:GLY:N	2.45	0.49
2:B:100:CYS:SG	2:B:102:VAL:HG22	2.53	0.49
2:D:4:ARG:NH2	7:D:613:HOH:O	2.44	0.49
1:C:6:LEU:HG	1:C:7:ASN:H	1.77	0.49
1:A:48:GLU:OE2	1:A:74:THR:OG1	2.29	0.49
1:C:273:ARG:O	1:C:275:LEU:N	2.45	0.48
1:A:225:CYS:O	2:B:253:SER:OG	2.22	0.48
1:C:75:THR:OG1	4:C:301:FAD:O2P	2.20	0.48
4:C:301:FAD:O4'	4:C:301:FAD:O2'	2.25	0.48
1:C:1:MET:SD	1:C:1:MET:N	2.87	0.48
2:B:102:VAL:HG23	2:B:110:PRO:HA	1.96	0.48
2:B:170:GLU:OE2	4:B:503:FAD:O2B	2.27	0.47
1:C:266:GLN:HA	1:C:269:ILE:HG22	1.96	0.47
2:D:175:PRO:CB	2:D:197:VAL:HG21	2.43	0.47
2:D:241:MET:HE1	2:D:285:ILE:HG21	1.95	0.47
2:D:118:ARG:NH1	7:D:615:HOH:O	2.48	0.47
1:C:98:SER:OG	1:C:245:GLU:OE1	2.32	0.47
1:C:147:VAL:HG12	1:C:150:PHE:HB2	1.97	0.47
2:B:123:TRP:O	2:B:127:ASN:ND2	2.41	0.47
1:C:225:CYS:SG	1:C:226:GLY:N	2.88	0.47
1:A:212:VAL:HG11	1:A:253:TRP:CH2	2.50	0.47
1:C:152:GLU:HG3	1:C:157:LEU:HD13	1.96	0.46
2:B:5:LYS:NZ	2:B:97:GLU:OE2	2.41	0.46
1:C:146:MET:O	1:C:148:ASP:N	2.49	0.46
1:A:266:GLN:HB3	4:A:502:FAD:H52A	1.98	0.45
1:C:103:TYR:CD1	1:C:103:TYR:N	2.84	0.45
1:A:265:GLU:C	1:A:267:GLU:H	2.25	0.45
2:D:423:THR:HG22	2:D:424:SER:H	1.82	0.45
2:B:29:LEU:HA	2:B:119:PHE:CZ	2.51	0.45
1:C:115:ILE:HG23	1:C:146:MET:HG2	1.99	0.45
2:B:398:VAL:O	2:B:401:SER:OG	2.34	0.45
2:B:369:ARG:O	2:B:370:PRO:C	2.59	0.45
1:C:187:CYS:SG	1:C:188:TRP:N	2.89	0.45
2:D:131:ASP:OD2	2:D:202:LYS:NZ	2.43	0.45
2:D:406:LEU:HD11	2:D:423:THR:CG2	2.45	0.45
2:B:101:VAL:HA	2:B:104:LYS:HG2	1.99	0.45
2:D:369:ARG:HB3	2:D:370:PRO:HD2	1.99	0.44
1:C:157:LEU:HD23	1:C:158:LEU:N	2.32	0.44
2:D:314:GLU:HA	2:D:336:TRP:CH2	2.53	0.44
1:A:225:CYS:SG	1:A:226:GLY:N	2.90	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:123:TRP:O	2:D:127:ASN:N	2.50	0.44
2:D:363:GLU:O	2:D:364:ALA:HB2	2.18	0.44
1:C:212:VAL:O	1:C:245:GLU:HA	2.18	0.44
2:D:300:ARG:NH2	2:D:330:GLU:OE2	2.51	0.44
1:A:175:MET:C	1:A:177:LYS:H	2.26	0.43
1:C:68:VAL:HG11	1:C:78:LEU:HD23	2.00	0.43
1:A:132:ILE:HG22	1:A:133:THR:N	2.33	0.43
2:D:142:LYS:HA	2:D:165:HIS:HB2	2.00	0.43
2:B:365:ASP:HA	2:B:370:PRO:HA	2.00	0.43
1:C:13:VAL:HG23	1:C:21:ASP:HB3	1.99	0.43
2:D:464:ASN:ND2	2:D:466:TRP:O	2.52	0.43
1:A:217:ILE:HA	4:A:502:FAD:N6A	2.33	0.43
1:A:266:GLN:CB	4:A:502:FAD:H52A	2.49	0.43
1:C:119:TYR:N	1:C:120:PRO:HD2	2.33	0.43
2:D:98:SER:O	2:D:104:LYS:NZ	2.34	0.42
2:D:367:SER:O	2:D:369:ARG:N	2.48	0.42
1:A:140:THR:OG1	1:A:141:LYS:N	2.52	0.42
1:A:266:GLN:HA	1:A:269:ILE:HG22	2.01	0.42
1:C:141:LYS:HG3	1:C:165:ALA:HB2	2.01	0.42
1:C:229:ARG:NH2	2:D:246:THR:O	2.53	0.42
1:A:175:MET:O	1:A:176:ASP:HB3	2.19	0.42
4:A:502:FAD:H9	4:A:502:FAD:H1'1	1.93	0.42
1:A:213:SER:OG	7:A:601:HOH:O	2.22	0.42
2:D:190:LYS:N	2:D:190:LYS:HD2	2.35	0.42
1:C:161:ASP:OD1	1:C:162:ASP:N	2.53	0.42
2:B:11:GLN:HB3	2:B:16:ARG:HB3	2.01	0.41
1:A:119:TYR:N	1:A:120:PRO:HD2	2.35	0.41
2:B:70:GLU:O	2:B:74:ARG:HG2	2.20	0.41
2:B:170:GLU:O	2:B:211:THR:N	2.48	0.41
2:D:74:ARG:O	7:D:602:HOH:O	2.21	0.41
2:D:175:PRO:HB3	2:D:197:VAL:HG21	2.02	0.41
1:A:114:GLY:O	1:A:118:LEU:N	2.54	0.41
1:C:160:THR:HG22	1:C:161:ASP:N	2.35	0.41
2:D:317:MET:HE1	2:D:324:TYR:CD2	2.56	0.41
1:A:265:GLU:O	1:A:266:GLN:HB2	2.21	0.41
2:B:363:GLU:HB3	2:B:371:ARG:HB3	2.02	0.41
2:B:142:LYS:O	2:B:227:ASP:N	2.54	0.41
1:C:215:ASN:HA	4:C:301:FAD:HM82	2.02	0.41
2:D:369:ARG:HE	2:D:370:PRO:HD2	1.86	0.41
1:A:172:THR:HA	1:A:175:MET:HE3	2.03	0.41
1:C:113:VAL:HB	1:C:192:PRO:HG3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:TYR:HE1	1:C:150:PHE:HB3	1.85	0.41
1:C:272:GLU:O	1:C:275:LEU:HD13	2.20	0.41
1:A:200:THR:O	1:A:203:ALA:N	2.49	0.40
1:C:193:THR:HG21	1:C:260:LEU:HD11	2.02	0.40
2:D:137:GLY:HA2	2:D:165:HIS:CD2	2.56	0.40
2:B:341:ILE:HD12	2:B:356:CYS:HA	2.03	0.40
2:D:130:GLU:O	2:D:131:ASP:C	2.65	0.40
2:D:175:PRO:HB2	2:D:197:VAL:HG21	2.02	0.40
2:D:225:GLU:HG3	2:D:226:TYR:CD2	2.57	0.40
2:B:283:ALA:HB2	2:B:384:VAL:HG11	2.04	0.40
2:B:369:ARG:HD2	2:B:370:PRO:HD3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	274/276 (99%)	242 (88%)	27 (10%)	5 (2%)	6 6
1	C	259/276 (94%)	222 (86%)	30 (12%)	7 (3%)	4 3
2	B	466/468 (100%)	440 (94%)	25 (5%)	1 (0%)	43 55
2	D	466/468 (100%)	440 (94%)	19 (4%)	7 (2%)	8 8
All	All	1465/1488 (98%)	1344 (92%)	101 (7%)	20 (1%)	9 9

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	363	GLU
2	B	362	LYS
2	D	131	ASP
2	D	364	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	6	LEU
1	A	169	GLY
1	A	185	ASP
1	A	233	SER
1	C	233	SER
1	C	256	LEU
1	C	274	PHE
1	A	167	MET
1	C	155	ASP
2	D	130	GLU
1	C	129	GLY
2	D	56	ASP
1	C	147	VAL
1	C	209	PRO
2	D	368	GLY
2	D	369	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/233 (100%)	222 (95%)	11 (5%)	23	35
1	C	221/233 (95%)	210 (95%)	11 (5%)	22	33
2	B	381/381 (100%)	364 (96%)	17 (4%)	24	37
2	D	381/381 (100%)	368 (97%)	13 (3%)	32	49
All	All	1216/1228 (99%)	1164 (96%)	52 (4%)	26	39

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	113	VAL
1	A	117	THR
1	A	164	SER
1	A	170	VAL
1	A	179	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	181	GLU
1	A	185	ASP
1	A	186	ILE
1	A	188	TRP
1	A	212	VAL
1	A	266	GLN
2	B	12	SER
2	B	82	LEU
2	B	116	LEU
2	B	128	LEU
2	B	174	LYS
2	B	179	LEU
2	B	190	LYS
2	B	201	ARG
2	B	217	VAL
2	B	224	SER
2	B	311	ARG
2	B	314	GLU
2	B	321	ARG
2	B	351	VAL
2	B	358	ARG
2	B	361	LEU
2	B	385	ASP
1	C	58	LYS
1	C	103	TYR
1	C	123	LYS
1	C	133	THR
1	C	140	THR
1	C	161	ASP
1	C	162	ASP
1	C	184	PHE
1	C	185	ASP
1	C	210	ILE
1	C	264	ARG
2	D	2	LYS
2	D	3	ASN
2	D	34	GLU
2	D	128	LEU
2	D	209	LEU
2	D	217	VAL
2	D	240	PHE
2	D	274	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	341	ILE
2	D	361	LEU
2	D	371	ARG
2	D	410	GLU
2	D	453	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	96	ASN
2	B	81	ASN
2	B	165	HIS
2	B	326	HIS
1	C	235	GLN
2	D	11	GLN
2	D	95	GLN
2	D	255	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FES	A	501	1	0,4,4	-	-	-		
5	SF4	D	501	2	0,12,12	-	-	-		
3	FES	C	302	1	0,4,4	-	-	-		
6	PO4	B	504	-	4,4,4	0.92	0	6,6,6	0.59	0
5	SF4	B	502	2	0,12,12	-	-	-		
4	FAD	D	503	-	58,58,58	2.66	17 (29%)	85,89,89	1.97	19 (22%)
5	SF4	B	501	2	0,12,12	-	-	-		
6	PO4	D	504	-	4,4,4	1.08	0	6,6,6	0.63	0
4	FAD	C	301	-	58,58,58	2.62	17 (29%)	85,89,89	2.03	21 (24%)
4	FAD	A	502	-	58,58,58	2.63	16 (27%)	85,89,89	2.04	22 (25%)
5	SF4	D	502	2	0,12,12	-	-	-		
4	FAD	B	503	-	58,58,58	2.61	17 (29%)	85,89,89	2.04	23 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FES	A	501	1	-	-	0/1/1/1
5	SF4	D	501	2	-	-	0/6/5/5
3	FES	C	302	1	-	-	0/1/1/1
5	SF4	B	502	2	-	-	0/6/5/5
4	FAD	D	503	-	-	3/34/50/50	0/6/6/6
5	SF4	B	501	2	-	-	0/6/5/5
4	FAD	C	301	-	-	7/34/50/50	0/6/6/6
4	FAD	A	502	-	-	10/34/50/50	0/6/6/6
5	SF4	D	502	2	-	-	0/6/5/5
4	FAD	B	503	-	-	2/34/50/50	0/6/6/6

All (67) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	301	FAD	O4B-C1B	8.89	1.62	1.42
4	A	502	FAD	O4B-C1B	8.66	1.62	1.42
4	D	503	FAD	O4B-C1B	8.50	1.61	1.42
4	B	503	FAD	O4B-C1B	8.39	1.61	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	503	FAD	C2B-C1B	-7.37	1.30	1.53
4	D	503	FAD	C2B-C1B	-7.23	1.30	1.53
4	A	502	FAD	C2B-C1B	-7.09	1.31	1.53
4	C	301	FAD	C2B-C1B	-6.90	1.31	1.53
4	B	503	FAD	O4B-C4B	-6.80	1.29	1.45
4	D	503	FAD	O4B-C4B	-6.72	1.30	1.45
4	A	502	FAD	O4B-C4B	-6.72	1.30	1.45
4	C	301	FAD	O4B-C4B	-6.63	1.30	1.45
4	A	502	FAD	C4X-N5	6.33	1.44	1.30
4	C	301	FAD	C4X-N5	6.26	1.44	1.30
4	B	503	FAD	C4X-N5	6.15	1.44	1.30
4	D	503	FAD	C4X-N5	5.91	1.43	1.30
4	D	503	FAD	C9A-N10	5.17	1.50	1.41
4	D	503	FAD	C10-N1	4.89	1.43	1.33
4	B	503	FAD	C9A-N10	4.85	1.49	1.41
4	B	503	FAD	C6A-N6A	4.83	1.46	1.34
4	C	301	FAD	C9A-N10	4.79	1.49	1.41
4	A	502	FAD	C9A-N10	4.78	1.49	1.41
4	A	502	FAD	C6A-N6A	4.73	1.46	1.34
4	D	503	FAD	C6A-N6A	4.73	1.46	1.34
4	C	301	FAD	C6A-N6A	4.71	1.46	1.34
4	B	503	FAD	C10-N1	4.52	1.42	1.33
4	D	503	FAD	C2-N1	4.50	1.46	1.36
4	A	502	FAD	C2-N1	4.33	1.46	1.36
4	C	301	FAD	C10-N1	4.28	1.41	1.33
4	A	502	FAD	C10-N1	4.27	1.41	1.33
4	C	301	FAD	C2-N1	4.05	1.45	1.36
4	C	301	FAD	C5X-N5	3.77	1.46	1.39
4	B	503	FAD	C5X-N5	3.65	1.46	1.39
4	B	503	FAD	C2-N1	3.57	1.44	1.36
4	A	502	FAD	C5X-N5	3.57	1.46	1.39
4	D	503	FAD	O4-C4	-3.54	1.16	1.23
4	A	502	FAD	C2-N3	3.42	1.46	1.39
4	C	301	FAD	C2-N3	3.41	1.46	1.39
4	D	503	FAD	O2B-C2B	3.38	1.51	1.43
4	D	503	FAD	C2-N3	3.29	1.46	1.39
4	A	502	FAD	O2B-C2B	3.28	1.51	1.43
4	B	503	FAD	C2-N3	3.27	1.46	1.39
4	D	503	FAD	C5X-N5	3.22	1.45	1.39
4	C	301	FAD	O2B-C2B	3.18	1.50	1.43
4	B	503	FAD	O2B-C2B	3.13	1.50	1.43
4	B	503	FAD	O4-C4	-3.11	1.17	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	301	FAD	O4-C4	-3.02	1.17	1.23
4	A	502	FAD	O4-C4	-2.97	1.17	1.23
4	C	301	FAD	C2A-N1A	2.81	1.38	1.33
4	D	503	FAD	C2A-N1A	2.72	1.38	1.33
4	A	502	FAD	C2A-N1A	2.68	1.38	1.33
4	D	503	FAD	O3B-C3B	-2.67	1.36	1.43
4	D	503	FAD	C8A-N7A	2.59	1.36	1.31
4	B	503	FAD	O3B-C3B	-2.56	1.36	1.43
4	B	503	FAD	C8A-N7A	2.55	1.36	1.31
4	A	502	FAD	O3B-C3B	-2.51	1.36	1.43
4	C	301	FAD	C8A-N7A	2.50	1.36	1.31
4	A	502	FAD	C8A-N7A	2.49	1.36	1.31
4	B	503	FAD	C2A-N1A	2.41	1.38	1.33
4	D	503	FAD	C10-N10	2.32	1.42	1.37
4	C	301	FAD	C10-N10	2.31	1.42	1.37
4	C	301	FAD	O3B-C3B	-2.30	1.37	1.43
4	D	503	FAD	C4'-C3'	-2.30	1.49	1.53
4	C	301	FAD	C2A-N3A	2.12	1.37	1.33
4	B	503	FAD	C10-N10	2.11	1.41	1.37
4	B	503	FAD	C4-N3	2.11	1.42	1.38
4	A	502	FAD	C10-N10	2.02	1.41	1.37

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	301	FAD	C7M-C7-C6	-7.59	106.21	119.57
4	D	503	FAD	C7M-C7-C6	-7.22	106.86	119.57
4	B	503	FAD	C7M-C7-C6	-7.16	106.95	119.57
4	A	502	FAD	C7M-C7-C6	-7.09	107.08	119.57
4	C	301	FAD	C7M-C7-C8	6.43	133.88	120.76
4	D	503	FAD	C7M-C7-C8	6.09	133.20	120.76
4	A	502	FAD	C7M-C7-C8	6.08	133.17	120.76
4	B	503	FAD	N3A-C2A-N1A	-5.89	119.67	128.58
4	B	503	FAD	C7M-C7-C8	5.60	132.19	120.76
4	A	502	FAD	N3A-C2A-N1A	-5.59	120.12	128.58
4	C	301	FAD	C5A-C4A-N3A	-5.53	119.11	126.72
4	D	503	FAD	N3A-C2A-N1A	-5.39	120.42	128.58
4	C	301	FAD	N3A-C2A-N1A	-5.11	120.85	128.58
4	B	503	FAD	C5A-C4A-N3A	-4.81	120.09	126.72
4	A	502	FAD	C5A-C4A-N3A	-4.76	120.17	126.72
4	D	503	FAD	C5A-C4A-N3A	-4.75	120.17	126.72
4	A	502	FAD	N9A-C8A-N7A	-4.38	107.72	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	502	FAD	C4'-C3'-C2'	-4.30	106.41	113.57
4	B	503	FAD	C4B-O4B-C1B	-4.25	100.08	109.47
4	A	502	FAD	N6A-C6A-N1A	-4.22	108.98	118.38
4	D	503	FAD	N6A-C6A-N1A	-4.18	109.07	118.38
4	D	503	FAD	N9A-C8A-N7A	-4.17	108.01	113.94
4	B	503	FAD	N6A-C6A-N1A	-4.13	109.18	118.38
4	B	503	FAD	N9A-C8A-N7A	-4.09	108.14	113.94
4	C	301	FAD	N6A-C6A-N1A	-4.01	109.44	118.38
4	D	503	FAD	C4'-C3'-C2'	-3.65	107.50	113.57
4	B	503	FAD	C2A-N3A-C4A	3.41	120.16	111.83
4	C	301	FAD	C4X-C10-N10	3.41	121.36	116.48
4	C	301	FAD	N9A-C8A-N7A	-3.38	109.14	113.94
4	D	503	FAD	C4-N3-C2	-3.34	119.71	125.64
4	A	502	FAD	C2A-N3A-C4A	3.33	119.96	111.83
4	C	301	FAD	C2A-N3A-C4A	3.28	119.83	111.83
4	C	301	FAD	N3A-C4A-N9A	3.23	132.66	127.17
4	D	503	FAD	C2A-N3A-C4A	3.21	119.68	111.83
4	D	503	FAD	C5A-C6A-N6A	3.16	131.11	123.29
4	B	503	FAD	C5A-C6A-N6A	3.14	131.07	123.29
4	A	502	FAD	C5A-C6A-N6A	3.13	131.04	123.29
4	A	502	FAD	C5A-N7A-C8A	3.08	108.30	103.45
4	A	502	FAD	C4-N3-C2	-3.08	120.17	125.64
4	C	301	FAD	C4-N3-C2	-3.04	120.25	125.64
4	C	301	FAD	C5A-C6A-N6A	3.04	130.80	123.29
4	D	503	FAD	O4-C4-C4X	-3.02	118.56	126.53
4	B	503	FAD	C4-N3-C2	-3.00	120.32	125.64
4	C	301	FAD	C10-C4X-N5	-2.93	118.83	124.81
4	D	503	FAD	C5A-N7A-C8A	2.88	107.97	103.45
4	D	503	FAD	C4X-C4-N3	2.85	120.52	113.25
4	B	503	FAD	C5A-N7A-C8A	2.85	107.93	103.45
4	B	503	FAD	O4-C4-C4X	-2.82	119.08	126.53
4	C	301	FAD	C3B-C2B-C1B	2.81	106.78	101.46
4	C	301	FAD	C6A-C5A-C4A	2.80	121.00	117.18
4	B	503	FAD	C4X-C10-N10	2.78	120.47	116.48
4	A	502	FAD	N3A-C4A-N9A	2.76	131.86	127.17
4	C	301	FAD	C5A-N7A-C8A	2.73	107.74	103.45
4	B	503	FAD	N3A-C4A-N9A	2.68	131.72	127.17
4	B	503	FAD	C4X-C4-N3	2.67	120.05	113.25
4	D	503	FAD	C5X-C9A-N10	2.66	120.37	117.97
4	A	502	FAD	C4X-C4-N3	2.62	119.93	113.25
4	B	503	FAD	C5X-C9A-N10	2.60	120.32	117.97
4	D	503	FAD	C9A-C5X-N5	-2.54	119.76	122.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	502	FAD	C4X-C10-N10	2.53	120.11	116.48
4	A	502	FAD	C9A-C5X-N5	-2.51	119.79	122.45
4	D	503	FAD	N3A-C4A-N9A	2.50	131.42	127.17
4	C	301	FAD	C4'-C3'-C2'	-2.48	109.44	113.57
4	A	502	FAD	O4-C4-C4X	-2.47	120.01	126.53
4	A	502	FAD	O2P-P-O3P	2.40	113.76	107.27
4	C	301	FAD	C4X-C4-N3	2.38	119.32	113.25
4	D	503	FAD	C5A-C4A-N9A	2.38	108.41	105.81
4	D	503	FAD	C4A-C5A-N7A	-2.38	107.86	110.58
4	A	502	FAD	C4A-C5A-N7A	-2.36	107.89	110.58
4	C	301	FAD	O4B-C1B-N9A	2.36	112.61	108.09
4	B	503	FAD	O4B-C1B-N9A	2.33	112.56	108.09
4	B	503	FAD	C4A-C5A-N7A	-2.31	107.94	110.58
4	A	502	FAD	C5X-C9A-N10	2.31	120.06	117.97
4	B	503	FAD	O4B-C1B-C2B	-2.30	101.69	106.62
4	B	503	FAD	C9A-C5X-N5	-2.28	120.04	122.45
4	A	502	FAD	C4A-N9A-C8A	2.27	108.12	105.74
4	C	301	FAD	C4-C4X-N5	2.26	121.33	118.21
4	A	502	FAD	C10-C4X-N5	-2.22	120.27	124.81
4	C	301	FAD	C5A-C4A-N9A	2.22	108.23	105.81
4	B	503	FAD	C10-N1-C2	2.20	121.61	116.85
4	D	503	FAD	C6A-C5A-C4A	2.19	120.17	117.18
4	B	503	FAD	C5A-C4A-N9A	2.18	108.18	105.81
4	C	301	FAD	C4A-C5A-N7A	-2.11	108.17	110.58
4	A	502	FAD	C4B-O4B-C1B	-2.07	104.91	109.47
4	B	503	FAD	C10-C4X-N5	-2.02	120.68	124.81

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	502	FAD	C5B-O5B-PA-O1A
4	A	502	FAD	C5B-O5B-PA-O2A
4	A	502	FAD	C5B-O5B-PA-O3P
4	A	502	FAD	C3'-C4'-C5'-O5'
4	A	502	FAD	O4'-C4'-C5'-O5'
4	B	503	FAD	C5'-O5'-P-O1P
4	C	301	FAD	C1'-C2'-C3'-O3'
4	C	301	FAD	C1'-C2'-C3'-C4'
4	A	502	FAD	O4B-C4B-C5B-O5B
4	C	301	FAD	O4B-C4B-C5B-O5B
4	C	301	FAD	O2'-C2'-C3'-O3'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	C	301	FAD	O2'-C2'-C3'-C4'
4	A	502	FAD	C3B-C4B-C5B-O5B
4	A	502	FAD	P-O3P-PA-O5B
4	B	503	FAD	PA-O3P-P-O5'
4	D	503	FAD	PA-O3P-P-O5'
4	A	502	FAD	PA-O3P-P-O2P
4	C	301	FAD	C3B-C4B-C5B-O5B
4	D	503	FAD	P-O3P-PA-O1A
4	C	301	FAD	PA-O3P-P-O2P
4	A	502	FAD	PA-O3P-P-O1P
4	D	503	FAD	P-O3P-PA-O2A


There are no ring outliers.


7 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	FES	1	0
6	B	504	PO4	1	0
5	B	502	SF4	1	0
4	D	503	FAD	2	0
4	C	301	FAD	3	0
4	A	502	FAD	4	0
4	B	503	FAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/276 (100%)	-1.02	0 100 100	30, 57, 108, 219	0
1	C	263/276 (95%)	-0.80	0 100 100	46, 72, 120, 177	0
2	B	468/468 (100%)	-1.16	0 100 100	24, 48, 84, 133	0
2	D	468/468 (100%)	-1.16	0 100 100	23, 50, 82, 138	0
All	All	1475/1488 (99%)	-1.07	0 100 100	23, 54, 99, 219	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FAD	A	502	53/53	0.99	0.04	32,44,80,82	0
4	FAD	B	503	53/53	0.99	0.03	4,31,56,76	0
4	FAD	C	301	53/53	0.99	0.04	46,57,82,89	0
5	SF4	D	502	8/8	0.99	0.07	34,82,167,298	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	PO4	B	504	5/5	0.99	0.05	56,67,79,93	0
6	PO4	D	504	5/5	0.99	0.04	36,40,51,56	0
5	SF4	B	501	8/8	1.00	0.03	30,42,162,256	0
5	SF4	B	502	8/8	1.00	0.03	22,53,71,108	0
5	SF4	D	501	8/8	1.00	0.02	29,46,118,118	0
3	FES	C	302	4/4	1.00	0.02	43,43,48,50	0
3	FES	A	501	4/4	1.00	0.03	36,42,60,82	0
4	FAD	D	503	53/53	1.00	0.03	21,32,52,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around FAD A 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.