



wwPDB EM Validation Summary Report ⓘ

Mar 29, 2026 – 03:48 PM UTC

PDB ID : 8YLR / pdb_00008ylr
EMDB ID : EMD-38668
Title : State 6 (S6) of yeast 80S ribosome bound to 2 tRNAs and eEF2 and eEF3 during tranlocation
Authors : Cheng, J.; Wu, C.L.; Li, J.X.; Zhang, X.Z.
Deposited on : 2024-03-06
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1799	10% 33% 52% 13% .
2	A	3394	41% 47% 6% 6%
3	B	121	36% 58% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	C	158	
5	D	251	
6	F	361	
7	G	294	
8	H	175	
9	I	223	
10	J	233	
11	K	191	
12	L	218	
13	M	169	
14	N	193	
15	O	136	
16	P	203	
17	Q	197	
18	R	183	
19	S	185	
20	T	188	
21	U	171	
22	V	159	
23	W	100	
24	X	136	
25	Y	126	
26	Z	121	
27	a	125	
28	b	135	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	c	148	
30	d	58	
31	e	96	
32	f	109	
33	g	127	
34	h	106	
35	i	112	
36	j	119	
37	k	99	
38	l	81	
39	m	77	
40	n	50	
41	o	52	
42	p	25	
43	q	103	
44	r	91	
45	t	75	
45	u	75	
46	v	1044	
47	x	842	
48	SA	222	
49	SC	92	
50	SD	121	
51	SE	117	
52	SF	141	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	SH	145	
54	SI	143	
55	SJ	100	
56	SK	108	
57	SM	53	
58	SN	73	
59	SO	312	
60	SQ	232	
61	SS	258	
62	ST	228	
63	SR	216	
64	SV	200	
65	SW	184	
66	SX	142	
67	SY	150	
68	SZ	127	
69	Sa	87	
70	Sb	129	
71	Sc	144	
72	Sd	134	
73	Se	94	
74	Sf	81	
75	Sg	60	
76	SG	121	
77	SP	206	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
78	SU	184	
79	SL	63	
80	SB	206	
81	E	386	

2 Entry composition

There are 81 unique types of molecules in this entry. The entry contains 216620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	1771	Total	C	N	O	P	0	0
			37739	16872	6683	12413	1771		

- Molecule 2 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	3192	Total	C	N	O	P	0	0
			68278	30498	12313	22275	3192		

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 4 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 5 is a protein called Large ribosomal subunit protein uL2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	251	Total	C	N	O	S	0	0
			1899	1182	385	331	1		

- Molecule 6 is a protein called Large ribosomal subunit protein uL4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 7 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	294	Total	C	N	O	S	0	0
			2351	1484	410	455	2		

- Molecule 8 is a protein called Large ribosomal subunit protein eL6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	167	Total	C	N	O		0	0
			1307	843	234	230			

- Molecule 9 is a protein called Large ribosomal subunit protein uL30A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	22	ILE	THR	conflict	UNP P05737

- Molecule 10 is a protein called Large ribosomal subunit protein eL8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 11 is a protein called Large ribosomal subunit protein uL6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	191	Total	C	N	O	S	0	0
			1508	957	274	273	4		

- Molecule 12 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	218	Total	C	N	O	S	0	0
			1764	1117	334	306	7		

- Molecule 13 is a protein called Large ribosomal subunit protein uL5B.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	169	Total	C	N	O	S	0	0
			1346	843	252	247	4		

- Molecule 14 is a protein called Large ribosomal subunit protein eL13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	193	Total	C	N	O		0	0
			1543	962	315	266			

- Molecule 15 is a protein called Large ribosomal subunit protein eL14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 16 is a protein called Large ribosomal subunit protein eL15A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 17 is a protein called Large ribosomal subunit protein uL13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	197	Total	C	N	O	S	197	0
			1555	1003	289	262	1		

- Molecule 18 is a protein called Large ribosomal subunit protein uL22A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	183	Total	C	N	O		0	0
			1416	879	284	253			

- Molecule 19 is a protein called Large ribosomal subunit protein eL18A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 20 is a protein called Large ribosomal subunit protein eL19A.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	T	188	Total	C	N	O	0	0
			1515	932	323	260		

- Molecule 21 is a protein called Large ribosomal subunit protein eL20A.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	171	Total	C	N	O	S	0	0
			1437	925	266	243	3		

- Molecule 22 is a protein called Large ribosomal subunit protein eL21A.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	159	Total	C	N	O	S	0	0
			1272	802	245	221	4		

- Molecule 23 is a protein called Large ribosomal subunit protein eL22A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	W	100	Total	C	N	O	0	0
			796	516	131	149		

- Molecule 24 is a protein called Large ribosomal subunit protein uL14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	136	Total	C	N	O	S	0	0
			1003	628	189	179	7		

- Molecule 25 is a protein called Large ribosomal subunit protein eL24A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	126	Total	C	N	O	S	0	0
			836	525	165	145	1		

- Molecule 26 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	121	Total	C	N	O	S	0	0
			964	620	169	173	2		

- Molecule 27 is a protein called Large ribosomal subunit protein uL24A.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	a	125	Total	C	N	O	0	0
			984	620	191	173		

- Molecule 28 is a protein called Large ribosomal subunit protein eL27A.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	b	135	Total	C	N	O	0	0
			1080	701	199	180		

- Molecule 29 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	c	148	Total	C	N	O	S	0	0
			1169	747	231	188	3		

- Molecule 30 is a protein called Large ribosomal subunit protein eL29.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	d	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 31 is a protein called Large ribosomal subunit protein eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	e	96	Total	C	N	O	S	0	0
			737	476	123	137	1		

- Molecule 32 is a protein called Large ribosomal subunit protein eL31A.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	f	109	Total	C	N	O	S	0	0
			876	556	167	152	1		

- Molecule 33 is a protein called Large ribosomal subunit protein eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	g	127	Total	C	N	O	S	0	0
			1013	642	205	165	1		

- Molecule 34 is a protein called Large ribosomal subunit protein eL33A.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	h	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 35 is a protein called Large ribosomal subunit protein eL34A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	i	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 36 is a protein called Large ribosomal subunit protein uL29A.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	j	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 37 is a protein called Large ribosomal subunit protein eL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	k	99	Total	C	N	O	S	0	0
			766	478	154	132	2		

- Molecule 38 is a protein called Large ribosomal subunit protein eL37A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	l	81	Total	C	N	O	S	0	0
			645	393	141	106	5		

- Molecule 39 is a protein called Large ribosomal subunit protein eL38.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	m	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 40 is a protein called Large ribosomal subunit protein eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	n	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 41 is a protein called Large ribosomal subunit protein eL40A.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	o	52	Total	C	N	O	S	0	0
			410	254	86	65	5		

- Molecule 42 is a protein called Large ribosomal subunit protein eL41A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	p	25	Total	C	N	O	S	0	0
			229	139	62	27	1		

- Molecule 43 is a protein called Large ribosomal subunit protein eL42A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	q	103	Total	C	N	O	S	0	0
			824	517	167	135	5		

- Molecule 44 is a protein called Large ribosomal subunit protein eL43A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	r	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 45 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	t	75	Total	C	N	O	P	0	0
			1605	716	297	517	75		
45	u	74	Total	C	N	O	P	0	0
			1584	706	292	512	74		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
t	10	A	G	conflict	GB 176433
u	10	A	G	conflict	GB 176433

- Molecule 46 is a protein called Elongation factor 3A.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	v	977	Total	C	N	O	S	0	0
			7476	4726	1295	1418	37		

- Molecule 47 is a protein called Elongation factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	x	842	Total	C	N	O	S	0	0
			6559	4166	1124	1238	31		

- Molecule 48 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	SA	222	Total	C	N	O	S	0	0
			1729	1098	312	313	6		

- Molecule 49 is a protein called Small ribosomal subunit protein eS10A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	SC	92	Total	C	N	O	S	0	0
			752	487	122	141	2		

- Molecule 50 is a protein called Small ribosomal subunit protein eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	SD	121	Total	C	N	O	S	0	0
			875	551	153	169	2		

- Molecule 51 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	SE	117	Total	C	N	O	S	0	0
			916	583	171	155	7		

- Molecule 52 is a protein called Small ribosomal subunit protein uS9A.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	SF	141	Total	C	N	O	S	0	0
			1105	708	203	194			

- Molecule 53 is a protein called Small ribosomal subunit protein uS13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	SH	145	Total	C	N	O	S	0	0
			1188	741	237	208	2		

- Molecule 54 is a protein called Small ribosomal subunit protein eS19A.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	SI	143	Total	C	N	O	S	0	0
			1112	694	208	208	2		

- Molecule 55 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SJ	100	Total	C	N	O	S	0	0
			797	506	144	146	1		

- Molecule 56 is a protein called Small ribosomal subunit protein eS25A.

Mol	Chain	Residues	Atoms				AltConf	Trace
56	SK	64	Total	C	N	O	0	0
			519	332	95	92		

- Molecule 57 is a protein called Small ribosomal subunit protein uS14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	SM	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 58 is a protein called Small ribosomal subunit protein eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	SN	73	Total	C	N	O	S	0	0
			560	355	106	95	4		

- Molecule 59 is a protein called Small ribosomal subunit protein RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	SO	312	Total	C	N	O	S	0	0
			2383	1514	409	452	8		

- Molecule 60 is a protein called Small ribosomal subunit protein eS1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	SQ	225	Total	C	N	O	S	0	0
			1794	1137	329	324	4		

- Molecule 61 is a protein called Small ribosomal subunit protein eS4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	SS	258	Total	C	N	O	S	0	0
			2056	1308	387	358	3		

- Molecule 62 is a protein called Small ribosomal subunit protein eS6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	ST	228	Total	C	N	O	S	0	0
			1815	1138	351	323	3		

- Molecule 63 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	SR	216	Total	C	N	O	S	0	0
			1626	1042	287	295	2		

- Molecule 64 is a protein called Small ribosomal subunit protein eS8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SV	187	Total	C	N	O	S	0	0
			1476	916	295	263	2		

- Molecule 65 is a protein called Small ribosomal subunit protein uS4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	SW	178	Total	C	N	O	S	0	0
			1441	913	278	249	1		

- Molecule 66 is a protein called Small ribosomal subunit protein uS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SX	142	Total	C	N	O	S	0	0
			1142	733	217	189	3		

- Molecule 67 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	SY	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 68 is a protein called Small ribosomal subunit protein uS11B.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	SZ	127	Total	C	N	O	S	0	0
			891	545	182	163	1		

- Molecule 69 is a protein called Small ribosomal subunit protein eS21A.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Sa	87	Total	C	N	O	S	0	0
			673	415	125	131	2		

- Molecule 70 is a protein called Small ribosomal subunit protein uS8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Sb	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 71 is a protein called Small ribosomal subunit protein uS12A.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Sc	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 72 is a protein called Small ribosomal subunit protein eS24A.

Mol	Chain	Residues	Atoms				AltConf	Trace
72	Sd	134	Total	C	N	O	0	0
			1073	676	208	189		

- Molecule 73 is a protein called Small ribosomal subunit protein eS26A.

Mol	Chain	Residues	Atoms				AltConf	Trace
73	Se	94	Total	C	N	O	0	0
			750	462	157	126	5	

- Molecule 74 is a protein called Small ribosomal subunit protein eS27A.

Mol	Chain	Residues	Atoms				AltConf	Trace
74	Sf	81	Total	C	N	O	0	0
			610	382	110	113	5	

- Molecule 75 is a protein called Small ribosomal subunit protein eS30A.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Sg	60	Total	C	N	O	S	0	0
			472	298	97	76	1		

- Molecule 76 is a protein called Small ribosomal subunit protein eS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	SG	121	Total	C	N	O	S	0	0
			961	599	182	178	2		

- Molecule 77 is a protein called Small ribosomal subunit protein uS2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	SP	206	Total	C	N	O	S	0	0
			1603	1030	284	287	2		

- Molecule 78 is a protein called Small ribosomal subunit protein eS7A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	SU	184	Total	C	N	O		0	0
			1473	946	263	264			

- Molecule 79 is a protein called Small ribosomal subunit protein eS28A.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	SL	63	Total	C	N	O	S	0	0
			497	306	99	91	1		

- Molecule 80 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	SB	206	Total	C	N	O	S	0	0
			1609	1007	300	299	3		

- Molecule 81 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	E	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 18S rRNA






U1724	U1725	C1726	G1727	G1728	G1733	G1734	C1738	A1741	U1742	G1743	U1746	G1747	G1748	G1655	A1654	G1655	A1656	C1657	G1658	A1659	G1660	G1661	G1662	C1663	G1664	A1659	G1665	A1666	G1667	G1668	C1672	U1763	U1764	U1765	U1766	C1767	G1770	C1773	G1774	G1775	U1776	G1777	A1699	G1700	C1709	C1710	U1782	U1783	G1784	U1785	G1786	A1787	G1788	G1789	G1790	C1791	C1792
G1632	C1633	G1634	G1635	U1636	A1637	A1638	G1639	G1640	A1643	G1644	U1645	G1650	G1653	C1582	A1654	G1655	A1656	C1657	G1658	A1659	G1660	G1661	G1662	C1663	G1664	A1659	G1665	A1666	G1667	G1668	C1672	U1763	U1764	U1765	U1766	C1767	G1770	C1773	G1774	G1775	U1776	G1777	A1699	G1700	C1709	C1710	U1782	U1783	G1784	U1785	G1786	A1787	G1788	G1789	G1790	C1791	C1792
U1567	U1568	U1569	G1492	U1493	U1494	U1495	U1496	G1497	G1498	G1499	G1500	A1504	C1505	A1506	G1507	C1508	A1509	G1510	U1511	U1512	A1515	C1516	G1517	A1524	G1525	U1526	G1527	G1528	A1529	C1532	U1600	U1601	A1602	A1603	G1604	A1605	U1606	C1609	G1610	A1613	C1614	G1615	U1616	G1617	G1618	A1619	U1620	A1621	G1624	A1625	U1626	C1628	U1629	U1630	C1631		
A1332	C1333	U1334	U1335	U1336	U1337	C1338	C1339	G1340	U1341	C1342	A1343	G1344	G1345	U1346	U1347	U1348	G1349	A1350	U1351	U1352	U1353	G1354	A1355	U1356	G1357	C1358	U1359	G1360	U1361	G1362	A1363	C1364	G1365	A1366	G1367	U1368	A1369	G1370	G1371	C1372	A1373	U1378	G1379	G1383	U1384	C1385	A1386	U1387	U1388	A1389	G1390	U1391	U1392	U1393	U1397	A1399	
G1400	G1403	G1404	U1405	A1406	A1407	G1413	G1414	G1417	A1418	A1419	G1420	G1421	G1422	C1423	G1424	U1425	G1426	U1427	A1428	G1434	A1435	U1436	C1437	U1438	U1439	G1440	A1446	G1447	U1455	C1459	A1460	A1462	U1463	A1467	U1470	U1471	U1472	G1473	A1477	G1480	A1481	A1482	G1483	U1484	G1485	U1486	G1487										
G1488	A1489	G1492	U1493	U1494	U1495	U1496	G1497	G1498	G1499	G1500	A1504	C1505	A1506	G1507	C1508	A1509	G1510	U1511	U1512	A1515	C1516	G1517	A1524	G1525	U1526	G1527	G1528	A1529	C1532	U1600	U1601	A1602	A1603	G1604	A1605	U1606	C1609	G1610	A1613	C1614	G1615	U1616	G1617	G1618	A1619	U1620	A1621	G1624	A1625	U1626	C1628	U1629	U1630	C1631			
U1567	U1568	U1569	G1492	U1493	U1494	U1495	U1496	G1497	G1498	G1499	G1500	A1504	C1505	A1506	G1507	C1508	A1509	G1510	U1511	U1512	A1515	C1516	G1517	A1524	G1525	U1526	G1527	G1528	A1529	C1532	U1600	U1601	A1602	A1603	G1604	A1605	U1606	C1609	G1610	A1613	C1614	G1615	U1616	G1617	G1618	A1619	U1620	A1621	G1624	A1625	U1626	C1628	U1629	U1630	C1631		
A1632	C1633	G1634	G1635	U1636	A1637	A1638	G1639	G1640	A1643	G1644	U1645	G1650	G1653	C1582	A1654	G1655	A1656	C1657	G1658	A1659	G1660	G1661	G1662	C1663	G1664	A1659	G1665	A1666	G1667	G1668	C1672	U1763	U1764	U1765	U1766	C1767	G1770	C1773	G1774	G1775	U1776	G1777	A1699	G1700	C1709	C1710	U1782	U1783	G1784	U1785	G1786	A1787	G1788	G1789	G1790	C1791	C1792
U1724	U1725	C1726	G1727	G1728	G1733	G1734	C1738	A1741	U1742	G1743	U1746	G1747	G1748	G1655	A1654	G1655	A1656	C1657	G1658	A1659	G1660	G1661	G1662	C1663	G1664	A1659	G1665	A1666	G1667	G1668	C1672	U1763	U1764	U1765	U1766	C1767	G1770	C1773	G1774	G1775	U1776	G1777	A1699	G1700	C1709	C1710	U1782	U1783	G1784	U1785	G1786	A1787	G1788	G1789	G1790	C1791	C1792
U1683	G684	G685	A690	A691	A692	A693	C694	C695	C700	G701	A705	A706	U707	U708	A709	A710	A711	U712	U713	U714	A715	G721	G722	A808	G809	A810	G725	G726	G727	G728	A815	A816	A817	C818	U819	A820	U821	G822	C823	G824	U825	G826	A830	G833	A836	A837	G838	C839	C840	A841	U842	G843	C844	G845	A846	U847	
U1683	G684	G685	A690	A691	A692	A693	C694	C695	C700	G701	A705	A706	U707	U708	A709	A710	A711	U712	U713	U714	A715	G721	G722	A808	G809	A810	G725	G726	G727	G728	A815	A816	A817	C818	U819	A820	U821	G822	C823	G824	U825	G826	A830	G833	A836	A837	G838	C839	C840	A841	U842	G843	C844	G845	A846	U847	
A848	C849	U855	G856	G857	G860	C861	U862	U863	C864	U865	A866	G867	C868	G869	U874	U875	A876	U877	G878	G879	G880	A884	G891	G894	A895	A896	G900	G901	U902	U903	A904	G907	G908	C911	G912	A913	A914	A915	G916	A917	C918	U919	A920	A921	U922	C923	G924	A925	A926	C927	U928						
A848	C849	U855	G856	G857	G860	C861	U862	U863	C864	U865	A866	G867	C868	G869	U874	U875	A876	U877	G878	G879	G880	A884	G891	G894	A895	A896	G900	G901	U902	U903	A904	G907	G908	C911	G912	A913	A914	A915	G916	A917	C918	U919	A920	A921	U922	C923	G924	A925	A926	C927	U928						
A929	U930	U931	U932	A933	G934	G937	C938	C939	C944	C945	U946	G947	G950	C951	A952	G953	U954	G959	U960	G963	U966	A967	G968	A970	G971	G974	G978	U979	A980	U981	U987	U988	A989	U990	A992	G993	G994	U995	A998	G999	C1000	G1001	C1002	A1003	A1084	A1085	C1086	G1087	U1008								
A929	U930	U931	U932	A933	G934	G937	C938	C939	C944	C945	U946	G947	G950	C951	A952	G953	U954	G959	U960	G963	U966	A967	G968	A970	G971	G974	G978	U979	A980	U981	U987	U988	A989	U990	A992	G993	G994	U995	A998	G999	C1000	G1001	C1002	A1003	A1084	A1085	C1086	G1087	U1008								
A1009	G1010	A1011	G1012	U1015	C1016	G1017	G1018	G1019	G1020	G1021	U1022	C	G	A	A	A	U	G1029	A1030	C1031	U1032	U1033	U1034	U1039	A1040	A1047	A1048	A1054	A1057	U1060	A1061	A1062	G1063	A1064	U1071	G1072	U1073	U1077	U1078	A1079	A1080	U1081	A1084	A1085	C1086	G1087	U1088	G1089									
A1009	G1010	A1011	G1012	U1015	C1016	G1017	G1018	G1019	G1020	G1021	U1022	C	G	A	A	U	G1029	A1030	C1031	U1032	U1033	U1034	U1039	A1040	A1047	A1048	A1054	A1057	U1060	A1061	A1062	G1063	A1064	U1071	G1072	U1073	U1077	U1078	A1079	A1080	U1081	A1084	A1085	C1086	G1087	U1088	G1089										
A1091	C1092	U1093	U1094	U1095	U1096	G1097	A1098	A1099	U1100	G1101	A1102	A1103	A1104	A1105	U1106	U1107	U1108	U1109	U1110	U1111	U1112	U1113	U1114	G1117	G1127	U1128	A1129	G1130	G1131	A1132	A1133	G1134	A1135	A1136	C1137	U1138	G1139	G1140	C1141	G1142	U1143	U1144	G1145	C1146	G1147	A1153	A1154	C1155	G1156	G1157	A1158	A1159	C1160	G1161	U1162	A1163	
A1091	C1092	U1093	U1094	U1095	U1096	G1097	A1098	A1099	U1100	G1101	A1102	A1103	A1104	A1105	U1106	U1107	U1108	U1109	U1110	U1111	U1112	U1113	U1114	G1117	G1127	U1128	A1129	G1130	G1131	A1132	A1133	G1134	A1135	A1136	C1137	U1138	G1139	G1140	C1141	G1142	U1143	U1144	G1145	C1146	G1147	A1153	A1154	C1155	G1156	G1157	A1158	A1159	C1160	G1161	U1162	A1163	
G1164	A1165	G1166	U1167	C1175	C1176	G1177	G1178	A1179	A1180	U1181	A1182	G1186	C1187	U1188	C1189	A1190	U1191	C1192	A1193	G1194	A1195	C1196	C1197	C1198	C1199	A1200	C1201	A1202	A1203	A1204	G1207	U1208	G1209	U1210	G1213	U1214	U1215	C1216	A1217	U1218	C1219	G1222	A1223	C1224	A1225	G1229	G1230	G1234	U1235	G1236	C1239						
G1164	A1165	G1166	U1167	C1175	C1176	G1177	G1178	A1179	A1180	U1181	A1182	G1186	C1187	U1188	C1189	A1190	U1191	C1192	A1193	G1194	A1195	C1196	C1197	C1198	C1199	A1200	C1201	A1202	A1203	A1204	G1207	U1208	G1209	U1210	G1213	U1214	U1215	C1216	A1217	U1218	C1219	G1222	A1223	C1224	A1225	G1229	G1230	G1234	U1235	G1236	C1239						
A1240	A1244	A1245	G1246	G1250	A1251	A1252	U1253	C1254	C1255	G1256	C1257	U1258	A1259	U1260	G1261	G1262	A1263	C1272	G1285	A1286	A1287	U1288	G1289	U1293	A1294	C1295	C1297	C1298	U1299	G1300	A1301	A1302	G1307	A1308	U1309	G1310	G1311	C1312	U1315	C1316	A1317	A1318	G1321	U1322	G1323	U1324	U1325	A1330	U1331								
A1240	A1244	A1245	G1246	G1250	A1251	A1252	U1253	C1254	C1255	G1256	C1257	U1258	A1259	U1260	G1261	G1262	A1263	C1272	G1285	A1286	A1287	U1288	G1289	U1293	A1294	C1295	C1297	C1298	U1299	G1300	A1301	A1302	G1307	A1308	U1309	G1310	G1311	C1312	U1315	C1316	A1317	A1318	G1321	U1322	G1323	U1324	U1325	A1330	U1331								
A1332	C1333	U1334	U1335	U1336	U1337	C1338	C1339	G1340	U1341	C1342	A1343	G1344	G1345	U1346	U1347	U1348	G1349	A1350	U1351	U1352	U1353	G1354	A1355	U1356	G1357	C1358	U1359	G1360	U1361	G1362	A1363	C1364	G1365	A1366	G1367	U1368	A1369	G1370	G1371	C1372	A1373	U1378	G1379	G1383	U1384	C1385	A1386	U1387	U1388	A1389	G1390	U1391	U1392	U1393			
A1332	C1333	U1334	U1335	U1336	U1337	C1338	C1339	G1340	U1341	C1342	A1343	G1344	G1345	U1346	U1347	U1348	G1349	A1350	U1351	U1352	U1353	G1354	A1355	U1356	G1357	C1358	U1359	G1360	U1361	G1362	A1363	C1364	G1365	A1366	G1367	U1368	A1369	G1370	G1371	C1372	A1373	U1378	G1379	G1383	U1384	C1385	A1386	U1387	U1388	A1389	G1390	U1391	U1392	U1393			
G1400																																																									







• Molecule 3: 5S rRNA




• Molecule 4: 5.8S rRNA




• Molecule 5: Large ribosomal subunit protein uL2A




• Molecule 6: Large ribosomal subunit protein uL4A




• Molecule 7: Large ribosomal subunit protein uL18




- Molecule 8: Large ribosomal subunit protein eL6B




- Molecule 9: Large ribosomal subunit protein uL30A



- Molecule 10: Large ribosomal subunit protein eL8A




- Molecule 11: Large ribosomal subunit protein uL6A







- Molecule 12: Large ribosomal subunit protein uL16



- Molecule 13: Large ribosomal subunit protein uL5B




- Molecule 14: Large ribosomal subunit protein eL13A



- Molecule 15: Large ribosomal subunit protein eL14A







- Molecule 16: Large ribosomal subunit protein eL15A




- Molecule 17: Large ribosomal subunit protein uL13A




- Molecule 18: Large ribosomal subunit protein uL22A




- Molecule 19: Large ribosomal subunit protein eL18A




- Molecule 20: Large ribosomal subunit protein eL19A




- Molecule 21: Large ribosomal subunit protein eL20A




- Molecule 22: Large ribosomal subunit protein eL21A




- Molecule 23: Large ribosomal subunit protein eL22A




- Molecule 24: Large ribosomal subunit protein uL14A



- Molecule 25: Large ribosomal subunit protein eL24A




- Molecule 26: Large ribosomal subunit protein uL23




- Molecule 27: Large ribosomal subunit protein uL24A








- Molecule 28: Large ribosomal subunit protein eL27A




- Molecule 29: Large ribosomal subunit protein uL15




- Molecule 30: Large ribosomal subunit protein eL29




- Molecule 31: Large ribosomal subunit protein eL30




- Molecule 32: Large ribosomal subunit protein eL31A




- Molecule 33: Large ribosomal subunit protein eL32




- Molecule 34: Large ribosomal subunit protein eL33A




- Molecule 35: Large ribosomal subunit protein eL34A



- Molecule 36: Large ribosomal subunit protein uL29A






- Molecule 37: Large ribosomal subunit protein eL36A




- Molecule 38: Large ribosomal subunit protein eL37A




- Molecule 39: Large ribosomal subunit protein eL38



- Molecule 40: Large ribosomal subunit protein eL39



- Molecule 41: Large ribosomal subunit protein eL40A






- Molecule 42: Large ribosomal subunit protein eL41A








- Molecule 43: Large ribosomal subunit protein eL42A



- Molecule 44: Large ribosomal subunit protein eL43A



- Molecule 45: tRNA




- Molecule 45: tRNA




- Molecule 46: Elongation factor 3A










• Molecule 47: Elongation factor 2







• Molecule 48: Small ribosomal subunit protein uS3




• Molecule 49: Small ribosomal subunit protein eS10A





• Molecule 50: Small ribosomal subunit protein eS12







- Molecule 51: Small ribosomal subunit protein uS19




- Molecule 52: Small ribosomal subunit protein uS9A




- Molecule 53: Small ribosomal subunit protein uS13A




- Molecule 54: Small ribosomal subunit protein eS19A





• Molecule 55: Small ribosomal subunit protein uS10




• Molecule 56: Small ribosomal subunit protein eS25A



• Molecule 57: Small ribosomal subunit protein uS14A




• Molecule 58: Small ribosomal subunit protein eS31







• Molecule 59: Small ribosomal subunit protein RACK1




• Molecule 60: Small ribosomal subunit protein eS1A




• Molecule 61: Small ribosomal subunit protein eS4A




- Molecule 62: Small ribosomal subunit protein eS6A





- Molecule 63: Small ribosomal subunit protein uS5









• Molecule 64: Small ribosomal subunit protein eS8A



• Molecule 65: Small ribosomal subunit protein uS4A




• Molecule 66: Small ribosomal subunit protein uS17A




• Molecule 67: Small ribosomal subunit protein uS15

Chain SY: 




- Molecule 68: Small ribosomal subunit protein uS11B

Chain SZ: 




- Molecule 69: Small ribosomal subunit protein eS21A

Chain Sa: 




- Molecule 70: Small ribosomal subunit protein uS8A

Chain Sb: 





- Molecule 71: Small ribosomal subunit protein uS12A



Chain Sc: 





- Molecule 72: Small ribosomal subunit protein eS24A




- Molecule 73: Small ribosomal subunit protein eS26A




- Molecule 74: Small ribosomal subunit protein eS27A




- Molecule 75: Small ribosomal subunit protein eS30A







- Molecule 76: Small ribosomal subunit protein eS17A




- Molecule 77: Small ribosomal subunit protein uS2A




- Molecule 78: Small ribosomal subunit protein eS7A




- Molecule 79: Small ribosomal subunit protein eS28A






• Molecule 80: Small ribosomal subunit protein uS7



• Molecule 81: Large ribosomal subunit protein uL3



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	11880	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	1.099	Depositor
Minimum map value	-0.558	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.066	Depositor
Recommended contour level	0.26	Depositor
Map size ($\text{\AA}$)	528.0, 528.0, 528.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.32, 1.32, 1.32	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	2	0.11	0/42211	0.26	0/65773
2	A	0.08	0/76425	0.21	0/119146
3	B	0.07	0/2883	0.19	0/4491
4	C	0.10	0/3746	0.25	0/5832
5	D	0.12	0/1933	0.33	0/2598
6	F	0.11	0/2800	0.29	0/3790
7	G	0.10	0/2400	0.33	0/3239
8	H	0.14	0/1329	0.32	0/1794
9	I	0.12	0/1821	0.33	0/2451
10	J	0.14	0/1836	0.40	0/2481
11	K	0.13	0/1529	0.35	0/2060
12	L	0.15	0/1801	0.39	0/2416
13	M	0.16	0/1367	0.45	0/1834
14	N	0.11	0/1568	0.30	0/2106
15	O	0.12	0/1068	0.33	0/1438
16	P	0.16	0/1757	0.39	0/2354
17	Q	0.17	0/1585	0.46	0/2128
18	R	0.13	0/1439	0.37	0/1938
19	S	0.12	0/1465	0.33	0/1965
20	T	0.15	0/1532	0.40	0/2043
21	U	0.14	0/1473	0.34	1/1980 (0.1%)
22	V	0.16	0/1296	0.45	1/1739 (0.1%)
23	W	0.12	0/812	0.37	0/1099
24	X	0.14	0/1018	0.42	0/1369
25	Y	0.16	0/850	0.46	0/1152
26	Z	0.14	0/979	0.40	0/1321
27	a	0.10	0/995	0.35	0/1329
28	b	0.14	0/1106	0.37	0/1485
29	c	0.12	0/1200	0.33	0/1607
30	d	0.11	0/473	0.34	0/629
31	e	0.14	0/745	0.42	0/1001
32	f	0.17	0/890	0.46	0/1196
33	g	0.10	0/1034	0.30	0/1385
34	h	0.13	0/868	0.40	0/1168

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	i	0.14	0/890	0.36	0/1189
36	j	0.16	0/978	0.51	1/1301 (0.1%)
37	k	0.12	0/772	0.33	0/1026
38	l	0.19	0/660	0.54	1/875 (0.1%)
39	m	0.20	0/618	0.52	1/826 (0.1%)
40	n	0.25	0/443	0.69	1/588 (0.2%)
41	o	0.14	0/416	0.42	0/553
42	p	0.17	0/230	0.51	0/296
43	q	0.11	0/836	0.34	0/1104
44	r	0.14	0/701	0.45	0/934
45	t	0.08	0/1795	0.20	0/2797
45	u	0.08	0/1771	0.21	0/2760
46	v	0.13	0/7611	0.36	1/10322 (0.0%)
47	x	0.13	0/6685	0.38	1/9050 (0.0%)
48	SA	0.13	0/1754	0.35	0/2361
49	SC	0.18	0/769	0.53	0/1039
50	SD	0.13	0/883	0.42	0/1199
51	SE	0.13	0/936	0.38	0/1259
52	SF	0.16	0/1125	0.44	0/1510
53	SH	0.12	0/1207	0.37	0/1623
54	SI	0.11	0/1130	0.33	0/1517
55	SJ	0.15	0/807	0.45	1/1091 (0.1%)
56	SK	0.19	0/526	0.55	0/706
57	SM	0.14	0/452	0.47	0/600
58	SN	0.21	0/571	0.60	1/768 (0.1%)
59	SO	0.30	2/2436 (0.1%)	0.44	2/3318 (0.1%)
60	SQ	0.14	0/1819	0.38	0/2442
61	SS	0.11	0/2097	0.34	0/2823
62	ST	0.11	0/1839	0.33	0/2460
63	SR	0.16	0/1656	0.47	0/2251
64	SV	0.11	0/1501	0.34	0/2006
65	SW	0.13	0/1466	0.42	0/1966
66	SX	0.12	0/1168	0.35	0/1575
67	SY	0.12	0/1215	0.34	0/1638
68	SZ	0.10	0/901	0.30	0/1217
69	Sa	0.16	0/682	0.42	0/921
70	Sb	0.19	0/1038	0.51	0/1395
71	Sc	0.13	0/1139	0.37	0/1518
72	Sd	0.11	0/1087	0.31	0/1449
73	Se	0.13	0/761	0.38	0/1016
74	Sf	0.13	0/620	0.34	0/838
75	Sg	0.12	0/480	0.34	0/639
76	SG	0.17	0/971	0.45	0/1303

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
77	SP	0.14	0/1644	0.41	0/2249
78	SU	0.13	0/1498	0.38	0/2019
79	SL	0.24	0/499	0.62	0/670
80	SB	0.23	0/1629	0.69	3/2202 (0.1%)
81	E	0.10	0/3146	0.30	0/4228
All	All	0.12	2/232092 (0.0%)	0.31	15/339774 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	SO	281	TYR	C-N	9.83	1.47	1.34
59	SO	21	THR	C-N	-5.56	1.26	1.33

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	l	22	CYS	N-CA-C	-10.19	100.17	111.07
46	v	205	ILE	N-CA-C	-7.35	106.73	113.71
58	SN	144	CYS	N-CA-C	-6.88	103.28	113.61
22	V	127	GLN	CA-CB-CG	6.20	126.50	114.10
39	m	71	PRO	CA-N-CD	-5.91	103.73	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	37739	0	18988	966	0
2	A	68278	0	34316	1429	0
3	B	2579	0	1304	65	0
4	C	3353	0	1695	87	0
5	D	1899	0	1957	62	0
6	F	2748	0	2859	77	0
7	G	2351	0	2294	66	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	H	1307	0	1377	34	0
9	I	1784	0	1862	50	0
10	J	1804	0	1877	43	0
11	K	1508	0	1572	47	0
12	L	1764	0	1804	56	0
13	M	1346	0	1370	61	0
14	N	1543	0	1608	45	0
15	O	1053	0	1149	38	0
16	P	1720	0	1779	80	0
17	Q	1555	0	1659	71	0
18	R	1416	0	1433	37	0
19	S	1441	0	1543	60	0
20	T	1515	0	1606	52	0
21	U	1437	0	1475	47	0
22	V	1272	0	1312	44	0
23	W	796	0	812	23	0
24	X	1003	0	1048	53	0
25	Y	836	0	706	26	0
26	Z	964	0	1025	30	0
27	a	984	0	1075	34	0
28	b	1080	0	1122	33	0
29	c	1169	0	1211	45	0
30	d	462	0	491	7	0
31	e	737	0	792	35	0
32	f	876	0	912	32	0
33	g	1013	0	1077	21	0
34	h	850	0	880	42	0
35	i	880	0	945	29	0
36	j	969	0	1078	31	0
37	k	766	0	844	33	0
38	l	645	0	649	33	0
39	m	612	0	682	21	0
40	n	436	0	475	25	0
41	o	410	0	446	17	0
42	p	229	0	273	16	0
43	q	824	0	892	22	0
44	r	694	0	738	36	0
45	t	1605	0	816	34	0
45	u	1584	0	805	24	0
46	v	7476	0	7414	209	0
47	x	6559	0	6627	215	0
48	SA	1729	0	1812	55	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
49	SC	752	0	719	35	0
50	SD	875	0	878	27	0
51	SE	916	0	941	25	0
52	SF	1105	0	1166	72	0
53	SH	1188	0	1218	42	0
54	SI	1112	0	1124	53	0
55	SJ	797	0	863	28	0
56	SK	519	0	558	24	0
57	SM	442	0	432	27	0
58	SN	560	0	560	33	0
59	SO	2383	0	2332	113	0
60	SQ	1794	0	1887	72	0
61	SS	2056	0	2140	63	0
62	ST	1815	0	1894	49	0
63	SR	1626	0	1715	56	0
64	SV	1476	0	1501	59	0
65	SW	1441	0	1519	46	0
66	SX	1142	0	1209	28	0
67	SY	1192	0	1255	30	0
68	SZ	891	0	883	41	0
69	Sa	673	0	662	21	0
70	Sb	1021	0	1060	63	0
71	Sc	1121	0	1196	56	0
72	Sd	1073	0	1132	32	0
73	Se	750	0	799	28	0
74	Sf	610	0	633	11	0
75	Sg	472	0	521	15	0
76	SG	961	0	999	44	0
77	SP	1603	0	1610	70	0
78	SU	1473	0	1555	49	0
79	SL	497	0	535	37	0
80	SB	1609	0	1675	115	0
81	E	3075	0	3142	97	0
All	All	216620	0	162799	5384	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 5384 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:1055:U:H3	1:2:1064:G:H1	1.04	0.98
1:2:1499:G:H1	1:2:1508:U:H3	1.06	0.97
63:SR:227:PRO:HA	63:SR:230:TRP:CD1	1.99	0.97
2:A:3006:A:H62	2:A:3140:G:N2	1.64	0.95
1:2:821:U:H3	1:2:852:C:N4	1.65	0.94

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	D	249/251 (99%)	227 (91%)	22 (9%)	0	100	100
6	F	359/361 (99%)	345 (96%)	14 (4%)	0	100	100
7	G	292/294 (99%)	279 (96%)	13 (4%)	0	100	100
8	H	163/175 (93%)	153 (94%)	10 (6%)	0	100	100
9	I	220/223 (99%)	209 (95%)	11 (5%)	0	100	100
10	J	231/233 (99%)	221 (96%)	9 (4%)	1 (0%)	30	64
11	K	189/191 (99%)	177 (94%)	12 (6%)	0	100	100
12	L	216/218 (99%)	194 (90%)	21 (10%)	1 (0%)	24	59
13	M	167/169 (99%)	154 (92%)	13 (8%)	0	100	100
14	N	191/193 (99%)	180 (94%)	9 (5%)	2 (1%)	12	45
15	O	134/136 (98%)	124 (92%)	10 (8%)	0	100	100
16	P	201/203 (99%)	195 (97%)	6 (3%)	0	100	100
17	Q	195/197 (99%)	190 (97%)	5 (3%)	0	100	100
18	R	181/183 (99%)	173 (96%)	8 (4%)	0	100	100
19	S	183/185 (99%)	175 (96%)	7 (4%)	1 (0%)	24	59
20	T	186/188 (99%)	185 (100%)	1 (0%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	U	169/171 (99%)	162 (96%)	7 (4%)	0	100	100
22	V	157/159 (99%)	147 (94%)	10 (6%)	0	100	100
23	W	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
24	X	134/136 (98%)	131 (98%)	3 (2%)	0	100	100
25	Y	124/126 (98%)	108 (87%)	15 (12%)	1 (1%)	16	50
26	Z	119/121 (98%)	111 (93%)	8 (7%)	0	100	100
27	a	123/125 (98%)	114 (93%)	9 (7%)	0	100	100
28	b	133/135 (98%)	124 (93%)	9 (7%)	0	100	100
29	c	146/148 (99%)	134 (92%)	12 (8%)	0	100	100
30	d	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
31	e	94/96 (98%)	88 (94%)	6 (6%)	0	100	100
32	f	107/109 (98%)	100 (94%)	7 (6%)	0	100	100
33	g	125/127 (98%)	123 (98%)	2 (2%)	0	100	100
34	h	104/106 (98%)	98 (94%)	6 (6%)	0	100	100
35	i	110/112 (98%)	103 (94%)	7 (6%)	0	100	100
36	j	117/119 (98%)	114 (97%)	3 (3%)	0	100	100
37	k	97/99 (98%)	94 (97%)	3 (3%)	0	100	100
38	l	79/81 (98%)	75 (95%)	4 (5%)	0	100	100
39	m	75/77 (97%)	71 (95%)	4 (5%)	0	100	100
40	n	48/50 (96%)	44 (92%)	4 (8%)	0	100	100
41	o	50/52 (96%)	48 (96%)	2 (4%)	0	100	100
42	p	23/25 (92%)	23 (100%)	0	0	100	100
43	q	101/103 (98%)	98 (97%)	3 (3%)	0	100	100
44	r	89/91 (98%)	86 (97%)	3 (3%)	0	100	100
46	v	975/1044 (93%)	897 (92%)	75 (8%)	3 (0%)	36	69
47	x	840/842 (100%)	759 (90%)	79 (9%)	2 (0%)	43	74
48	SA	220/222 (99%)	206 (94%)	14 (6%)	0	100	100
49	SC	90/92 (98%)	78 (87%)	12 (13%)	0	100	100
50	SD	119/121 (98%)	97 (82%)	22 (18%)	0	100	100
51	SE	115/117 (98%)	97 (84%)	18 (16%)	0	100	100
52	SF	139/141 (99%)	132 (95%)	6 (4%)	1 (1%)	18	53

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	SH	143/145 (99%)	133 (93%)	10 (7%)	0	100	100
54	SI	141/143 (99%)	131 (93%)	10 (7%)	0	100	100
55	SJ	98/100 (98%)	88 (90%)	10 (10%)	0	100	100
56	SK	62/108 (57%)	57 (92%)	4 (6%)	1 (2%)	7	36
57	SM	51/53 (96%)	43 (84%)	8 (16%)	0	100	100
58	SN	71/73 (97%)	47 (66%)	22 (31%)	2 (3%)	4	27
59	SO	310/312 (99%)	281 (91%)	26 (8%)	3 (1%)	12	45
60	SQ	221/232 (95%)	201 (91%)	20 (9%)	0	100	100
61	SS	256/258 (99%)	239 (93%)	17 (7%)	0	100	100
62	ST	226/228 (99%)	215 (95%)	10 (4%)	1 (0%)	30	64
63	SR	214/216 (99%)	197 (92%)	17 (8%)	0	100	100
64	SV	183/200 (92%)	178 (97%)	5 (3%)	0	100	100
65	SW	176/184 (96%)	166 (94%)	10 (6%)	0	100	100
66	SX	140/142 (99%)	130 (93%)	10 (7%)	0	100	100
67	SY	148/150 (99%)	143 (97%)	5 (3%)	0	100	100
68	SZ	125/127 (98%)	115 (92%)	10 (8%)	0	100	100
69	Sa	85/87 (98%)	76 (89%)	8 (9%)	1 (1%)	10	41
70	Sb	127/129 (98%)	115 (91%)	11 (9%)	1 (1%)	16	50
71	Sc	142/144 (99%)	130 (92%)	11 (8%)	1 (1%)	18	53
72	Sd	132/134 (98%)	122 (92%)	10 (8%)	0	100	100
73	Se	92/94 (98%)	82 (89%)	10 (11%)	0	100	100
74	Sf	79/81 (98%)	76 (96%)	3 (4%)	0	100	100
75	Sg	58/60 (97%)	54 (93%)	4 (7%)	0	100	100
76	SG	119/121 (98%)	107 (90%)	12 (10%)	0	100	100
77	SP	204/206 (99%)	185 (91%)	17 (8%)	2 (1%)	12	45
78	SU	182/184 (99%)	173 (95%)	8 (4%)	1 (0%)	24	59
79	SL	61/63 (97%)	54 (88%)	7 (12%)	0	100	100
80	SB	204/206 (99%)	178 (87%)	26 (13%)	0	100	100
81	E	384/386 (100%)	363 (94%)	21 (6%)	0	100	100
All	All	12767/13071 (98%)	11873 (93%)	869 (7%)	25 (0%)	44	74

5 of 25 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	J	158	ASP
25	Y	81	PRO
52	SF	40	GLU
56	SK	88	ILE
70	Sb	76	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	D	190/193 (98%)	188 (99%)	2 (1%)	65	74
6	F	288/288 (100%)	287 (100%)	1 (0%)	86	85
7	G	241/243 (99%)	241 (100%)	0	100	100
8	H	139/154 (90%)	139 (100%)	0	100	100
9	I	186/187 (100%)	185 (100%)	1 (0%)	81	82
10	J	187/191 (98%)	185 (99%)	2 (1%)	65	74
11	K	168/171 (98%)	166 (99%)	2 (1%)	63	72
12	L	185/185 (100%)	184 (100%)	1 (0%)	81	82
13	M	145/147 (99%)	144 (99%)	1 (1%)	76	78
14	N	154/154 (100%)	154 (100%)	0	100	100
15	O	107/107 (100%)	107 (100%)	0	100	100
16	P	175/175 (100%)	171 (98%)	4 (2%)	44	63
17	Q	160/160 (100%)	157 (98%)	3 (2%)	50	66
18	R	138/145 (95%)	136 (99%)	2 (1%)	59	71
19	S	150/150 (100%)	150 (100%)	0	100	100
20	T	152/153 (99%)	149 (98%)	3 (2%)	48	65
21	U	155/155 (100%)	154 (99%)	1 (1%)	78	80
22	V	135/136 (99%)	133 (98%)	2 (2%)	57	70
23	W	87/87 (100%)	87 (100%)	0	100	100
24	X	104/104 (100%)	103 (99%)	1 (1%)	68	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
25	Y	56/108 (52%)	54 (96%)	2 (4%)	31	54
26	Z	104/105 (99%)	104 (100%)	0	100	100
27	a	108/108 (100%)	106 (98%)	2 (2%)	50	66
28	b	112/115 (97%)	112 (100%)	0	100	100
29	c	117/118 (99%)	117 (100%)	0	100	100
30	d	46/46 (100%)	45 (98%)	1 (2%)	45	64
31	e	81/81 (100%)	81 (100%)	0	100	100
32	f	92/96 (96%)	91 (99%)	1 (1%)	65	74
33	g	107/109 (98%)	107 (100%)	0	100	100
34	h	90/90 (100%)	90 (100%)	0	100	100
35	i	95/95 (100%)	94 (99%)	1 (1%)	65	74
36	j	104/104 (100%)	103 (99%)	1 (1%)	68	75
37	k	80/81 (99%)	80 (100%)	0	100	100
38	l	67/67 (100%)	64 (96%)	3 (4%)	24	49
39	m	68/68 (100%)	68 (100%)	0	100	100
40	n	45/45 (100%)	44 (98%)	1 (2%)	45	64
41	o	45/47 (96%)	44 (98%)	1 (2%)	45	64
42	p	22/23 (96%)	21 (96%)	1 (4%)	24	49
43	q	87/88 (99%)	87 (100%)	0	100	100
44	r	71/71 (100%)	69 (97%)	2 (3%)	38	59
46	v	789/890 (89%)	788 (100%)	1 (0%)	88	89
47	x	715/715 (100%)	714 (100%)	1 (0%)	88	89
48	SA	182/182 (100%)	180 (99%)	2 (1%)	65	74
49	SC	77/85 (91%)	76 (99%)	1 (1%)	61	71
50	SD	88/98 (90%)	88 (100%)	0	100	100
51	SE	95/98 (97%)	95 (100%)	0	100	100
52	SF	117/117 (100%)	115 (98%)	2 (2%)	53	68
53	SH	127/128 (99%)	127 (100%)	0	100	100
54	SI	115/115 (100%)	114 (99%)	1 (1%)	70	75
55	SJ	93/93 (100%)	93 (100%)	0	100	100
56	SK	57/89 (64%)	56 (98%)	1 (2%)	51	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
57	SM	47/47 (100%)	46 (98%)	1 (2%)	47	65
58	SN	57/64 (89%)	56 (98%)	1 (2%)	51	67
59	SO	250/257 (97%)	248 (99%)	2 (1%)	73	77
60	SQ	200/205 (98%)	200 (100%)	0	100	100
61	SS	220/220 (100%)	218 (99%)	2 (1%)	70	75
62	ST	189/195 (97%)	188 (100%)	1 (0%)	81	82
63	SR	175/175 (100%)	175 (100%)	0	100	100
64	SV	148/161 (92%)	148 (100%)	0	100	100
65	SW	153/157 (98%)	153 (100%)	0	100	100
66	SX	126/127 (99%)	124 (98%)	2 (2%)	55	69
67	SY	127/127 (100%)	126 (99%)	1 (1%)	73	77
68	SZ	81/96 (84%)	81 (100%)	0	100	100
69	Sa	71/74 (96%)	71 (100%)	0	100	100
70	Sb	110/110 (100%)	109 (99%)	1 (1%)	70	75
71	Sc	119/119 (100%)	118 (99%)	1 (1%)	73	77
72	Sd	112/112 (100%)	111 (99%)	1 (1%)	70	75
73	Se	81/81 (100%)	81 (100%)	0	100	100
74	Sf	70/70 (100%)	70 (100%)	0	100	100
75	Sg	50/51 (98%)	50 (100%)	0	100	100
76	SG	105/110 (96%)	105 (100%)	0	100	100
77	SP	170/173 (98%)	170 (100%)	0	100	100
78	SU	163/165 (99%)	162 (99%)	1 (1%)	78	80
79	SL	56/56 (100%)	52 (93%)	4 (7%)	13	40
80	SB	173/173 (100%)	172 (99%)	1 (1%)	78	80
81	E	320/322 (99%)	318 (99%)	2 (1%)	78	80
All	All	10671/11007 (97%)	10599 (99%)	72 (1%)	73	78

5 of 72 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
62	ST	48	TYR
81	E	14	LEU
66	SX	142	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
79	SL	12	VAL
22	V	95	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 126 such sidechains are listed below:

Mol	Chain	Res	Type
40	n	11	GLN
70	Sb	66	ASN
47	x	668	GLN
70	Sb	15	ASN
79	SL	43	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1768/1799 (98%)	471 (26%)	37 (2%)
2	A	3186/3394 (93%)	500 (15%)	6 (0%)
3	B	120/121 (99%)	14 (11%)	1 (0%)
4	C	157/158 (99%)	33 (21%)	1 (0%)
45	t	74/75 (98%)	17 (22%)	0
45	u	73/75 (97%)	17 (23%)	0
All	All	5378/5622 (95%)	1052 (19%)	45 (0%)

5 of 1052 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	2	A
1	2	4	C
1	2	25	C
1	2	26	A
1	2	34	G

5 of 45 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2	1344	A
1	2	1636	C
1	2	1382	A
1	2	1557	U
2	A	1562	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38668. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 213




Y Index: 198




Z Index: 223


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.26. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_38668_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1459 nm³; this corresponds to an approximate mass of 1318 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	3.87	5.03	3.94
Unmasked-calculated*	8.38	15.43	8.95

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.38 differs from the reported value 3.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-38668 and PDB model 8YLR. Per-residue inclusion information can be found in section 3 on page 19.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.26 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.26).

9.4 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.26) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6340	 0.3220
2	 0.7110	 0.2750
A	 0.8340	 0.3660
B	 0.8880	 0.3710
C	 0.8560	 0.3830
D	 0.5970	 0.4190
E	 0.6230	 0.4050
F	 0.6420	 0.4070
G	 0.6070	 0.3380
H	 0.6120	 0.3760
I	 0.6340	 0.3800
J	 0.6100	 0.3630
K	 0.6110	 0.3740
L	 0.5790	 0.3590
M	 0.5670	 0.3110
N	 0.6560	 0.3950
O	 0.6760	 0.3830
P	 0.6000	 0.4110
Q	 0.6350	 0.3810
R	 0.6110	 0.3970
S	 0.6150	 0.4060
SA	 0.3540	 0.2780
SB	 0.2940	 0.2160
SC	 0.3540	 0.2490
SD	 0.1790	 0.1680
SE	 0.2990	 0.2650
SF	 0.3580	 0.2740
SG	 0.4030	 0.2290
SH	 0.3650	 0.2750
SI	 0.3640	 0.2550
SJ	 0.3590	 0.2840
SK	 0.3100	 0.2490
SL	 0.2310	 0.2190
SM	 0.5080	 0.3250
SN	 0.1830	 0.1620



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
SO	 0.2870	 0.1660
SP	 0.4620	 0.2770
SQ	 0.3390	 0.1880
SR	 0.5150	 0.3340
SS	 0.3370	 0.2550
ST	 0.3780	 0.2630
SU	 0.4060	 0.2690
SV	 0.4540	 0.3050
SW	 0.4490	 0.2830
SX	 0.4080	 0.3340
SY	 0.4270	 0.2890
SZ	 0.3710	 0.2060
Sa	 0.4380	 0.3040
Sb	 0.4660	 0.3200
Sc	 0.3890	 0.3270
Sd	 0.3750	 0.2260
Se	 0.4670	 0.3080
Sf	 0.3990	 0.2590
Sg	 0.3620	 0.2940
T	 0.5950	 0.3570
U	 0.6280	 0.4110
V	 0.6020	 0.4050
W	 0.5770	 0.3500
X	 0.5640	 0.3990
Y	 0.5040	 0.3160
Z	 0.6200	 0.3940
a	 0.6440	 0.3990
b	 0.6230	 0.3730
c	 0.6590	 0.4210
d	 0.5800	 0.3880
e	 0.6040	 0.3540
f	 0.5710	 0.3990
g	 0.5860	 0.4090
h	 0.6630	 0.4090
i	 0.5560	 0.4000
j	 0.6290	 0.3680
k	 0.6390	 0.3840
l	 0.6380	 0.4280
m	 0.5780	 0.3790
n	 0.5450	 0.3880
o	 0.6060	 0.4040
p	 0.5430	 0.3630

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
q	 0.5640	 0.4190
r	 0.5770	 0.3850
t	 0.2710	 0.1440
u	 0.5570	 0.1940
v	 0.0150	 0.1270
x	 0.3320	 0.2630