



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 07:08 AM UTC

PDB ID : 2YMW / pdb_00002ymw
Title : Structure of the epsilon-lysine oxidase from *Marinomonas mediterranea*
Authors : Medrano, F.J.; Romero, A.
Deposited on : 2012-10-10
Resolution : 2.41 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6062 (2.44-2.40)
Clashscore	190562	6562 (2.44-2.40)
Ramachandran outliers	187476	6481 (2.44-2.40)
Sidechain outliers	187428	6482 (2.44-2.40)
RSRZ outliers	180081	6066 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	746	 71% 18% • 9%
1	B	746	 72% 17% • 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EOH	A	1691	-	-	X	-
3	EOH	A	1696	-	-	X	-
3	EOH	A	1720	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11836 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-LYSINE 6-OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	680	5348	3361	888	1076	23	0	0	0
1	B	685	5378	3379	893	1083	23	0	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP F2JXJ3
A	-18	GLY	-	expression tag	UNP F2JXJ3
A	-17	SER	-	expression tag	UNP F2JXJ3
A	-16	SER	-	expression tag	UNP F2JXJ3
A	-15	HIS	-	expression tag	UNP F2JXJ3
A	-14	HIS	-	expression tag	UNP F2JXJ3
A	-13	HIS	-	expression tag	UNP F2JXJ3
A	-12	HIS	-	expression tag	UNP F2JXJ3
A	-11	HIS	-	expression tag	UNP F2JXJ3
A	-10	HIS	-	expression tag	UNP F2JXJ3
A	-9	SER	-	expression tag	UNP F2JXJ3
A	-8	SER	-	expression tag	UNP F2JXJ3
A	-7	GLY	-	expression tag	UNP F2JXJ3
A	-6	LEU	-	expression tag	UNP F2JXJ3
A	-5	VAL	-	expression tag	UNP F2JXJ3
A	-4	PRO	-	expression tag	UNP F2JXJ3
A	-3	ARG	-	expression tag	UNP F2JXJ3
A	-2	GLY	-	expression tag	UNP F2JXJ3
A	-1	SER	-	expression tag	UNP F2JXJ3
A	0	HIS	-	expression tag	UNP F2JXJ3
B	-19	MET	-	expression tag	UNP F2JXJ3
B	-18	GLY	-	expression tag	UNP F2JXJ3
B	-17	SER	-	expression tag	UNP F2JXJ3
B	-16	SER	-	expression tag	UNP F2JXJ3
B	-15	HIS	-	expression tag	UNP F2JXJ3

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP F2JXJ3
B	-13	HIS	-	expression tag	UNP F2JXJ3
B	-12	HIS	-	expression tag	UNP F2JXJ3
B	-11	HIS	-	expression tag	UNP F2JXJ3
B	-10	HIS	-	expression tag	UNP F2JXJ3
B	-9	SER	-	expression tag	UNP F2JXJ3
B	-8	SER	-	expression tag	UNP F2JXJ3
B	-7	GLY	-	expression tag	UNP F2JXJ3
B	-6	LEU	-	expression tag	UNP F2JXJ3
B	-5	VAL	-	expression tag	UNP F2JXJ3
B	-4	PRO	-	expression tag	UNP F2JXJ3
B	-3	ARG	-	expression tag	UNP F2JXJ3
B	-2	GLY	-	expression tag	UNP F2JXJ3
B	-1	SER	-	expression tag	UNP F2JXJ3
B	0	HIS	-	expression tag	UNP F2JXJ3

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Na 2 2	0	0
2	B	2	Total Na 2 2	0	0

- Molecule 3 is ETHANOL (CCD ID: EOH) (formula: C₂H₆O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	473	Total 473	O 473	0	0
5	B	408	Total 408	O 408	0	0

K564	SER	E686	SER
E568	ASN	LEU	LEU
W580	ILE	GLU	GLU
W581	ARG	GLY	GLY
P582	PRO	LYS	LYS
P583	ARG	THR	THR
Q584	SER	LYS	LYS
V589	GLY	LYS	LYS
L590	THR	GLY	GLY
L604	ARG	LYS	LYS
Q609	MET	LEU	LEU
I610	GLY	MET	MET
Y619	ARG	ALA	ALA
S620	THR	TYR	TYR
H625	ARG	PHE	PHE
I632	GLY	GLU	GLU
N636	ARG	GLU	GLU
E649	GLY	ARG	ARG
R650	THR	ALA	ALA
N651	LYS	PHE	PHE
F657	LYS	SER	SER
E686	GLY	VAL	VAL
SER	GLY	ARG	ARG

SER
ASN
ILE
ARG
PRO
ARG
SER
GLY
THR
ARG
MET
ARG
GLY

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	70.68Å 127.88Å 106.90Å 90.00° 107.18° 90.00°	Depositor
Resolution (Å)	35.28 – 2.41 35.28 – 2.41	Depositor EDS
% Data completeness (in resolution range)	98.3 (35.28-2.41) 89.7 (35.28-2.41)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.92 (at 2.42Å)	Xtrriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.192 , 0.279 (Not available) , 0.253	Depositor DCC
R_{free} test set	3476 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	34.7	Xtrriage
Anisotropy	0.787	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 50.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtrriage
Estimated twinning fraction	0.097 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11836	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRQ, NA, EOH, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.90	2/5466 (0.0%)	1.36	31/7445 (0.4%)
1	B	0.87	1/5498 (0.0%)	1.38	40/7489 (0.5%)
All	All	0.88	3/10964 (0.0%)	1.37	71/14934 (0.5%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	318	MET	SD-CE	-7.13	1.61	1.79
1	A	43	THR	CA-C	5.54	1.55	1.52
1	B	318	MET	SD-CE	-5.35	1.66	1.79

The worst 5 of 71 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	211	TYR	N-CA-C	-10.15	101.15	112.72
1	B	219	ASP	CA-CB-CG	9.05	121.65	112.60
1	A	354	ILE	N-CA-C	9.00	119.80	110.62
1	A	155	ILE	N-CA-C	-8.10	99.14	109.58
1	A	625	HIS	N-CA-C	6.96	121.08	112.59

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5348	0	5000	69	0
1	B	5378	0	5024	66	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	129	0	258	14	0
3	B	84	0	168	6	0
4	B	12	0	16	1	0
5	A	473	0	0	4	0
5	B	408	0	0	0	0
All	All	11836	0	10466	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 136 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:443:VAL:HG23	1:A:584:GLN:HG3	1.37	1.01
1:A:279:MET:HE1	1:A:408:THR:HG23	1.40	0.99
1:B:318:MET:HE3	1:B:379:MET:H	1.41	0.86
1:A:318:MET:HE3	1:A:379:MET:H	1.39	0.85
1:A:443:VAL:CG2	1:A:584:GLN:HG3	2.06	0.85

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	675/746 (90%)	624 (92%)	46 (7%)	5 (1%)	18	27
1	B	682/746 (91%)	629 (92%)	48 (7%)	5 (1%)	18	27
All	All	1357/1492 (91%)	1253 (92%)	94 (7%)	10 (1%)	18	27

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	68	ALA
1	A	455	TRP
1	A	156	ASN
1	B	212	GLY
1	B	476	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	591/644 (92%)	552 (93%)	39 (7%)	15	25
1	B	593/644 (92%)	562 (95%)	31 (5%)	21	34
All	All	1184/1288 (92%)	1114 (94%)	70 (6%)	18	30

5 of 70 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	299	ILE
1	B	431	VAL
1	B	568	GLU
1	A	428	ASP
1	A	427	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	409	GLN
1	B	652	HIS
1	B	668	ASN
1	B	651	ASN
1	A	639	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TRQ	A	581	1	16,17,18	3.22	8 (50%)	16,24,26	1.07	1 (6%)
1	TRQ	B	581	1	16,17,18	3.28	8 (50%)	16,24,26	1.03	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TRQ	A	581	1	-	0/5/19/21	0/2/2/2
1	TRQ	B	581	1	-	0/5/19/21	0/2/2/2

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	581	TRQ	O7-CZ2	8.85	1.43	1.23
1	B	581	TRQ	O7-CZ2	8.71	1.42	1.23
1	B	581	TRQ	O6-CH2	5.67	1.39	1.24
1	A	581	TRQ	O6-CH2	5.61	1.39	1.24
1	B	581	TRQ	CE2-NE1	-4.65	1.31	1.38

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	581	TRQ	O7-CZ2-CH2	2.33	121.36	118.39
1	A	581	TRQ	CB-CG-CD1	-2.02	123.03	126.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	581	TRQ	1	0
1	B	581	TRQ	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 77 ligands modelled in this entry, 4 are monoatomic - leaving 73 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EOH	A	1705	-	2,2,2	0.55	0	1,1,1	0.73	0
3	EOH	B	1709	-	2,2,2	0.59	0	1,1,1	0.69	0
3	EOH	A	1719	-	2,2,2	0.49	0	1,1,1	0.47	0
3	EOH	B	1696	-	2,2,2	0.51	0	1,1,1	0.64	0
3	EOH	B	1702	-	2,2,2	0.57	0	1,1,1	0.63	0
3	EOH	A	1714	-	2,2,2	0.54	0	1,1,1	0.59	0
3	EOH	B	1801	-	2,2,2	0.53	0	1,1,1	0.69	0
3	EOH	A	1726	-	2,2,2	0.59	0	1,1,1	0.59	0
3	EOH	B	1700	-	2,2,2	0.50	0	1,1,1	0.78	0
3	EOH	A	1694	-	2,2,2	0.58	0	1,1,1	0.69	0
3	EOH	B	1708	-	2,2,2	0.59	0	1,1,1	0.57	0
3	EOH	B	1800	-	2,2,2	0.47	0	1,1,1	0.66	0
3	EOH	A	1707	-	2,2,2	0.45	0	1,1,1	0.67	0
4	GOL	B	1714	-	5,5,5	0.08	0	5,5,5	0.12	0
3	EOH	A	1689	-	2,2,2	0.49	0	1,1,1	0.70	0
3	EOH	A	1712	-	2,2,2	0.40	0	1,1,1	0.54	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EOH	A	1698	-	2,2,2	0.54	0	1,1,1	0.62	0
3	EOH	B	1706	-	2,2,2	0.54	0	1,1,1	0.84	0
3	EOH	A	1692	-	2,2,2	0.59	0	1,1,1	0.61	0
3	EOH	A	1803	-	2,2,2	0.61	0	1,1,1	0.62	0
3	EOH	A	1801	-	2,2,2	0.54	0	1,1,1	0.73	0
3	EOH	A	1703	-	2,2,2	0.50	0	1,1,1	0.87	0
3	EOH	B	1695	-	2,2,2	0.53	0	1,1,1	0.67	0
3	EOH	B	1711	-	2,2,2	0.58	0	1,1,1	0.45	0
3	EOH	A	1723	-	2,2,2	0.50	0	1,1,1	0.70	0
3	EOH	A	1717	-	2,2,2	0.53	0	1,1,1	0.73	0
3	EOH	B	1689	-	2,2,2	0.52	0	1,1,1	0.66	0
3	EOH	A	1701	-	2,2,2	0.53	0	1,1,1	0.54	0
3	EOH	B	1710	-	2,2,2	0.64	0	1,1,1	0.69	0
3	EOH	A	1800	-	2,2,2	0.55	0	1,1,1	0.67	0
3	EOH	A	1697	-	2,2,2	0.57	0	1,1,1	0.66	0
3	EOH	A	1724	-	2,2,2	0.55	0	1,1,1	0.63	0
3	EOH	B	1705	-	2,2,2	0.54	0	1,1,1	0.74	0
3	EOH	B	1707	-	2,2,2	0.53	0	1,1,1	0.69	0
3	EOH	A	1725	-	2,2,2	0.55	0	1,1,1	0.64	0
3	EOH	A	1704	-	2,2,2	0.46	0	1,1,1	0.68	0
3	EOH	B	1712	-	2,2,2	0.58	0	1,1,1	0.78	0
3	EOH	B	1693	-	2,2,2	0.59	0	1,1,1	0.55	0
3	EOH	B	1697	-	2,2,2	0.59	0	1,1,1	0.61	0
3	EOH	A	1696	-	2,2,2	0.63	0	1,1,1	0.54	0
4	GOL	B	1715	-	5,5,5	0.06	0	5,5,5	0.22	0
3	EOH	B	1699	-	2,2,2	0.58	0	1,1,1	0.62	0
3	EOH	B	1694	-	2,2,2	0.59	0	1,1,1	0.81	0
3	EOH	A	1721	-	2,2,2	0.50	0	1,1,1	0.75	0
3	EOH	B	1691	-	2,2,2	0.51	0	1,1,1	0.54	0
3	EOH	B	1704	-	2,2,2	0.62	0	1,1,1	0.66	0
3	EOH	B	1802	-	2,2,2	0.56	0	1,1,1	0.64	0
3	EOH	A	1700	-	2,2,2	0.64	0	1,1,1	0.75	0
3	EOH	A	1722	-	2,2,2	0.52	0	1,1,1	0.58	0
3	EOH	A	1727	-	2,2,2	0.54	0	1,1,1	0.61	0
3	EOH	A	1695	-	2,2,2	0.45	0	1,1,1	0.76	0
3	EOH	A	1690	-	2,2,2	0.55	0	1,1,1	0.62	0
3	EOH	A	1709	-	2,2,2	0.66	0	1,1,1	0.59	0
3	EOH	A	1711	-	2,2,2	0.59	0	1,1,1	0.61	0
3	EOH	A	1718	-	2,2,2	0.60	0	1,1,1	0.65	0
3	EOH	B	1692	-	2,2,2	0.53	0	1,1,1	0.67	0
3	EOH	A	1710	-	2,2,2	0.50	0	1,1,1	0.73	0
3	EOH	B	1713	-	2,2,2	0.57	0	1,1,1	0.58	0
3	EOH	A	1720	-	2,2,2	0.60	0	1,1,1	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EOH	B	1703	-	2,2,2	0.68	0	1,1,1	0.18	0
3	EOH	A	1713	-	2,2,2	0.51	0	1,1,1	0.62	0
3	EOH	A	1708	-	2,2,2	0.57	0	1,1,1	0.58	0
3	EOH	B	1698	-	2,2,2	0.63	0	1,1,1	0.54	0
3	EOH	B	1701	-	2,2,2	0.51	0	1,1,1	0.82	0
3	EOH	A	1699	-	2,2,2	0.55	0	1,1,1	0.75	0
3	EOH	A	1702	-	2,2,2	0.59	0	1,1,1	0.65	0
3	EOH	A	1693	-	2,2,2	0.55	0	1,1,1	0.70	0
3	EOH	B	1690	-	2,2,2	0.54	0	1,1,1	0.71	0
3	EOH	A	1715	-	2,2,2	0.60	0	1,1,1	0.65	0
3	EOH	A	1716	-	2,2,2	0.47	0	1,1,1	0.39	0
3	EOH	A	1706	-	2,2,2	0.52	0	1,1,1	0.64	0
3	EOH	A	1691	-	2,2,2	0.83	0	1,1,1	0.14	0
3	EOH	A	1802	-	2,2,2	0.54	0	1,1,1	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	1714	-	-	1/4/4/4	-
4	GOL	B	1715	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1715	GOL	C1-C2-C3-O3
4	B	1715	GOL	O2-C2-C3-O3
4	B	1714	GOL	O1-C1-C2-C3

There are no ring outliers.

14 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1705	EOH	1	0
3	B	1696	EOH	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1700	EOH	1	0
3	A	1689	EOH	1	0
3	A	1701	EOH	1	0
3	A	1725	EOH	1	0
3	A	1696	EOH	3	0
4	B	1715	GOL	1	0
3	B	1704	EOH	1	0
3	B	1713	EOH	1	0
3	A	1720	EOH	3	0
3	B	1703	EOH	1	0
3	B	1690	EOH	1	0
3	A	1691	EOH	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	679/746 (91%)	-1.36	0 100 100	15, 37, 61, 76	0
1	B	684/746 (91%)	-1.27	0 100 100	26, 44, 70, 86	0
All	All	1363/1492 (91%)	-1.31	0 100 100	15, 41, 65, 86	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TRQ	A	581	16/17	0.99	0.03	17,27,30,31	0
1	TRQ	B	581	16/17	0.99	0.02	22,33,39,43	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	EOH	B	1698	3/3	0.92	0.09	43,43,44,45	0
3	EOH	B	1695	3/3	0.93	0.18	76,76,77,78	0
3	EOH	A	1723	3/3	0.93	0.10	51,51,52,52	0
3	EOH	B	1697	3/3	0.94	0.08	37,37,40,42	0
3	EOH	A	1802	3/3	0.94	0.10	52,52,53,53	0
3	EOH	B	1699	3/3	0.94	0.09	58,58,59,60	0
3	EOH	A	1726	3/3	0.95	0.09	48,48,50,50	0
3	EOH	A	1699	3/3	0.95	0.08	51,51,52,52	0
3	EOH	A	1706	3/3	0.95	0.07	56,56,57,57	0
3	EOH	A	1722	3/3	0.95	0.08	48,48,48,49	0
3	EOH	A	1693	3/3	0.95	0.11	80,80,80,80	0
3	EOH	A	1724	3/3	0.95	0.08	57,57,57,58	0
3	EOH	B	1706	3/3	0.95	0.10	45,45,46,47	0
3	EOH	B	1712	3/3	0.95	0.06	35,35,36,37	0
3	EOH	A	1708	3/3	0.96	0.07	43,43,44,46	0
3	EOH	A	1710	3/3	0.96	0.08	45,45,46,47	0
3	EOH	A	1690	3/3	0.96	0.08	45,45,47,47	0
3	EOH	A	1698	3/3	0.96	0.07	34,34,38,42	0
3	EOH	A	1691	3/3	0.96	0.08	27,27,28,29	0
3	EOH	A	1692	3/3	0.96	0.08	53,53,56,57	0
3	EOH	B	1707	3/3	0.96	0.07	49,49,50,50	0
3	EOH	A	1801	3/3	0.96	0.11	68,68,69,69	0
3	EOH	B	1801	3/3	0.96	0.10	79,79,80,80	0
3	EOH	A	1709	3/3	0.97	0.05	31,31,32,33	0
3	EOH	A	1800	3/3	0.97	0.06	44,44,45,45	0
3	EOH	A	1705	3/3	0.97	0.10	65,65,66,66	0
3	EOH	A	1713	3/3	0.97	0.06	35,35,38,42	0
3	EOH	A	1803	3/3	0.97	0.06	28,28,32,35	0
3	EOH	B	1689	3/3	0.97	0.09	45,45,46,48	0
3	EOH	B	1690	3/3	0.97	0.08	48,48,48,49	0
3	EOH	A	1714	3/3	0.97	0.07	41,41,43,44	0
3	EOH	B	1696	3/3	0.97	0.07	32,32,34,35	0
3	EOH	A	1717	3/3	0.97	0.14	67,67,67,67	0
3	EOH	A	1719	3/3	0.97	0.10	39,39,42,43	0
3	EOH	A	1721	3/3	0.97	0.08	60,60,62,64	0
3	EOH	B	1701	3/3	0.97	0.13	28,28,32,36	0
3	EOH	B	1704	3/3	0.97	0.08	47,47,49,49	0
2	NA	A	1688	1/1	0.97	0.06	27,27,27,27	0
3	EOH	A	1707	3/3	0.97	0.09	41,41,46,48	0
3	EOH	B	1709	3/3	0.97	0.10	54,54,55,55	0
3	EOH	A	1702	3/3	0.97	0.08	29,29,31,36	0
3	EOH	B	1800	3/3	0.97	0.05	37,37,40,44	0
3	EOH	A	1725	3/3	0.97	0.07	45,45,45,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	EOH	A	1718	3/3	0.98	0.05	38,38,41,42	0
3	EOH	A	1727	3/3	0.98	0.06	50,50,51,52	0
3	EOH	A	1694	3/3	0.98	0.06	40,40,41,43	0
3	EOH	A	1720	3/3	0.98	0.12	34,34,37,38	0
3	EOH	A	1711	3/3	0.98	0.05	31,31,34,34	0
3	EOH	B	1702	3/3	0.98	0.06	31,31,31,32	0
3	EOH	B	1703	3/3	0.98	0.06	21,21,26,27	0
3	EOH	A	1696	3/3	0.98	0.08	33,33,35,36	0
3	EOH	B	1705	3/3	0.98	0.09	41,41,41,41	0
3	EOH	A	1703	3/3	0.98	0.06	47,47,48,50	0
3	EOH	A	1715	3/3	0.98	0.07	35,35,37,38	0
3	EOH	B	1691	3/3	0.98	0.05	26,26,28,29	0
3	EOH	B	1710	3/3	0.98	0.04	32,32,32,33	0
3	EOH	B	1711	3/3	0.98	0.05	37,37,40,40	0
3	EOH	B	1692	3/3	0.98	0.05	36,36,38,39	0
3	EOH	B	1694	3/3	0.98	0.10	32,32,34,34	0
3	EOH	A	1689	3/3	0.98	0.05	28,28,32,34	0
3	EOH	B	1802	3/3	0.98	0.10	51,51,51,52	0
4	GOL	B	1714	6/6	0.98	0.06	68,71,71,73	0
4	GOL	B	1715	6/6	0.98	0.04	38,40,46,48	0
3	EOH	A	1697	3/3	0.99	0.05	40,40,43,43	0
3	EOH	B	1708	3/3	0.99	0.07	43,43,43,44	0
3	EOH	A	1716	3/3	0.99	0.04	29,29,34,37	0
3	EOH	A	1695	3/3	0.99	0.04	14,14,15,16	0
3	EOH	B	1700	3/3	0.99	0.03	26,26,27,27	0
3	EOH	A	1704	3/3	0.99	0.04	38,38,39,41	0
3	EOH	B	1713	3/3	0.99	0.07	36,36,38,38	0
2	NA	B	1688	1/1	0.99	0.04	30,30,30,30	0
3	EOH	B	1693	3/3	0.99	0.04	29,29,30,31	0
3	EOH	A	1712	3/3	0.99	0.05	32,32,35,38	0
3	EOH	A	1700	3/3	0.99	0.04	24,24,25,26	0
3	EOH	A	1701	3/3	0.99	0.04	36,36,36,37	0
2	NA	A	1687	1/1	1.00	0.03	26,26,26,26	0
2	NA	B	1687	1/1	1.00	0.01	27,27,27,27	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.