



wwPDB EM Validation Summary Report ⓘ

Mar 30, 2026 – 12:31 AM UTC

PDB ID : 7YMV / pdb_00007ymv
EMDB ID : EMD-33943
Title : Cryo-EM structure of MERS-CoV spike protein, Two RBD-up conformation 1
Authors : Hsu, S.T.D.; Chang, N.E.; Weng, Z.W.; Yang, T.J.; Draczkowski, P.
Deposited on : 2022-07-29
Resolution : 6.74 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 6.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	480 (6.24 - 7.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1369	
1	B	1369	
1	C	1369	
2	D	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	4	
2	N	4	
2	X	4	
3	E	5	
4	G	2	
4	H	2	
4	J	2	
4	L	2	
4	M	2	
4	R	2	
4	S	2	
4	U	2	
5	I	3	
5	P	3	
6	K	3	
6	O	3	
6	Q	3	
6	T	3	
6	V	3	
6	W	3	
7	Y	2	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 28075 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1166	Total	C	N	O	S	0	0
			9020	5732	1489	1748	51		
1	B	1166	Total	C	N	O	S	0	0
			9020	5732	1489	1748	51		
1	C	1166	Total	C	N	O	S	0	0
			9020	5732	1489	1748	51		

There are 294 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MET	-	initiating methionine	UNP K0BRG7
A	-1	ASP	-	expression tag	UNP K0BRG7
A	0	SER	-	expression tag	UNP K0BRG7
A	1	TRP	-	expression tag	UNP K0BRG7
A	2	PHE	-	expression tag	UNP K0BRG7
A	3	ILE	-	expression tag	UNP K0BRG7
A	4	LEU	-	expression tag	UNP K0BRG7
A	5	VAL	-	expression tag	UNP K0BRG7
A	6	LEU	-	expression tag	UNP K0BRG7
A	7	LEU	-	expression tag	UNP K0BRG7
A	8	GLY	-	expression tag	UNP K0BRG7
A	9	SER	-	expression tag	UNP K0BRG7
A	10	GLY	-	expression tag	UNP K0BRG7
A	11	LEU	-	expression tag	UNP K0BRG7
A	12	ILE	-	expression tag	UNP K0BRG7
A	13	CYS	-	expression tag	UNP K0BRG7
A	14	VAL	-	expression tag	UNP K0BRG7
A	15	SER	-	expression tag	UNP K0BRG7
A	16	ALA	-	expression tag	UNP K0BRG7
A	748	ALA	ARG	engineered mutation	UNP K0BRG7
A	751	GLY	ARG	engineered mutation	UNP K0BRG7
A	1060	PRO	VAL	engineered mutation	UNP K0BRG7
A	1061	PRO	LEU	engineered mutation	UNP K0BRG7
A	1292	GLU	-	expression tag	UNP K0BRG7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1293	PHE	-	expression tag	UNP K0BRG7
A	1294	GLY	-	expression tag	UNP K0BRG7
A	1295	SER	-	expression tag	UNP K0BRG7
A	1296	GLY	-	expression tag	UNP K0BRG7
A	1297	GLY	-	expression tag	UNP K0BRG7
A	1298	TYR	-	expression tag	UNP K0BRG7
A	1299	ILE	-	expression tag	UNP K0BRG7
A	1300	PRO	-	expression tag	UNP K0BRG7
A	1301	GLU	-	expression tag	UNP K0BRG7
A	1302	ALA	-	expression tag	UNP K0BRG7
A	1303	PRO	-	expression tag	UNP K0BRG7
A	1304	ARG	-	expression tag	UNP K0BRG7
A	1305	ASP	-	expression tag	UNP K0BRG7
A	1306	GLY	-	expression tag	UNP K0BRG7
A	1307	GLN	-	expression tag	UNP K0BRG7
A	1308	ALA	-	expression tag	UNP K0BRG7
A	1309	TYR	-	expression tag	UNP K0BRG7
A	1310	VAL	-	expression tag	UNP K0BRG7
A	1311	ARG	-	expression tag	UNP K0BRG7
A	1312	LYS	-	expression tag	UNP K0BRG7
A	1313	ASP	-	expression tag	UNP K0BRG7
A	1314	GLY	-	expression tag	UNP K0BRG7
A	1315	GLU	-	expression tag	UNP K0BRG7
A	1316	TRP	-	expression tag	UNP K0BRG7
A	1317	VAL	-	expression tag	UNP K0BRG7
A	1318	LEU	-	expression tag	UNP K0BRG7
A	1319	LEU	-	expression tag	UNP K0BRG7
A	1320	SER	-	expression tag	UNP K0BRG7
A	1321	THR	-	expression tag	UNP K0BRG7
A	1322	PHE	-	expression tag	UNP K0BRG7
A	1323	LEU	-	expression tag	UNP K0BRG7
A	1324	LYS	-	expression tag	UNP K0BRG7
A	1325	GLY	-	expression tag	UNP K0BRG7
A	1326	GLN	-	expression tag	UNP K0BRG7
A	1327	ASP	-	expression tag	UNP K0BRG7
A	1328	ASN	-	expression tag	UNP K0BRG7
A	1329	SER	-	expression tag	UNP K0BRG7
A	1330	ALA	-	expression tag	UNP K0BRG7
A	1331	ASP	-	expression tag	UNP K0BRG7
A	1332	ILE	-	expression tag	UNP K0BRG7
A	1333	GLN	-	expression tag	UNP K0BRG7
A	1334	HIS	-	expression tag	UNP K0BRG7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1335	SER	-	expression tag	UNP K0BRG7
A	1336	GLY	-	expression tag	UNP K0BRG7
A	1337	ARG	-	expression tag	UNP K0BRG7
A	1338	PRO	-	expression tag	UNP K0BRG7
A	1339	LEU	-	expression tag	UNP K0BRG7
A	1340	GLU	-	expression tag	UNP K0BRG7
A	1341	SER	-	expression tag	UNP K0BRG7
A	1342	ARG	-	expression tag	UNP K0BRG7
A	1343	GLY	-	expression tag	UNP K0BRG7
A	1344	PRO	-	expression tag	UNP K0BRG7
A	1345	PHE	-	expression tag	UNP K0BRG7
A	1346	GLU	-	expression tag	UNP K0BRG7
A	1347	GLN	-	expression tag	UNP K0BRG7
A	1348	LYS	-	expression tag	UNP K0BRG7
A	1349	LEU	-	expression tag	UNP K0BRG7
A	1350	ILE	-	expression tag	UNP K0BRG7
A	1351	SER	-	expression tag	UNP K0BRG7
A	1352	GLU	-	expression tag	UNP K0BRG7
A	1353	GLU	-	expression tag	UNP K0BRG7
A	1354	ASP	-	expression tag	UNP K0BRG7
A	1355	LEU	-	expression tag	UNP K0BRG7
A	1356	ASN	-	expression tag	UNP K0BRG7
A	1357	MET	-	expression tag	UNP K0BRG7
A	1358	HIS	-	expression tag	UNP K0BRG7
A	1359	THR	-	expression tag	UNP K0BRG7
A	1360	GLY	-	expression tag	UNP K0BRG7
A	1361	HIS	-	expression tag	UNP K0BRG7
A	1362	HIS	-	expression tag	UNP K0BRG7
A	1363	HIS	-	expression tag	UNP K0BRG7
A	1364	HIS	-	expression tag	UNP K0BRG7
A	1365	HIS	-	expression tag	UNP K0BRG7
A	1366	HIS	-	expression tag	UNP K0BRG7
B	-2	MET	-	initiating methionine	UNP K0BRG7
B	-1	ASP	-	expression tag	UNP K0BRG7
B	0	SER	-	expression tag	UNP K0BRG7
B	1	TRP	-	expression tag	UNP K0BRG7
B	2	PHE	-	expression tag	UNP K0BRG7
B	3	ILE	-	expression tag	UNP K0BRG7
B	4	LEU	-	expression tag	UNP K0BRG7
B	5	VAL	-	expression tag	UNP K0BRG7
B	6	LEU	-	expression tag	UNP K0BRG7
B	7	LEU	-	expression tag	UNP K0BRG7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	8	GLY	-	expression tag	UNP K0BRG7
B	9	SER	-	expression tag	UNP K0BRG7
B	10	GLY	-	expression tag	UNP K0BRG7
B	11	LEU	-	expression tag	UNP K0BRG7
B	12	ILE	-	expression tag	UNP K0BRG7
B	13	CYS	-	expression tag	UNP K0BRG7
B	14	VAL	-	expression tag	UNP K0BRG7
B	15	SER	-	expression tag	UNP K0BRG7
B	16	ALA	-	expression tag	UNP K0BRG7
B	748	ALA	ARG	engineered mutation	UNP K0BRG7
B	751	GLY	ARG	engineered mutation	UNP K0BRG7
B	1060	PRO	VAL	engineered mutation	UNP K0BRG7
B	1061	PRO	LEU	engineered mutation	UNP K0BRG7
B	1292	GLU	-	expression tag	UNP K0BRG7
B	1293	PHE	-	expression tag	UNP K0BRG7
B	1294	GLY	-	expression tag	UNP K0BRG7
B	1295	SER	-	expression tag	UNP K0BRG7
B	1296	GLY	-	expression tag	UNP K0BRG7
B	1297	GLY	-	expression tag	UNP K0BRG7
B	1298	TYR	-	expression tag	UNP K0BRG7
B	1299	ILE	-	expression tag	UNP K0BRG7
B	1300	PRO	-	expression tag	UNP K0BRG7
B	1301	GLU	-	expression tag	UNP K0BRG7
B	1302	ALA	-	expression tag	UNP K0BRG7
B	1303	PRO	-	expression tag	UNP K0BRG7
B	1304	ARG	-	expression tag	UNP K0BRG7
B	1305	ASP	-	expression tag	UNP K0BRG7
B	1306	GLY	-	expression tag	UNP K0BRG7
B	1307	GLN	-	expression tag	UNP K0BRG7
B	1308	ALA	-	expression tag	UNP K0BRG7
B	1309	TYR	-	expression tag	UNP K0BRG7
B	1310	VAL	-	expression tag	UNP K0BRG7
B	1311	ARG	-	expression tag	UNP K0BRG7
B	1312	LYS	-	expression tag	UNP K0BRG7
B	1313	ASP	-	expression tag	UNP K0BRG7
B	1314	GLY	-	expression tag	UNP K0BRG7
B	1315	GLU	-	expression tag	UNP K0BRG7
B	1316	TRP	-	expression tag	UNP K0BRG7
B	1317	VAL	-	expression tag	UNP K0BRG7
B	1318	LEU	-	expression tag	UNP K0BRG7
B	1319	LEU	-	expression tag	UNP K0BRG7
B	1320	SER	-	expression tag	UNP K0BRG7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1321	THR	-	expression tag	UNP K0BRG7
B	1322	PHE	-	expression tag	UNP K0BRG7
B	1323	LEU	-	expression tag	UNP K0BRG7
B	1324	LYS	-	expression tag	UNP K0BRG7
B	1325	GLY	-	expression tag	UNP K0BRG7
B	1326	GLN	-	expression tag	UNP K0BRG7
B	1327	ASP	-	expression tag	UNP K0BRG7
B	1328	ASN	-	expression tag	UNP K0BRG7
B	1329	SER	-	expression tag	UNP K0BRG7
B	1330	ALA	-	expression tag	UNP K0BRG7
B	1331	ASP	-	expression tag	UNP K0BRG7
B	1332	ILE	-	expression tag	UNP K0BRG7
B	1333	GLN	-	expression tag	UNP K0BRG7
B	1334	HIS	-	expression tag	UNP K0BRG7
B	1335	SER	-	expression tag	UNP K0BRG7
B	1336	GLY	-	expression tag	UNP K0BRG7
B	1337	ARG	-	expression tag	UNP K0BRG7
B	1338	PRO	-	expression tag	UNP K0BRG7
B	1339	LEU	-	expression tag	UNP K0BRG7
B	1340	GLU	-	expression tag	UNP K0BRG7
B	1341	SER	-	expression tag	UNP K0BRG7
B	1342	ARG	-	expression tag	UNP K0BRG7
B	1343	GLY	-	expression tag	UNP K0BRG7
B	1344	PRO	-	expression tag	UNP K0BRG7
B	1345	PHE	-	expression tag	UNP K0BRG7
B	1346	GLU	-	expression tag	UNP K0BRG7
B	1347	GLN	-	expression tag	UNP K0BRG7
B	1348	LYS	-	expression tag	UNP K0BRG7
B	1349	LEU	-	expression tag	UNP K0BRG7
B	1350	ILE	-	expression tag	UNP K0BRG7
B	1351	SER	-	expression tag	UNP K0BRG7
B	1352	GLU	-	expression tag	UNP K0BRG7
B	1353	GLU	-	expression tag	UNP K0BRG7
B	1354	ASP	-	expression tag	UNP K0BRG7
B	1355	LEU	-	expression tag	UNP K0BRG7
B	1356	ASN	-	expression tag	UNP K0BRG7
B	1357	MET	-	expression tag	UNP K0BRG7
B	1358	HIS	-	expression tag	UNP K0BRG7
B	1359	THR	-	expression tag	UNP K0BRG7
B	1360	GLY	-	expression tag	UNP K0BRG7
B	1361	HIS	-	expression tag	UNP K0BRG7
B	1362	HIS	-	expression tag	UNP K0BRG7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1363	HIS	-	expression tag	UNP K0BRG7
B	1364	HIS	-	expression tag	UNP K0BRG7
B	1365	HIS	-	expression tag	UNP K0BRG7
B	1366	HIS	-	expression tag	UNP K0BRG7
C	-2	MET	-	initiating methionine	UNP K0BRG7
C	-1	ASP	-	expression tag	UNP K0BRG7
C	0	SER	-	expression tag	UNP K0BRG7
C	1	TRP	-	expression tag	UNP K0BRG7
C	2	PHE	-	expression tag	UNP K0BRG7
C	3	ILE	-	expression tag	UNP K0BRG7
C	4	LEU	-	expression tag	UNP K0BRG7
C	5	VAL	-	expression tag	UNP K0BRG7
C	6	LEU	-	expression tag	UNP K0BRG7
C	7	LEU	-	expression tag	UNP K0BRG7
C	8	GLY	-	expression tag	UNP K0BRG7
C	9	SER	-	expression tag	UNP K0BRG7
C	10	GLY	-	expression tag	UNP K0BRG7
C	11	LEU	-	expression tag	UNP K0BRG7
C	12	ILE	-	expression tag	UNP K0BRG7
C	13	CYS	-	expression tag	UNP K0BRG7
C	14	VAL	-	expression tag	UNP K0BRG7
C	15	SER	-	expression tag	UNP K0BRG7
C	16	ALA	-	expression tag	UNP K0BRG7
C	748	ALA	ARG	engineered mutation	UNP K0BRG7
C	751	GLY	ARG	engineered mutation	UNP K0BRG7
C	1060	PRO	VAL	engineered mutation	UNP K0BRG7
C	1061	PRO	LEU	engineered mutation	UNP K0BRG7
C	1292	GLU	-	expression tag	UNP K0BRG7
C	1293	PHE	-	expression tag	UNP K0BRG7
C	1294	GLY	-	expression tag	UNP K0BRG7
C	1295	SER	-	expression tag	UNP K0BRG7
C	1296	GLY	-	expression tag	UNP K0BRG7
C	1297	GLY	-	expression tag	UNP K0BRG7
C	1298	TYR	-	expression tag	UNP K0BRG7
C	1299	ILE	-	expression tag	UNP K0BRG7
C	1300	PRO	-	expression tag	UNP K0BRG7
C	1301	GLU	-	expression tag	UNP K0BRG7
C	1302	ALA	-	expression tag	UNP K0BRG7
C	1303	PRO	-	expression tag	UNP K0BRG7
C	1304	ARG	-	expression tag	UNP K0BRG7
C	1305	ASP	-	expression tag	UNP K0BRG7
C	1306	GLY	-	expression tag	UNP K0BRG7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1307	GLN	-	expression tag	UNP K0BRG7
C	1308	ALA	-	expression tag	UNP K0BRG7
C	1309	TYR	-	expression tag	UNP K0BRG7
C	1310	VAL	-	expression tag	UNP K0BRG7
C	1311	ARG	-	expression tag	UNP K0BRG7
C	1312	LYS	-	expression tag	UNP K0BRG7
C	1313	ASP	-	expression tag	UNP K0BRG7
C	1314	GLY	-	expression tag	UNP K0BRG7
C	1315	GLU	-	expression tag	UNP K0BRG7
C	1316	TRP	-	expression tag	UNP K0BRG7
C	1317	VAL	-	expression tag	UNP K0BRG7
C	1318	LEU	-	expression tag	UNP K0BRG7
C	1319	LEU	-	expression tag	UNP K0BRG7
C	1320	SER	-	expression tag	UNP K0BRG7
C	1321	THR	-	expression tag	UNP K0BRG7
C	1322	PHE	-	expression tag	UNP K0BRG7
C	1323	LEU	-	expression tag	UNP K0BRG7
C	1324	LYS	-	expression tag	UNP K0BRG7
C	1325	GLY	-	expression tag	UNP K0BRG7
C	1326	GLN	-	expression tag	UNP K0BRG7
C	1327	ASP	-	expression tag	UNP K0BRG7
C	1328	ASN	-	expression tag	UNP K0BRG7
C	1329	SER	-	expression tag	UNP K0BRG7
C	1330	ALA	-	expression tag	UNP K0BRG7
C	1331	ASP	-	expression tag	UNP K0BRG7
C	1332	ILE	-	expression tag	UNP K0BRG7
C	1333	GLN	-	expression tag	UNP K0BRG7
C	1334	HIS	-	expression tag	UNP K0BRG7
C	1335	SER	-	expression tag	UNP K0BRG7
C	1336	GLY	-	expression tag	UNP K0BRG7
C	1337	ARG	-	expression tag	UNP K0BRG7
C	1338	PRO	-	expression tag	UNP K0BRG7
C	1339	LEU	-	expression tag	UNP K0BRG7
C	1340	GLU	-	expression tag	UNP K0BRG7
C	1341	SER	-	expression tag	UNP K0BRG7
C	1342	ARG	-	expression tag	UNP K0BRG7
C	1343	GLY	-	expression tag	UNP K0BRG7
C	1344	PRO	-	expression tag	UNP K0BRG7
C	1345	PHE	-	expression tag	UNP K0BRG7
C	1346	GLU	-	expression tag	UNP K0BRG7
C	1347	GLN	-	expression tag	UNP K0BRG7
C	1348	LYS	-	expression tag	UNP K0BRG7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	1349	LEU	-	expression tag	UNP K0BRG7
C	1350	ILE	-	expression tag	UNP K0BRG7
C	1351	SER	-	expression tag	UNP K0BRG7
C	1352	GLU	-	expression tag	UNP K0BRG7
C	1353	GLU	-	expression tag	UNP K0BRG7
C	1354	ASP	-	expression tag	UNP K0BRG7
C	1355	LEU	-	expression tag	UNP K0BRG7
C	1356	ASN	-	expression tag	UNP K0BRG7
C	1357	MET	-	expression tag	UNP K0BRG7
C	1358	HIS	-	expression tag	UNP K0BRG7
C	1359	THR	-	expression tag	UNP K0BRG7
C	1360	GLY	-	expression tag	UNP K0BRG7
C	1361	HIS	-	expression tag	UNP K0BRG7
C	1362	HIS	-	expression tag	UNP K0BRG7
C	1363	HIS	-	expression tag	UNP K0BRG7
C	1364	HIS	-	expression tag	UNP K0BRG7
C	1365	HIS	-	expression tag	UNP K0BRG7
C	1366	HIS	-	expression tag	UNP K0BRG7

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	4	Total	C	N	O	0	0
			50	28	2	20		
2	F	4	Total	C	N	O	0	0
			50	28	2	20		
2	N	4	Total	C	N	O	0	0
			50	28	2	20		
2	X	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
3	E	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	G	2	Total	C	N	O	0	0
			28	16	2	10		
4	H	2	Total	C	N	O	0	0
			28	16	2	10		
4	J	2	Total	C	N	O	0	0
			28	16	2	10		
4	L	2	Total	C	N	O	0	0
			28	16	2	10		
4	M	2	Total	C	N	O	0	0
			28	16	2	10		
4	R	2	Total	C	N	O	0	0
			28	16	2	10		
4	S	2	Total	C	N	O	0	0
			28	16	2	10		
4	U	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	I	3	Total	C	N	O	0	0
			38	22	2	14		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
5	P	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	K	3	Total	C	N	O	0	0
			39	22	2	15		
6	O	3	Total	C	N	O	0	0
			39	22	2	15		
6	Q	3	Total	C	N	O	0	0
			39	22	2	15		
6	T	3	Total	C	N	O	0	0
			39	22	2	15		
6	V	3	Total	C	N	O	0	0
			39	22	2	15		
6	W	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 7 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	Y	2	Total	C	N	O	0	0
			24	14	1	9		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein




H1016	L1134	SER	LEU	GLU
F1019	Y1135	THR	GLY	GLN
F1136	Y1136	GLY	ASN	LYS
M1137	M1137	ILE	TYR	LEU
Q1023	M1138	ASP	THR	ILE
V1139	V1139	PHE	TYR	SER
G1140	G1140	GLN	GLU	GLU
H1028	Y1141	ASP	PHE	GLU
Q1031	H1146	GLY	ASP	ASP
A1032	I1147	LEU	LEU	ASP
K1035	E1148	GLU	GLY	ASN
S1038	S1151	PHE	TYR	MET
E1039	A1158	ILE	ILE	HIS
S1041	A1158	LYS	PRO	THR
N1042	T1162	ASN	GLU	GLY
T1043	V1168	VAL	ALA	HIS
A1046	Y1171	SER	PRO	HIS
P1060	K1174	THR	ARG	HIS
D1064	N1177	ASP	ASP	HIS
I1071	THR	LEU	GLY	ASP
R1074	THR	LEU	ASP	GLY
F1081	ASP	GLN	GLY	GLY
Q1084	E1183	ILE	TRP	VAL
Q1085	W1184	THR	VAL	LEU
K1100	S1185	LEU	LEU	LEU
D1101	Y1186	ASP	THR	THR
K1102	Y1192	LEU	PHE	LEU
V1103	E1195	THR	LEU	LEU
N1104	P1196	TYR	LYS	LYS
E1105	I1197	GLU	GLN	GLY
K1108	L1200	LEU	ASP	GLY
A1109	N1201	SER	ASN	ASN
Q1110	T1202	LEU	ALA	ARG
K1203	K1203	GLN	ILE	PRO
G1115	A1206	VAL	ILE	GLU
F1116	P1207	LYS	GLN	TYR
C1117	Q1208	VAL	GLY	TLE
G1118	S1215	LEU	ARG	ASP
Q1119	H1122	ASN	PRO	LEU
H1123	P1219	GLU	GLU	ARG
F1126	P1220	SER	GLU	GLY
N1129	L1222	THR	SER	PRO
G1133	L1223	ASP	ARG	GLY
	GLY	LEU	LYS	ASN
	ASN	GLU	PHE	

● Molecule 1: Spike glycoprotein



MET	Y105	S224	F323	A434	R542	D644	PRO	N832
ASP	S106	L225	L324	I442	K543	Y649	SER	R841
TRP	Q107	N226	L325	I443	Q544	C650	THR	Q842
PHE	S227	F228	D326	D444	L545	R651	THR	S845
ILE	V109	R119	F327	Y448	S546	A853	ALA	Q857
LEU	R119	N236	I333	M452	G550	C854	SER	S858
VAL	S126	C237	R334	L456	Q551	I662	VAL	I861
LEU	T127	I245	D343	D455	G552	Y663	GLY	F869
GLY	G128	D248	Q346	L456	L554	I664	VAL	N870
SER	T129	W253	L347	S460	S557	K664	P764	P876
GLY	S137	F254	S350	S467	T564	K665	THR	V877
LEU	A138	L265	D355	I464	Q565	E666	THR	S878
ILE	R141	S268	V356	P463	L567	T667	ILE	S886
GLY	K142	R269	E357	M468	T574	K668	SER	R887
HIS	SER	Y270	S358	Q471	L480	H670	GLY	S888
HIS	ALA	D272	G359	S472	L481	F674	ARG	Q907
HIS	ASP	G150	K369	P476	A482	C679	SER	D910
	TYR	V19	V21	M148	L487	E680	THR	Q915
	G22	D20	G22	L149	S267	H681	THR	PRO
		V25	V25	G153	I280	I682	LYS	ALA
		S28	S28	G154	K291	S690	ARG	PRO
		V33	V33	R163	Y292	R691	ARG	ALA
		P40	P40	V170	I295	M696	ASP	SER
		W44	W44	L171	I296	L600	THR	ALA
		P45	P45	L172	P297	S607	THR	ARG
		R46	R46	L173	S302	L608	ASP	ASP
		I56	I56	P173	I303	Y609	THR	LYS
		N66	N66	D174	K308	S612	THR	THR
		I67	I67	G175	A309	G613	THR	THR
		T68	T68	G175	L411	R614	THR	THR
		L74	L74	L179	T412	S617	THR	THR
		F75	F75	L180	K413	R618	THR	THR
		D83	D83	R181	L414	F617	THR	THR
		Q90	Q90	P189	V420	Q618	THR	THR
		H91	H91	P196	A311	R629	THR	THR
		T95	T95	T202	Y314	V631	THR	THR
		L100	L100	S203	V315	D633	THR	THR
		F101	F101	T212	L318	Q636	THR	THR
		V102	V102	N218	Q319	N637	THR	THR
		A103	A103	Y219	P320	S637	THR	THR
		N104	N104	T322	L321	V639	THR	THR



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 75% 25%



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 25% 50% 25%



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 75% 25%



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X: 25% 50% 25%



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 40% 60%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%


MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50%  50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50%  50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  67% 33%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  33% 67%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  67% 33%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  33% 67%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%

MAG1
MAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

MAG1
MAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  67%  33%

MAG1
MAG2
BMA3

- Molecule 7: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1
FUC2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	21273	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40.6	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	92000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	1.370	Depositor
Minimum map value	-0.438	Depositor
Average map value	-0.005	Depositor
Map value standard deviation	0.117	Depositor
Recommended contour level	0.25	Depositor
Map size (Å)	281.6, 281.6, 281.6	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/9230	0.51	0/12557
1	B	0.18	0/9230	0.50	0/12557
1	C	0.19	0/9230	0.51	0/12557
All	All	0.19	0/27690	0.51	0/37671

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9020	0	8703	255	0
1	B	9020	0	8701	250	0
1	C	9020	0	8704	241	0
2	D	50	0	43	0	0
2	F	50	0	43	2	0
2	N	50	0	43	1	0
2	X	50	0	43	2	0
3	E	61	0	52	0	0
4	G	28	0	25	1	0
4	H	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	J	28	0	25	0	0
4	L	28	0	25	0	0
4	M	28	0	25	0	0
4	R	28	0	25	0	0
4	S	28	0	25	0	0
4	U	28	0	25	0	0
5	I	38	0	34	1	0
5	P	38	0	34	0	0
6	K	39	0	34	1	0
6	O	39	0	34	3	0
6	Q	39	0	34	1	0
6	T	39	0	34	0	0
6	V	39	0	34	1	0
6	W	39	0	34	0	0
7	Y	24	0	22	0	0
8	A	42	0	39	0	0
8	B	98	0	91	0	0
8	C	56	0	52	0	0
All	All	28075	0	27008	732	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 732 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:358:SER:HA	1:B:663:TYR:O	1.72	0.90
1:B:173:PRO:HA	1:B:179:LEU:O	1.72	0.88
1:A:778:PHE:HB3	1:A:1151:SER:O	1.80	0.81
1:C:150:GLY:O	1:C:292:TYR:HB2	1.80	0.81
1:C:706:PRO:HA	1:C:714:VAL:O	1.85	0.75

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1154/1369 (84%)	1073 (93%)	78 (7%)	3 (0%)	36	72
1	B	1154/1369 (84%)	1064 (92%)	85 (7%)	5 (0%)	30	67
1	C	1154/1369 (84%)	1064 (92%)	90 (8%)	0	100	100
All	All	3462/4107 (84%)	3201 (92%)	253 (7%)	8 (0%)	44	78

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	592	ASN
1	B	386	SER
1	B	589	GLU
1	B	1211	TYR
1	B	218	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1003/1180 (85%)	1002 (100%)	1 (0%)	88	89
1	B	1003/1180 (85%)	1003 (100%)	0	100	100
1	C	1003/1180 (85%)	1003 (100%)	0	100	100
All	All	3009/3540 (85%)	3008 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	819	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 60 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	636	GLN
1	C	974	GLN
1	B	1208	GLN
1	C	915	GLN
1	C	1129	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

63 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	1,2	14,14,15	0.54	0	17,19,21	0.63	0
2	NAG	D	2	2	14,14,15	0.22	0	17,19,21	0.46	0
2	BMA	D	3	2	11,11,12	0.55	0	15,15,17	0.70	0
2	MAN	D	4	2	11,11,12	0.64	0	15,15,17	0.99	2 (13%)
3	NAG	E	1	1,3	14,14,15	0.21	0	17,19,21	0.43	0
3	NAG	E	2	3	14,14,15	0.19	0	17,19,21	0.47	0
3	BMA	E	3	3	11,11,12	0.57	0	15,15,17	0.92	1 (6%)
3	MAN	E	4	3	11,11,12	0.68	0	15,15,17	0.97	2 (13%)
3	MAN	E	5	3	11,11,12	0.68	0	15,15,17	0.99	2 (13%)
2	NAG	F	1	1,2	14,14,15	0.59	0	17,19,21	0.98	2 (11%)
2	NAG	F	2	2	14,14,15	0.43	0	17,19,21	0.52	0
2	BMA	F	3	2	11,11,12	0.72	0	15,15,17	0.82	0
2	MAN	F	4	2	11,11,12	0.96	1 (9%)	15,15,17	1.26	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	G	1	4,1	14,14,15	0.28	0	17,19,21	0.61	0
4	NAG	G	2	4	14,14,15	0.27	0	17,19,21	0.61	1 (5%)
4	NAG	H	1	4,1	14,14,15	0.18	0	17,19,21	0.49	0
4	NAG	H	2	4	14,14,15	0.24	0	17,19,21	0.53	0
5	NAG	I	1	1,5	14,14,15	0.37	0	17,19,21	0.64	0
5	NAG	I	2	5	14,14,15	0.30	0	17,19,21	0.51	0
5	FUC	I	3	5	10,10,11	0.63	0	14,14,16	0.81	0
4	NAG	J	1	4,1	14,14,15	0.49	0	17,19,21	0.70	1 (5%)
4	NAG	J	2	4	14,14,15	0.28	0	17,19,21	0.47	0
6	NAG	K	1	1,6	14,14,15	0.27	0	17,19,21	0.66	0
6	NAG	K	2	6	14,14,15	0.35	0	17,19,21	0.83	1 (5%)
6	BMA	K	3	6	11,11,12	0.60	0	15,15,17	0.98	1 (6%)
4	NAG	L	1	4,1	14,14,15	0.55	0	17,19,21	0.60	0
4	NAG	L	2	4	14,14,15	0.37	0	17,19,21	0.54	0
4	NAG	M	1	4,1	14,14,15	0.28	0	17,19,21	0.43	0
4	NAG	M	2	4	14,14,15	0.30	0	17,19,21	0.49	0
2	NAG	N	1	1,2	14,14,15	0.68	1 (7%)	17,19,21	0.83	0
2	NAG	N	2	2	14,14,15	0.62	0	17,19,21	1.06	2 (11%)
2	BMA	N	3	2	11,11,12	1.16	1 (9%)	15,15,17	0.84	0
2	MAN	N	4	2	11,11,12	0.69	0	15,15,17	0.99	2 (13%)
6	NAG	O	1	1,6	14,14,15	0.88	1 (7%)	17,19,21	0.71	0
6	NAG	O	2	6	14,14,15	0.22	0	17,19,21	0.51	0
6	BMA	O	3	6	11,11,12	0.80	0	15,15,17	0.68	0
5	NAG	P	1	1,5	14,14,15	0.17	0	17,19,21	1.01	1 (5%)
5	NAG	P	2	5	14,14,15	0.27	0	17,19,21	0.49	0
5	FUC	P	3	5	10,10,11	1.01	0	14,14,16	0.98	2 (14%)
6	NAG	Q	1	1,6	14,14,15	0.24	0	17,19,21	0.45	0
6	NAG	Q	2	6	14,14,15	0.20	0	17,19,21	0.55	0
6	BMA	Q	3	6	11,11,12	0.56	0	15,15,17	0.88	1 (6%)
4	NAG	R	1	4,1	14,14,15	0.19	0	17,19,21	0.52	0
4	NAG	R	2	4	14,14,15	0.28	0	17,19,21	0.45	0
4	NAG	S	1	4,1	14,14,15	0.39	0	17,19,21	0.83	1 (5%)
4	NAG	S	2	4	14,14,15	0.29	0	17,19,21	0.49	0
6	NAG	T	1	1,6	14,14,15	0.21	0	17,19,21	0.50	0
6	NAG	T	2	6	14,14,15	0.27	0	17,19,21	0.47	0
6	BMA	T	3	6	11,11,12	0.63	0	15,15,17	0.75	0
4	NAG	U	1	4,1	14,14,15	0.32	0	17,19,21	0.48	0
4	NAG	U	2	4	14,14,15	0.27	0	17,19,21	0.53	0
6	NAG	V	1	1,6	14,14,15	0.41	0	17,19,21	0.68	0
6	NAG	V	2	6	14,14,15	0.39	0	17,19,21	1.01	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	BMA	V	3	6	11,11,12	0.63	0	15,15,17	0.97	1 (6%)
6	NAG	W	1	1,6	14,14,15	0.27	0	17,19,21	0.72	0
6	NAG	W	2	6	14,14,15	0.29	0	17,19,21	0.71	0
6	BMA	W	3	6	11,11,12	0.60	0	15,15,17	1.03	1 (6%)
2	NAG	X	1	1,2	14,14,15	1.24	1 (7%)	17,19,21	2.75	1 (5%)
2	NAG	X	2	2	14,14,15	0.37	0	17,19,21	0.51	0
2	BMA	X	3	2	11,11,12	0.54	0	15,15,17	0.82	0
2	MAN	X	4	2	11,11,12	0.63	0	15,15,17	1.15	2 (13%)
7	NAG	Y	1	1,7	14,14,15	0.19	0	17,19,21	0.75	1 (5%)
7	FUC	Y	2	7	10,10,11	0.90	0	14,14,16	1.24	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	BMA	D	3	2	-	0/2/19/22	0/1/1/1
2	MAN	D	4	2	-	0/2/19/22	0/1/1/1
3	NAG	E	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	BMA	E	3	3	-	2/2/19/22	0/1/1/1
3	MAN	E	4	3	-	2/2/19/22	0/1/1/1
3	MAN	E	5	3	-	0/2/19/22	0/1/1/1
2	NAG	F	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	BMA	F	3	2	-	0/2/19/22	0/1/1/1
2	MAN	F	4	2	-	2/2/19/22	1/1/1/1
4	NAG	G	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	NAG	H	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	H	2	4	-	2/6/23/26	0/1/1/1
5	NAG	I	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	I	2	5	-	2/6/23/26	0/1/1/1
5	FUC	I	3	5	-	-	0/1/1/1
4	NAG	J	1	4,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	J	2	4	-	4/6/23/26	0/1/1/1
6	NAG	K	1	1,6	-	1/6/23/26	0/1/1/1
6	NAG	K	2	6	-	0/6/23/26	0/1/1/1
6	BMA	K	3	6	-	2/2/19/22	0/1/1/1
4	NAG	L	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	L	2	4	-	2/6/23/26	0/1/1/1
4	NAG	M	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	M	2	4	-	2/6/23/26	0/1/1/1
2	NAG	N	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	N	2	2	-	4/6/23/26	0/1/1/1
2	BMA	N	3	2	-	0/2/19/22	0/1/1/1
2	MAN	N	4	2	-	0/2/19/22	0/1/1/1
6	NAG	O	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	O	2	6	-	0/6/23/26	0/1/1/1
6	BMA	O	3	6	-	1/2/19/22	0/1/1/1
5	NAG	P	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	P	2	5	-	2/6/23/26	0/1/1/1
5	FUC	P	3	5	-	-	0/1/1/1
6	NAG	Q	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	2/6/23/26	0/1/1/1
6	BMA	Q	3	6	-	2/2/19/22	0/1/1/1
4	NAG	R	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
4	NAG	S	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	S	2	4	-	4/6/23/26	0/1/1/1
6	NAG	T	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	T	2	6	-	1/6/23/26	0/1/1/1
6	BMA	T	3	6	-	0/2/19/22	0/1/1/1
4	NAG	U	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	U	2	4	-	3/6/23/26	0/1/1/1
6	NAG	V	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	V	2	6	-	2/6/23/26	0/1/1/1
6	BMA	V	3	6	-	2/2/19/22	0/1/1/1
6	NAG	W	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	W	2	6	-	0/6/23/26	0/1/1/1
6	BMA	W	3	6	-	2/2/19/22	0/1/1/1
2	NAG	X	1	1,2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	X	2	2	-	0/6/23/26	0/1/1/1
2	BMA	X	3	2	-	1/2/19/22	0/1/1/1
2	MAN	X	4	2	-	0/2/19/22	0/1/1/1
7	NAG	Y	1	1,7	-	2/6/23/26	0/1/1/1
7	FUC	Y	2	7	-	-	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	X	1	NAG	O5-C1	4.50	1.51	1.43
6	O	1	NAG	C1-C2	2.97	1.56	1.52
2	N	3	BMA	C2-C3	2.30	1.56	1.52
2	N	1	NAG	O5-C1	2.22	1.47	1.43
2	F	4	MAN	C1-C2	2.05	1.57	1.52

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	X	1	NAG	C1-O5-C5	11.01	126.95	112.19
2	F	4	MAN	C1-O5-C5	3.97	117.51	112.19
6	V	2	NAG	C1-O5-C5	3.53	116.92	112.19
5	P	1	NAG	C1-O5-C5	3.51	116.89	112.19
2	X	4	MAN	C1-O5-C5	3.47	116.84	112.19

There are no chirality outliers.

5 of 95 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	2	NAG	C4-C5-C6-O6
4	H	2	NAG	O5-C5-C6-O6
6	V	1	NAG	C4-C5-C6-O6
2	N	2	NAG	O5-C5-C6-O6
4	M	2	NAG	O5-C5-C6-O6


All (1) ring outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	F	4	MAN	C1-C2-C3-C4-C5-O5



13 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	N	3	BMA	1	0
6	V	1	NAG	1	0
2	X	1	NAG	1	0
2	X	2	NAG	1	0
5	I	1	NAG	1	0
6	O	3	BMA	1	0
2	F	1	NAG	1	0
6	Q	1	NAG	1	0
6	O	2	NAG	1	0
6	O	1	NAG	1	0
6	K	1	NAG	1	0
4	G	1	NAG	1	0
2	F	2	NAG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


















































5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	A	1401	1	14,14,15	0.38	0	17,19,21	0.47	0
8	NAG	B	1401	1	14,14,15	0.26	0	17,19,21	0.48	0
8	NAG	A	1402	1	14,14,15	0.27	0	17,19,21	0.45	0
8	NAG	C	1404	1	14,14,15	0.31	0	17,19,21	0.46	0
8	NAG	A	1403	1	14,14,15	0.25	0	17,19,21	0.47	0
8	NAG	B	1404	1	14,14,15	0.22	0	17,19,21	0.48	0
8	NAG	C	1402	1	14,14,15	0.27	0	17,19,21	0.38	0
8	NAG	B	1407	1	14,14,15	0.25	0	17,19,21	0.46	0
8	NAG	C	1401	1	14,14,15	0.29	0	17,19,21	0.51	0
8	NAG	C	1403	1	14,14,15	0.27	0	17,19,21	0.43	0
8	NAG	B	1403	1	14,14,15	0.26	0	17,19,21	0.49	0
8	NAG	B	1405	1	14,14,15	0.26	0	17,19,21	0.44	0
8	NAG	B	1406	1	14,14,15	0.23	0	17,19,21	0.48	0
8	NAG	B	1402	1	14,14,15	0.27	0	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	1401	1	-	0/6/23/26	0/1/1/1
8	NAG	B	1401	1	-	2/6/23/26	0/1/1/1
8	NAG	A	1402	1	-	3/6/23/26	0/1/1/1
8	NAG	C	1404	1	-	2/6/23/26	0/1/1/1
8	NAG	A	1403	1	-	0/6/23/26	0/1/1/1
8	NAG	B	1404	1	-	3/6/23/26	0/1/1/1
8	NAG	C	1402	1	-	0/6/23/26	0/1/1/1
8	NAG	B	1407	1	-	2/6/23/26	0/1/1/1
8	NAG	C	1401	1	-	0/6/23/26	0/1/1/1
8	NAG	C	1403	1	-	2/6/23/26	0/1/1/1
8	NAG	B	1403	1	-	4/6/23/26	0/1/1/1
8	NAG	B	1405	1	-	3/6/23/26	0/1/1/1
8	NAG	B	1406	1	-	4/6/23/26	0/1/1/1
8	NAG	B	1402	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 27 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
8	B	1401	NAG	C4-C5-C6-O6
8	B	1406	NAG	C4-C5-C6-O6
8	B	1402	NAG	O5-C5-C6-O6
8	C	1404	NAG	C4-C5-C6-O6
8	B	1407	NAG	C4-C5-C6-O6



There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand NAG C 1404




Ligand NAG A 1403




Ligand NAG B 1404




Ligand NAG C 1402





Ligand NAG B 1407




Ligand NAG C 1401







Ligand NAG B 1405



Ligand NAG B 1406





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33943. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 126




Y Index: 121




Z Index: 121


6.3.2 Raw map



X Index: 126



Y Index: 125




Z Index: 122


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.25. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 705 nm³; this corresponds to an approximate mass of 637 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.148 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.148 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	6.74	-	-
Author-provided FSC curve	6.74	8.20	6.86
Unmasked-calculated*	8.22	11.27	8.37

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.22 differs from the reported value 6.74 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-33943 and PDB model 7YMV. Per-residue inclusion information can be found in section [3](#) on page [15](#).


9.1 Map-model overlay [i](#)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.25 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.25).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 98% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9850	 0.1730
A	 0.9840	 0.1660
B	 0.9780	 0.1660
C	 0.9930	 0.1780
D	 1.0000	 0.3810
E	 1.0000	 0.2060
F	 1.0000	 0.2750
G	 0.9640	 0.2970
H	 0.9640	 0.3090
I	 1.0000	 0.2270
J	 0.9640	 0.2620
K	 1.0000	 0.2890
L	 1.0000	 0.2490
M	 1.0000	 0.3450
N	 1.0000	 0.2570
O	 1.0000	 0.2640
P	 1.0000	 0.2230
Q	 1.0000	 0.2090
R	 1.0000	 0.3880
S	 0.9640	 0.1540
T	 1.0000	 0.3710
U	 0.9640	 0.2700
V	 1.0000	 0.3060
W	 0.9740	 0.3730
X	 1.0000	 0.1930
Y	 1.0000	 0.2130

