



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 10:42 AM UTC

PDB ID : 8YNI / pdb_00008yni
EMDB ID : EMD-39424
Title : Structure of the FADD/Caspase-8/cFLIP death effector domain assembly
Authors : Lin, S.-C.; Yang, C.-Y.
Deposited on : 2024-03-11
Resolution : 3.66 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11491 (3.16 - 4.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	479	
1	B	479	
1	C	479	
2	G	181	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	181	
2	I	181	
2	J	181	
2	K	181	
3	L	216	
3	Q	216	
3	R	216	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13529 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Caspase-8 subunit p10.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	181	Total	C	N	O	S	0	0
			1502	951	254	289	8		
1	B	182	Total	C	N	O	S	0	0
			1510	956	255	290	9		
1	C	182	Total	C	N	O	S	0	0
			1510	956	255	290	9		

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	122	GLY	PHE	engineered mutation	UNP Q14790
A	123	GLY	LEU	engineered mutation	UNP Q14790
A	360	ALA	CYS	engineered mutation	UNP Q14790
A	374	ALA	ASP	engineered mutation	UNP Q14790
A	384	ALA	ASP	engineered mutation	UNP Q14790
B	122	GLY	PHE	engineered mutation	UNP Q14790
B	123	GLY	LEU	engineered mutation	UNP Q14790
B	360	ALA	CYS	engineered mutation	UNP Q14790
B	374	ALA	ASP	engineered mutation	UNP Q14790
B	384	ALA	ASP	engineered mutation	UNP Q14790
C	122	GLY	PHE	engineered mutation	UNP Q14790
C	123	GLY	LEU	engineered mutation	UNP Q14790
C	360	ALA	CYS	engineered mutation	UNP Q14790
C	374	ALA	ASP	engineered mutation	UNP Q14790
C	384	ALA	ASP	engineered mutation	UNP Q14790

- Molecule 2 is a protein called CASP8 and FADD-like apoptosis regulator subunit p43.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	169	Total	C	N	O	S	0	0
			1380	877	240	256	7		
2	I	170	Total	C	N	O	S	0	0
			1386	882	238	258	8		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	J	171	Total	C	N	O	S	0	0
			1392	886	239	259	8		
2	K	175	Total	C	N	O	S	0	0
			1424	906	247	263	8		
2	G	175	Total	C	N	O	S	0	0
			1424	906	247	263	8		

- Molecule 3 is a protein called FAS-associated death domain protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	84	Total	C	N	O	S	0	0
			667	417	120	127	3		
3	R	84	Total	C	N	O	S	0	0
			667	417	120	127	3		
3	Q	84	Total	C	N	O	S	0	0
			667	417	120	127	3		


There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	25	GLY	PHE	engineered mutation	UNP Q13158
L	209	LEU	-	expression tag	UNP Q13158
L	210	GLU	-	expression tag	UNP Q13158
L	211	HIS	-	expression tag	UNP Q13158
L	212	HIS	-	expression tag	UNP Q13158
L	213	HIS	-	expression tag	UNP Q13158
L	214	HIS	-	expression tag	UNP Q13158
L	215	HIS	-	expression tag	UNP Q13158
L	216	HIS	-	expression tag	UNP Q13158
R	25	GLY	PHE	engineered mutation	UNP Q13158
R	209	LEU	-	expression tag	UNP Q13158
R	210	GLU	-	expression tag	UNP Q13158
R	211	HIS	-	expression tag	UNP Q13158
R	212	HIS	-	expression tag	UNP Q13158
R	213	HIS	-	expression tag	UNP Q13158
R	214	HIS	-	expression tag	UNP Q13158
R	215	HIS	-	expression tag	UNP Q13158
R	216	HIS	-	expression tag	UNP Q13158
Q	25	GLY	PHE	engineered mutation	UNP Q13158
Q	209	LEU	-	expression tag	UNP Q13158
Q	210	GLU	-	expression tag	UNP Q13158
Q	211	HIS	-	expression tag	UNP Q13158


Continued on next page...

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
Q	212	HIS	-	expression tag	UNP Q13158
Q	213	HIS	-	expression tag	UNP Q13158
Q	214	HIS	-	expression tag	UNP Q13158
Q	215	HIS	-	expression tag	UNP Q13158
Q	216	HIS	-	expression tag	UNP Q13158





- Molecule 1: Caspase-8 subunit p10



- Molecule 2: CASP8 and FADD-like apoptosis regulator subunit p43




- Molecule 2: CASP8 and FADD-like apoptosis regulator subunit p43




- Molecule 2: CASP8 and FADD-like apoptosis regulator subunit p43

Chain J: 




- Molecule 2: CASP8 and FADD-like apoptosis regulator subunit p43

Chain K: 




- Molecule 2: CASP8 and FADD-like apoptosis regulator subunit p43

Chain G: 




- Molecule 3: FAS-associated death domain protein

Chain L: 



- Molecule 3: FAS-associated death domain protein

Chain R: 



VAL	GLY	ALA	LEU	ARG	SER	ARG	CYS	GLN	MET	ASN	LEU	VAL	ALA	ASP	LEU	VAL	GLN	GLU	VAL	GLN	ALA	ARG	ASP	LEU	GLN	ASN	ARG	GLY	ALA	MET	SER	PRO	MET	SER	TRP	ASN	SER	ASP	ALA	SER	THR	SER	GLU	ALA	SER	LEU	GLU	HIS	HIS	HIS	HIS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

● Molecule 3: FAS-associated death domain protein



M1	D2	P3	V6	L7	L8	H9	S10	V11	S12	S13	S14	L15	S16	L20	L23	K24	G25	L28	V31	R34	K35	L36	E37	R38	V39	Q40	S41	D44	L45	F46	N53	D54	L55	E56	P57	G58	H59	T60	E61	L62	L63	R64	L67	A68	S69	L70	R71	R72	H73	D74
----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

L75	L76	R77	R78	V79	D80	D81	F82	E83	A84	GLY	ALA	ALA	ALA	GLY	ALA	ALA	PRO	GLY	GLU	GLU	ASP	LEU	CYS	ALA	ALA	ALA	ASN	PHE	VAL	IIE	CYS	ASP	ASN	VAL	GLY	LYS	ASP	TRP	ARG	ARG	LEU	ALA	ARG	GLN	LEU	LYS	VAL	SER	ASP	THR	LYS	IIE	ASP	SER	IIE	GLU	ASP	TYR	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ARG	ASN	LEU	THR	GLU	ARG	VAL	ARG	GLU	SER	THR	LEU	ARG	IIE	TRP	LYS	ASN	THR	GLU	GLU	ASN	ALA	THR	VAL	ALA	HIS	LEU	VAL	GLY	ALA	LEU	ARG	SER	CYS	GLN	MET	ASN	LEU	VAL	ALA	ASP	LEU	VAL	GLN	GLU	VAL	GLN	GLN	ALA	ARG	ASP	LEU	GLN	ASN	ARG	SER	GLY	ALA	MET	SER
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

PRO	MET	TRP	ASN	SER	ASP	ALA	SER	THR	SER	GLU	ALA	ALA	SER	LEU	GLU	HIS	HIS	HIS	HIS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	24014	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	72	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	165000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.273	Depositor
Minimum map value	-0.596	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.041	Depositor
Recommended contour level	0.3	Depositor
Map size (Å)	277.19998, 277.19998, 277.19998	wwPDB
Map dimensions	330, 330, 330	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.08	0/1518	0.23	0/2029
1	B	0.09	0/1526	0.23	0/2039
1	C	0.13	0/1526	0.31	1/2039 (0.0%)
2	G	0.08	0/1439	0.25	0/1931
2	H	0.08	0/1393	0.24	0/1867
2	I	0.09	0/1400	0.25	0/1880
2	J	0.09	0/1406	0.23	0/1887
2	K	0.08	0/1439	0.21	0/1931
3	L	0.15	0/674	0.27	0/904
3	Q	0.20	0/674	0.29	0/904
3	R	0.10	0/674	0.25	0/904
All	All	0.10	0/13669	0.25	1/18315 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	29	TYR	N-CA-CB	-5.51	102.33	110.49

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1502	0	1539	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1510	0	1551	14	0
1	C	1510	0	1551	18	0
2	G	1424	0	1507	20	0
2	H	1380	0	1448	11	0
2	I	1386	0	1456	15	0
2	J	1392	0	1466	14	0
2	K	1424	0	1507	15	0
3	L	667	0	689	9	0
3	Q	667	0	689	13	0
3	R	667	0	689	12	0
All	All	13529	0	14092	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 156 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:20:MET:HE3	2:H:98:ALA:HB1	1.70	0.72
2:K:120:MET:HE2	2:K:125:ILE:HD13	1.74	0.70
3:L:1:MET:HG3	3:L:3:PRO:HD2	1.73	0.69
3:R:1:MET:HG3	3:R:3:PRO:HD2	1.77	0.67
3:R:22:GLU:OE2	3:Q:9:HIS:NE2	2.27	0.66

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	179/479 (37%)	172 (96%)	7 (4%)	0	100	100
1	B	180/479 (38%)	176 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	180/479 (38%)	176 (98%)	4 (2%)	0	100	100
2	G	173/181 (96%)	170 (98%)	3 (2%)	0	100	100
2	H	163/181 (90%)	160 (98%)	3 (2%)	0	100	100
2	I	166/181 (92%)	163 (98%)	3 (2%)	0	100	100
2	J	167/181 (92%)	165 (99%)	2 (1%)	0	100	100
2	K	173/181 (96%)	169 (98%)	4 (2%)	0	100	100
3	L	82/216 (38%)	80 (98%)	2 (2%)	0	100	100
3	Q	82/216 (38%)	82 (100%)	0	0	100	100
3	R	82/216 (38%)	81 (99%)	1 (1%)	0	100	100
All	All	1627/2990 (54%)	1594 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	170/437 (39%)	170 (100%)	0	100	100
1	B	171/437 (39%)	171 (100%)	0	100	100
1	C	171/437 (39%)	171 (100%)	0	100	100
2	G	163/166 (98%)	163 (100%)	0	100	100
2	H	158/166 (95%)	158 (100%)	0	100	100
2	I	159/166 (96%)	159 (100%)	0	100	100
2	J	160/166 (96%)	160 (100%)	0	100	100
2	K	163/166 (98%)	163 (100%)	0	100	100
3	L	77/187 (41%)	77 (100%)	0	100	100
3	Q	77/187 (41%)	77 (100%)	0	100	100
3	R	77/187 (41%)	77 (100%)	0	100	100
All	All	1546/2702 (57%)	1546 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
2	G	8	GLN
3	Q	40	GLN
2	J	86	ASN
2	J	82	HIS
3	R	40	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39424. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 165




Y Index: 165




Z Index: 165


6.2.2 Raw map



X Index: 165



Y Index: 165




Z Index: 165


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 163




Y Index: 188




Z Index: 164


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 80 nm³; this corresponds to an approximate mass of 72 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.273 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.273 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.66	-	-
Author-provided FSC curve	3.66	4.15	3.77
Unmasked-calculated*	4.43	8.13	6.39

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.43 differs from the reported value 3.66 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-39424 and PDB model 8YNI. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6550	0.4030
A	0.6700	0.4130
B	0.7090	0.4280
C	0.7150	0.4210
G	0.3920	0.3510
H	0.6590	0.3910
I	0.7050	0.4040
J	0.7760	0.4390
K	0.7620	0.4420
L	0.5930	0.3680
Q	0.4360	0.3210
R	0.6140	0.3730

1.0
0.0
<0.0