



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 03:02 AM UTC

PDB ID : 1YPX / pdb_00001ypx
Title : Crystal Structure of the Putative Vitamin-B12 Independent Methionine Synthase from *Listeria monocytogenes*, Northeast Structural Genomics Target LmR13
Authors : Forouhar, F.; Chen, Y.; Benach, J.; Xiao, R.; Acton, T.B.; Montelione, G.T.; Hunt, J.F.; Tong, L.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2005-01-31
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	375	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	401	-	X	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2627 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called putative vitamin-B12 independent methionine synthase family protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	318	Total	C	N	O	S	Se	0	0	0
			2566	1642	422	495	4	3			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP Q8Y8Q1
A	142	MSE	MET	modified residue	UNP Q8Y8Q1
A	232	MSE	MET	modified residue	UNP Q8Y8Q1
A	236	MSE	MET	modified residue	UNP Q8Y8Q1
A	368	LEU	-	expression tag	UNP Q8Y8Q1
A	369	GLU	-	expression tag	UNP Q8Y8Q1
A	370	HIS	-	expression tag	UNP Q8Y8Q1
A	371	HIS	-	expression tag	UNP Q8Y8Q1
A	372	HIS	-	expression tag	UNP Q8Y8Q1
A	373	HIS	-	expression tag	UNP Q8Y8Q1
A	374	HIS	-	expression tag	UNP Q8Y8Q1
A	375	HIS	-	expression tag	UNP Q8Y8Q1

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	56	Total	O	0	0
			56	56		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: putative vitamin-B12 independent methionine synthase family protein



4 Data and refinement statistics

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	139.11Å 139.11Å 38.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.64 – 2.60 29.64 – 2.60	Depositor EDS
% Data completeness (in resolution range)	85.3 (29.64-2.60) 92.7 (29.64-2.60)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.47 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.233 , 0.308 0.239 , 0.317	Depositor DCC
R_{free} test set	2060 reflections (9.47%)	wwPDB-VP
Wilson B-factor (Å ²)	58.5	Xtriage
Anisotropy	0.570	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.022 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	2627	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/2615	0.90	5/3523 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	238	ILE	CB-CA-C	-6.28	105.52	112.68
1	A	5	ALA	CA-C-N	-6.06	113.52	119.76
1	A	5	ALA	C-N-CA	-6.06	113.52	119.76
1	A	355	ARG	N-CA-C	-5.82	105.07	111.82
1	A	197	ASP	CB-CA-C	-5.77	109.91	116.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2566	0	2489	172	0
2	A	5	0	0	0	0
3	A	56	0	0	3	0
All	All	2627	0	2489	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 34.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:ARG:NE	1:A:17:ARG:H	1.58	1.00
1:A:236:MSE:HB2	1:A:266:ILE:HD13	1.44	0.96
1:A:142:MSE:HE3	1:A:190:SER:HB3	1.49	0.93
1:A:282:ALA:HB1	1:A:284:LEU:HD23	1.51	0.93
1:A:254:GLY:HA2	1:A:284:LEU:HG	1.51	0.92
1:A:16:LEU:H	1:A:350:GLN:HE22	1.06	0.92
1:A:228:LYS:HG2	1:A:232:MSE:CE	2.04	0.87
1:A:229:PRO:HD2	1:A:232:MSE:HE2	1.57	0.85
1:A:6:PRO:HD2	1:A:293:LYS:HD2	1.63	0.81
1:A:3:GLN:HE21	1:A:4:VAL:H	1.26	0.80
1:A:5:ALA:HB1	1:A:6:PRO:HD2	1.65	0.78
1:A:16:LEU:H	1:A:350:GLN:NE2	1.82	0.76
1:A:351:TRP:O	1:A:355:ARG:HG3	1.85	0.75
1:A:194:LEU:H	1:A:194:LEU:HD23	1.50	0.74
1:A:16:LEU:HD13	1:A:336:PHE:HB3	1.68	0.74
1:A:5:ALA:CB	1:A:6:PRO:HD2	2.17	0.74
1:A:143:LEU:HD23	1:A:165:LEU:HD13	1.71	0.72
1:A:5:ALA:HB1	1:A:6:PRO:CD	2.18	0.72
1:A:4:VAL:HG13	1:A:5:ALA:H	1.55	0.71
1:A:149:ILE:H	1:A:149:ILE:HD12	1.55	0.70
1:A:68:ARG:HH12	1:A:73:PHE:HE2	1.38	0.70
1:A:221:ILE:HG21	1:A:264:LEU:HD11	1.74	0.70
1:A:251:GLY:N	1:A:272:GLU:H	1.90	0.70
1:A:151:TYR:O	1:A:155:LEU:HB2	1.92	0.68
1:A:142:MSE:SE	1:A:189:THR:HG22	2.45	0.67
1:A:228:LYS:HG2	1:A:232:MSE:HE2	1.76	0.67
1:A:112:THR:HG22	1:A:113:THR:HG23	1.77	0.66
1:A:228:LYS:HG2	1:A:232:MSE:HE3	1.76	0.66
1:A:43:ASN:ND2	1:A:67:ARG:HH12	1.93	0.66
1:A:17:ARG:NE	1:A:17:ARG:N	2.39	0.66
1:A:68:ARG:HH22	1:A:73:PHE:HZ	1.43	0.66
1:A:217:TYR:O	1:A:221:ILE:HG12	1.97	0.65
1:A:7:PHE:HE1	1:A:60:SER:HB3	1.60	0.65
1:A:142:MSE:CE	1:A:190:SER:HB3	2.27	0.64
1:A:3:GLN:NE2	1:A:4:VAL:H	1.95	0.64
1:A:284:LEU:H	1:A:284:LEU:HD22	1.63	0.64
1:A:277:ARG:HB2	1:A:315:ARG:HH12	1.63	0.63
1:A:328:LEU:C	1:A:329:ARG:HD2	2.24	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:PHE:CE2	1:A:59:LYS:HD3	2.33	0.63
1:A:253:TYR:O	1:A:257:ALA:HB2	1.99	0.63
1:A:5:ALA:HA	1:A:233:VAL:HG21	1.80	0.63
1:A:5:ALA:CB	1:A:6:PRO:CD	2.75	0.62
1:A:5:ALA:HB3	1:A:293:LYS:HD2	1.80	0.62
1:A:268:GLY:HA2	1:A:293:LYS:O	1.99	0.62
1:A:236:MSE:HB2	1:A:266:ILE:CD1	2.27	0.61
1:A:256:VAL:O	1:A:260:LEU:HD12	1.99	0.61
1:A:71:TRP:NE1	1:A:135:GLN:HE22	1.98	0.61
1:A:299:ILE:HB	1:A:332:PRO:HA	1.83	0.61
1:A:33:ILE:HD12	1:A:37:GLU:OE2	2.00	0.61
1:A:123:LEU:HD23	1:A:133:ALA:HB1	1.83	0.61
1:A:336:PHE:CB	1:A:350:GLN:HE21	2.14	0.59
1:A:328:LEU:O	1:A:329:ARG:HD2	2.01	0.59
1:A:195:CYS:HG	1:A:253:TYR:HD2	1.50	0.59
1:A:17:ARG:H	1:A:17:ARG:HE	1.49	0.58
1:A:272:GLU:HB3	1:A:333:GLN:O	2.03	0.58
1:A:163:ASN:HD22	1:A:163:ASN:N	2.03	0.56
1:A:284:LEU:HD22	1:A:284:LEU:N	2.20	0.56
1:A:337:ALA:HB3	3:A:411:HOH:O	2.05	0.56
1:A:254:GLY:N	1:A:255:PRO:HD2	2.20	0.56
1:A:295:VAL:HG22	1:A:329:ARG:HB2	1.87	0.56
1:A:36:LEU:HD23	1:A:36:LEU:H	1.71	0.56
1:A:53:GLN:O	1:A:58:LEU:HB2	2.04	0.56
1:A:68:ARG:NH2	1:A:68:ARG:HB3	2.21	0.56
1:A:229:PRO:HD2	1:A:232:MSE:CE	2.33	0.56
1:A:336:PHE:HB2	1:A:350:GLN:HE21	1.72	0.55
1:A:7:PHE:CE1	1:A:60:SER:HB3	2.41	0.54
1:A:142:MSE:HA	1:A:142:MSE:HE2	1.89	0.54
1:A:277:ARG:HG2	1:A:277:ARG:HH21	1.72	0.54
1:A:143:LEU:HD23	1:A:165:LEU:CD1	2.36	0.54
1:A:149:ILE:HD12	1:A:149:ILE:N	2.22	0.54
1:A:68:ARG:HB3	1:A:68:ARG:CZ	2.38	0.54
1:A:7:PHE:CD2	1:A:59:LYS:HD3	2.43	0.54
1:A:173:ILE:HG21	1:A:232:MSE:HE1	1.90	0.54
1:A:323:VAL:CG2	1:A:328:LEU:HD21	2.39	0.53
1:A:173:ILE:CG2	1:A:232:MSE:HE1	2.39	0.53
1:A:60:SER:C	1:A:61:ILE:HD12	2.35	0.52
1:A:232:MSE:HE3	1:A:234:ILE:HD11	1.92	0.52
1:A:33:ILE:CG2	1:A:37:GLU:HB3	2.40	0.51
1:A:324:PRO:HG2	1:A:327:GLN:NE2	2.25	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:ILE:HG12	1:A:154:TYR:CE2	2.46	0.51
1:A:135:GLN:HG2	1:A:176:PHE:CE1	2.44	0.51
1:A:58:LEU:HD21	1:A:354:LEU:HD13	1.93	0.51
1:A:214:GLN:CD	1:A:256:VAL:HG12	2.36	0.50
1:A:38:LEU:O	1:A:42:GLU:HG3	2.12	0.50
1:A:191:TRP:HA	1:A:194:LEU:HD21	1.94	0.50
1:A:281:PHE:O	1:A:281:PHE:HD2	1.95	0.50
1:A:237:HIS:NE2	3:A:402:HOH:O	2.35	0.50
1:A:323:VAL:HG21	1:A:328:LEU:HD21	1.94	0.50
1:A:253:TYR:HB3	1:A:255:PRO:HD2	1.94	0.49
1:A:48:TYR:CE2	1:A:52:LYS:HE3	2.47	0.49
1:A:195:CYS:SG	1:A:253:TYR:CD2	3.04	0.49
1:A:336:PHE:O	1:A:337:ALA:HB2	2.12	0.49
1:A:40:LYS:O	1:A:43:ASN:HB2	2.13	0.49
1:A:75:PHE:HA	1:A:114:HIS:CE1	2.47	0.48
1:A:27:LYS:HB3	1:A:33:ILE:HG12	1.95	0.48
1:A:210:PRO:O	1:A:212:THR:HG22	2.13	0.48
1:A:123:LEU:CD2	1:A:133:ALA:HB1	2.43	0.48
1:A:78:ASN:HB2	1:A:114:HIS:NE2	2.29	0.48
1:A:3:GLN:OE1	1:A:329:ARG:NH2	2.47	0.47
1:A:122:PHE:O	1:A:125:GLU:HB3	2.13	0.47
1:A:159:GLU:HA	3:A:415:HOH:O	2.15	0.47
1:A:323:VAL:O	1:A:323:VAL:HG23	2.13	0.47
1:A:2:ASN:O	1:A:3:GLN:HG2	2.14	0.47
1:A:17:ARG:NH1	1:A:337:ALA:HA	2.30	0.47
1:A:182:ARG:HG3	1:A:231:ASP:O	2.15	0.47
1:A:218:LYS:HD2	1:A:263:LYS:HB3	1.96	0.47
1:A:228:LYS:HD2	1:A:229:PRO:O	2.15	0.47
1:A:18:THR:O	1:A:22:LYS:HB2	2.15	0.46
1:A:197:ASP:HB3	1:A:198:GLU:H	1.55	0.46
1:A:294:ILE:O	1:A:294:ILE:HG13	2.15	0.46
1:A:22:LYS:O	1:A:26:GLU:HG3	2.16	0.46
1:A:43:ASN:HD21	1:A:67:ARG:HH12	1.64	0.46
1:A:16:LEU:N	1:A:350:GLN:HE22	1.90	0.46
1:A:17:ARG:H	1:A:17:ARG:CD	2.26	0.46
1:A:277:ARG:HG2	1:A:277:ARG:NH2	2.31	0.46
1:A:228:LYS:HG3	1:A:234:ILE:HD12	1.98	0.46
1:A:314:ALA:O	1:A:317:GLU:HB3	2.16	0.45
1:A:46:ILE:O	1:A:49:ILE:HG12	2.17	0.45
1:A:13:GLY:HA2	1:A:62:THR:HG21	1.98	0.45
1:A:34:THR:OG1	1:A:37:GLU:HB2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:356:TYR:CE2	1:A:360:LEU:HD21	2.52	0.45
1:A:33:ILE:HG23	1:A:37:GLU:CD	2.42	0.44
1:A:49:ILE:HG21	1:A:66:PHE:CZ	2.52	0.44
1:A:50:VAL:HG13	1:A:61:ILE:HG21	1.99	0.44
1:A:140:PRO:HB3	1:A:169:TYR:CD2	2.53	0.44
1:A:347:GLU:O	1:A:350:GLN:HB3	2.18	0.44
1:A:56:VAL:HG21	1:A:58:LEU:HD22	2.00	0.44
1:A:277:ARG:NE	1:A:281:PHE:HA	2.33	0.44
1:A:221:ILE:CG2	1:A:264:LEU:HD11	2.46	0.44
1:A:192:SER:HA	1:A:195:CYS:SG	2.58	0.44
1:A:228:LYS:HD3	1:A:232:MSE:O	2.18	0.44
1:A:284:LEU:H	1:A:284:LEU:CD2	2.29	0.44
1:A:2:ASN:CG	1:A:3:GLN:N	2.76	0.44
1:A:5:ALA:HB3	1:A:6:PRO:HD2	1.99	0.44
1:A:33:ILE:HG22	1:A:34:THR:N	2.33	0.43
1:A:356:TYR:O	1:A:360:LEU:HD23	2.18	0.43
1:A:149:ILE:H	1:A:149:ILE:CD1	2.29	0.43
1:A:221:ILE:O	1:A:225:ILE:HG12	2.19	0.43
1:A:58:LEU:CD2	1:A:354:LEU:HD13	2.48	0.43
1:A:72:HIS:CG	1:A:73:PHE:N	2.82	0.43
1:A:75:PHE:HB2	1:A:116:PHE:CE2	2.52	0.43
1:A:17:ARG:N	1:A:17:ARG:HE	2.12	0.43
1:A:234:ILE:O	1:A:266:ILE:HG12	2.19	0.43
1:A:154:TYR:HB3	1:A:161:PHE:HB2	2.00	0.43
1:A:277:ARG:HB2	1:A:315:ARG:NH1	2.32	0.43
1:A:49:ILE:O	1:A:53:GLN:HG3	2.19	0.43
1:A:72:HIS:HA	1:A:138:PRO:HD3	2.01	0.42
1:A:281:PHE:O	1:A:281:PHE:CD2	2.71	0.42
1:A:151:TYR:CD2	1:A:153:PRO:HD2	2.55	0.42
1:A:283:PRO:C	1:A:285:LYS:H	2.27	0.42
1:A:3:GLN:HE21	1:A:4:VAL:N	2.06	0.42
1:A:240:ARG:HH11	1:A:240:ARG:HG3	1.83	0.42
1:A:65:GLU:HG2	1:A:71:TRP:CG	2.54	0.42
1:A:52:LYS:HA	1:A:52:LYS:HD3	1.92	0.42
1:A:111:PHE:CD1	1:A:111:PHE:C	2.97	0.42
1:A:4:VAL:HG13	1:A:5:ALA:N	2.31	0.42
1:A:127:VAL:CG1	1:A:131:HIS:HB2	2.50	0.42
1:A:33:ILE:HG22	1:A:37:GLU:HB3	2.01	0.42
1:A:255:PRO:HG2	1:A:256:VAL:H	1.84	0.41
1:A:139:SER:O	1:A:142:MSE:HB2	2.19	0.41
1:A:324:PRO:HG2	1:A:327:GLN:HE21	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:ARG:O	1:A:74:ASP:OD2	2.38	0.41
1:A:3:GLN:CD	1:A:329:ARG:HH21	2.29	0.41
1:A:120:PHE:CZ	1:A:181:CYS:HA	2.55	0.41
1:A:305:GLU:C	1:A:307:GLU:HB3	2.46	0.41
1:A:282:ALA:C	1:A:284:LEU:H	2.28	0.41
1:A:51:GLU:OE1	1:A:51:GLU:HA	2.21	0.41
1:A:155:LEU:HD12	1:A:155:LEU:HA	1.95	0.41
1:A:332:PRO:HD3	1:A:357:VAL:HG21	2.02	0.41
1:A:42:GLU:O	1:A:46:ILE:HG13	2.20	0.41
1:A:285:LYS:C	1:A:287:VAL:H	2.28	0.41
1:A:56:VAL:CG2	1:A:58:LEU:HD22	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	302/375 (80%)	270 (89%)	23 (8%)	9 (3%)	3 6

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	5	ALA
1	A	208	PHE
1	A	212	THR
1	A	304	GLY
1	A	72	HIS
1	A	308	ASP
1	A	282	ALA
1	A	255	PRO
1	A	256	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/317 (86%)	250 (92%)	23 (8%)	10	23

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	4	VAL
1	A	17	ARG
1	A	36	LEU
1	A	51	GLU
1	A	58	LEU
1	A	71	TRP
1	A	85	TYR
1	A	118	GLU
1	A	125	GLU
1	A	142	MSE
1	A	152	GLN
1	A	160	LYS
1	A	186	LEU
1	A	212	THR
1	A	236	MSE
1	A	264	LEU
1	A	266	ILE
1	A	287	VAL
1	A	294	ILE
1	A	308	ASP
1	A	315	ARG
1	A	349	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	43	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	78	ASN
1	A	135	GLN
1	A	152	GLN
1	A	163	ASN
1	A	170	GLN
1	A	275	ASN
1	A	327	GLN
1	A	333	GLN
1	A	350	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	401	-	4,4,4	2.54	3 (75%)	6,6,6	1.47	1 (16%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	PO4	P-O1	-3.40	1.42	1.50
2	A	401	PO4	P-O2	-3.01	1.45	1.54
2	A	401	PO4	P-O3	2.00	1.60	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	PO4	O4-P-O3	-2.91	98.85	107.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/375 (84%)	0.31	14 (4%) 39 33	32, 58, 94, 122	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	284	LEU	5.6
1	A	208	PHE	4.2
1	A	71	TRP	3.2
1	A	253	TYR	2.9
1	A	252	GLY	2.8
1	A	80	ASP	2.6
1	A	281	PHE	2.6
1	A	36	LEU	2.5
1	A	308	ASP	2.5
1	A	254	GLY	2.3
1	A	283	PRO	2.3
1	A	209	ASP	2.2
1	A	286	TYR	2.1
1	A	4	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PO4	A	401	5/5	0.96	0.07	35,35,39,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.