



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:51 AM UTC

PDB ID : 4YR9 / pdb_00004yr9
Title : mouse TDH with NAD⁺ bound
Authors : He, C.; Li, F.
Deposited on : 2015-03-14
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	 83% 9% • 6%
1	B	329	 79% 13% • 7%
1	C	329	 82% 10% • 7%
1	D	329	 5% 81% 12% • 6%
1	E	329	 3% 82% 11% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	329	6% 82% 9% 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 14852 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called L-threonine 3-dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	308	Total	C	N	O	S	0	0	0
			2430	1555	424	438	13			
1	B	307	Total	C	N	O	S	0	0	0
			2420	1549	422	436	13			
1	C	307	Total	C	N	O	S	0	0	0
			2415	1545	420	437	13			
1	D	308	Total	C	N	O	S	0	0	0
			2423	1551	423	436	13			
1	E	308	Total	C	N	O	S	0	0	0
			2430	1555	424	438	13			
1	F	301	Total	C	N	O	S	0	0	0
			2377	1521	413	430	13			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	45	HIS	-	expression tag	UNP Q8K3F7
A	46	MET	-	expression tag	UNP Q8K3F7
B	45	HIS	-	expression tag	UNP Q8K3F7
B	46	MET	-	expression tag	UNP Q8K3F7
C	45	HIS	-	expression tag	UNP Q8K3F7
C	46	MET	-	expression tag	UNP Q8K3F7
D	45	HIS	-	expression tag	UNP Q8K3F7
D	46	MET	-	expression tag	UNP Q8K3F7
E	45	HIS	-	expression tag	UNP Q8K3F7
E	46	MET	-	expression tag	UNP Q8K3F7
F	45	HIS	-	expression tag	UNP Q8K3F7
F	46	MET	-	expression tag	UNP Q8K3F7

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	B	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	C	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	D	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	E	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	F	1	Total 44	C 21	N 7	O 14	P 2	0	0

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	14	Total	O	0	0
			14	14		
4	B	21	Total	O	0	0
			21	21		
4	C	10	Total	O	0	0
			10	10		
4	D	16	Total	O	0	0
			16	16		
4	E	7	Total	O	0	0
			7	7		
4	F	7	Total	O	0	0
			7	7		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-threonine 3-dehydrogenase, mitochondrial




- Molecule 1: L-threonine 3-dehydrogenase, mitochondrial




- Molecule 1: L-threonine 3-dehydrogenase, mitochondrial





- Molecule 1: L-threonine 3-dehydrogenase, mitochondrial







- Molecule 1: L-threonine 3-dehydrogenase, mitochondrial



- Molecule 1: L-threonine 3-dehydrogenase, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2 ₁	Depositor
Cell constants a, b, c, α , β , γ	74.15Å 160.13Å 194.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.42 – 2.80 36.42 – 2.80	Depositor EDS
% Data completeness (in resolution range)	92.4 (36.42-2.80) 92.4 (36.42-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.216 , 0.264 0.215 , 0.264	Depositor DCC
R_{free} test set	2700 reflections (4.67%)	wwPDB-VP
Wilson B-factor (Å ²)	47.1	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 29.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	14852	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2494	0.79	0/3391
1	B	0.38	0/2484	0.78	0/3379
1	C	0.38	0/2477	0.78	0/3370
1	D	0.38	0/2487	0.77	0/3383
1	E	0.38	0/2494	0.78	0/3391
1	F	0.39	0/2437	0.77	0/3314
All	All	0.38	0/14873	0.78	0/20228

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2430	0	2401	19	0
1	B	2420	0	2385	26	0
1	C	2415	0	2376	21	0
1	D	2423	0	2388	20	0
1	E	2430	0	2401	19	0
1	F	2377	0	2348	15	0
2	A	44	0	26	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	44	0	26	0	0
2	C	44	0	26	1	0
2	D	44	0	26	0	0
2	E	44	0	26	2	0
2	F	44	0	26	0	0
3	A	6	0	8	0	0
3	B	6	0	8	0	0
3	C	6	0	8	0	0
4	A	14	0	0	0	0
4	B	21	0	0	0	0
4	C	10	0	0	0	0
4	D	16	0	0	0	0
4	E	7	0	0	1	0
4	F	7	0	0	0	0
All	All	14852	0	14479	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:61:THR:HG22	1:E:129:SER:HB3	1.67	0.76
1:C:261:THR:HG21	1:C:325:GLN:HE22	1.51	0.76
1:C:266:MET:HE1	1:C:293:ILE:HG12	1.73	0.70
1:E:266:MET:HE1	1:E:293:ILE:HG12	1.74	0.70
1:D:164:ARG:NH2	1:D:279:MET:O	2.27	0.68
1:D:266:MET:HE1	1:D:293:ILE:HG12	1.74	0.68
1:D:169:SER:HB3	1:D:221:ARG:HG2	1.74	0.67
1:E:261:THR:HG21	1:E:325:GLN:HE22	1.57	0.67
1:A:169:SER:HB3	1:A:221:ARG:HG2	1.75	0.67
1:B:169:SER:HB3	1:B:221:ARG:HG2	1.75	0.67
1:C:230:SER:HB3	1:C:241:VAL:HG11	1.79	0.63
1:F:266:MET:HE1	1:F:293:ILE:HG12	1.81	0.60
1:E:256:ASN:HB2	1:E:321:ASP:HB2	1.83	0.59
1:F:67:LEU:HD21	1:F:225:ILE:HG21	1.84	0.59
1:E:66:GLN:NE2	2:E:1001:NAD:H72N	1.99	0.59
1:A:223:PRO:HD3	1:A:293:ILE:HG23	1.86	0.57
1:E:169:SER:HB3	1:E:221:ARG:HG2	1.85	0.57
1:A:221:ARG:O	1:A:293:ILE:HG22	2.05	0.57
1:F:169:SER:HB3	1:F:221:ARG:HG2	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:351:ASP:HB3	1:E:353:PRO:HD2	1.86	0.56
1:C:72:ALA:HB2	1:C:86:LEU:HD13	1.87	0.55
1:E:226:ILE:HD11	1:E:265:MET:HE3	1.89	0.55
1:F:62:GLY:HA3	1:F:129:SER:HB3	1.89	0.55
1:B:184:PRO:HG2	1:B:187:CYS:HB3	1.89	0.54
1:C:61:THR:HG21	1:C:127:HIS:ND1	2.21	0.54
1:C:169:SER:HB3	1:C:221:ARG:HG2	1.90	0.54
1:B:190:ARG:HH12	1:D:203:GLU:HB3	1.73	0.53
1:B:170:THR:HG21	1:B:195:TYR:CE2	2.44	0.53
1:E:184:PRO:HG2	1:E:187:CYS:HB3	1.89	0.52
1:B:341:ARG:HG2	1:B:346:TRP:O	2.09	0.52
1:D:261:THR:HG21	1:D:325:GLN:HE22	1.74	0.52
1:A:230:SER:HB3	1:A:241:VAL:HG11	1.92	0.52
1:F:61:THR:HG21	1:F:127:HIS:ND1	2.25	0.52
1:D:274:ALA:HB2	1:D:346:TRP:CZ3	2.45	0.51
1:B:237:THR:HB	1:B:265:MET:HE1	1.91	0.51
1:B:266:MET:HE1	1:B:293:ILE:HG12	1.92	0.51
1:D:352:LEU:HB3	1:D:353:PRO:HD3	1.92	0.51
1:D:76:ARG:HG2	1:D:84:VAL:HB	1.91	0.51
1:B:61:THR:HG22	1:B:129:SER:H	1.76	0.50
1:C:237:THR:HB	1:C:265:MET:HE1	1.92	0.50
1:B:107:ILE:HG12	1:B:127:HIS:HE1	1.76	0.49
1:B:172:GLY:HA2	1:B:331:TRP:NE1	2.28	0.48
1:D:170:THR:HG21	1:D:195:TYR:CE2	2.48	0.48
1:D:264:PRO:HG2	1:D:335:LEU:HD13	1.94	0.48
1:A:258:GLU:HB2	1:A:261:THR:HG23	1.94	0.48
1:C:158:ALA:HA	1:C:163:VAL:HB	1.94	0.48
1:D:267:TYR:HB2	1:D:355:LEU:HD13	1.96	0.48
1:F:107:ILE:HG22	1:F:150:GLY:HA2	1.95	0.47
1:E:322:PRO:HG2	1:E:323:LEU:HD12	1.96	0.47
1:A:61:THR:O	1:A:128:TYR:HB2	2.14	0.47
1:A:164:ARG:HG3	1:A:216:ASP:CG	2.40	0.47
1:B:113:LEU:HB3	1:B:157:VAL:HG21	1.95	0.47
1:C:223:PRO:HB3	1:C:264:PRO:HB2	1.97	0.47
1:B:61:THR:HG21	1:B:127:HIS:ND1	2.29	0.47
1:C:181:ASN:HD22	1:C:334:ILE:HD12	1.80	0.47
1:D:81:LYS:HE3	1:D:99:SER:O	2.14	0.47
1:D:72:ALA:HB2	1:D:86:LEU:HD13	1.96	0.46
1:C:66:GLN:NE2	2:C:1001:NAD:H72N	2.13	0.46
1:E:95:HIS:HB3	4:E:1103:HOH:O	2.14	0.46
1:E:193:THR:O	1:E:197:VAL:HG23	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:230:SER:HB3	1:D:241:VAL:HG11	1.97	0.46
1:F:145:ASP:O	1:F:149:THR:HB	2.14	0.46
1:A:61:THR:HG21	1:A:127:HIS:ND1	2.31	0.46
1:F:226:ILE:HD11	1:F:265:MET:HE3	1.98	0.46
1:D:184:PRO:HG2	1:D:187:CYS:HB3	1.99	0.45
1:F:352:LEU:HB3	1:F:353:PRO:HD3	1.97	0.45
1:A:225:ILE:HD12	1:A:271:CYS:HB2	1.97	0.45
1:A:223:PRO:HB3	1:A:264:PRO:HB2	1.99	0.45
1:B:222:TYR:HB3	1:B:225:ILE:HD11	1.99	0.45
1:B:57:ARG:HD2	1:B:83:ASN:HD22	1.81	0.45
1:F:61:THR:HG22	1:F:129:SER:H	1.82	0.45
1:C:169:SER:HA	1:C:199:LYS:HD2	2.00	0.44
1:B:267:TYR:HB2	1:B:355:LEU:HD13	1.99	0.44
1:D:172:GLY:HA2	1:D:331:TRP:NE1	2.33	0.44
1:B:261:THR:HG21	1:B:325:GLN:HE22	1.82	0.44
1:C:61:THR:HG22	1:C:129:SER:H	1.83	0.44
1:A:61:THR:HG22	1:A:129:SER:H	1.82	0.44
1:A:76:ARG:HG2	1:A:84:VAL:HB	2.00	0.43
1:C:107:ILE:HD12	1:C:107:ILE:HA	1.88	0.43
1:B:352:LEU:HB3	1:B:353:PRO:HD3	2.00	0.43
1:C:274:ALA:HB2	1:C:346:TRP:CZ3	2.54	0.43
1:B:153:ASN:O	1:B:157:VAL:HG23	2.19	0.43
1:F:184:PRO:HG2	1:F:187:CYS:HB3	2.00	0.43
1:E:144:ARG:HG3	1:E:148:ILE:HD12	2.01	0.43
1:A:354:GLU:H	1:A:354:GLU:HG2	1.59	0.43
1:E:129:SER:HB2	2:E:1001:NAD:N3A	2.34	0.43
1:D:193:THR:HG23	1:D:196:GLY:H	1.84	0.43
1:F:72:ALA:HB1	1:F:76:ARG:NH1	2.34	0.43
1:A:127:HIS:HB3	1:A:167:VAL:HG22	2.00	0.43
1:B:61:THR:O	1:B:128:TYR:HB2	2.19	0.43
1:E:258:GLU:HB2	1:E:261:THR:HG23	2.01	0.43
1:C:221:ARG:O	1:C:293:ILE:HG22	2.19	0.43
1:E:113:LEU:HB3	1:E:157:VAL:HG21	2.01	0.42
1:A:234:GLY:HA3	1:A:235:GLY:HA3	1.72	0.42
1:A:173:ALA:O	1:A:189:GLN:NE2	2.51	0.42
1:C:151:LEU:HD21	1:C:202:THR:HA	2.01	0.42
1:F:72:ALA:HB1	1:F:76:ARG:HH11	1.85	0.42
1:D:258:GLU:HB2	1:D:261:THR:HG23	2.01	0.42
1:B:210:TYR:O	1:B:213:TYR:O	2.38	0.42
1:C:58:VAL:HG11	1:C:75:LEU:HD13	2.01	0.42
1:E:107:ILE:HG12	1:E:127:HIS:HE1	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ALA:O	1:A:76:ARG:HG3	2.20	0.41
1:B:58:VAL:HG11	1:B:75:LEU:HD13	2.02	0.41
1:C:181:ASN:ND2	1:C:334:ILE:HD12	2.35	0.41
1:A:110:TYR:CE2	1:A:114:ARG:HD2	2.55	0.41
1:B:76:ARG:HG3	1:B:84:VAL:HB	2.01	0.41
1:B:107:ILE:HD12	1:B:107:ILE:HA	1.93	0.41
1:A:289:ARG:HA	1:A:289:ARG:HD2	1.94	0.41
1:E:308:ARG:HH21	1:E:315:GLN:HA	1.86	0.41
1:F:107:ILE:HG22	1:F:150:GLY:CA	2.50	0.41
1:D:107:ILE:HD12	1:D:107:ILE:HA	1.81	0.41
1:B:262:ARG:NH2	1:B:302:GLU:OE2	2.54	0.41
1:C:57:ARG:NH1	1:C:120:HIS:O	2.51	0.41
1:D:223:PRO:HB3	1:D:264:PRO:HB2	2.02	0.41
1:E:117:VAL:HG13	1:E:122:ILE:HB	2.02	0.41
1:B:193:THR:HG23	1:B:196:GLY:H	1.86	0.40
1:B:223:PRO:O	1:B:225:ILE:HG13	2.21	0.40
1:F:181:ASN:HA	1:F:182:PRO:HA	1.89	0.40
1:C:261:THR:HG21	1:C:325:GLN:NE2	2.28	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/329 (92%)	294 (97%)	9 (3%)	1 (0%)	36	66
1	B	303/329 (92%)	292 (96%)	11 (4%)	0	100	100
1	C	303/329 (92%)	292 (96%)	11 (4%)	0	100	100
1	D	304/329 (92%)	288 (95%)	16 (5%)	0	100	100
1	E	304/329 (92%)	291 (96%)	13 (4%)	0	100	100
1	F	295/329 (90%)	280 (95%)	15 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1813/1974 (92%)	1737 (96%)	75 (4%)	1 (0%)	48 77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	228	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	259/277 (94%)	252 (97%)	7 (3%)	39 74
1	B	257/277 (93%)	251 (98%)	6 (2%)	44 78
1	C	256/277 (92%)	248 (97%)	8 (3%)	35 70
1	D	257/277 (93%)	251 (98%)	6 (2%)	44 78
1	E	259/277 (94%)	252 (97%)	7 (3%)	39 74
1	F	254/277 (92%)	245 (96%)	9 (4%)	32 67
All	All	1542/1662 (93%)	1499 (97%)	43 (3%)	38 73

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	THR
1	A	103	VAL
1	A	107	ILE
1	A	293	ILE
1	A	305	GLN
1	A	335	LEU
1	A	354	GLU
1	B	61	THR
1	B	99	SER
1	B	103	VAL
1	B	107	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	293	ILE
1	B	316	ILE
1	C	61	THR
1	C	103	VAL
1	C	107	ILE
1	C	141	SER
1	C	164	ARG
1	C	265	MET
1	C	293	ILE
1	C	316	ILE
1	D	103	VAL
1	D	107	ILE
1	D	181	ASN
1	D	293	ILE
1	D	316	ILE
1	D	361	ASN
1	E	107	ILE
1	E	131	LEU
1	E	164	ARG
1	E	229	ASP
1	E	293	ILE
1	E	316	ILE
1	E	335	LEU
1	F	61	THR
1	F	74	LEU
1	F	103	VAL
1	F	139	ASN
1	F	293	ILE
1	F	301	GLU
1	F	305	GLN
1	F	316	ILE
1	F	358	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	A	153	ASN
1	A	363	HIS
1	B	66	GLN
1	B	83	ASN
1	B	153	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	325	GLN
1	B	363	HIS
1	C	66	GLN
1	C	83	ASN
1	C	95	HIS
1	C	153	ASN
1	C	181	ASN
1	C	310	HIS
1	C	325	GLN
1	C	361	ASN
1	D	66	GLN
1	D	83	ASN
1	D	95	HIS
1	D	120	HIS
1	D	153	ASN
1	D	189	GLN
1	D	245	HIS
1	D	325	GLN
1	D	361	ASN
1	E	66	GLN
1	E	120	HIS
1	E	127	HIS
1	E	147	ASN
1	E	153	ASN
1	E	325	GLN
1	E	363	HIS
1	F	66	GLN
1	F	83	ASN
1	F	95	HIS
1	F	120	HIS
1	F	153	ASN
1	F	181	ASN
1	F	305	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	E	1001	-	46,48,48	1.20	5 (10%)	64,73,73	1.60	10 (15%)
2	NAD	F	1001	-	46,48,48	1.20	4 (8%)	64,73,73	1.58	9 (14%)
2	NAD	C	1001	-	46,48,48	1.20	7 (15%)	64,73,73	1.58	10 (15%)
2	NAD	D	1001	-	46,48,48	1.22	5 (10%)	64,73,73	1.60	10 (15%)
3	GOL	C	1002	-	5,5,5	0.30	0	5,5,5	0.31	0
3	GOL	B	1002	-	5,5,5	0.33	0	5,5,5	0.26	0
3	GOL	A	1002	-	5,5,5	0.36	0	5,5,5	0.39	0
2	NAD	A	1001	-	46,48,48	1.20	7 (15%)	64,73,73	1.57	10 (15%)
2	NAD	B	1001	-	46,48,48	1.24	5 (10%)	64,73,73	1.58	10 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	E	1001	-	-	3/30/62/62	0/5/5/5
2	NAD	F	1001	-	-	2/30/62/62	0/5/5/5
2	NAD	C	1001	-	-	3/30/62/62	0/5/5/5
2	NAD	D	1001	-	-	3/30/62/62	0/5/5/5
3	GOL	C	1002	-	-	4/4/4/4	-
3	GOL	B	1002	-	-	2/4/4/4	-
3	GOL	A	1002	-	-	2/4/4/4	-
2	NAD	A	1001	-	-	3/30/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	B	1001	-	-	2/30/62/62	0/5/5/5

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	NAD	C5A-C4A	4.84	1.47	1.39
2	C	1001	NAD	C5A-C4A	4.69	1.47	1.39
2	E	1001	NAD	C5A-C4A	4.69	1.47	1.39
2	D	1001	NAD	C5A-C4A	4.68	1.47	1.39
2	F	1001	NAD	C5A-C4A	4.65	1.47	1.39
2	A	1001	NAD	C5A-C4A	4.64	1.47	1.39
2	B	1001	NAD	C5A-C6A	2.88	1.49	1.41
2	F	1001	NAD	C5A-C6A	2.88	1.49	1.41
2	E	1001	NAD	C5A-C6A	2.87	1.49	1.41
2	D	1001	NAD	C5A-C6A	2.86	1.49	1.41
2	A	1001	NAD	C5A-C6A	2.80	1.48	1.41
2	C	1001	NAD	C5A-C6A	2.71	1.48	1.41
2	A	1001	NAD	C8A-N7A	2.56	1.36	1.31
2	B	1001	NAD	O4D-C1D	2.41	1.44	1.40
2	D	1001	NAD	C8A-N7A	2.33	1.36	1.31
2	D	1001	NAD	O4D-C1D	2.32	1.43	1.40
2	B	1001	NAD	C8A-N7A	2.31	1.36	1.31
2	A	1001	NAD	PA-O3	2.30	1.62	1.59
2	F	1001	NAD	C8A-N7A	2.30	1.36	1.31
2	E	1001	NAD	C8A-N7A	2.30	1.36	1.31
2	C	1001	NAD	C8A-N7A	2.29	1.36	1.31
2	A	1001	NAD	O4D-C1D	2.21	1.43	1.40
2	E	1001	NAD	C5A-N7A	-2.19	1.35	1.39
2	C	1001	NAD	O4D-C1D	2.19	1.43	1.40
2	B	1001	NAD	C5A-N7A	-2.19	1.35	1.39
2	D	1001	NAD	C5A-N7A	-2.18	1.35	1.39
2	F	1001	NAD	C5A-N7A	-2.18	1.35	1.39
2	C	1001	NAD	C5A-N7A	-2.17	1.35	1.39
2	E	1001	NAD	O4D-C1D	2.16	1.43	1.40
2	A	1001	NAD	C4A-N9A	-2.12	1.33	1.37
2	C	1001	NAD	PN-O3	2.06	1.61	1.59
2	C	1001	NAD	C4A-N9A	-2.01	1.33	1.37
2	A	1001	NAD	C5A-N7A	-2.00	1.35	1.39

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1001	NAD	C5A-C4A-N3A	-5.84	118.67	126.72
2	D	1001	NAD	C5A-C4A-N3A	-5.76	118.79	126.72
2	B	1001	NAD	C5A-C4A-N3A	-5.70	118.87	126.72
2	E	1001	NAD	C5A-C4A-N3A	-5.67	118.91	126.72
2	C	1001	NAD	C5A-C4A-N3A	-5.51	119.12	126.72
2	A	1001	NAD	C5A-C4A-N3A	-5.31	119.41	126.72
2	F	1001	NAD	N3A-C4A-N9A	4.57	134.93	127.17
2	B	1001	NAD	N3A-C4A-N9A	4.55	134.90	127.17
2	E	1001	NAD	N3A-C4A-N9A	4.48	134.78	127.17
2	D	1001	NAD	N3A-C4A-N9A	4.47	134.77	127.17
2	C	1001	NAD	N3A-C4A-N9A	4.37	134.60	127.17
2	A	1001	NAD	N3A-C4A-N9A	4.00	133.97	127.17
2	F	1001	NAD	C2A-N3A-C4A	3.88	121.30	111.83
2	B	1001	NAD	C2A-N3A-C4A	3.84	121.21	111.83
2	C	1001	NAD	O4B-C1B-N9A	3.83	115.44	108.09
2	D	1001	NAD	C2A-N3A-C4A	3.80	121.12	111.83
2	E	1001	NAD	C2A-N3A-C4A	3.78	121.07	111.83
2	C	1001	NAD	C2A-N3A-C4A	3.78	121.06	111.83
2	A	1001	NAD	C2A-N3A-C4A	3.71	120.89	111.83
2	B	1001	NAD	N3A-C2A-N1A	-3.70	122.98	128.58
2	F	1001	NAD	C4A-C5A-N7A	-3.69	106.36	110.58
2	C	1001	NAD	N3A-C2A-N1A	-3.65	123.05	128.58
2	D	1001	NAD	C4A-C5A-N7A	-3.61	106.45	110.58
2	A	1001	NAD	C4A-C5A-N7A	-3.60	106.46	110.58
2	E	1001	NAD	C4A-C5A-N7A	-3.53	106.54	110.58
2	F	1001	NAD	N3A-C2A-N1A	-3.52	123.26	128.58
2	A	1001	NAD	N3A-C2A-N1A	-3.50	123.28	128.58
2	E	1001	NAD	N3A-C2A-N1A	-3.50	123.29	128.58
2	D	1001	NAD	N3A-C2A-N1A	-3.45	123.36	128.58
2	B	1001	NAD	C4A-C5A-N7A	-3.41	106.68	110.58
2	A	1001	NAD	O4B-C1B-N9A	3.29	114.41	108.09
2	D	1001	NAD	O4B-C1B-N9A	3.21	114.25	108.09
2	C	1001	NAD	C4A-C5A-N7A	-3.10	107.03	110.58
2	A	1001	NAD	C4A-N9A-C8A	2.84	108.72	105.74
2	E	1001	NAD	C4A-N9A-C8A	2.78	108.66	105.74
2	F	1001	NAD	C4A-N9A-C8A	2.75	108.62	105.74
2	F	1001	NAD	C5A-N7A-C8A	2.72	107.73	103.45
2	B	1001	NAD	C4A-N9A-C8A	2.63	108.50	105.74
2	D	1001	NAD	C5A-N7A-C8A	2.62	107.56	103.45
2	D	1001	NAD	C4A-N9A-C8A	2.61	108.48	105.74
2	A	1001	NAD	C6A-C5A-N7A	2.58	137.06	132.09
2	E	1001	NAD	C5A-N7A-C8A	2.55	107.46	103.45
2	A	1001	NAD	C5A-N7A-C8A	2.53	107.42	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	NAD	C5A-N7A-C8A	2.49	107.37	103.45
2	C	1001	NAD	C4A-N9A-C8A	2.47	108.33	105.74
2	E	1001	NAD	C6A-C5A-N7A	2.41	136.74	132.09
2	D	1001	NAD	C6A-C5A-N7A	2.39	136.69	132.09
2	F	1001	NAD	C6A-C5A-N7A	2.36	136.65	132.09
2	E	1001	NAD	O4B-C1B-N9A	2.34	112.58	108.09
2	B	1001	NAD	C6A-C5A-N7A	2.30	136.52	132.09
2	A	1001	NAD	N9A-C8A-N7A	-2.23	110.78	113.94
2	C	1001	NAD	C6A-C5A-N7A	2.21	136.35	132.09
2	C	1001	NAD	C5A-N7A-C8A	2.18	106.88	103.45
2	F	1001	NAD	N9A-C8A-N7A	-2.15	110.89	113.94
2	B	1001	NAD	C2A-N1A-C6A	2.13	122.23	118.73
2	C	1001	NAD	C2A-N1A-C6A	2.11	122.20	118.73
2	E	1001	NAD	N9A-C8A-N7A	-2.05	111.02	113.94
2	D	1001	NAD	N9A-C8A-N7A	-2.03	111.06	113.94
2	B	1001	NAD	O4B-C1B-N9A	2.01	111.95	108.09

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1001	NAD	C5D-O5D-PN-O3
2	C	1001	NAD	C5D-O5D-PN-O2N
3	B	1002	GOL	C1-C2-C3-O3
3	C	1002	GOL	O1-C1-C2-O2
3	C	1002	GOL	O1-C1-C2-C3
3	C	1002	GOL	C1-C2-C3-O3
3	A	1002	GOL	O1-C1-C2-C3
3	B	1002	GOL	O2-C2-C3-O3
3	C	1002	GOL	O2-C2-C3-O3
3	A	1002	GOL	O1-C1-C2-O2
2	A	1001	NAD	PN-O3-PA-O1A
2	E	1001	NAD	PN-O3-PA-O1A
2	C	1001	NAD	C5D-O5D-PN-O1N
2	F	1001	NAD	C4N-C3N-C7N-N7N
2	D	1001	NAD	O4D-C4D-C5D-O5D
2	F	1001	NAD	C4N-C3N-C7N-O7N
2	A	1001	NAD	PN-O3-PA-O2A
2	D	1001	NAD	PN-O3-PA-O1A
2	E	1001	NAD	PN-O3-PA-O2A
2	B	1001	NAD	C2B-C1B-N9A-C8A
2	E	1001	NAD	C2B-C1B-N9A-C8A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1001	NAD	O4B-C4B-C5B-O5B
2	B	1001	NAD	PN-O3-PA-O2A
2	D	1001	NAD	PN-O3-PA-O2A


There are no ring outliers.


2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1001	NAD	2	0
2	C	1001	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	308/329 (93%)	-0.26	1 (0%) 90 86	21, 34, 57, 71	0
1	B	307/329 (93%)	-0.11	2 (0%) 84 77	24, 37, 74, 110	0
1	C	307/329 (93%)	-0.02	4 (1%) 75 66	23, 38, 83, 104	0
1	D	308/329 (93%)	0.36	15 (4%) 35 27	26, 48, 115, 133	0
1	E	308/329 (93%)	0.32	10 (3%) 50 40	31, 49, 107, 124	0
1	F	301/329 (91%)	0.55	20 (6%) 24 18	30, 56, 116, 134	0
All	All	1839/1974 (93%)	0.14	52 (2%) 55 45	21, 42, 104, 134	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	323	LEU	3.7
1	F	311	ALA	3.7
1	F	314	PHE	3.6
1	F	352	LEU	3.5
1	F	320	VAL	3.3
1	D	232	PRO	3.3
1	E	232	PRO	3.3
1	F	239	TYR	3.3
1	C	231	GLN	3.3
1	B	249	LYS	3.2
1	E	306	ALA	3.2
1	E	245	HIS	3.0
1	C	316	ILE	3.0
1	F	307	LEU	2.9
1	D	316	ILE	2.8
1	F	326	ALA	2.7
1	E	252	THR	2.7
1	D	313	ASP	2.7
1	D	352	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	357	ALA	2.7
1	F	312	PRO	2.7
1	F	301	GLU	2.7
1	D	307	LEU	2.7
1	F	231	GLN	2.6
1	B	232	PRO	2.6
1	F	303	LEU	2.6
1	F	359	MET	2.6
1	E	312	PRO	2.5
1	D	132	LEU	2.5
1	D	245	HIS	2.5
1	D	235	GLY	2.4
1	F	259	ALA	2.4
1	F	310	HIS	2.3
1	F	316	ILE	2.3
1	C	249	LYS	2.3
1	E	311	ALA	2.3
1	E	132	LEU	2.3
1	D	238	ASP	2.2
1	D	363	HIS	2.2
1	D	252	THR	2.2
1	F	257	LEU	2.2
1	D	251	GLY	2.1
1	F	253	PHE	2.1
1	D	248	ALA	2.1
1	E	230	SER	2.1
1	F	360	LEU	2.1
1	D	318	TYR	2.1
1	F	55	PRO	2.1
1	C	248	ALA	2.1
1	A	245	HIS	2.0
1	E	322	PRO	2.0
1	D	250	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	C	1002	6/6	0.73	0.21	54,55,55,55	0
3	GOL	A	1002	6/6	0.80	0.16	42,43,43,43	0
3	GOL	B	1002	6/6	0.86	0.15	41,43,44,44	0
2	NAD	F	1001	44/44	0.94	0.09	34,45,59,60	0
2	NAD	E	1001	44/44	0.96	0.07	25,34,40,41	0
2	NAD	D	1001	44/44	0.97	0.07	26,33,40,41	0
2	NAD	B	1001	44/44	0.97	0.06	28,31,33,33	0
2	NAD	C	1001	44/44	0.97	0.07	19,23,33,35	0
2	NAD	A	1001	44/44	0.98	0.06	19,22,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAD E 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD D 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD C 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.