



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:30 PM UTC

PDB ID : 4YUQ / pdb_00004yuq
Title : CDPK1 from Eimeria tenella in complex with inhibitor UW1354
Authors : Merritt, E.A.
Deposited on : 2015-03-19
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	
1	B	491	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7403 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calmodulin-like domain protein kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	462	Total	C	N	O	S	0	0	0
			3675	2345	609	705	16			
1	B	462	Total	C	N	O	S	0	0	0
			3672	2344	609	703	16			


There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q3HNM4
A	-2	PRO	-	expression tag	UNP Q3HNM4
A	-1	GLY	-	expression tag	UNP Q3HNM4
A	0	SER	-	expression tag	UNP Q3HNM4
A	392	ASP	ALA	See Remark 999	UNP Q3HNM4
B	-3	GLY	-	expression tag	UNP Q3HNM4
B	-2	PRO	-	expression tag	UNP Q3HNM4
B	-1	GLY	-	expression tag	UNP Q3HNM4
B	0	SER	-	expression tag	UNP Q3HNM4
B	392	ASP	ALA	See Remark 999	UNP Q3HNM4

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	4	Total	Ca	0	0
			4	4		
2	B	4	Total	Ca	0	0
			4	4		

- Molecule 3 is 1-cyclopentyl-3-(1H-pyrrolo[2,3-b]pyridin-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine (CCD ID: KS1) (formula: C₁₇H₁₇N₇).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			24	17	7		
3	B	1	Total	C	N	0	0
			24	17	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Calmodulin-like domain protein kinase



- Molecule 1: Calmodulin-like domain protein kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.70Å 94.25Å 87.39Å 90.00° 93.06° 90.00°	Depositor
Resolution (Å)	40.00 – 2.80 40.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	96.7 (40.00-2.80) 96.7 (40.00-2.80)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.240 , 0.273 0.241 , 0.268	Depositor DCC
R_{free} test set	1314 reflections (4.68%)	wwPDB-VP
Wilson B-factor (Å ²)	58.4	Xtriage
Anisotropy	0.107	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 41.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7403	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, KS1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.76	0/3737	0.95	2/5028 (0.0%)
1	B	0.74	0/3734	0.96	3/5024 (0.1%)
All	All	0.75	0/7471	0.96	5/10052 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	296	ASP	N-CA-CB	5.82	118.56	110.17
1	B	40	GLY	N-CA-C	-5.82	105.68	111.85
1	A	40	GLY	N-CA-C	-5.76	105.75	111.85
1	B	296	ASP	N-CA-CB	5.41	117.96	110.17
1	B	462	ASP	N-CA-C	5.22	117.61	108.52

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3675	0	3654	95	0
1	B	3672	0	3650	64	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	24	0	17	1	0
3	B	24	0	17	2	0
All	All	7403	0	7338	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:454:TRP:O	1:A:458:LEU:HD12	1.28	1.30
1:A:106:GLU:OE2	1:A:331:ASN:ND2	1.72	1.22
1:A:90:LYS:NZ	1:A:326:SER:O	1.76	1.18
1:B:90:LYS:NZ	1:B:326:SER:O	1.74	1.17
1:A:454:TRP:O	1:A:458:LEU:CD1	2.01	1.09
1:B:284:TRP:O	1:B:288:THR:OG1	1.75	1.04
1:A:92:TYR:OH	1:A:106:GLU:OE1	1.75	1.03
1:A:370:GLU:N	1:A:370:GLU:OE2	1.93	1.02
1:A:89:MET:HG3	1:A:171:ILE:HG22	1.35	1.01
1:B:130:ARG:O	1:B:134:GLN:NE2	1.94	1.00
1:A:454:TRP:NE1	1:A:458:LEU:HD21	1.76	1.00
1:B:92:TYR:OH	1:B:106:GLU:OE1	1.78	0.98
1:A:368:LYS:O	1:A:370:GLU:OE2	1.84	0.96
1:B:106:GLU:OE2	1:B:331:ASN:ND2	1.98	0.95
1:A:133:ARG:NH2	1:A:285:LEU:O	2.01	0.94
1:B:462:ASP:OD1	1:B:465:ASN:HA	1.72	0.90
1:A:454:TRP:CD1	1:A:458:LEU:HD11	2.07	0.89
1:A:13:PRO:HG2	1:A:84:ASP:OD1	1.73	0.88
1:A:372:VAL:HA	1:A:375:LEU:HD11	1.55	0.87
1:A:371:ASP:OD1	1:A:373:SER:OG	1.92	0.86
1:A:417:ARG:O	1:A:421:GLU:HG3	1.79	0.82
1:A:454:TRP:HE1	1:A:458:LEU:HD21	1.43	0.81
1:B:417:ARG:O	1:B:421:GLU:HG3	1.79	0.81
1:B:462:ASP:OD1	1:B:465:ASN:CA	2.29	0.80
1:B:185:MET:HE3	1:B:204:TYR:CE1	2.18	0.78
1:A:231:ASN:N	1:A:231:ASN:HD22	1.82	0.77
1:A:185:MET:HE3	1:A:204:TYR:CE1	2.20	0.77
1:A:450:ASP:O	1:A:453:THR:OG1	2.03	0.76
1:A:475:ARG:HG2	1:A:479:LEU:HD12	1.70	0.73
1:A:458:LEU:HD12	1:A:458:LEU:H	1.52	0.73
1:A:381:GLU:O	1:A:385:GLU:HG3	1.90	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:462:ASP:OD1	1:A:465:ASN:HA	1.90	0.71
1:A:372:VAL:HA	1:A:375:LEU:CD1	2.22	0.70
1:A:454:TRP:C	1:A:458:LEU:CD1	2.64	0.70
1:B:185:MET:HE3	1:B:204:TYR:CD1	2.28	0.69
1:A:437:SER:HA	1:A:454:TRP:CZ3	2.28	0.69
1:A:61:LYS:NZ	1:A:97:ASP:O	2.19	0.69
1:A:185:MET:HE3	1:A:204:TYR:CD1	2.29	0.66
1:B:381:GLU:O	1:B:385:GLU:HG3	1.95	0.66
1:A:368:LYS:C	1:A:370:GLU:OE2	2.38	0.66
1:B:475:ARG:HG2	1:B:479:LEU:HD12	1.77	0.65
1:B:450:ASP:OD2	1:B:452:GLU:HB2	1.98	0.64
1:B:125:GLU:OE2	1:B:255:SER:OG	2.16	0.64
1:B:284:TRP:CE3	1:B:285:LEU:HD23	2.32	0.64
1:B:286:LYS:HD2	1:B:286:LYS:N	2.13	0.63
1:A:374:ALA:O	1:A:375:LEU:HD23	1.98	0.63
1:A:89:MET:CG	1:A:171:ILE:HG22	2.21	0.63
1:B:87:ASN:ND2	1:B:134:GLN:HG2	2.14	0.62
1:B:295:ILE:HG22	1:B:296:ASP:O	2.00	0.62
1:A:130:ARG:O	1:A:134:GLN:HG3	2.01	0.61
1:A:284:TRP:CE3	1:A:285:LEU:HD23	2.36	0.61
1:A:371:ASP:OD1	1:A:373:SER:N	2.34	0.60
1:A:450:ASP:OD1	1:A:452:GLU:N	2.34	0.60
1:B:464:ASN:O	1:B:465:ASN:CB	2.49	0.60
1:A:288:THR:HG22	1:A:289:ASP:N	2.16	0.59
1:B:324:MET:HE1	1:B:415:LEU:HD23	1.83	0.59
1:A:454:TRP:C	1:A:458:LEU:HD12	2.19	0.59
1:A:288:THR:HG22	1:A:289:ASP:H	1.66	0.59
1:A:231:ASN:N	1:A:231:ASN:ND2	2.47	0.58
1:A:295:ILE:HG22	1:A:296:ASP:O	2.02	0.58
1:A:324:MET:HE1	1:A:415:LEU:HD23	1.84	0.58
1:B:84:ASP:OD2	1:B:402:SER:HB2	2.04	0.57
1:B:372:VAL:HA	1:B:375:LEU:HD11	1.86	0.57
1:A:74:LEU:HD12	1:A:74:LEU:O	2.06	0.56
1:B:471:PHE:O	1:B:471:PHE:CG	2.58	0.56
1:B:454:TRP:CD1	1:B:458:LEU:HD11	2.40	0.55
1:A:464:ASN:O	1:A:465:ASN:CB	2.54	0.55
1:B:255:SER:HB2	1:B:257:PRO:HD2	1.87	0.54
1:A:454:TRP:C	1:A:458:LEU:HD11	2.33	0.54
1:A:454:TRP:O	1:A:458:LEU:HD11	2.04	0.53
1:B:358:MET:O	1:B:362:VAL:HG23	2.09	0.53
1:B:371:ASP:OD1	1:B:372:VAL:N	2.41	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:ALA:O	1:B:375:LEU:HD23	2.09	0.53
1:A:471:PHE:CG	1:A:471:PHE:O	2.61	0.53
1:A:245:THR:OG1	1:A:247:ASP:HB2	2.10	0.52
1:B:85:HIS:CG	1:B:86:PRO:HD2	2.45	0.52
1:A:171:ILE:HD12	3:A:505:KSI:HAE	1.90	0.51
1:B:142:MET:HE2	1:B:173:PHE:CZ	2.46	0.51
1:A:437:SER:HB3	1:A:454:TRP:CD2	2.46	0.50
1:B:61:LYS:HD2	1:B:98:LYS:O	2.10	0.50
1:B:462:ASP:OD1	1:B:465:ASN:C	2.54	0.50
1:A:358:MET:O	1:A:362:VAL:HG23	2.12	0.50
1:A:454:TRP:CD1	1:A:458:LEU:HD21	2.43	0.50
1:A:142:MET:HE2	1:A:173:PHE:CZ	2.46	0.50
1:B:305:LEU:O	1:B:309:GLN:HG3	2.12	0.50
1:A:450:ASP:OD2	1:A:452:GLU:HB2	2.12	0.50
1:B:371:ASP:OD2	1:B:373:SER:OG	2.30	0.50
1:A:85:HIS:CG	1:A:86:PRO:HD2	2.48	0.49
1:B:437:SER:HB3	1:B:454:TRP:CE2	2.47	0.49
1:B:464:ASN:O	1:B:465:ASN:HB2	2.12	0.49
1:B:303:THR:HG23	1:B:408:ALA:HB1	1.95	0.49
1:A:89:MET:HG3	1:A:171:ILE:CG2	2.25	0.48
1:A:297:VAL:N	1:A:298:PRO:HD2	2.27	0.48
1:A:303:THR:HG23	1:A:408:ALA:HB1	1.95	0.48
1:B:380:ILE:O	1:B:384:VAL:HG23	2.13	0.48
1:A:450:ASP:OD1	1:A:452:GLU:HB2	2.13	0.48
1:A:61:LYS:HD2	1:A:98:LYS:O	2.14	0.48
1:B:74:LEU:HD12	1:B:75:LYS:N	2.28	0.48
1:B:450:ASP:HB3	1:B:453:THR:OG1	2.12	0.48
1:A:305:LEU:O	1:A:309:GLN:HG3	2.14	0.47
1:A:380:ILE:O	1:A:384:VAL:HG23	2.14	0.47
1:B:142:MET:HE2	1:B:173:PHE:HZ	1.79	0.47
1:A:72:LEU:O	1:A:73:LEU:HD22	2.14	0.47
1:A:142:MET:HE2	1:A:173:PHE:HZ	1.80	0.47
1:B:297:VAL:N	1:B:298:PRO:HD2	2.29	0.47
1:B:313:THR:OG1	1:B:314:GLN:N	2.48	0.47
1:A:97:ASP:HB3	1:A:100:TYR:H	1.80	0.46
1:A:371:ASP:O	1:A:375:LEU:HD21	2.15	0.46
1:B:74:LEU:O	1:B:77:VAL:HB	2.16	0.46
1:A:371:ASP:CG	1:A:373:SER:HG	2.04	0.46
1:A:186:LYS:HA	1:A:202:GLY:O	2.15	0.46
1:A:230:ALA:C	1:A:231:ASN:HD22	2.24	0.46
1:A:304:ILE:O	1:A:308:ARG:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:LYS:HA	1:B:41:GLU:HA	1.98	0.45
1:A:464:ASN:OD1	1:A:464:ASN:N	2.49	0.45
1:A:313:THR:OG1	1:A:314:GLN:N	2.48	0.45
1:B:97:ASP:HB3	1:B:100:TYR:H	1.81	0.45
1:B:171:ILE:HD12	3:B:505:KSI:HAE	1.98	0.45
1:B:304:ILE:O	1:B:308:ARG:HG3	2.17	0.45
1:A:233:PHE:HA	1:A:236:LEU:HD12	1.99	0.45
1:A:437:SER:N	1:A:454:TRP:CH2	2.85	0.45
1:A:289:ASP:N	1:A:289:ASP:OD1	2.50	0.44
1:B:371:ASP:O	1:B:375:LEU:HD21	2.17	0.44
1:A:372:VAL:O	1:A:375:LEU:HG	2.18	0.44
1:B:284:TRP:CE3	1:B:285:LEU:CD2	3.01	0.44
1:B:186:LYS:HA	1:B:202:GLY:O	2.18	0.44
1:B:233:PHE:HA	1:B:236:LEU:HD12	1.99	0.44
1:A:450:ASP:CG	1:A:452:GLU:HB2	2.42	0.44
1:B:391:VAL:HG13	1:B:407:VAL:HG21	1.99	0.44
1:A:454:TRP:CG	1:A:458:LEU:HD11	2.51	0.44
1:A:36:LYS:HA	1:A:41:GLU:HA	1.99	0.43
1:B:105:THR:HG21	3:B:505:KSI:CAD	2.48	0.43
1:B:130:ARG:HG2	1:B:134:GLN:HE22	1.84	0.43
1:A:92:TYR:HE2	1:A:106:GLU:HB2	1.84	0.43
1:A:75:LYS:NZ	1:A:177:THR:OG1	2.51	0.43
1:A:391:VAL:HG13	1:A:407:VAL:HG21	2.00	0.43
1:B:207:LYS:NZ	1:B:273:ARG:O	2.52	0.43
1:B:149:HIS:O	1:B:150:ARG:HB2	2.20	0.42
1:A:289:ASP:O	1:A:293:ASP:N	2.52	0.42
1:A:328:LEU:HB3	1:A:419:ARG:HD2	2.02	0.42
1:A:42:VAL:HA	1:A:56:VAL:O	2.19	0.42
1:A:376:ASP:HB3	1:A:379:ALA:HB3	2.00	0.42
1:B:106:GLU:CD	1:B:331:ASN:ND2	2.75	0.42
1:B:92:TYR:HE2	1:B:106:GLU:HB2	1.84	0.42
1:B:328:LEU:HB3	1:B:419:ARG:HD2	2.02	0.42
1:A:132:ILE:HA	1:A:132:ILE:HD13	1.83	0.41
1:A:372:VAL:O	1:A:375:LEU:HD12	2.20	0.41
1:B:185:MET:HE3	1:B:185:MET:HB2	1.91	0.41
1:A:462:ASP:OD1	1:A:465:ASN:CA	2.66	0.41
1:B:42:VAL:HA	1:B:56:VAL:O	2.20	0.41
1:A:90:LYS:O	1:A:105:THR:HB	2.21	0.41
1:A:331:ASN:O	1:A:335:VAL:HG13	2.20	0.41
1:B:296:ASP:OD1	1:B:296:ASP:N	2.53	0.41
1:A:288:THR:CG2	1:A:289:ASP:N	2.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:SER:HB3	1:A:454:TRP:CE2	2.55	0.41
1:A:149:HIS:O	1:A:150:ARG:HB2	2.21	0.41
1:B:146:LYS:O	1:B:178:HIS:HA	2.20	0.40
1:A:146:LYS:O	1:A:178:HIS:HA	2.21	0.40
1:A:455:ARG:HA	1:A:458:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	456/491 (93%)	438 (96%)	17 (4%)	1 (0%)	43	72
1	B	456/491 (93%)	439 (96%)	16 (4%)	1 (0%)	43	72
All	All	912/982 (93%)	877 (96%)	33 (4%)	2 (0%)	43	72

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	285	LEU
1	B	89	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	397/426 (93%)	364 (92%)	33 (8%)	10	32
1	B	396/426 (93%)	361 (91%)	35 (9%)	9	29
All	All	793/852 (93%)	725 (91%)	68 (9%)	10	31

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	VAL
1	A	18	GLN
1	A	32	ARG
1	A	39	PHE
1	A	74	LEU
1	A	89	MET
1	A	106	GLU
1	A	120	ARG
1	A	132	ILE
1	A	182	THR
1	A	203	THR
1	A	231	ASN
1	A	241	LYS
1	A	243	LYS
1	A	256	GLU
1	A	271	THR
1	A	296	ASP
1	A	314	GLN
1	A	343	ARG
1	A	365	MET
1	A	367	LEU
1	A	370	GLU
1	A	372	VAL
1	A	373	SER
1	A	383	GLU
1	A	388	LEU
1	A	407	VAL
1	A	417	ARG
1	A	447	SER
1	A	452	GLU
1	A	453	THR
1	A	463	ARG
1	A	476	GLN
1	B	17	VAL
1	B	18	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	32	ARG
1	B	39	PHE
1	B	74	LEU
1	B	75	LYS
1	B	89	MET
1	B	106	GLU
1	B	120	ARG
1	B	132	ILE
1	B	134	GLN
1	B	164	LYS
1	B	182	THR
1	B	203	THR
1	B	241	LYS
1	B	247	ASP
1	B	255	SER
1	B	271	THR
1	B	286	LYS
1	B	288	THR
1	B	296	ASP
1	B	314	GLN
1	B	343	ARG
1	B	365	MET
1	B	367	LEU
1	B	370	GLU
1	B	372	VAL
1	B	388	LEU
1	B	407	VAL
1	B	417	ARG
1	B	447	SER
1	B	453	THR
1	B	465	ASN
1	B	476	GLN
1	B	481	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	GLN
1	A	231	ASN
1	A	306	ASN
1	A	314	GLN
1	A	342	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	134	GLN
1	B	306	ASN
1	B	314	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 8 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	KS1	B	505	-	28,28,28	0.54	1 (3%)	39,41,41	1.02	4 (10%)
3	KS1	A	505	-	28,28,28	0.68	1 (3%)	39,41,41	1.83	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KS1	B	505	-	-	6/8/15/15	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KS1	A	505	-	-	1/8/15/15	0/5/5/5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	505	KS1	CAS-CAT	-2.61	1.38	1.42
3	B	505	KS1	CAS-CAT	-2.24	1.38	1.42

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	505	KS1	C5-CAR-CAP	-7.68	122.16	131.28
3	A	505	KS1	CAP-CAR-NAN	5.68	126.30	118.91
3	A	505	KS1	CAS-CAT-NAM	-3.62	124.51	126.66
3	B	505	KS1	CAS-CAT-NAM	-3.42	124.63	126.66
3	A	505	KS1	CAR-NAN-NAX	-2.79	105.49	106.97
3	B	505	KS1	C5-CAR-CAP	-2.76	128.00	131.28
3	B	505	KS1	CAR-NAN-NAX	-2.44	105.68	106.97
3	B	505	KS1	C5-CAR-NAN	2.26	111.74	110.19
3	A	505	KS1	C4-NAX-CAW	-2.02	123.95	128.97

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	505	KS1	CAE-CAP-CAR-NAN
3	B	505	KS1	CAI-CAW-NAX-C4
3	B	505	KS1	CAE-CAP-CAR-NAN
3	B	505	KS1	CAJ-CAW-NAX-NAN
3	B	505	KS1	CAJ-CAW-NAX-C4
3	B	505	KS1	CAI-CAW-NAX-NAN
3	B	505	KS1	CAF-CAP-CAR-NAN


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	505	KS1	2	0
3	A	505	KS1	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	462/491 (94%)	0.28	17 (3%) 45 36	37, 62, 110, 141	0
1	B	462/491 (94%)	0.35	21 (4%) 38 30	38, 66, 102, 121	0
All	All	924/982 (94%)	0.32	38 (4%) 41 33	37, 65, 107, 141	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	109	THR	4.3
1	A	293	ASP	4.1
1	B	293	ASP	4.0
1	B	22	ALA	3.6
1	B	289	ASP	3.4
1	B	481	LEU	3.4
1	A	109	THR	3.0
1	A	295	ILE	3.0
1	A	480	LYS	2.9
1	B	108	TYR	2.8
1	A	8	LYS	2.8
1	A	40	GLY	2.6
1	A	73	LEU	2.6
1	A	424	PHE	2.5
1	A	374	ALA	2.5
1	B	73	LEU	2.4
1	A	457	VAL	2.3
1	A	63	GLN	2.3
1	B	458	LEU	2.3
1	A	372	VAL	2.3
1	B	427	PHE	2.3
1	B	272	MET	2.3
1	B	63	GLN	2.3
1	B	295	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	8	LYS	2.2
1	A	39	PHE	2.1
1	A	72	LEU	2.1
1	A	74	LEU	2.1
1	B	123	PHE	2.1
1	B	286	LYS	2.1
1	B	74	LEU	2.1
1	A	427	PHE	2.1
1	B	460	GLU	2.1
1	B	10	ALA	2.1
1	B	363	GLU	2.1
1	A	296	ASP	2.0
1	B	268	TYR	2.0
1	B	471	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	B	503	1/1	0.82	0.10	106,106,106,106	0
2	CA	A	503	1/1	0.89	0.10	89,89,89,89	0
3	KS1	B	505	24/24	0.91	0.10	43,53,60,60	0
3	KS1	A	505	24/24	0.93	0.09	41,43,45,45	0
2	CA	A	504	1/1	0.97	0.07	110,110,110,110	0
2	CA	B	504	1/1	0.97	0.04	96,96,96,96	0
2	CA	A	502	1/1	0.98	0.05	56,56,56,56	0
2	CA	B	501	1/1	0.98	0.05	58,58,58,58	0
2	CA	A	501	1/1	0.99	0.05	64,64,64,64	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	B	502	1/1	0.99	0.02	51,51,51,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around KS1 A 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.