



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 10:38 AM UTC

PDB ID : 8YUH / pdb_00008yuh
Title : X-ray Crystal structure of glycoside hydrolase family 18 chitinase from *Serratia marcescens* hexahistidine-tagged SmChiB with allosamidin
Authors : Ebi, S.; Sunagawa, N.; Yamaguchi, S.; Igarashi, K.
Deposited on : 2024-03-27
Resolution : 1.73 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 1.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	511	
1	B	511	
2	C	2	
2	D	2	
2	E	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	603	-	-	X	-
3	GOL	A	607	-	-	X	-
3	GOL	B	604	-	-	X	-
3	GOL	B	617	-	-	X	-
5	ACT	A	651	-	-	X	-
5	ACT	A	657	-	-	X	-
5	ACT	B	625	-	-	X	-
5	ACT	B	644	-	-	X	-
5	ACT	B	646	-	-	X	-
6	AMI	A	626	-	-	X	-
6	AMI	B	626	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 10930 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chitinase B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	499	Total	C	N	O	S	0	46	0
			4283	2725	730	807	21			
1	B	499	Total	C	N	O	S	0	46	0
			4283	2724	731	808	20			

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP P11797
A	1	ASP	-	expression tag	UNP P11797
A	500	ALA	-	expression tag	UNP P11797
A	501	ALA	-	expression tag	UNP P11797
A	502	ALA	-	expression tag	UNP P11797
A	503	LEU	-	expression tag	UNP P11797
A	504	GLU	-	expression tag	UNP P11797
A	505	HIS	-	expression tag	UNP P11797
A	506	HIS	-	expression tag	UNP P11797
A	507	HIS	-	expression tag	UNP P11797
A	508	HIS	-	expression tag	UNP P11797
A	509	HIS	-	expression tag	UNP P11797
A	510	HIS	-	expression tag	UNP P11797
B	0	MET	-	initiating methionine	UNP P11797
B	1	ASP	-	expression tag	UNP P11797
B	500	ALA	-	expression tag	UNP P11797
B	501	ALA	-	expression tag	UNP P11797
B	502	ALA	-	expression tag	UNP P11797
B	503	LEU	-	expression tag	UNP P11797
B	504	GLU	-	expression tag	UNP P11797
B	505	HIS	-	expression tag	UNP P11797
B	506	HIS	-	expression tag	UNP P11797
B	507	HIS	-	expression tag	UNP P11797
B	508	HIS	-	expression tag	UNP P11797
B	509	HIS	-	expression tag	UNP P11797

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	510	HIS	-	expression tag	UNP P11797

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-allopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-allopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	2	0
			56	32	4	20			
2	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	2	0
			56	32	4	20			
2	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is ALLOSAMIZOLINE (CCD ID: AMI) (formula: $C_9H_{16}N_2O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	1
			30	18	4	8		
6	A	1	Total	C	N	O	0	0
			15	9	2	4		
6	B	1	Total	C	N	O	0	1
			30	18	4	8		
6	B	1	Total	C	N	O	0	0
			15	9	2	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	784	Total	O	0	0
			784	784		
7	B	788	Total	O	0	0
			788	788		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chitinase B




- Molecule 1: Chitinase B



- Molecule 2: 2-acetamido-2-deoxy-beta-D-allopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-allopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-allopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-allopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-allopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-allopyranose

Chain E:  100%

MAA1
MAA2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-allopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-allopyranose

Chain F:  100%

MAA1
MAA2

4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	97.85Å 97.85Å 196.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.59 – 1.73 47.59 – 1.73	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.59-1.73) 100.0 (47.59-1.73)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 1.73Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.154 , 0.170 0.153 , 0.169	Depositor DCC
R_{free} test set	2012 reflections (1.05%)	wwPDB-VP
Wilson B-factor (Å ²)	22.1	Xtriage
Anisotropy	0.374	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 58.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.488 for h,-k,-l	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	10930	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, AMI, ACT, NAA, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/4399	0.49	0/5982
1	B	0.29	0/4399	0.49	0/5982
All	All	0.29	0/8798	0.49	0/11964

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4283	0	4097	64	0
1	B	4283	0	4096	57	0
2	C	56	0	50	3	0
2	D	28	0	25	4	0
2	E	56	0	50	0	0
2	F	28	0	25	3	0
3	A	150	0	199	22	0
3	B	162	0	213	24	0
4	A	20	0	0	0	0
4	B	10	0	0	0	0
5	A	108	0	81	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	84	0	63	9	0
6	A	45	0	45	11	0
6	B	45	0	45	12	0
7	A	784	0	0	3	0
7	B	788	0	0	5	0
All	All	10930	0	8989	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 129 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:SER:H	3:A:606:GOL:H32	1.33	0.92
1:B:162:ARG:HG3	3:B:603:GOL:H2	1.57	0.84
1:B:260:PRO:HA	3:B:605:GOL:H12	1.60	0.82
1:B:190:PHE:HB2	6:B:626:AMI:H91	1.61	0.81
1:A:190:PHE:HB2	6:A:626:AMI:H91	1.64	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	543/511 (106%)	533 (98%)	8 (2%)	2 (0%)	30	16
1	B	543/511 (106%)	534 (98%)	7 (1%)	2 (0%)	30	16
All	All	1086/1022 (106%)	1067 (98%)	15 (1%)	4 (0%)	43	16

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	148[A]	ALA
1	A	148[B]	ALA
1	B	148[A]	ALA
1	B	148[B]	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	444/412 (108%)	436 (98%)	8 (2%)	51	30
1	B	444/412 (108%)	437 (98%)	7 (2%)	55	35
All	All	888/824 (108%)	873 (98%)	15 (2%)	63	32

5 of 15 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	316[B]	ASP
1	B	378	THR
1	B	213	THR
1	B	380	ASP
1	B	316[A]	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	201	GLN
1	A	431	GLN
1	B	84	HIS
1	B	201	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAA	C	1[A]	6,2	14,14,15	1.74	2 (14%)	17,19,21	1.76	3 (17%)
2	NAA	C	1[B]	6,2	14,14,15	1.93	4 (28%)	17,19,21	1.59	2 (11%)
2	NAA	C	2[A]	2	14,14,15	1.86	3 (21%)	17,19,21	1.47	3 (17%)
2	NAA	C	2[B]	2	14,14,15	1.87	3 (21%)	17,19,21	1.81	4 (23%)
2	NAA	D	1	6,2	14,14,15	1.82	3 (21%)	17,19,21	1.88	5 (29%)
2	NAA	D	2	2	14,14,15	1.76	3 (21%)	17,19,21	1.46	4 (23%)
2	NAA	E	1[A]	6,2	14,14,15	1.72	2 (14%)	17,19,21	1.81	3 (17%)
2	NAA	E	1[B]	6,2	14,14,15	1.90	4 (28%)	17,19,21	1.34	3 (17%)
2	NAA	E	2[A]	2	14,14,15	1.90	3 (21%)	17,19,21	1.29	2 (11%)
2	NAA	E	2[B]	2	14,14,15	1.88	3 (21%)	17,19,21	1.35	2 (11%)
2	NAA	F	1	6,2	14,14,15	1.86	3 (21%)	17,19,21	1.70	4 (23%)
2	NAA	F	2	2	14,14,15	1.75	3 (21%)	17,19,21	1.33	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAA	C	1[A]	6,2	-	0/6/23/26	0/1/1/1
2	NAA	C	1[B]	6,2	-	0/6/23/26	0/1/1/1
2	NAA	C	2[A]	2	-	0/6/23/26	0/1/1/1
2	NAA	C	2[B]	2	-	2/6/23/26	0/1/1/1
2	NAA	D	1	6,2	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAA	D	2	2	-	2/6/23/26	0/1/1/1
2	NAA	E	1[A]	6,2	-	2/6/23/26	0/1/1/1
2	NAA	E	1[B]	6,2	-	0/6/23/26	0/1/1/1
2	NAA	E	2[A]	2	-	2/6/23/26	0/1/1/1
2	NAA	E	2[B]	2	-	2/6/23/26	0/1/1/1
2	NAA	F	1	6,2	-	4/6/23/26	0/1/1/1
2	NAA	F	2	2	-	2/6/23/26	0/1/1/1

The worst 5 of 36 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	2[B]	NAA	O5-C1	4.24	1.50	1.43
2	F	1	NAA	O5-C1	4.15	1.50	1.43
2	C	1[B]	NAA	O5-C1	4.15	1.50	1.43
2	C	2[B]	NAA	O5-C1	4.10	1.50	1.43
2	E	2[A]	NAA	O5-C1	4.02	1.50	1.43

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	NAA	C2-N2-C7	-4.76	116.52	122.90
2	C	1[B]	NAA	C2-N2-C7	-4.51	116.85	122.90
2	F	1	NAA	C2-N2-C7	-4.19	117.29	122.90
2	C	1[A]	NAA	C1-C2-N2	-4.06	104.04	110.43
2	C	2[B]	NAA	C4-C3-C2	4.04	116.93	111.02

There are no chirality outliers.

5 of 18 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	2[B]	NAA	O5-C5-C6-O6
2	E	2[B]	NAA	O5-C5-C6-O6
2	D	1	NAA	C8-C7-N2-C2
2	D	1	NAA	O7-C7-N2-C2
2	E	2[A]	NAA	C8-C7-N2-C2


There are no ring outliers.


6 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	1	NAA	1	0
2	F	2	NAA	2	0
2	D	2	NAA	3	0
2	C	2[A]	NAA	2	0
2	C	1[A]	NAA	1	0
2	D	1	NAA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

112 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ACT	B	623	-	3,3,3	1.52	1 (33%)	3,3,3	1.35	0
4	PO4	A	654	-	4,4,4	0.94	0	6,6,6	0.59	0
5	ACT	B	645	-	3,3,3	1.57	1 (33%)	3,3,3	1.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	655	-	5,5,5	1.02	0	5,5,5	1.06	0
5	ACT	A	635	-	3,3,3	1.41	0	3,3,3	1.37	0
3	GOL	A	629	-	5,5,5	0.74	0	5,5,5	1.00	0
5	ACT	A	633	-	3,3,3	1.15	0	3,3,3	1.45	0
3	GOL	A	608	-	5,5,5	0.94	0	5,5,5	1.07	0
3	GOL	A	640	-	5,5,5	0.90	0	5,5,5	1.09	0
3	GOL	B	609	-	5,5,5	1.21	0	5,5,5	1.20	1 (20%)
5	ACT	A	650	-	3,3,3	1.50	1 (33%)	3,3,3	1.34	0
5	ACT	B	625	-	3,3,3	0.89	0	3,3,3	1.60	1 (33%)
3	GOL	B	611	-	5,5,5	1.01	0	5,5,5	1.04	0
5	ACT	A	628	-	3,3,3	1.32	0	3,3,3	1.40	0
3	GOL	B	614	-	5,5,5	1.14	0	5,5,5	1.20	1 (20%)
3	GOL	A	611	-	5,5,5	0.70	0	5,5,5	1.01	0
3	GOL	B	615	-	5,5,5	1.19	0	5,5,5	1.20	1 (20%)
3	GOL	B	601	-	5,5,5	0.83	0	5,5,5	1.07	0
4	PO4	B	630	-	4,4,4	0.88	0	6,6,6	0.58	0
3	GOL	B	606	-	5,5,5	1.08	0	5,5,5	0.90	0
3	GOL	A	604	-	5,5,5	0.75	0	5,5,5	1.03	0
5	ACT	B	634	-	3,3,3	1.50	1 (33%)	3,3,3	1.33	0
3	GOL	B	631	-	5,5,5	0.90	0	5,5,5	1.06	0
3	GOL	A	601	-	5,5,5	0.89	0	5,5,5	1.04	0
6	AMI	B	624[B]	2	15,16,16	0.95	1 (6%)	15,24,24	1.92	1 (6%)
5	ACT	A	638	-	3,3,3	1.42	1 (33%)	3,3,3	1.45	0
5	ACT	B	646	-	3,3,3	1.52	1 (33%)	3,3,3	1.30	0
3	GOL	A	614	-	5,5,5	1.08	0	5,5,5	1.06	0
6	AMI	B	626	2	15,16,16	1.73	1 (6%)	15,24,24	3.09	10 (66%)
5	ACT	A	657	-	3,3,3	1.49	1 (33%)	3,3,3	1.21	0
3	GOL	A	605	-	5,5,5	1.06	0	5,5,5	1.20	1 (20%)
3	GOL	B	642	-	5,5,5	1.27	0	5,5,5	1.02	0
3	GOL	A	609	-	5,5,5	1.05	0	5,5,5	1.11	0
3	GOL	B	602	-	5,5,5	0.99	0	5,5,5	0.95	0
5	ACT	A	623	-	3,3,3	1.33	0	3,3,3	1.40	0
3	GOL	B	629	-	5,5,5	0.79	0	5,5,5	0.95	0
4	PO4	A	612	-	4,4,4	0.93	0	6,6,6	0.45	0
5	ACT	A	632	-	3,3,3	1.00	0	3,3,3	1.57	1 (33%)
6	AMI	B	624[A]	2	15,16,16	1.14	2 (13%)	15,24,24	2.23	2 (13%)
5	ACT	A	646	-	3,3,3	1.34	0	3,3,3	1.40	0
3	GOL	B	608	-	5,5,5	0.76	0	5,5,5	1.11	0
3	GOL	A	630	-	5,5,5	0.90	0	5,5,5	1.06	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACT	B	628	-	3,3,3	1.44	1 (33%)	3,3,3	1.33	0
5	ACT	A	643	-	3,3,3	1.46	1 (33%)	3,3,3	1.32	0
5	ACT	B	647	-	3,3,3	0.98	0	3,3,3	1.48	1 (33%)
5	ACT	A	624	-	3,3,3	1.47	1 (33%)	3,3,3	1.33	0
5	ACT	A	622	-	3,3,3	1.51	1 (33%)	3,3,3	1.34	0
5	ACT	A	648	-	3,3,3	1.45	1 (33%)	3,3,3	1.40	0
5	ACT	B	627	-	3,3,3	1.46	1 (33%)	3,3,3	1.40	0
3	GOL	A	642	-	5,5,5	1.22	0	5,5,5	1.03	0
5	ACT	B	635	-	3,3,3	0.93	0	3,3,3	1.60	1 (33%)
5	ACT	A	637	-	3,3,3	0.88	0	3,3,3	1.58	1 (33%)
5	ACT	B	638	-	3,3,3	1.44	1 (33%)	3,3,3	1.39	0
3	GOL	A	616	-	5,5,5	0.92	0	5,5,5	1.05	0
3	GOL	A	618	-	5,5,5	0.96	0	5,5,5	1.01	0
5	ACT	A	644	-	3,3,3	1.61	1 (33%)	3,3,3	1.29	0
5	ACT	A	656	-	3,3,3	1.31	0	3,3,3	1.46	0
6	AMI	A	626	2	15,16,16	1.69	2 (13%)	15,24,24	3.09	9 (60%)
4	PO4	A	615	-	4,4,4	0.86	0	6,6,6	0.61	0
5	ACT	A	636	-	3,3,3	1.41	1 (33%)	3,3,3	1.42	0
3	GOL	B	603	-	5,5,5	0.99	0	5,5,5	1.44	0
5	ACT	B	640	-	3,3,3	1.39	1 (33%)	3,3,3	1.41	0
4	PO4	B	612	-	4,4,4	0.92	0	6,6,6	0.53	0
3	GOL	A	613	-	5,5,5	0.75	0	5,5,5	1.09	0
5	ACT	B	643	-	3,3,3	1.52	1 (33%)	3,3,3	1.30	0
5	ACT	B	622	-	3,3,3	1.41	1 (33%)	3,3,3	1.36	0
5	ACT	A	627	-	3,3,3	1.46	1 (33%)	3,3,3	1.31	0
6	AMI	A	625[B]	2	15,16,16	0.96	2 (13%)	15,24,24	1.84	3 (20%)
3	GOL	A	619	-	5,5,5	0.97	0	5,5,5	1.10	0
5	ACT	A	641	-	3,3,3	1.28	0	3,3,3	1.46	0
3	GOL	B	619	-	5,5,5	0.72	0	5,5,5	1.06	0
3	GOL	A	621	-	5,5,5	1.00	0	5,5,5	1.05	0
5	ACT	A	631	-	3,3,3	1.34	0	3,3,3	1.36	0
3	GOL	A	620	-	5,5,5	0.68	0	5,5,5	1.09	0
5	ACT	B	652	-	3,3,3	1.29	0	3,3,3	1.41	0
5	ACT	A	649	-	3,3,3	1.37	0	3,3,3	1.40	0
3	GOL	B	604	-	5,5,5	1.11	1 (20%)	5,5,5	1.16	0
3	GOL	A	602	-	5,5,5	1.00	0	5,5,5	1.19	1 (20%)
3	GOL	A	606	-	5,5,5	1.29	0	5,5,5	0.80	0
6	AMI	A	625[A]	2	15,16,16	1.11	2 (13%)	15,24,24	2.23	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	650	-	5,5,5	0.87	0	5,5,5	1.10	0
4	PO4	A	653	-	4,4,4	0.92	0	6,6,6	0.47	0
5	ACT	B	632	-	3,3,3	1.56	1 (33%)	3,3,3	1.31	0
3	GOL	B	610	-	5,5,5	1.04	0	5,5,5	1.09	0
3	GOL	B	633	-	5,5,5	0.89	0	5,5,5	1.02	0
3	GOL	B	607	-	5,5,5	0.75	0	5,5,5	1.03	0
5	ACT	A	639	-	3,3,3	1.44	1 (33%)	3,3,3	1.36	0
3	GOL	B	616	-	5,5,5	0.82	0	5,5,5	1.10	0
3	GOL	A	652	-	5,5,5	1.01	0	5,5,5	0.99	0
5	ACT	A	645	-	3,3,3	1.48	1 (33%)	3,3,3	1.39	0
3	GOL	B	617	-	5,5,5	0.90	0	5,5,5	1.15	0
5	ACT	A	647	-	3,3,3	1.33	0	3,3,3	1.40	0
5	ACT	A	634	-	3,3,3	1.35	0	3,3,3	1.40	0
5	ACT	B	644	-	3,3,3	0.93	0	3,3,3	1.47	0
3	GOL	B	651	-	5,5,5	0.68	0	5,5,5	0.99	0
3	GOL	A	603	-	5,5,5	1.63	2 (40%)	5,5,5	1.20	0
5	ACT	B	621	-	3,3,3	1.54	1 (33%)	3,3,3	1.33	0
3	GOL	B	649	-	5,5,5	0.89	0	5,5,5	0.99	0
5	ACT	B	637	-	3,3,3	1.49	1 (33%)	3,3,3	1.39	0
3	GOL	B	605	-	5,5,5	0.97	0	5,5,5	1.21	1 (20%)
3	GOL	B	620	-	5,5,5	0.87	0	5,5,5	1.02	0
5	ACT	A	658	-	3,3,3	1.34	0	3,3,3	1.41	0
5	ACT	B	648	-	3,3,3	1.47	1 (33%)	3,3,3	1.32	0
3	GOL	A	610	-	5,5,5	0.91	0	5,5,5	1.10	0
5	ACT	A	651	-	3,3,3	0.94	0	3,3,3	1.59	1 (33%)
5	ACT	B	636	-	3,3,3	1.51	1 (33%)	3,3,3	1.39	0
3	GOL	A	607	-	5,5,5	0.90	0	5,5,5	1.21	0
3	GOL	A	617	-	5,5,5	0.88	0	5,5,5	1.20	1 (20%)
3	GOL	B	641	-	5,5,5	0.96	0	5,5,5	0.84	0
3	GOL	B	618	-	5,5,5	0.82	0	5,5,5	1.07	0
5	ACT	B	639	-	3,3,3	1.40	1 (33%)	3,3,3	1.34	0
3	GOL	B	613	-	5,5,5	0.85	0	5,5,5	1.13	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	616	-	-	2/4/4/4	-
3	GOL	A	655	-	-	4/4/4/4	-
3	GOL	B	629	-	-	3/4/4/4	-
6	AMI	B	624[A]	2	-	0/6/34/34	0/2/2/2
3	GOL	A	652	-	-	0/4/4/4	-
3	GOL	B	617	-	-	2/4/4/4	-
3	GOL	B	608	-	-	2/4/4/4	-
3	GOL	A	629	-	-	1/4/4/4	-
3	GOL	A	613	-	-	0/4/4/4	-
3	GOL	A	630	-	-	2/4/4/4	-
3	GOL	B	651	-	-	1/4/4/4	-
3	GOL	A	608	-	-	0/4/4/4	-
3	GOL	A	603	-	-	2/4/4/4	-
3	GOL	A	640	-	-	0/4/4/4	-
3	GOL	B	609	-	-	2/4/4/4	-
3	GOL	B	613	-	-	2/4/4/4	-
6	AMI	A	625[B]	2	-	0/6/34/34	0/2/2/2
3	GOL	B	649	-	-	2/4/4/4	-
3	GOL	B	605	-	-	2/4/4/4	-
3	GOL	B	611	-	-	0/4/4/4	-
3	GOL	B	620	-	-	2/4/4/4	-
3	GOL	B	614	-	-	0/4/4/4	-
3	GOL	A	611	-	-	2/4/4/4	-
3	GOL	A	619	-	-	2/4/4/4	-
3	GOL	B	615	-	-	0/4/4/4	-
3	GOL	B	601	-	-	0/4/4/4	-
3	GOL	B	619	-	-	0/4/4/4	-
3	GOL	A	642	-	-	1/4/4/4	-
3	GOL	A	610	-	-	2/4/4/4	-
3	GOL	A	621	-	-	0/4/4/4	-
3	GOL	A	620	-	-	3/4/4/4	-
3	GOL	B	606	-	-	2/4/4/4	-
3	GOL	B	604	-	-	2/4/4/4	-
3	GOL	A	602	-	-	1/4/4/4	-
3	GOL	A	607	-	-	0/4/4/4	-
3	GOL	A	604	-	-	2/4/4/4	-
3	GOL	A	616	-	-	2/4/4/4	-
3	GOL	A	606	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	601	-	-	0/4/4/4	-
3	GOL	A	618	-	-	0/4/4/4	-
3	GOL	B	631	-	-	2/4/4/4	-
6	AMI	B	624[B]	2	-	0/6/34/34	0/2/2/2
6	AMI	A	625[A]	2	-	0/6/34/34	0/2/2/2
3	GOL	B	650	-	-	2/4/4/4	-
3	GOL	A	614	-	-	2/4/4/4	-
6	AMI	B	626	2	-	0/6/34/34	0/2/2/2
6	AMI	A	626	2	-	0/6/34/34	0/2/2/2
3	GOL	A	605	-	-	0/4/4/4	-
3	GOL	A	617	-	-	4/4/4/4	-
3	GOL	B	603	-	-	0/4/4/4	-
3	GOL	B	642	-	-	0/4/4/4	-
3	GOL	A	609	-	-	2/4/4/4	-
3	GOL	B	610	-	-	2/4/4/4	-
3	GOL	B	641	-	-	2/4/4/4	-
3	GOL	B	602	-	-	2/4/4/4	-
3	GOL	B	633	-	-	0/4/4/4	-
3	GOL	B	618	-	-	2/4/4/4	-
3	GOL	B	607	-	-	2/4/4/4	-

The worst 5 of 41 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	626	AMI	C2-N2	-5.32	1.42	1.47
6	A	626	AMI	C2-N2	-5.19	1.42	1.47
6	B	624[A]	AMI	C7-N7	2.92	1.38	1.34
6	A	625[A]	AMI	C7-N7	2.81	1.38	1.34
6	B	624[B]	AMI	C7-N7	2.53	1.37	1.34

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	625[A]	AMI	O7-C7-N2	-7.58	113.86	117.78
6	B	624[A]	AMI	O7-C7-N2	-7.51	113.89	117.78
6	B	624[B]	AMI	O7-C7-N2	-6.46	114.44	117.78
6	A	625[B]	AMI	O7-C7-N2	-6.02	114.67	117.78
6	A	626	AMI	O7-C7-N2	5.29	120.53	117.78

There are no chirality outliers.

5 of 72 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	610	GOL	C1-C2-C3-O3
3	A	611	GOL	C1-C2-C3-O3
3	A	614	GOL	O1-C1-C2-C3
3	A	616	GOL	O1-C1-C2-O2
3	A	616	GOL	O1-C1-C2-C3

There are no ring outliers.


32 monomers are involved in 83 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	625	ACT	2	0
3	B	614	GOL	1	0
3	A	611	GOL	3	0
5	A	638	ACT	1	0
5	B	646	ACT	2	0
3	A	614	GOL	1	0
6	B	626	AMI	12	0
5	A	657	ACT	2	0
3	B	642	GOL	2	0
3	B	629	GOL	1	0
5	A	632	ACT	1	0
5	A	646	ACT	1	0
5	B	647	ACT	1	0
3	A	642	GOL	2	0
5	B	635	ACT	1	0
5	A	637	ACT	1	0
6	A	626	AMI	11	0
3	B	603	GOL	3	0
3	A	613	GOL	2	0
3	B	619	GOL	1	0
3	B	604	GOL	7	0
3	A	602	GOL	1	0
3	A	606	GOL	3	0
3	B	616	GOL	1	0
3	B	617	GOL	5	0
5	B	644	ACT	3	0
3	A	603	GOL	4	0
3	B	605	GOL	1	0
5	A	651	ACT	2	0
3	A	607	GOL	4	0
3	A	617	GOL	2	0
3	B	641	GOL	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand AMI B 626




Ligand AMI B 624 (A)




Ligand AMI A 626



Ligand AMI A 625 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	499/511 (97%)	-1.39	0 100 100	8, 21, 34, 83	47 (9%)
1	B	499/511 (97%)	-1.39	0 100 100	9, 21, 34, 77	48 (9%)
All	All	998/1022 (97%)	-1.39	0 100 100	8, 21, 34, 83	95 (9%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAA	C	2[A]	14/15	0.98	0.05	20,32,38,41	14
2	NAA	C	2[B]	14/15	0.98	0.05	30,34,41,42	14
2	NAA	D	1	14/15	0.98	0.06	9,30,37,37	14
2	NAA	D	2	14/15	0.98	0.06	27,31,42,45	14
2	NAA	E	2[A]	14/15	0.98	0.05	20,31,37,40	14
2	NAA	E	2[B]	14/15	0.98	0.05	28,34,41,42	14
2	NAA	F	2	14/15	0.98	0.05	28,32,42,42	14
2	NAA	E	1[B]	14/15	0.99	0.03	19,22,28,30	14
2	NAA	F	1	14/15	0.99	0.05	9,31,35,36	14
2	NAA	E	1[A]	14/15	0.99	0.03	17,23,26,26	14
2	NAA	C	1[A]	14/15	1.00	0.02	19,24,27,27	14
2	NAA	C	1[B]	14/15	1.00	0.02	20,22,28,32	14

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain D:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	ACT	B	645	4/4	0.92	0.14	33,43,44,52	4
5	ACT	A	643	4/4	0.93	0.16	44,46,47,47	4
5	ACT	B	643	4/4	0.94	0.11	42,45,46,48	4
5	ACT	B	621	4/4	0.95	0.12	32,39,44,44	4
5	ACT	B	632	4/4	0.95	0.07	57,59,60,61	0
5	ACT	B	623	4/4	0.96	0.06	56,65,67,67	0
5	ACT	B	625	4/4	0.96	0.09	27,33,35,39	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ACT	A	635	4/4	0.96	0.07	44,46,49,54	4
5	ACT	B	636	4/4	0.96	0.16	31,33,34,50	4
5	ACT	A	644	4/4	0.96	0.11	30,44,45,59	4
5	ACT	A	638	4/4	0.96	0.16	29,30,35,49	4
5	ACT	B	622	4/4	0.97	0.08	50,54,55,55	4
5	ACT	A	636	4/4	0.97	0.13	30,31,32,46	4
5	ACT	A	622	4/4	0.97	0.08	31,43,43,45	4
5	ACT	B	628	4/4	0.97	0.07	45,50,51,57	4
5	ACT	A	627	4/4	0.97	0.07	49,59,60,60	4
5	ACT	A	633	4/4	0.97	0.06	45,51,57,60	4
5	ACT	B	637	4/4	0.97	0.13	29,32,35,48	4
5	ACT	B	638	4/4	0.97	0.08	41,47,54,62	4
5	ACT	B	639	4/4	0.97	0.10	43,44,44,51	4
5	ACT	A	651	4/4	0.97	0.08	27,32,35,39	4
4	PO4	B	612	5/5	0.97	0.06	40,44,50,53	5
3	GOL	A	608	6/6	0.98	0.06	36,43,47,48	6
4	PO4	B	630	5/5	0.98	0.06	35,49,62,68	5
3	GOL	A	609	6/6	0.98	0.06	26,28,36,41	6
5	ACT	A	623	4/4	0.98	0.06	48,53,54,56	4
5	ACT	A	624	4/4	0.98	0.07	49,50,51,51	4
3	GOL	A	616	6/6	0.98	0.06	37,48,55,63	6
5	ACT	A	631	4/4	0.98	0.07	47,49,51,52	4
3	GOL	A	617	6/6	0.98	0.06	28,33,45,45	6
3	GOL	A	619	6/6	0.98	0.07	20,40,48,48	6
3	GOL	A	620	6/6	0.98	0.06	32,44,55,59	6
3	GOL	A	629	6/6	0.98	0.06	28,40,47,51	6
5	ACT	A	639	4/4	0.98	0.09	45,50,53,65	4
3	GOL	A	640	6/6	0.98	0.07	28,47,53,62	6
3	GOL	A	642	6/6	0.98	0.06	26,36,45,52	6
5	ACT	A	645	4/4	0.98	0.09	25,41,42,44	4
5	ACT	A	646	4/4	0.98	0.10	35,41,41,42	4
5	ACT	A	647	4/4	0.98	0.08	46,48,54,57	4
5	ACT	A	650	4/4	0.98	0.06	48,58,66,70	4
3	GOL	A	652	6/6	0.98	0.07	27,31,36,40	6
5	ACT	A	656	4/4	0.98	0.08	44,46,48,56	4
5	ACT	A	657	4/4	0.98	0.07	28,35,35,41	4
5	ACT	A	658	4/4	0.98	0.06	44,47,52,54	4
3	GOL	B	604	6/6	0.98	0.07	23,30,32,41	6
3	GOL	B	607	6/6	0.98	0.06	30,38,39,43	0
3	GOL	B	616	6/6	0.98	0.06	27,34,42,47	6
3	GOL	B	617	6/6	0.98	0.05	40,49,53,58	6
3	GOL	B	618	6/6	0.98	0.07	29,36,41,41	6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	B	629	6/6	0.98	0.07	28,37,49,57	6
5	ACT	B	634	4/4	0.98	0.05	41,45,52,53	4
3	GOL	B	631	6/6	0.98	0.07	34,46,51,59	6
3	GOL	B	633	6/6	0.98	0.07	54,58,66,68	0
3	GOL	B	642	6/6	0.98	0.06	25,38,45,53	6
3	GOL	B	650	6/6	0.98	0.06	26,30,33,34	6
5	ACT	B	640	4/4	0.98	0.08	43,50,50,59	4
4	PO4	A	612	5/5	0.98	0.04	46,48,52,52	5
5	ACT	B	644	4/4	0.98	0.04	25,37,45,61	0
4	PO4	A	653	5/5	0.98	0.05	59,60,77,84	5
5	ACT	B	646	4/4	0.98	0.07	29,34,38,39	4
5	ACT	B	648	4/4	0.98	0.08	42,48,53,56	4
5	ACT	B	652	4/4	0.98	0.07	51,52,52,54	4
5	ACT	A	628	4/4	0.99	0.05	45,46,52,52	4
3	GOL	A	611	6/6	0.99	0.05	29,36,38,39	6
5	ACT	A	632	4/4	0.99	0.08	22,38,39,44	4
3	GOL	B	605	6/6	0.99	0.04	22,28,37,50	6
5	ACT	A	634	4/4	0.99	0.05	52,53,57,57	4
3	GOL	B	606	6/6	0.99	0.04	19,30,31,33	6
3	GOL	A	613	6/6	0.99	0.05	27,41,44,45	6
5	ACT	A	637	4/4	0.99	0.05	39,41,50,51	4
3	GOL	B	608	6/6	0.99	0.04	29,39,40,50	0
3	GOL	B	609	6/6	0.99	0.05	19,31,40,49	6
5	ACT	A	641	4/4	0.99	0.04	35,37,44,46	0
3	GOL	B	610	6/6	0.99	0.06	32,40,47,49	6
3	GOL	B	611	6/6	0.99	0.05	30,33,36,41	6
3	GOL	B	613	6/6	0.99	0.05	31,34,39,42	6
3	GOL	B	614	6/6	0.99	0.05	24,34,41,55	6
3	GOL	B	615	6/6	0.99	0.05	26,31,33,43	6
5	ACT	A	648	4/4	0.99	0.06	39,40,44,46	4
5	ACT	A	649	4/4	0.99	0.06	43,43,48,48	4
3	GOL	A	614	6/6	0.99	0.05	33,34,38,39	6
3	GOL	A	603	6/6	0.99	0.04	21,25,35,41	6
3	GOL	A	604	6/6	0.99	0.04	29,37,39,43	0
3	GOL	B	619	6/6	0.99	0.05	32,43,52,53	0
3	GOL	B	620	6/6	0.99	0.06	19,37,41,55	6
3	GOL	A	618	6/6	0.99	0.04	29,43,47,48	6
3	GOL	A	605	6/6	0.99	0.05	18,28,31,34	6
3	GOL	A	606	6/6	0.99	0.04	17,25,48,49	6
3	GOL	B	641	6/6	0.99	0.04	32,39,48,67	6
5	ACT	B	627	4/4	0.99	0.04	48,57,63,65	0
3	GOL	A	621	6/6	0.99	0.05	33,46,48,49	6

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	B	649	6/6	0.99	0.06	36,42,45,46	6
3	GOL	A	607	6/6	0.99	0.05	31,39,43,50	6
5	ACT	B	635	4/4	0.99	0.07	24,39,40,40	4
3	GOL	B	651	6/6	0.99	0.05	25,33,40,40	6
3	GOL	A	630	6/6	0.99	0.05	37,43,47,57	6
4	PO4	A	615	5/5	0.99	0.05	34,50,64,69	5
3	GOL	A	601	6/6	0.99	0.04	34,37,38,40	6
4	PO4	A	654	5/5	0.99	0.05	30,35,50,51	5
3	GOL	A	602	6/6	0.99	0.04	30,37,44,51	6
3	GOL	A	610	6/6	0.99	0.06	30,33,38,39	6
3	GOL	A	655	6/6	0.99	0.05	31,38,38,48	6
3	GOL	B	601	6/6	0.99	0.04	32,35,37,39	6
5	ACT	B	647	4/4	0.99	0.05	40,42,47,49	4
3	GOL	B	602	6/6	0.99	0.05	29,41,45,61	6
3	GOL	B	603	6/6	0.99	0.04	18,24,31,42	6
6	AMI	A	626	15/15	0.99	0.08	7,32,41,46	15
6	AMI	B	626	15/15	0.99	0.07	6,35,42,44	15
6	AMI	A	625[A]	15/15	1.00	0.01	16,19,21,22	15
6	AMI	B	624[A]	15/15	1.00	0.02	17,18,23,23	15
6	AMI	B	624[B]	15/15	1.00	0.02	18,19,21,22	15
6	AMI	A	625[B]	15/15	1.00	0.01	17,18,20,22	15

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AMI A 626:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMI B 626:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMI A 625 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMI B 624 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AMI B 624 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AMI A 625 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.