



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:31 AM UTC

PDB ID : 4YVF / pdb_00004yvf
Title : Structure of S-adenosyl-L-homocysteine hydrolase
Authors : Akiko, K.
Deposited on : 2015-03-20
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.


Mol	Chain	Length	Quality of chain
1	A	432	71% 27% ..
1	B	432	70% 28% ..

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylhomocysteinase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	429	Total 3322	C 2108	N 570	O 619	S 25	0	0	0
1	B	429	Total 3322	C 2108	N 570	O 619	S 25	0	0	0

- Molecule 2 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (CCD ID: NAI) (formula: $C_{21}H_{29}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	B	1	Total 44	C 21	N 7	O 14	P 2	0	0

- Molecule 3 is 2-[5-chloro-2-(4-chlorophenoxy)phenyl](2-[2-(methylamino)ethyl]amino)-2-oxoethyl)amino}-N-(1,3-dihydro-2H-isoindol-2-yl)-N-methylacetamide (CCD ID: XFA) (formula: $\text{C}_{28}\text{H}_{31}\text{Cl}_2\text{N}_5\text{O}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 38	C 28	Cl 2	N 5	O 3	0	0
3	B	1	Total 38	C 28	Cl 2	N 5	O 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	114	Total O 114 114	0	0
4	B	130	Total O 130 130	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Adenosylhomocysteinase



• Molecule 1: Adenosylhomocysteinase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	91.53Å 134.15Å 185.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.81 – 2.70 47.81 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.5 (47.81-2.70) 99.5 (47.81-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.84 (at 2.69Å)	Xtriage
Refinement program	CNX 2002	Depositor
R, R_{free}	0.199 , 0.239 0.182 , 0.222	Depositor DCC
R_{free} test set	1569 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	15.9	Xtriage
Anisotropy	0.597	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7052	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.54 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.7398e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAI, XFA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/3386	0.92	12/4582 (0.3%)
1	B	0.38	0/3386	0.92	9/4582 (0.2%)
All	All	0.38	0/6772	0.92	21/9164 (0.2%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	76	TRP	N-CA-C	7.03	120.41	109.52
1	B	270	ASN	N-CA-C	-6.66	105.28	113.41
1	A	270	ASN	N-CA-C	-6.25	105.79	113.41
1	B	198	SER	N-CA-C	6.24	121.18	113.50
1	A	29	MET	CA-C-N	6.07	125.96	119.28
1	A	29	MET	C-N-CA	6.07	125.96	119.28
1	B	123	GLY	CA-C-N	5.79	125.77	120.03
1	B	123	GLY	C-N-CA	5.79	125.77	120.03
1	B	276	THR	N-CA-C	5.74	118.48	111.82
1	B	50	ILE	N-CA-C	5.69	116.78	108.58
1	A	198	SER	N-CA-C	5.69	120.35	113.41
1	B	76	TRP	N-CA-C	5.67	118.32	109.52
1	A	43	LYS	CA-C-N	5.54	125.63	119.87
1	A	43	LYS	C-N-CA	5.54	125.63	119.87
1	A	74	VAL	N-CA-C	5.49	116.02	108.12
1	A	118	LEU	N-CA-C	5.44	117.29	111.36
1	B	222	GLY	N-CA-C	-5.39	103.39	112.77
1	A	277	GLY	N-CA-C	-5.26	106.97	115.08
1	B	410	THR	N-CA-C	-5.22	103.80	110.53
1	A	73	GLU	N-CA-C	-5.18	100.87	109.46
1	A	50	ILE	N-CA-C	5.09	115.67	107.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3322	0	3339	77	0
1	B	3322	0	3339	81	0
2	A	44	0	27	1	0
2	B	44	0	27	1	0
3	A	38	0	31	1	0
3	B	38	0	31	1	0
4	A	114	0	0	3	0
4	B	130	0	0	2	0
All	All	7052	0	6794	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:LEU:HD23	1:A:58:VAL:HG13	1.39	1.02
1:A:317:GLU:HB2	1:A:329:ARG:HB3	1.56	0.88
1:A:39:TYR:HB2	1:A:70:LEU:HD22	1.56	0.87
1:B:49:ARG:HH21	1:B:122:ASP:HB2	1.39	0.87
1:B:151:ARG:HD3	1:B:376:PRO:HG3	1.59	0.82
1:B:279:ILE:HG22	1:B:304:VAL:HB	1.60	0.82
1:B:22:LEU:HD23	1:B:58:VAL:HG13	1.67	0.77
1:A:118:LEU:HD22	1:A:139:ILE:HD11	1.68	0.76
1:B:106:THR:OG1	1:B:109:GLU:HG3	1.88	0.73
1:A:33:MET:O	1:A:37:GLU:HG3	1.87	0.72
1:A:375:HIS:HB3	1:A:378:LYS:HD3	1.71	0.71
1:A:284:GLY:O	1:A:288:GLU:HG3	1.93	0.69
1:A:317:GLU:HB2	1:A:329:ARG:CB	2.23	0.69
1:A:34:ARG:HH11	1:A:34:ARG:HA	1.58	0.69
1:A:45:LEU:HB3	1:A:72:ALA:HB2	1.73	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:LYS:HE3	4:A:616:HOH:O	1.92	0.68
1:B:56:MET:HE1	1:B:64:ILE:HD11	1.75	0.68
1:B:321:ILE:HD11	1:B:327:ARG:HB2	1.75	0.66
1:B:45:LEU:HB3	1:B:72:ALA:HB2	1.78	0.64
1:A:128:ILE:HB	1:A:153:ILE:HG12	1.80	0.64
1:B:277:GLY:HA2	1:B:301:HIS:HB2	1.79	0.63
1:B:56:MET:HE1	1:B:64:ILE:CD1	2.29	0.63
1:A:278:CYS:O	1:A:305:GLU:HG2	2.00	0.61
1:B:75:GLN:HG2	1:B:98:PRO:HB2	1.82	0.61
1:A:147:LEU:HD13	1:A:174:LYS:HB2	1.82	0.61
1:B:388:LYS:O	1:B:392:GLU:HG3	2.01	0.60
1:B:33:MET:O	1:B:37:GLU:HG3	2.01	0.60
1:B:309:LYS:O	1:B:313:GLU:HG3	2.00	0.60
1:A:417:LEU:HB3	1:A:419:MET:HE3	1.83	0.60
1:A:51:ALA:HB3	1:A:125:LEU:HD23	1.84	0.60
1:B:49:ARG:NH2	1:B:122:ASP:HB2	2.15	0.59
1:B:199:LEU:HD22	1:B:228:CYS:SG	2.43	0.58
1:B:157:THR:O	1:B:161:VAL:HG23	2.04	0.58
1:A:361:SER:O	1:A:364:ASN:HB2	2.02	0.58
1:A:386:LEU:HD12	1:A:387:PRO:HD2	1.86	0.58
1:B:54:LEU:O	1:B:55:HIS:C	2.47	0.58
1:A:279:ILE:HG22	1:A:304:VAL:HB	1.86	0.57
1:B:284:GLY:O	1:B:288:GLU:HG3	2.04	0.57
1:B:22:LEU:O	1:B:26:GLU:HG3	2.03	0.57
1:A:39:TYR:HB2	1:A:70:LEU:CD2	2.32	0.57
1:B:194:GLY:HA2	1:B:357:VAL:HG21	1.85	0.57
1:B:375:HIS:HB3	1:B:378:LYS:HD3	1.87	0.57
1:A:75:GLN:HG2	1:A:98:PRO:HB2	1.87	0.56
1:A:363:THR:O	1:A:367:MET:HG2	2.04	0.56
1:B:184:VAL:HG21	1:B:432:TYR:CE1	2.40	0.56
1:A:118:LEU:CD2	1:A:139:ILE:HD11	2.35	0.56
1:A:18:GLY:HA3	1:A:87:HIS:O	2.06	0.56
1:B:80:ASN:HB3	1:B:83:SER:OG	2.06	0.56
1:A:412:LYS:HE2	1:B:279:ILE:HD12	1.89	0.55
1:A:39:TYR:CB	1:A:70:LEU:HD22	2.33	0.55
1:A:245:ASP:CG	1:A:248:ASN:HD22	2.14	0.54
1:B:56:MET:HE3	1:B:99:VAL:CG2	2.38	0.54
1:B:112:TRP:O	1:B:116:GLN:HG2	2.08	0.54
1:A:222:GLY:O	1:A:226:LYS:HG3	2.08	0.54
1:B:280:ASP:HB3	1:B:283:LEU:HD21	1.88	0.54
1:A:31:GLY:O	1:A:35:MET:HG2	2.07	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:LYS:HD2	1:A:430:TYR:CE2	2.44	0.53
1:B:284:GLY:HA2	1:B:287:PHE:HD2	1.73	0.52
1:A:66:THR:O	1:A:70:LEU:HG	2.10	0.52
1:A:209:VAL:CG2	1:A:214:LYS:HE2	2.39	0.52
1:B:302:PHE:O	1:B:343:ARG:HA	2.10	0.52
1:A:388:LYS:O	1:A:392:GLU:HG3	2.10	0.52
1:B:204:LYS:O	1:B:208:ASP:N	2.41	0.52
1:A:54:LEU:O	1:A:55:HIS:C	2.53	0.51
1:B:39:TYR:HB2	1:B:70:LEU:HD22	1.91	0.51
1:A:151:ARG:HD2	1:A:373:TRP:CE3	2.46	0.51
1:A:200:ILE:HG21	1:A:235:PHE:CE2	2.45	0.51
1:A:254:MET:HE2	1:B:189:PHE:CE1	2.46	0.51
1:A:277:GLY:HA2	1:A:301:HIS:HB2	1.93	0.50
1:A:209:VAL:HG22	1:A:214:LYS:HE2	1.94	0.50
1:B:102:TRP:O	1:B:105:GLU:HG3	2.12	0.50
1:B:49:ARG:HH11	1:B:49:ARG:HG3	1.77	0.50
1:B:410:THR:OG1	1:B:413:GLN:HG3	2.12	0.50
1:B:292:ASP:OD2	1:B:335:ARG:NH1	2.45	0.49
2:A:501:NAI:O7N	3:A:502:XFA:H10	2.12	0.49
1:B:39:TYR:CB	1:B:70:LEU:HD22	2.42	0.49
1:B:56:MET:HE3	1:B:99:VAL:HG21	1.95	0.49
1:A:121:LYS:HE3	1:A:122:ASP:OD2	2.12	0.49
1:A:301:HIS:O	1:A:302:PHE:C	2.55	0.49
1:A:22:LEU:HD23	1:A:58:VAL:CG1	2.29	0.49
1:A:106:THR:OG1	1:A:109:GLU:HG3	2.12	0.48
1:A:188:LYS:NZ	4:A:604:HOH:O	2.45	0.48
1:A:411:GLU:O	1:A:415:GLN:HG3	2.13	0.48
1:B:186:LYS:C	1:B:186:LYS:HD3	2.39	0.48
1:A:22:LEU:HD21	1:A:61:ALA:HB3	1.96	0.48
1:B:161:VAL:HG12	1:B:165:TYR:CE2	2.48	0.48
1:B:344:LEU:HD12	1:B:347:LEU:HD12	1.95	0.47
1:A:81:ILE:HG22	1:A:110:TYR:HB2	1.94	0.47
1:A:194:GLY:HA2	1:A:357:VAL:HG21	1.96	0.47
1:B:275:THR:HG22	1:B:299:ILE:CG2	2.44	0.47
1:A:200:ILE:HG12	4:A:641:HOH:O	2.13	0.47
1:B:328:TYR:O	1:B:335:ARG:HA	2.15	0.47
1:A:45:LEU:HD12	1:A:70:LEU:HB2	1.97	0.46
1:A:204:LYS:O	1:A:208:ASP:N	2.48	0.46
1:B:216:ALA:HB1	1:B:232:LEU:HD13	1.97	0.46
1:B:120:PHE:HB2	1:B:123:GLY:O	2.15	0.46
1:A:34:ARG:HH11	1:A:34:ARG:CA	2.25	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:18:GLY:O	1:B:22:LEU:HG	2.15	0.46
1:A:184:VAL:HG21	1:A:432:TYR:CE1	2.51	0.46
1:B:379:TYR:HD2	1:B:384:HIS:CD2	2.33	0.46
1:B:247:ILE:O	1:B:251:GLN:HG3	2.16	0.45
1:B:374:THR:C	1:B:376:PRO:HD3	2.41	0.45
1:B:56:MET:HE2	1:B:76:TRP:CD1	2.52	0.45
1:B:38:ARG:HG2	1:B:38:ARG:O	2.15	0.45
1:B:361:SER:O	1:B:364:ASN:HB2	2.16	0.45
1:B:411:GLU:O	1:B:415:GLN:HG3	2.16	0.45
1:B:205:ARG:HH12	1:B:351:MET:HG2	1.81	0.45
1:A:201:ASP:O	1:A:205:ARG:HG3	2.17	0.44
1:A:404:VAL:HG13	1:B:259:VAL:HB	1.99	0.44
1:A:80:ASN:HB3	1:A:83:SER:OG	2.17	0.44
1:B:278:CYS:O	1:B:305:GLU:HG2	2.17	0.44
1:A:426:LYS:HD2	1:A:430:TYR:CD2	2.51	0.44
1:B:296:VAL:HG12	1:B:306:ILE:HD13	1.99	0.44
1:A:63:LEU:HD13	1:A:362:PHE:HB3	1.98	0.43
1:A:324:GLN:OE1	1:A:340:ALA:HA	2.18	0.43
2:B:501:NAI:O7N	3:B:502:XFA:H10	2.18	0.43
1:A:125:LEU:N	1:A:125:LEU:HD12	2.34	0.43
1:A:206:ALA:HB1	1:A:325:VAL:HG22	1.99	0.43
1:A:274:THR:HB	1:A:305:GLU:OE1	2.18	0.43
1:B:207:THR:O	1:B:208:ASP:HB2	2.18	0.43
1:A:414:ALA:HB1	1:A:419:MET:O	2.19	0.43
1:B:308:VAL:HG21	1:B:342:GLY:HA3	2.01	0.43
1:A:199:LEU:HD22	1:A:228:CYS:SG	2.59	0.43
1:B:31:GLY:HA3	1:B:398:HIS:CE1	2.54	0.43
1:A:186:LYS:HD3	1:A:186:LYS:C	2.45	0.42
1:B:266:CYS:HA	1:B:272:PHE:CE2	2.55	0.42
1:B:273:VAL:HG22	1:B:297:CYS:SG	2.60	0.42
1:B:216:ALA:CB	1:B:232:LEU:HD13	2.49	0.42
1:B:80:ASN:HA	4:B:615:HOH:O	2.19	0.42
1:A:112:TRP:O	1:A:116:GLN:HG2	2.19	0.42
1:B:8:LYS:HD3	1:B:102:TRP:CZ3	2.55	0.42
1:B:172:ILE:O	1:B:174:LYS:HG2	2.20	0.42
1:A:250:LEU:O	1:A:254:MET:HG2	2.18	0.42
1:B:22:LEU:CD2	1:B:58:VAL:HG13	2.41	0.42
1:B:155:GLU:CD	1:B:160:GLY:HA3	2.44	0.42
1:A:125:LEU:HD13	1:A:150:ILE:HG12	2.02	0.42
1:A:244:ILE:HG13	1:A:245:ASP:N	2.34	0.42
1:B:354:PRO:HG3	4:B:674:HOH:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:371:GLU:CG	1:B:390:LEU:HD11	2.50	0.42
1:A:344:LEU:HD12	1:A:347:LEU:HD12	2.01	0.41
1:A:280:ASP:HA	1:A:283:LEU:HD21	2.02	0.41
1:A:410:THR:OG1	1:A:413:GLN:HG3	2.20	0.41
1:A:55:HIS:HB3	1:A:83:SER:HB2	2.01	0.41
1:A:241:ILE:O	1:A:259:VAL:HA	2.20	0.41
1:A:266:CYS:HA	1:A:272:PHE:CE2	2.55	0.41
1:B:279:ILE:HG22	1:B:304:VAL:CB	2.42	0.41
1:B:401:LYS:C	1:B:403:ASN:N	2.79	0.41
1:B:209:VAL:HG22	1:B:210:MET:N	2.35	0.41
1:B:301:HIS:O	1:B:302:PHE:C	2.63	0.41
1:A:296:VAL:HG12	1:A:306:ILE:HD13	2.03	0.41
1:B:200:ILE:HD13	1:B:235:PHE:CD1	2.56	0.41
1:B:168:MET:SD	1:B:382:GLY:HA2	2.61	0.41
1:B:353:HIS:HA	1:B:354:PRO:HD3	1.92	0.41
1:B:6:PRO:O	1:B:7:TYR:HB3	2.22	0.40
1:A:292:ASP:O	1:A:293:ASP:HB2	2.20	0.40
1:B:151:ARG:HD2	1:B:373:TRP:HA	2.02	0.40
1:B:344:LEU:HD12	1:B:347:LEU:CD1	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	427/432 (99%)	407 (95%)	18 (4%)	2 (0%)	24	48
1	B	427/432 (99%)	411 (96%)	14 (3%)	2 (0%)	24	48
All	All	854/864 (99%)	818 (96%)	32 (4%)	4 (0%)	24	48

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	302	PHE
1	B	302	PHE
1	B	10	ALA
1	A	55	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/356 (99%)	349 (99%)	4 (1%)	65	85
1	B	353/356 (99%)	351 (99%)	2 (1%)	78	91
All	All	706/712 (99%)	700 (99%)	6 (1%)	73	88

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	LEU
1	A	125	LEU
1	A	179	ASN
1	A	210	MET
1	B	179	ASN
1	B	335	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	163	ASN
1	A	170	ASN
1	A	248	ASN
1	A	403	ASN
1	A	415	GLN
1	B	137	ASN
1	B	163	ASN
1	B	301	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	320	ASN
1	B	403	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAI	A	501	-	47,48,48	1.44	9 (19%)	64,73,73	1.99	11 (17%)
2	NAI	B	501	-	47,48,48	1.45	9 (19%)	64,73,73	2.00	12 (18%)
3	XFA	B	502	-	38,41,41	1.85	12 (31%)	47,56,56	2.26	9 (19%)
3	XFA	A	502	-	38,41,41	1.75	8 (21%)	47,56,56	2.20	9 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAI	A	501	-	-	6/29/72/72	0/5/5/5
2	NAI	B	501	-	-	6/29/72/72	0/5/5/5
3	XFA	B	502	-	-	5/24/37/37	0/4/4/4
3	XFA	A	502	-	-	5/24/37/37	0/4/4/4

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NAI	C5A-N7A	-3.69	1.32	1.39
2	B	501	NAI	C4N-C3N	-3.65	1.43	1.50
2	B	501	NAI	C5A-N7A	-3.58	1.32	1.39
3	B	502	XFA	C5-C6	3.34	1.43	1.38
2	A	501	NAI	C6N-N1N	3.33	1.45	1.37
3	A	502	XFA	C5-C6	3.30	1.43	1.38
2	A	501	NAI	C4N-C3N	-2.99	1.44	1.50
2	B	501	NAI	C6N-N1N	2.97	1.44	1.37
3	B	502	XFA	C17-C18	-2.93	1.48	1.53
3	B	502	XFA	C10-C11	2.82	1.43	1.38
3	A	502	XFA	C2-C3	2.80	1.45	1.39
3	A	502	XFA	C10-C11	2.76	1.43	1.38
2	A	501	NAI	C6N-C5N	2.73	1.41	1.33
3	A	502	XFA	C1-C2	2.72	1.43	1.38
2	A	501	NAI	C4A-N9A	-2.69	1.32	1.37
3	B	502	XFA	C2-C3	2.68	1.45	1.39
2	B	501	NAI	C7N-C3N	2.67	1.54	1.48
3	B	502	XFA	C5-C4	2.66	1.43	1.39
2	B	501	NAI	C4N-C5N	-2.65	1.42	1.49
3	B	502	XFA	C13-C14	2.58	1.43	1.38
2	B	501	NAI	C6N-C5N	2.57	1.40	1.33
3	A	502	XFA	C17-C18	-2.52	1.49	1.53
2	A	501	NAI	C7N-C3N	2.50	1.54	1.48
2	B	501	NAI	C4A-N9A	-2.49	1.32	1.37
3	B	502	XFA	C1-C2	2.48	1.42	1.38
2	A	501	NAI	C2N-C3N	2.43	1.41	1.35
2	A	501	NAI	C4N-C5N	-2.41	1.42	1.49
2	B	501	NAI	C2N-C3N	2.32	1.41	1.35
3	A	502	XFA	C5-C4	2.23	1.43	1.39
3	B	502	XFA	C14-C9	2.21	1.42	1.38
2	A	501	NAI	C8A-N7A	2.12	1.35	1.31
3	B	502	XFA	C17-N16	2.12	1.49	1.45
3	A	502	XFA	C14-C9	2.12	1.42	1.38
3	B	502	XFA	C28-C27	2.09	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	NAI	C8A-N7A	2.08	1.35	1.31
3	A	502	XFA	C13-C14	2.07	1.42	1.38
3	B	502	XFA	C23-C24	2.04	1.53	1.50
3	B	502	XFA	C13-C12	2.01	1.41	1.38

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	XFA	C18-C17-N16	9.22	123.62	111.53
3	B	502	XFA	C18-C17-N16	9.01	123.34	111.53
2	B	501	NAI	C5A-C4A-N3A	-7.46	116.45	126.72
2	A	501	NAI	C5A-C4A-N3A	-7.37	116.57	126.72
3	B	502	XFA	C17-C18-N19	6.78	123.37	115.95
2	A	501	NAI	N3A-C4A-N9A	6.60	138.39	127.17
2	B	501	NAI	N3A-C4A-N9A	6.59	138.37	127.17
3	A	502	XFA	C17-C18-N19	6.37	122.92	115.95
2	A	501	NAI	N3A-C2A-N1A	-5.05	120.94	128.58
2	B	501	NAI	N3A-C2A-N1A	-5.02	120.99	128.58
3	B	502	XFA	C3-O8-C9	4.99	130.03	117.95
3	A	502	XFA	C3-O8-C9	4.83	129.65	117.95
2	B	501	NAI	C2A-N3A-C4A	4.38	122.54	111.83
2	A	501	NAI	C2A-N3A-C4A	4.27	122.27	111.83
3	B	502	XFA	O8-C3-C4	4.20	125.01	117.70
3	A	502	XFA	O8-C3-C4	3.98	124.63	117.70
3	B	502	XFA	C5-C4-N16	-3.83	117.01	122.59
2	A	501	NAI	C6A-C5A-N7A	-3.76	124.84	132.09
2	B	501	NAI	C6A-C5A-N7A	-3.67	125.02	132.09
2	B	501	NAI	C1D-N1N-C2N	-3.55	115.29	121.14
2	A	501	NAI	C1D-N1N-C2N	-3.54	115.30	121.14
3	A	502	XFA	C5-C4-N16	-3.53	117.44	122.59
2	B	501	NAI	C6A-C5A-C4A	3.27	121.64	117.18
2	A	501	NAI	C6A-C5A-C4A	3.18	121.52	117.18
2	A	501	NAI	C3N-C2N-N1N	-2.92	118.91	123.20
3	B	502	XFA	C3-C4-N16	2.79	123.71	119.14
2	B	501	NAI	C3N-C2N-N1N	-2.75	119.17	123.20
2	A	501	NAI	C4A-C5A-N7A	2.67	113.64	110.58
3	A	502	XFA	C31-C32-N33	2.49	121.07	115.64
3	A	502	XFA	C3-C4-N16	2.43	123.11	119.14
2	B	501	NAI	C4A-C5A-N7A	2.42	113.34	110.58
3	B	502	XFA	C23-C24-C25	-2.30	107.66	110.07
2	A	501	NAI	C6N-N1N-C2N	2.30	121.78	119.32
3	B	502	XFA	C26-C25-C24	-2.27	107.69	110.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	XFA	C31-C32-N33	2.23	120.50	115.64
2	B	501	NAI	C6N-N1N-C2N	2.21	121.68	119.32
3	A	502	XFA	C23-C24-C25	-2.14	107.83	110.07
2	B	501	NAI	O4D-C4D-C5D	2.11	116.10	109.33
3	A	502	XFA	C26-C25-C24	-2.04	107.93	110.07
2	B	501	NAI	O4B-C4B-C3B	2.04	109.21	105.15
2	A	501	NAI	O4D-C4D-C5D	2.04	115.86	109.33

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	XFA	N16-C17-C18-N19
3	B	502	XFA	N16-C17-C18-N19
2	B	501	NAI	C2D-C1D-N1N-C2N
2	B	501	NAI	C2D-C1D-N1N-C6N
2	A	501	NAI	C2D-C1D-N1N-C2N
2	A	501	NAI	C2D-C1D-N1N-C6N
2	A	501	NAI	O4B-C4B-C5B-O5B
2	B	501	NAI	O4B-C4B-C5B-O5B
3	A	502	XFA	N16-C17-C18-O22
3	B	502	XFA	N16-C17-C18-O22
3	A	502	XFA	C3-C4-N16-C17
3	B	502	XFA	C3-C4-N16-C17
2	A	501	NAI	C3B-C4B-C5B-O5B
2	B	501	NAI	C3B-C4B-C5B-O5B
2	A	501	NAI	O4D-C1D-N1N-C2N
2	B	501	NAI	O4D-C1D-N1N-C6N
3	A	502	XFA	C18-C17-N16-C31
3	B	502	XFA	C18-C17-N16-C31
2	B	501	NAI	O4D-C1D-N1N-C2N
2	A	501	NAI	O4D-C1D-N1N-C6N
3	A	502	XFA	C5-C4-N16-C17
3	B	502	XFA	C5-C4-N16-C17

There are no ring outliers.

4 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	NAI	1	0
2	B	501	NAI	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	XFA	1	0
3	A	502	XFA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	429/432 (99%)	-0.20	3 (0%) 84 83	12, 23, 34, 44	0
1	B	429/432 (99%)	-0.22	2 (0%) 87 86	11, 23, 34, 42	0
All	All	858/864 (99%)	-0.21	5 (0%) 85 85	11, 23, 34, 44	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	302	PHE	3.9
1	B	302	PHE	3.6
1	A	377	ASP	2.9
1	A	169	ALA	2.0
1	B	40	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	XFA	A	502	38/38	0.87	0.12	2,20,27,31	0
3	XFA	B	502	38/38	0.88	0.12	5,21,23,24	0
2	NAI	A	501	44/44	0.98	0.06	11,18,23,24	0
2	NAI	B	501	44/44	0.98	0.06	13,18,21,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around XFA B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAI A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAI B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.