



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 01:26 PM UTC

PDB ID : 4YY3 / pdb_00004yy3
Title : 30S ribosomal subunit- HigB complex
Authors : Schureck, M.A.; Maehigashi, T.; Dunham, C.M.
Deposited on : 2015-03-23
Resolution : 3.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1747 (3.70-3.50)
Clashscore	190562	1827 (3.70-3.50)
Ramachandran outliers	187476	1773 (3.70-3.50)
Sidechain outliers	187428	1772 (3.70-3.50)
RSRZ outliers	180081	1745 (3.70-3.50)
RNA backbone	3983	1014 (4.14-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1522	12% 34% 51% 11% • •
2	B	256	6% 23% 52% 15% • 9%
3	C	239	9% 24% 46% 14% • 14%
4	D	209	18% 38% 52% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	162	
6	F	101	
7	G	156	
8	H	138	
9	I	128	
10	J	105	
11	K	129	
12	L	132	
13	M	126	
14	N	61	
15	O	89	
16	P	88	
17	Q	105	
18	R	88	
19	S	93	
20	T	106	
21	V	27	
22	Y	118	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
23	MG	A	1605	-	-	-	X
23	MG	A	1623	-	-	-	X
23	MG	A	1632	-	-	-	X
23	MG	A	1682	-	-	-	X
23	MG	A	1748	-	-	-	X

2 Entry composition

There are 24 unique types of molecules in this entry. The entry contains 52640 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1513	Total	C	N	O	P	0	0	0
			32514	14472	6016	10513	1513			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	150	Total	C	N	O	S	0	0	0
			1146	724	217	201	4			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	127	Total	C	N	O	S	0	0	0
			1010	639	197	174				

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	98	Total	C	N	O	S	0	0	0
			792	498	156	137	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	124	Total	C	N	O	S	0	0	0
			970	611	195	163	1			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	118	Total	C	N	O	S	0	0	0
			937	579	193	163	2			

- Molecule 14 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	O	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	P	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Q	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	R	73	Total	C	N	O	0	0	0
			598	381	118	99			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	S	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	T	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	V	24	Total	C	N	O	0	0	0
			208	128	50	30			

- Molecule 22 is a protein called Killer protein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
22	Y	92	Total	C	N	O	0	0	0
			756	484	134	138			

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	0	MET	-	initiating methionine	UNP Q7A225
Y	1	GLY	-	expression tag	UNP Q7A225
Y	93	LYS	-	expression tag	UNP Q7A225
Y	94	LEU	-	expression tag	UNP Q7A225
Y	95	GLY	-	expression tag	UNP Q7A225
Y	96	PRO	-	expression tag	UNP Q7A225
Y	97	GLU	-	expression tag	UNP Q7A225
Y	98	GLN	-	expression tag	UNP Q7A225
Y	99	LYS	-	expression tag	UNP Q7A225
Y	100	LEU	-	expression tag	UNP Q7A225
Y	101	ILE	-	expression tag	UNP Q7A225
Y	102	SER	-	expression tag	UNP Q7A225
Y	103	GLU	-	expression tag	UNP Q7A225
Y	104	GLU	-	expression tag	UNP Q7A225
Y	105	ASP	-	expression tag	UNP Q7A225
Y	106	LEU	-	expression tag	UNP Q7A225
Y	107	ASN	-	expression tag	UNP Q7A225
Y	108	SER	-	expression tag	UNP Q7A225
Y	109	ALA	-	expression tag	UNP Q7A225
Y	110	VAL	-	expression tag	UNP Q7A225
Y	111	ASP	-	expression tag	UNP Q7A225
Y	112	HIS	-	expression tag	UNP Q7A225
Y	113	HIS	-	expression tag	UNP Q7A225
Y	114	HIS	-	expression tag	UNP Q7A225
Y	115	HIS	-	expression tag	UNP Q7A225
Y	116	HIS	-	expression tag	UNP Q7A225
Y	117	HIS	-	expression tag	UNP Q7A225

- Molecule 23 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
23	A	191	Total 191	Mg 191	0	0
23	B	1	Total 1	Mg 1	0	0
23	D	1	Total 1	Mg 1	0	0
23	E	1	Total 1	Mg 1	0	0


- Molecule 24 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
24	D	1	Total 1	Zn 1	0	0
24	N	1	Total 1	Zn 1	0	0


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

[illegible]






• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4




• Molecule 5: 30S ribosomal protein S5








• Molecule 6: 30S ribosomal protein S6



• Molecule 7: 30S ribosomal protein S7




• Molecule 8: 30S ribosomal protein S8





• Molecule 9: 30S ribosomal protein S9







• Molecule 10: 30S ribosomal protein S10



• Molecule 11: 30S ribosomal protein S11




• Molecule 12: 30S ribosomal protein S12



• Molecule 13: 30S ribosomal protein S13







- Molecule 14: 30S ribosomal protein S14 type Z




- Molecule 15: 30S ribosomal protein S15



- Molecule 16: 30S ribosomal protein S16





- Molecule 17: 30S ribosomal protein S17






- Molecule 18: 30S ribosomal protein S18






• Molecule 19: 30S ribosomal protein S19





• Molecule 20: 30S ribosomal protein S20



• Molecule 21: 30S ribosomal protein Thx



• Molecule 22: Killer protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	402.59Å 402.59Å 176.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.16 – 3.60 46.16 – 3.60	Depositor EDS
% Data completeness (in resolution range)	98.5 (46.16-3.60) 98.5 (46.16-3.60)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 3.57Å)	Xtriage
Refinement program	PHENIX 1.8.1_1168	Depositor
R, R_{free}	0.214 , 0.239 0.216 , 0.241	Depositor DCC
R_{free} test set	7852 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	110.0	Xtriage
Anisotropy	0.390	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 106.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	52640	wwPDB-VP
Average B, all atoms (Å ²)	102.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/36393	0.70	71/56797 (0.1%)
2	B	0.45	0/1935	1.07	13/2609 (0.5%)
3	C	0.44	0/1636	1.02	9/2205 (0.4%)
4	D	0.44	0/1733	0.95	7/2318 (0.3%)
5	E	0.63	0/1162	1.19	10/1564 (0.6%)
6	F	0.41	0/856	0.95	3/1154 (0.3%)
7	G	0.42	0/1276	1.00	6/1709 (0.4%)
8	H	0.58	0/1136	1.13	9/1527 (0.6%)
9	I	0.41	0/1029	0.95	4/1379 (0.3%)
10	J	0.42	0/805	1.08	7/1082 (0.6%)
11	K	0.52	0/900	1.07	4/1213 (0.3%)
12	L	0.55	1/986 (0.1%)	1.10	6/1320 (0.5%)
13	M	0.45	0/947	0.97	2/1270 (0.2%)
14	N	0.47	0/501	1.18	6/664 (0.9%)
15	O	0.48	0/745	0.95	3/992 (0.3%)
16	P	0.51	0/716	1.17	8/963 (0.8%)
17	Q	0.57	1/847 (0.1%)	1.06	3/1131 (0.3%)
18	R	0.44	0/604	0.96	4/801 (0.5%)
19	S	0.39	0/689	1.05	6/926 (0.6%)
20	T	0.51	0/765	1.12	7/1007 (0.7%)
21	V	0.49	0/212	0.87	0/277
22	Y	0.46	0/773	0.75	1/1043 (0.1%)
All	All	0.44	2/56646 (0.0%)	0.83	189/83951 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	39

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	L	45	PRO	N-CD	5.09	1.54	1.47
17	Q	67	LYS	CA-C	5.08	1.59	1.52

The worst 5 of 189 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	243	A	C2'-C3'-O3'	13.92	130.38	109.50
1	A	559	A	C2'-C3'-O3'	13.39	129.59	109.50
3	C	167	TRP	N-CA-C	12.93	119.38	108.78
12	L	26	ALA	N-CA-C	-11.85	99.59	113.21
1	A	366	C	C2'-C3'-O3'	11.51	126.77	109.50

There are no chirality outliers.

5 of 39 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	12	U	Sidechain
1	A	197	A	Sidechain
1	A	203	U	Sidechain
1	A	231	G	Sidechain
1	A	249	U	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32514	0	16412	1114	0
2	B	1900	0	1951	232	0
3	C	1612	0	1677	233	0
4	D	1703	0	1765	149	0
5	E	1146	0	1207	113	0
6	F	843	0	857	76	0
7	G	1257	0	1296	97	0
8	H	1116	0	1177	70	0
9	I	1010	0	1037	120	0
10	J	792	0	835	142	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	K	885	0	904	85	0
12	L	970	0	1057	119	0
13	M	937	0	995	110	0
14	N	492	0	529	75	0
15	O	734	0	771	60	0
16	P	700	0	720	61	0
17	Q	834	0	904	64	0
18	R	598	0	670	70	0
19	S	674	0	699	89	0
20	T	763	0	861	88	0
21	V	208	0	221	25	0
22	Y	756	0	749	18	0
23	A	191	0	0	0	0
23	B	1	0	0	0	0
23	D	1	0	0	0	0
23	E	1	0	0	0	0
24	D	1	0	0	0	0
24	N	1	0	0	0	0
All	All	52640	0	37294	2919	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 33.

The worst 5 of 2919 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:41:ARG:HG2	12:L:42:THR:H	1.03	1.14
2:B:77:ALA:HB2	2:B:211:ILE:HD13	1.22	1.14
1:A:1443:G:H5''	1:A:1446:A:H5'	1.29	1.11
9:I:8:GLY:HA2	9:I:79:LEU:HD12	1.32	1.09
4:D:36:ARG:H	4:D:37:PRO:HD3	1.19	1.07

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	232/256 (91%)	174 (75%)	34 (15%)	24 (10%)	0	5
3	C	204/239 (85%)	135 (66%)	40 (20%)	29 (14%)	0	3
4	D	206/209 (99%)	166 (81%)	31 (15%)	9 (4%)	2	18
5	E	148/162 (91%)	130 (88%)	13 (9%)	5 (3%)	3	23
6	F	99/101 (98%)	79 (80%)	19 (19%)	1 (1%)	12	45
7	G	153/156 (98%)	127 (83%)	16 (10%)	10 (6%)	1	12
8	H	136/138 (99%)	125 (92%)	7 (5%)	4 (3%)	3	26
9	I	125/128 (98%)	88 (70%)	27 (22%)	10 (8%)	1	8
10	J	96/105 (91%)	59 (62%)	20 (21%)	17 (18%)	0	1
11	K	117/129 (91%)	88 (75%)	20 (17%)	9 (8%)	1	9
12	L	122/132 (92%)	98 (80%)	14 (12%)	10 (8%)	0	8
13	M	116/126 (92%)	85 (73%)	27 (23%)	4 (3%)	3	23
14	N	58/61 (95%)	39 (67%)	11 (19%)	8 (14%)	0	3
15	O	86/89 (97%)	70 (81%)	11 (13%)	5 (6%)	1	13
16	P	81/88 (92%)	65 (80%)	15 (18%)	1 (1%)	10	41
17	Q	98/105 (93%)	85 (87%)	9 (9%)	4 (4%)	2	19
18	R	71/88 (81%)	62 (87%)	7 (10%)	2 (3%)	4	26
19	S	82/93 (88%)	47 (57%)	22 (27%)	13 (16%)	0	2
20	T	97/106 (92%)	65 (67%)	20 (21%)	12 (12%)	0	4
21	V	22/27 (82%)	19 (86%)	2 (9%)	1 (4%)	2	17
22	Y	90/118 (76%)	82 (91%)	8 (9%)	0	100	100
All	All	2439/2656 (92%)	1888 (77%)	373 (15%)	178 (7%)	1	10

5 of 178 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	9	GLU
2	B	15	VAL
2	B	16	HIS
2	B	17	PHE
2	B	21	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	202/220 (92%)	184 (91%)	18 (9%)	9	33
3	C	160/188 (85%)	143 (89%)	17 (11%)	6	28
4	D	180/181 (99%)	169 (94%)	11 (6%)	17	45
5	E	115/123 (94%)	98 (85%)	17 (15%)	3	17
6	F	90/90 (100%)	86 (96%)	4 (4%)	25	52
7	G	126/127 (99%)	121 (96%)	5 (4%)	28	54
8	H	119/119 (100%)	107 (90%)	12 (10%)	7	30
9	I	98/99 (99%)	91 (93%)	7 (7%)	13	40
10	J	87/92 (95%)	77 (88%)	10 (12%)	5	25
11	K	90/99 (91%)	83 (92%)	7 (8%)	11	38
12	L	104/109 (95%)	95 (91%)	9 (9%)	9	34
13	M	94/101 (93%)	87 (93%)	7 (7%)	13	39
14	N	49/50 (98%)	45 (92%)	4 (8%)	10	36
15	O	79/80 (99%)	72 (91%)	7 (9%)	9	33
16	P	72/74 (97%)	67 (93%)	5 (7%)	14	41
17	Q	95/97 (98%)	90 (95%)	5 (5%)	20	48
18	R	64/77 (83%)	61 (95%)	3 (5%)	23	50
19	S	73/80 (91%)	68 (93%)	5 (7%)	14	42
20	T	76/82 (93%)	68 (90%)	8 (10%)	6	29
21	V	19/22 (86%)	19 (100%)	0	100	100
22	Y	79/103 (77%)	76 (96%)	3 (4%)	29	55
All	All	2071/2213 (94%)	1907 (92%)	164 (8%)	11	37

5 of 164 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
12	L	113	ARG
17	Q	68	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	16	ASP
15	O	39	LEU
19	S	78	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
6	F	94	GLN
20	T	42	GLN
10	J	56	HIS
17	Q	16	GLN
7	G	106	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1512/1522 (99%)	230 (15%)	90 (5%)

5 of 230 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	6	G
1	A	8	A
1	A	9	G
1	A	31	G
1	A	32	A

5 of 90 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1067	A
1	A	1278	U
1	A	1101	A
1	A	1201	A
1	A	1301	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 196 ligands modelled in this entry, 196 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1513/1522 (99%)	0.92	189 (12%) 8 7	51, 88, 179, 307	0
2	B	234/256 (91%)	0.53	16 (6%) 23 15	64, 99, 175, 250	0
3	C	206/239 (86%)	0.55	22 (10%) 11 9	69, 115, 165, 205	0
4	D	208/209 (99%)	0.92	37 (17%) 4 4	61, 95, 141, 216	0
5	E	150/162 (92%)	0.44	6 (4%) 42 24	40, 73, 120, 149	0
6	F	101/101 (100%)	0.59	5 (4%) 34 19	76, 116, 155, 175	0
7	G	155/156 (99%)	0.48	9 (5%) 29 17	77, 110, 171, 198	0
8	H	138/138 (100%)	0.31	7 (5%) 33 19	45, 65, 97, 131	0
9	I	127/128 (99%)	0.82	15 (11%) 9 8	68, 119, 165, 185	0
10	J	98/105 (93%)	1.12	11 (11%) 10 8	74, 130, 216, 297	0
11	K	119/129 (92%)	0.76	12 (10%) 12 10	57, 93, 145, 228	0
12	L	124/132 (93%)	0.99	17 (13%) 6 6	49, 90, 128, 204	0
13	M	118/126 (93%)	0.96	19 (16%) 4 5	77, 116, 165, 200	0
14	N	60/61 (98%)	1.39	16 (26%) 1 2	77, 108, 155, 192	0
15	O	88/89 (98%)	0.46	3 (3%) 48 27	56, 86, 143, 195	0
16	P	83/88 (94%)	0.52	5 (6%) 27 17	64, 84, 112, 165	0
17	Q	100/105 (95%)	0.75	12 (12%) 9 7	53, 81, 129, 186	0
18	R	73/88 (82%)	0.80	4 (5%) 30 18	64, 97, 168, 223	0
19	S	84/93 (90%)	0.89	10 (11%) 9 8	97, 134, 168, 235	0
20	T	99/106 (93%)	1.10	16 (16%) 4 5	60, 96, 149, 227	0
21	V	24/27 (88%)	2.33	12 (50%) 0 1	94, 117, 149, 157	0
22	Y	92/118 (77%)	1.66	25 (27%) 1 2	109, 178, 232, 276	0
All	All	3994/4178 (95%)	0.82	468 (11%) 9 8	40, 97, 175, 307	0

The worst 5 of 468 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
19	S	3	ARG	8.1
7	G	5	ARG	7.8
1	A	1541	U	7.7
1	A	1540	U	7.6
22	Y	92	HIS	7.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	MG	A	1779	1/1	0.14	0.33	71,71,71,71	0
23	MG	B	301	1/1	0.37	0.17	108,108,108,108	0
23	MG	A	1702	1/1	0.43	0.18	96,96,96,96	0
23	MG	A	1697	1/1	0.44	0.38	83,83,83,83	0
23	MG	A	1638	1/1	0.47	0.30	83,83,83,83	0
23	MG	A	1694	1/1	0.47	0.23	87,87,87,87	0
23	MG	A	1654	1/1	0.48	0.23	63,63,63,63	0
23	MG	A	1623	1/1	0.48	0.44	96,96,96,96	0
23	MG	A	1621	1/1	0.49	0.19	69,69,69,69	0
23	MG	A	1752	1/1	0.55	0.23	76,76,76,76	0
23	MG	A	1725	1/1	0.56	0.34	83,83,83,83	0
23	MG	A	1622	1/1	0.56	0.35	89,89,89,89	0
23	MG	A	1751	1/1	0.57	0.21	89,89,89,89	0
23	MG	A	1769	1/1	0.57	0.30	106,106,106,106	0
23	MG	A	1624	1/1	0.60	0.11	102,102,102,102	0
23	MG	A	1730	1/1	0.61	0.20	69,69,69,69	0
23	MG	A	1764	1/1	0.64	0.14	80,80,80,80	0
23	MG	A	1620	1/1	0.64	0.35	62,62,62,62	0
23	MG	A	1690	1/1	0.66	0.25	81,81,81,81	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	MG	A	1748	1/1	0.66	0.45	80,80,80,80	0
23	MG	A	1705	1/1	0.67	0.25	51,51,51,51	0
23	MG	A	1603	1/1	0.68	0.27	68,68,68,68	0
23	MG	A	1629	1/1	0.68	0.39	80,80,80,80	0
23	MG	A	1699	1/1	0.69	0.17	78,78,78,78	0
23	MG	A	1670	1/1	0.70	0.22	43,43,43,43	0
23	MG	A	1735	1/1	0.70	0.23	87,87,87,87	0
23	MG	A	1790	1/1	0.70	0.22	81,81,81,81	0
23	MG	A	1616	1/1	0.70	0.11	70,70,70,70	0
23	MG	A	1680	1/1	0.71	0.17	73,73,73,73	0
23	MG	A	1605	1/1	0.72	0.71	79,79,79,79	0
23	MG	A	1755	1/1	0.73	0.34	50,50,50,50	0
23	MG	A	1644	1/1	0.73	0.25	54,54,54,54	0
23	MG	A	1784	1/1	0.74	0.17	63,63,63,63	0
23	MG	A	1739	1/1	0.76	0.13	94,94,94,94	0
23	MG	A	1632	1/1	0.77	0.66	79,79,79,79	0
23	MG	A	1761	1/1	0.77	0.30	69,69,69,69	0
23	MG	A	1713	1/1	0.78	0.34	84,84,84,84	0
23	MG	A	1607	1/1	0.79	0.15	68,68,68,68	0
23	MG	A	1772	1/1	0.79	0.39	94,94,94,94	0
23	MG	A	1760	1/1	0.79	0.39	72,72,72,72	0
23	MG	A	1630	1/1	0.80	0.46	85,85,85,85	0
23	MG	A	1768	1/1	0.80	0.11	66,66,66,66	0
23	MG	A	1682	1/1	0.80	0.41	66,66,66,66	0
23	MG	A	1689	1/1	0.80	0.36	50,50,50,50	0
23	MG	A	1773	1/1	0.80	0.31	31,31,31,31	0
23	MG	A	1701	1/1	0.80	0.35	92,92,92,92	0
23	MG	A	1758	1/1	0.80	0.15	44,44,44,44	0
23	MG	A	1650	1/1	0.80	0.18	70,70,70,70	0
23	MG	A	1703	1/1	0.80	0.30	72,72,72,72	0
23	MG	A	1720	1/1	0.81	0.42	40,40,40,40	0
23	MG	A	1667	1/1	0.81	0.39	54,54,54,54	0
23	MG	A	1601	1/1	0.81	0.08	67,67,67,67	0
23	MG	A	1633	1/1	0.82	0.20	74,74,74,74	0
23	MG	A	1613	1/1	0.82	0.18	95,95,95,95	0
23	MG	A	1721	1/1	0.83	0.12	38,38,38,38	0
23	MG	A	1745	1/1	0.83	0.17	61,61,61,61	0
23	MG	A	1714	1/1	0.83	0.21	65,65,65,65	0
23	MG	A	1693	1/1	0.84	0.06	117,117,117,117	0
23	MG	A	1634	1/1	0.84	0.21	60,60,60,60	0
23	MG	A	1733	1/1	0.84	0.12	56,56,56,56	0
23	MG	A	1656	1/1	0.84	0.19	88,88,88,88	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	MG	A	1785	1/1	0.84	0.27	90,90,90,90	0
23	MG	A	1753	1/1	0.84	0.25	77,77,77,77	0
23	MG	A	1692	1/1	0.84	0.26	50,50,50,50	0
23	MG	A	1618	1/1	0.85	0.26	59,59,59,59	0
23	MG	A	1643	1/1	0.85	0.41	69,69,69,69	0
23	MG	A	1775	1/1	0.85	0.13	74,74,74,74	0
23	MG	A	1666	1/1	0.85	0.27	8,8,8,8	0
23	MG	A	1762	1/1	0.86	0.11	66,66,66,66	0
23	MG	A	1777	1/1	0.86	0.26	79,79,79,79	0
23	MG	A	1665	1/1	0.86	0.29	60,60,60,60	0
23	MG	A	1783	1/1	0.86	0.10	61,61,61,61	0
23	MG	A	1649	1/1	0.86	0.25	56,56,56,56	0
23	MG	A	1628	1/1	0.86	0.33	60,60,60,60	0
23	MG	A	1715	1/1	0.86	0.26	37,37,37,37	0
23	MG	A	1657	1/1	0.86	0.25	36,36,36,36	0
23	MG	A	1728	1/1	0.87	0.33	59,59,59,59	0
23	MG	A	1672	1/1	0.87	0.23	21,21,21,21	0
23	MG	A	1604	1/1	0.87	0.06	69,69,69,69	0
23	MG	A	1766	1/1	0.87	0.26	44,44,44,44	0
23	MG	A	1614	1/1	0.87	0.37	97,97,97,97	0
23	MG	A	1737	1/1	0.87	0.26	60,60,60,60	0
23	MG	A	1609	1/1	0.87	0.08	45,45,45,45	0
23	MG	A	1617	1/1	0.87	0.18	67,67,67,67	0
23	MG	D	302	1/1	0.87	0.36	94,94,94,94	0
23	MG	A	1776	1/1	0.88	0.82	91,91,91,91	0
23	MG	A	1763	1/1	0.88	0.22	55,55,55,55	0
23	MG	A	1636	1/1	0.88	0.34	65,65,65,65	0
23	MG	A	1669	1/1	0.88	0.35	63,63,63,63	0
23	MG	A	1683	1/1	0.88	0.14	38,38,38,38	0
23	MG	A	1704	1/1	0.88	0.20	68,68,68,68	0
23	MG	A	1635	1/1	0.88	0.57	104,104,104,104	0
23	MG	A	1709	1/1	0.88	0.24	32,32,32,32	0
23	MG	A	1640	1/1	0.88	0.27	59,59,59,59	0
23	MG	A	1774	1/1	0.89	0.30	79,79,79,79	0
23	MG	A	1627	1/1	0.89	0.31	53,53,53,53	0
23	MG	A	1681	1/1	0.89	0.17	74,74,74,74	0
23	MG	A	1747	1/1	0.89	0.19	44,44,44,44	0
23	MG	A	1778	1/1	0.89	0.17	64,64,64,64	0
23	MG	A	1700	1/1	0.89	0.15	70,70,70,70	0
23	MG	A	1619	1/1	0.89	0.32	75,75,75,75	0
23	MG	A	1732	1/1	0.89	0.24	52,52,52,52	0
23	MG	A	1717	1/1	0.89	0.24	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	MG	A	1788	1/1	0.89	0.17	33,33,33,33	0
23	MG	A	1718	1/1	0.89	0.30	85,85,85,85	0
23	MG	A	1791	1/1	0.89	0.25	41,41,41,41	0
23	MG	A	1756	1/1	0.89	0.10	48,48,48,48	0
23	MG	A	1707	1/1	0.89	0.15	43,43,43,43	0
23	MG	A	1655	1/1	0.90	0.21	57,57,57,57	0
23	MG	A	1696	1/1	0.90	0.25	67,67,67,67	0
23	MG	A	1726	1/1	0.90	0.44	40,40,40,40	0
23	MG	A	1750	1/1	0.90	0.34	51,51,51,51	0
23	MG	A	1658	1/1	0.90	0.25	20,20,20,20	0
23	MG	A	1767	1/1	0.90	0.24	42,42,42,42	0
23	MG	A	1668	1/1	0.90	0.30	36,36,36,36	0
23	MG	A	1787	1/1	0.90	0.20	34,34,34,34	0
23	MG	A	1661	1/1	0.90	0.37	33,33,33,33	0
23	MG	A	1663	1/1	0.90	0.18	42,42,42,42	0
23	MG	A	1641	1/1	0.90	0.41	33,33,33,33	0
23	MG	A	1675	1/1	0.90	0.51	58,58,58,58	0
23	MG	A	1677	1/1	0.90	0.40	52,52,52,52	0
23	MG	A	1786	1/1	0.91	0.15	56,56,56,56	0
23	MG	A	1711	1/1	0.91	0.22	31,31,31,31	0
23	MG	A	1734	1/1	0.91	0.51	68,68,68,68	0
23	MG	A	1631	1/1	0.91	0.17	57,57,57,57	0
23	MG	A	1723	1/1	0.91	0.15	37,37,37,37	0
23	MG	A	1706	1/1	0.91	0.10	77,77,77,77	0
23	MG	A	1742	1/1	0.91	0.21	49,49,49,49	0
23	MG	A	1719	1/1	0.92	0.43	76,76,76,76	0
23	MG	A	1731	1/1	0.92	0.09	76,76,76,76	0
23	MG	A	1759	1/1	0.92	0.18	53,53,53,53	0
23	MG	A	1712	1/1	0.92	0.33	37,37,37,37	0
23	MG	A	1684	1/1	0.92	0.27	49,49,49,49	0
23	MG	A	1686	1/1	0.92	0.23	68,68,68,68	0
23	MG	A	1610	1/1	0.92	0.08	61,61,61,61	0
23	MG	A	1736	1/1	0.92	0.13	39,39,39,39	0
23	MG	A	1664	1/1	0.92	0.23	58,58,58,58	0
23	MG	A	1662	1/1	0.92	0.15	64,64,64,64	0
23	MG	A	1782	1/1	0.93	0.16	58,58,58,58	0
23	MG	A	1770	1/1	0.93	0.08	52,52,52,52	0
23	MG	A	1771	1/1	0.93	0.16	51,51,51,51	0
23	MG	A	1637	1/1	0.93	0.30	48,48,48,48	0
23	MG	A	1744	1/1	0.93	0.21	36,36,36,36	0
23	MG	A	1727	1/1	0.93	0.20	40,40,40,40	0
23	MG	A	1708	1/1	0.93	0.21	19,19,19,19	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	MG	A	1757	1/1	0.93	0.34	24,24,24,24	0
23	MG	A	1660	1/1	0.93	0.16	23,23,23,23	0
23	MG	A	1602	1/1	0.93	0.12	74,74,74,74	0
23	MG	A	1626	1/1	0.93	0.10	98,98,98,98	0
23	MG	E	201	1/1	0.93	0.27	38,38,38,38	0
23	MG	A	1688	1/1	0.94	0.12	65,65,65,65	0
23	MG	A	1738	1/1	0.94	0.47	62,62,62,62	0
23	MG	A	1625	1/1	0.94	0.20	71,71,71,71	0
23	MG	A	1740	1/1	0.94	0.19	66,66,66,66	0
23	MG	A	1608	1/1	0.94	0.37	94,94,94,94	0
23	MG	A	1754	1/1	0.94	0.23	41,41,41,41	0
23	MG	A	1645	1/1	0.94	0.20	54,54,54,54	0
23	MG	A	1716	1/1	0.94	0.20	62,62,62,62	0
23	MG	A	1746	1/1	0.94	0.32	44,44,44,44	0
23	MG	A	1722	1/1	0.94	0.06	23,23,23,23	0
23	MG	A	1780	1/1	0.94	0.23	48,48,48,48	0
23	MG	A	1781	1/1	0.94	0.48	67,67,67,67	0
23	MG	A	1647	1/1	0.95	0.27	23,23,23,23	0
23	MG	A	1639	1/1	0.95	0.11	48,48,48,48	0
23	MG	A	1729	1/1	0.95	0.19	71,71,71,71	0
23	MG	A	1695	1/1	0.95	0.06	67,67,67,67	0
23	MG	A	1612	1/1	0.95	0.20	35,35,35,35	0
23	MG	A	1646	1/1	0.95	0.21	22,22,22,22	0
23	MG	A	1698	1/1	0.95	0.14	33,33,33,33	0
23	MG	A	1673	1/1	0.95	0.19	25,25,25,25	0
23	MG	A	1674	1/1	0.95	0.29	56,56,56,56	0
23	MG	A	1710	1/1	0.96	0.23	46,46,46,46	0
23	MG	A	1642	1/1	0.96	0.12	74,74,74,74	0
23	MG	A	1611	1/1	0.96	0.19	20,20,20,20	0
23	MG	A	1676	1/1	0.96	0.28	25,25,25,25	0
23	MG	A	1651	1/1	0.96	0.58	55,55,55,55	0
23	MG	A	1678	1/1	0.96	0.33	40,40,40,40	0
23	MG	A	1724	1/1	0.96	0.17	47,47,47,47	0
23	MG	A	1685	1/1	0.96	0.20	38,38,38,38	0
23	MG	A	1679	1/1	0.96	0.38	37,37,37,37	0
23	MG	A	1652	1/1	0.97	0.28	17,17,17,17	0
23	MG	A	1749	1/1	0.97	0.29	41,41,41,41	0
23	MG	A	1743	1/1	0.97	0.15	38,38,38,38	0
23	MG	A	1765	1/1	0.97	0.14	48,48,48,48	0
23	MG	A	1653	1/1	0.97	0.33	24,24,24,24	0
23	MG	A	1671	1/1	0.97	0.15	33,33,33,33	0
23	MG	A	1648	1/1	0.97	0.32	25,25,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	MG	A	1606	1/1	0.97	0.35	49,49,49,49	0
24	ZN	D	301	1/1	0.97	0.26	72,72,72,72	0
24	ZN	N	101	1/1	0.97	0.07	123,123,123,123	0
23	MG	A	1741	1/1	0.98	0.04	32,32,32,32	0
23	MG	A	1615	1/1	0.98	0.21	24,24,24,24	0
23	MG	A	1687	1/1	0.98	0.03	34,34,34,34	0
23	MG	A	1691	1/1	0.98	0.10	36,36,36,36	0
23	MG	A	1659	1/1	0.98	0.19	32,32,32,32	0
23	MG	A	1789	1/1	0.99	0.34	50,50,50,50	0

6.5 Other polymers ⓘ

There are no such residues in this entry.