



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 15, 2026 – 02:36 AM UTC

PDB ID : 6YY1 / pdb_00006yy1
Title : Arabidopsis aspartate transcarbamoylase in apo state
Authors : Ramon Maiques, S.; Del Cano Ochoa, F.; Bellin, L.; Mohlmann, T.
Deposited on : 2020-05-04
Resolution : 3.06 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2469 (3.10-3.02)
Clashscore	190562	2569 (3.10-3.02)
Ramachandran outliers	187476	2424 (3.10-3.02)
Sidechain outliers	187428	2423 (3.10-3.02)
RSRZ outliers	180081	2469 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	332	% 80% 12% 8%
1	B	332	79% 13% 8%
1	C	332	80% 11% 8%
1	D	332	% 84% 10% 6%
1	E	332	83% 11% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	332	81% 10% • 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 29112 atoms, of which 14578 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PYRB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	305	Total	C	H	N	O	S	0	0	0
			4789	1513	2402	403	460	11			
1	B	304	Total	C	H	N	O	S	0	0	0
			4794	1512	2407	404	459	12			
1	C	304	Total	C	H	N	O	S	0	1	0
			4788	1514	2398	406	458	12			
1	D	312	Total	C	H	N	O	S	0	0	0
			4926	1556	2474	416	468	12			
1	E	314	Total	C	H	N	O	S	0	1	0
			4945	1563	2481	417	472	12			
1	F	304	Total	C	H	N	O	S	0	1	0
			4787	1512	2400	403	460	12			

There are 138 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	59	MET	-	initiating methionine	UNP A0A178VJE3
A	60	GLY	-	expression tag	UNP A0A178VJE3
A	61	SER	-	expression tag	UNP A0A178VJE3
A	62	SER	-	expression tag	UNP A0A178VJE3
A	63	HIS	-	expression tag	UNP A0A178VJE3
A	64	HIS	-	expression tag	UNP A0A178VJE3
A	65	HIS	-	expression tag	UNP A0A178VJE3
A	66	HIS	-	expression tag	UNP A0A178VJE3
A	67	HIS	-	expression tag	UNP A0A178VJE3
A	68	HIS	-	expression tag	UNP A0A178VJE3
A	69	SER	-	expression tag	UNP A0A178VJE3
A	70	SER	-	expression tag	UNP A0A178VJE3
A	71	GLY	-	expression tag	UNP A0A178VJE3
A	72	LEU	-	expression tag	UNP A0A178VJE3
A	73	GLU	-	expression tag	UNP A0A178VJE3
A	74	VAL	-	expression tag	UNP A0A178VJE3
A	75	LEU	-	expression tag	UNP A0A178VJE3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	76	PHE	-	expression tag	UNP A0A178VJE3
A	77	GLN	-	expression tag	UNP A0A178VJE3
A	78	GLY	-	expression tag	UNP A0A178VJE3
A	79	PRO	-	expression tag	UNP A0A178VJE3
A	80	HIS	-	expression tag	UNP A0A178VJE3
A	81	MET	-	expression tag	UNP A0A178VJE3
B	59	MET	-	initiating methionine	UNP A0A178VJE3
B	60	GLY	-	expression tag	UNP A0A178VJE3
B	61	SER	-	expression tag	UNP A0A178VJE3
B	62	SER	-	expression tag	UNP A0A178VJE3
B	63	HIS	-	expression tag	UNP A0A178VJE3
B	64	HIS	-	expression tag	UNP A0A178VJE3
B	65	HIS	-	expression tag	UNP A0A178VJE3
B	66	HIS	-	expression tag	UNP A0A178VJE3
B	67	HIS	-	expression tag	UNP A0A178VJE3
B	68	HIS	-	expression tag	UNP A0A178VJE3
B	69	SER	-	expression tag	UNP A0A178VJE3
B	70	SER	-	expression tag	UNP A0A178VJE3
B	71	GLY	-	expression tag	UNP A0A178VJE3
B	72	LEU	-	expression tag	UNP A0A178VJE3
B	73	GLU	-	expression tag	UNP A0A178VJE3
B	74	VAL	-	expression tag	UNP A0A178VJE3
B	75	LEU	-	expression tag	UNP A0A178VJE3
B	76	PHE	-	expression tag	UNP A0A178VJE3
B	77	GLN	-	expression tag	UNP A0A178VJE3
B	78	GLY	-	expression tag	UNP A0A178VJE3
B	79	PRO	-	expression tag	UNP A0A178VJE3
B	80	HIS	-	expression tag	UNP A0A178VJE3
B	81	MET	-	expression tag	UNP A0A178VJE3
C	59	MET	-	initiating methionine	UNP A0A178VJE3
C	60	GLY	-	expression tag	UNP A0A178VJE3
C	61	SER	-	expression tag	UNP A0A178VJE3
C	62	SER	-	expression tag	UNP A0A178VJE3
C	63	HIS	-	expression tag	UNP A0A178VJE3
C	64	HIS	-	expression tag	UNP A0A178VJE3
C	65	HIS	-	expression tag	UNP A0A178VJE3
C	66	HIS	-	expression tag	UNP A0A178VJE3
C	67	HIS	-	expression tag	UNP A0A178VJE3
C	68	HIS	-	expression tag	UNP A0A178VJE3
C	69	SER	-	expression tag	UNP A0A178VJE3
C	70	SER	-	expression tag	UNP A0A178VJE3
C	71	GLY	-	expression tag	UNP A0A178VJE3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	72	LEU	-	expression tag	UNP A0A178VJE3
C	73	GLU	-	expression tag	UNP A0A178VJE3
C	74	VAL	-	expression tag	UNP A0A178VJE3
C	75	LEU	-	expression tag	UNP A0A178VJE3
C	76	PHE	-	expression tag	UNP A0A178VJE3
C	77	GLN	-	expression tag	UNP A0A178VJE3
C	78	GLY	-	expression tag	UNP A0A178VJE3
C	79	PRO	-	expression tag	UNP A0A178VJE3
C	80	HIS	-	expression tag	UNP A0A178VJE3
C	81	MET	-	expression tag	UNP A0A178VJE3
D	59	MET	-	initiating methionine	UNP A0A178VJE3
D	60	GLY	-	expression tag	UNP A0A178VJE3
D	61	SER	-	expression tag	UNP A0A178VJE3
D	62	SER	-	expression tag	UNP A0A178VJE3
D	63	HIS	-	expression tag	UNP A0A178VJE3
D	64	HIS	-	expression tag	UNP A0A178VJE3
D	65	HIS	-	expression tag	UNP A0A178VJE3
D	66	HIS	-	expression tag	UNP A0A178VJE3
D	67	HIS	-	expression tag	UNP A0A178VJE3
D	68	HIS	-	expression tag	UNP A0A178VJE3
D	69	SER	-	expression tag	UNP A0A178VJE3
D	70	SER	-	expression tag	UNP A0A178VJE3
D	71	GLY	-	expression tag	UNP A0A178VJE3
D	72	LEU	-	expression tag	UNP A0A178VJE3
D	73	GLU	-	expression tag	UNP A0A178VJE3
D	74	VAL	-	expression tag	UNP A0A178VJE3
D	75	LEU	-	expression tag	UNP A0A178VJE3
D	76	PHE	-	expression tag	UNP A0A178VJE3
D	77	GLN	-	expression tag	UNP A0A178VJE3
D	78	GLY	-	expression tag	UNP A0A178VJE3
D	79	PRO	-	expression tag	UNP A0A178VJE3
D	80	HIS	-	expression tag	UNP A0A178VJE3
D	81	MET	-	expression tag	UNP A0A178VJE3
E	59	MET	-	initiating methionine	UNP A0A178VJE3
E	60	GLY	-	expression tag	UNP A0A178VJE3
E	61	SER	-	expression tag	UNP A0A178VJE3
E	62	SER	-	expression tag	UNP A0A178VJE3
E	63	HIS	-	expression tag	UNP A0A178VJE3
E	64	HIS	-	expression tag	UNP A0A178VJE3
E	65	HIS	-	expression tag	UNP A0A178VJE3
E	66	HIS	-	expression tag	UNP A0A178VJE3
E	67	HIS	-	expression tag	UNP A0A178VJE3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	68	HIS	-	expression tag	UNP A0A178VJE3
E	69	SER	-	expression tag	UNP A0A178VJE3
E	70	SER	-	expression tag	UNP A0A178VJE3
E	71	GLY	-	expression tag	UNP A0A178VJE3
E	72	LEU	-	expression tag	UNP A0A178VJE3
E	73	GLU	-	expression tag	UNP A0A178VJE3
E	74	VAL	-	expression tag	UNP A0A178VJE3
E	75	LEU	-	expression tag	UNP A0A178VJE3
E	76	PHE	-	expression tag	UNP A0A178VJE3
E	77	GLN	-	expression tag	UNP A0A178VJE3
E	78	GLY	-	expression tag	UNP A0A178VJE3
E	79	PRO	-	expression tag	UNP A0A178VJE3
E	80	HIS	-	expression tag	UNP A0A178VJE3
E	81	MET	-	expression tag	UNP A0A178VJE3
F	59	MET	-	initiating methionine	UNP A0A178VJE3
F	60	GLY	-	expression tag	UNP A0A178VJE3
F	61	SER	-	expression tag	UNP A0A178VJE3
F	62	SER	-	expression tag	UNP A0A178VJE3
F	63	HIS	-	expression tag	UNP A0A178VJE3
F	64	HIS	-	expression tag	UNP A0A178VJE3
F	65	HIS	-	expression tag	UNP A0A178VJE3
F	66	HIS	-	expression tag	UNP A0A178VJE3
F	67	HIS	-	expression tag	UNP A0A178VJE3
F	68	HIS	-	expression tag	UNP A0A178VJE3
F	69	SER	-	expression tag	UNP A0A178VJE3
F	70	SER	-	expression tag	UNP A0A178VJE3
F	71	GLY	-	expression tag	UNP A0A178VJE3
F	72	LEU	-	expression tag	UNP A0A178VJE3
F	73	GLU	-	expression tag	UNP A0A178VJE3
F	74	VAL	-	expression tag	UNP A0A178VJE3
F	75	LEU	-	expression tag	UNP A0A178VJE3
F	76	PHE	-	expression tag	UNP A0A178VJE3
F	77	GLN	-	expression tag	UNP A0A178VJE3
F	78	GLY	-	expression tag	UNP A0A178VJE3
F	79	PRO	-	expression tag	UNP A0A178VJE3
F	80	HIS	-	expression tag	UNP A0A178VJE3
F	81	MET	-	expression tag	UNP A0A178VJE3

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	B	1	Total	C	H	O	0	0
			14	3	8	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	19	Total	O	0	0
			19	19		
3	B	8	Total	O	0	0
			8	8		
3	C	9	Total	O	0	0
			9	9		
3	D	7	Total	O	0	0
			7	7		
3	E	8	Total	O	0	0
			8	8		
3	F	4	Total	O	0	0
			4	4		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PYRB




• Molecule 1: PYRB



• Molecule 1: PYRB




• Molecule 1: PYRB






● Molecule 1: PYRB



● Molecule 1: PYRB



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	103.69Å 109.57Å 208.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	92.85 – 3.06 92.85 – 3.06	Depositor EDS
% Data completeness (in resolution range)	99.3 (92.85-3.06) 93.8 (92.85-3.06)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.03 (at 3.07Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.190 , 0.245 0.191 , 0.243	Depositor DCC
R_{free} test set	2241 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	61.2	Xtriage
Anisotropy	0.084	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 21.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	29112	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/2422	0.66	0/3261
1	B	0.48	0/2422	0.58	0/3260
1	C	0.54	2/2426 (0.1%)	0.64	4/3268 (0.1%)
1	D	0.47	0/2490	0.58	0/3352
1	E	0.53	0/2502	0.60	0/3369
1	F	0.43	0/2425	0.54	0/3266
All	All	0.51	2/14687 (0.0%)	0.60	4/19776 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	128	THR	C-N	6.93	1.45	1.33
1	C	155	THR	CB-CG2	-5.48	1.34	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	128	THR	CB-CA-C	-8.50	96.95	111.23
1	C	128	THR	CA-C-O	-5.47	113.67	120.57
1	C	155	THR	OG1-CB-CG2	-5.09	99.11	109.30
1	C	128	THR	CA-CB-CG2	5.08	119.14	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2387	2402	2402	30	0
1	B	2387	2407	2407	31	0
1	C	2390	2398	2397	32	0
1	D	2452	2474	2474	25	0
1	E	2464	2481	2481	32	0
1	F	2387	2400	2400	31	0
2	A	6	8	8	0	0
2	B	6	8	8	0	0
3	A	19	0	0	1	0
3	B	8	0	0	0	0
3	C	9	0	0	0	0
3	D	7	0	0	0	0
3	E	8	0	0	0	0
3	F	4	0	0	0	0
All	All	14534	14578	14577	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 159 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:170:LEU:HD11	1:D:186:MET:HE1	1.34	1.04
1:D:170:LEU:HD11	1:D:186:MET:CE	1.97	0.92
1:C:128:THR:HG22	1:C:128:THR:O	1.80	0.81
1:C:176:THR:HG21	1:D:136:ARG:HG3	1.64	0.79
1:A:176:THR:HG21	1:B:136:ARG:HH11	1.50	0.76

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	301/332 (91%)	289 (96%)	12 (4%)	0	100	100
1	B	300/332 (90%)	289 (96%)	11 (4%)	0	100	100
1	C	301/332 (91%)	294 (98%)	7 (2%)	0	100	100
1	D	308/332 (93%)	299 (97%)	9 (3%)	0	100	100
1	E	310/332 (93%)	296 (96%)	14 (4%)	0	100	100
1	F	301/332 (91%)	288 (96%)	12 (4%)	1 (0%)	36	63
All	All	1821/1992 (91%)	1755 (96%)	65 (4%)	1 (0%)	48	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	169	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	254/280 (91%)	254 (100%)	0	100	100
1	B	255/280 (91%)	255 (100%)	0	100	100
1	C	254/280 (91%)	254 (100%)	0	100	100
1	D	262/280 (94%)	262 (100%)	0	100	100
1	E	263/280 (94%)	263 (100%)	0	100	100
1	F	255/280 (91%)	254 (100%)	1 (0%)	84	84
All	All	1543/1680 (92%)	1542 (100%)	1 (0%)	88	89

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	156	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	312	GLN
1	D	77	GLN
1	D	312	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	B	401	-	5,5,5	1.09	0	5,5,5	1.51	1 (20%)
2	GOL	A	401	-	5,5,5	1.12	1 (20%)	5,5,5	1.07	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	401	-	-	0/4/4/4	-
2	GOL	A	401	-	-	0/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	GOL	O2-C2	-2.20	1.37	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	GOL	C3-C2-C1	-2.92	101.09	111.80
2	A	401	GOL	C3-C2-C1	-2.15	103.90	111.80

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	305/332 (91%)	-0.65	2 (0%) 84 66	40, 50, 65, 81	0
1	B	304/332 (91%)	-0.51	0 100 100	44, 59, 77, 91	0
1	C	304/332 (91%)	-0.49	0 100 100	35, 62, 75, 90	1 (0%)
1	D	312/332 (93%)	-0.47	2 (0%) 85 69	54, 64, 75, 99	0
1	E	314/332 (94%)	-0.57	1 (0%) 90 80	40, 58, 75, 97	0
1	F	304/332 (91%)	-0.32	1 (0%) 90 80	37, 71, 84, 113	1 (0%)
All	All	1843/1992 (92%)	-0.50	6 (0%) 90 80	35, 61, 79, 113	2 (0%)

The worst 5 of 6 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	80	HIS	2.8
1	A	80	HIS	2.7
1	D	73	GLU	2.4
1	E	390	TRP	2.3
1	A	160	GLU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	B	401	6/6	0.77	0.16	59,71,76,77	0
2	GOL	A	401	6/6	0.93	0.09	43,52,61,61	0

6.5 Other polymers [i](#)

There are no such residues in this entry.