



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:29 PM UTC

PDB ID : 2YZM / pdb_00002yzm
Title : Structure of D-Alanine:D-Alanine Ligase with substrate from *Thermus thermophilus* HB8
Authors : Kitamura, Y.; Yokoyama, S.; Kuramitsu, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2007-05-06
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	2% 78% 18% .
1	B	319	7% 66% 27% . .
1	C	319	6% 74% 20% . .

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7476 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-alanine–D-alanine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2453	1593	406	449	5			
1	B	312	Total	C	N	O	S	0	0	0
			2384	1547	398	434	5			
1	C	308	Total	C	N	O	S	0	0	0
			2355	1527	394	429	5			

- Molecule 2 is D-ALANINE (CCD ID: DAL) (formula: C₃H₇NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			6	3	1	2		
2	B	1	Total	C	N	O	0	0
			6	3	1	2		
2	C	1	Total	C	N	O	0	0
			6	3	1	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	105	Total 105	O 105	0	0
3	B	87	Total 87	O 87	0	0
3	C	74	Total 74	O 74	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: D-alanine–D-alanine ligase




- Molecule 1: D-alanine–D-alanine ligase



- Molecule 1: D-alanine–D-alanine ligase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	166.71Å 55.85Å 141.39Å 90.00° 109.34° 90.00°	Depositor
Resolution (Å)	44.16 – 2.21 44.16 – 2.21	Depositor EDS
% Data completeness (in resolution range)	97.8 (44.16-2.21) 97.9 (44.16-2.21)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	9.06 (at 2.20Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.224 , 0.266 0.224 , 0.265	Depositor DCC
R_{free} test set	6264 reflections (10.13%)	wwPDB-VP
Wilson B-factor (Å ²)	27.9	Xtriage
Anisotropy	0.275	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7476	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: DAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/2518	0.94	8/3434 (0.2%)
1	B	0.42	0/2445	0.96	9/3333 (0.3%)
1	C	0.41	0/2414	0.91	7/3290 (0.2%)
All	All	0.42	0/7377	0.93	24/10057 (0.2%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	264	ARG	N-CA-C	8.44	124.15	112.93
1	B	155	ALA	N-CA-C	8.39	120.21	111.14
1	C	155	ALA	N-CA-C	7.84	119.45	111.07
1	B	264	ARG	N-CA-C	7.43	122.44	111.96
1	C	264	ARG	N-CA-C	7.39	122.76	112.93
1	C	153	LYS	N-CA-C	6.90	116.25	108.25
1	A	232	GLY	N-CA-C	-5.75	105.17	112.54
1	A	144	VAL	CA-C-N	5.66	125.27	119.56
1	A	144	VAL	C-N-CA	5.66	125.27	119.56
1	A	228	LYS	CB-CA-C	-5.55	110.20	116.63
1	B	63	HIS	N-CA-C	5.50	117.40	109.04
1	B	144	VAL	N-CA-C	5.44	112.93	107.55
1	C	268	ARG	N-CA-C	-5.38	99.75	108.52
1	B	300	GLU	N-CA-C	-5.37	105.33	111.07
1	B	11	SER	CA-C-N	5.34	125.06	119.82
1	B	11	SER	C-N-CA	5.34	125.06	119.82
1	A	268	ARG	N-CA-C	-5.34	99.82	108.52
1	C	88	ASP	N-CA-C	5.28	119.42	112.92
1	A	107	VAL	N-CA-C	5.17	115.31	110.30
1	A	63	HIS	N-CA-C	5.11	117.67	109.15
1	B	140	GLU	CA-C-N	5.02	125.55	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	140	GLU	C-N-CA	5.02	125.55	120.38
1	C	63	HIS	N-CA-C	5.02	116.89	109.62
1	C	156	ASN	N-CA-C	5.02	118.94	111.87

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2453	0	2470	48	0
1	B	2384	0	2412	83	0
1	C	2355	0	2386	69	0
2	A	6	0	6	1	0
2	B	6	0	6	2	0
2	C	6	0	6	0	0
3	A	105	0	0	3	0
3	B	87	0	0	1	0
3	C	74	0	0	1	0
All	All	7476	0	7286	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:THR:HG22	1:A:292:THR:H	1.19	1.02
1:C:290:THR:HG22	1:C:292:THR:H	1.28	0.97
1:C:26:ARG:HH21	1:C:26:ARG:HB3	1.34	0.91
1:C:153:LYS:HB3	1:C:163:ILE:HG13	1.58	0.85
1:B:238:ILE:HD12	1:B:298:LEU:HD12	1.63	0.80
1:C:26:ARG:HB3	1:C:26:ARG:NH2	1.97	0.80
1:C:85:PHE:HA	1:C:90:THR:HG21	1.64	0.79
1:B:13:GLU:OE2	2:B:402:DAL:HB2	1.84	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:26:ARG:HH21	1:C:26:ARG:CB	1.97	0.76
1:A:14:HIS:HE1	1:A:58:ALA:H	1.33	0.74
1:C:85:PHE:HD1	1:C:90:THR:HG21	1.52	0.74
1:C:85:PHE:HA	1:C:90:THR:CG2	2.17	0.74
1:B:2:ARG:HH21	1:B:2:ARG:HG2	1.54	0.73
1:C:74:TYR:O	1:C:100:LYS:HE3	1.89	0.72
1:C:294:MET:HG3	1:C:298:LEU:HD22	1.70	0.72
1:B:157:THR:HG22	1:B:159:SER:H	1.56	0.70
1:C:290:THR:HG23	1:C:291:PRO:HD2	1.74	0.70
1:B:138:LYS:HD2	1:B:184:GLU:HB3	1.75	0.69
1:A:14:HIS:CE1	1:A:58:ALA:H	2.12	0.68
1:B:26:ARG:HB3	1:B:26:ARG:NH2	2.08	0.68
1:B:92:GLN:NE2	1:B:92:GLN:H	1.93	0.66
1:B:204:GLY:O	1:B:264:ARG:O	2.13	0.66
1:A:290:THR:HG23	1:A:291:PRO:HD2	1.78	0.65
1:A:242:LEU:HB3	1:A:246:THR:HG23	1.77	0.65
1:A:242:LEU:HB3	1:A:246:THR:CG2	2.27	0.65
1:A:76:VAL:HG21	1:A:314:VAL:HG13	1.78	0.64
1:A:204:GLY:O	1:A:264:ARG:O	2.15	0.64
1:A:1:MET:HE1	1:A:314:VAL:HG12	1.78	0.64
1:A:290:THR:HG21	1:A:292:THR:HG22	1.80	0.64
1:B:236:LEU:HD22	1:B:297:ARG:HH21	1.62	0.64
1:A:195:VAL:HG12	1:A:274:ALA:HB2	1.80	0.63
1:A:290:THR:HG22	1:A:292:THR:N	2.03	0.62
1:A:13:GLU:OE2	2:A:401:DAL:HB2	1.99	0.62
1:A:45:LEU:HD22	1:A:69:LEU:HD21	1.80	0.62
1:B:69:LEU:HD22	1:B:70:SER:N	2.15	0.62
1:B:205:ASN:HA	1:B:264:ARG:O	1.99	0.62
1:C:160:SER:C	1:C:163:ILE:HD13	2.24	0.62
1:A:306:TYR:HB3	1:A:307:PRO:HD3	1.79	0.62
1:A:290:THR:CG2	1:A:292:THR:HG22	2.30	0.61
1:B:306:TYR:HB3	1:B:307:PRO:HD3	1.82	0.61
1:B:71:TRP:HB3	1:B:100:LYS:HD2	1.83	0.59
1:C:88:ASP:OD2	1:C:90:THR:HG22	2.02	0.59
1:C:290:THR:CG2	1:C:292:THR:HG22	2.33	0.59
1:B:92:GLN:H	1:B:92:GLN:HE21	1.49	0.59
1:B:138:LYS:N	1:B:138:LYS:HD3	2.18	0.59
1:B:15:GLU:HG3	3:B:456:HOH:O	2.01	0.58
1:C:238:ILE:HD12	1:C:298:LEU:CD1	2.33	0.58
1:B:249:THR:HA	1:B:252:GLU:HG2	1.85	0.58
1:B:290:THR:OG1	1:B:292:THR:HG22	2.04	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:238:ILE:HD11	1:B:301:ALA:CB	2.33	0.58
1:C:290:THR:HG21	1:C:292:THR:HG22	1.86	0.58
1:B:28:ILE:HD11	1:B:30:PHE:HD1	1.68	0.58
1:A:72:GLU:H	1:A:72:GLU:CD	2.12	0.58
1:B:290:THR:HB	1:B:291:PRO:HD2	1.85	0.58
1:B:241:PRO:C	1:B:242:LEU:HD22	2.29	0.57
1:C:205:ASN:OD1	1:C:264:ARG:O	2.22	0.57
1:A:19:LEU:CD2	1:A:56:LYS:HD3	2.34	0.57
1:B:14:HIS:CE1	1:B:58:ALA:H	2.23	0.57
1:B:52:ALA:HB1	1:B:58:ALA:HB2	1.87	0.56
1:C:72:GLU:CD	1:C:72:GLU:H	2.14	0.56
1:C:153:LYS:HD3	1:C:163:ILE:HG13	1.87	0.56
1:C:160:SER:HA	1:C:163:ILE:HD13	1.86	0.56
1:C:290:THR:HB	1:C:293:SER:OG	2.06	0.56
1:B:14:HIS:O	1:B:18:LEU:HD22	2.06	0.56
1:B:236:LEU:HD22	1:B:297:ARG:NH2	2.20	0.56
1:A:19:LEU:HD21	1:A:56:LYS:HD3	1.87	0.55
1:C:6:ILE:HG22	1:C:81:LEU:HD21	1.89	0.55
1:C:306:TYR:HB3	1:C:307:PRO:HD3	1.89	0.55
1:B:14:HIS:HE1	1:B:58:ALA:H	1.54	0.54
1:B:242:LEU:HB3	1:B:246:THR:OG1	2.08	0.54
1:C:69:LEU:HD23	1:C:70:SER:N	2.22	0.54
1:B:108:ALA:O	1:B:112:LEU:HD13	2.08	0.54
1:B:137:ARG:O	1:B:140:GLU:HG2	2.07	0.54
1:B:39:GLN:HE21	1:B:59:PRO:HA	1.73	0.54
1:B:117:ASP:O	1:B:121:ARG:HG3	2.07	0.53
1:A:294:MET:HG3	1:A:298:LEU:HD22	1.90	0.53
1:A:116:LYS:NZ	1:A:156:ASN:O	2.41	0.53
1:C:112:LEU:HD21	1:C:119:SER:HA	1.91	0.53
1:A:205:ASN:OD1	1:A:264:ARG:O	2.27	0.53
1:C:204:GLY:O	1:C:264:ARG:O	2.27	0.53
1:C:233:ARG:HH11	1:C:233:ARG:HG3	1.74	0.53
1:B:294:MET:HG3	1:B:298:LEU:HD22	1.91	0.52
1:C:131:VAL:HG12	3:C:463:HOH:O	2.09	0.52
1:A:87:GLU:HB2	1:A:114:MET:CE	2.39	0.52
1:C:112:LEU:HD22	1:C:261:LEU:HD22	1.92	0.52
1:C:90:THR:HG23	1:C:91:VAL:N	2.25	0.52
1:C:87:GLU:C	1:C:114:MET:HE2	2.35	0.52
1:A:73:ARG:HH11	1:A:73:ARG:HG2	1.75	0.51
1:A:15:GLU:HB3	1:A:56:LYS:HE3	1.92	0.51
1:A:205:ASN:HA	1:A:264:ARG:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:LYS:HB3	1:B:163:ILE:HG12	1.92	0.51
1:B:215:GLU:OE1	1:B:217:ARG:HD2	2.11	0.51
1:A:120:LYS:HE2	1:A:189:GLU:OE2	2.11	0.51
1:B:233:ARG:HH21	1:B:233:ARG:HB3	1.75	0.51
1:C:237:LEU:C	1:C:238:ILE:HD13	2.37	0.50
1:A:116:LYS:NZ	1:A:157:THR:HA	2.27	0.49
1:A:243:ASP:HB2	1:A:244:PRO:HD2	1.93	0.49
1:B:2:ARG:HG2	1:B:2:ARG:NH2	2.21	0.49
1:C:1:MET:HE1	1:C:318:LEU:HD11	1.94	0.48
1:C:43:TRP:CE3	1:C:67:PRO:HG3	2.49	0.48
1:B:157:THR:CG2	1:B:159:SER:HB3	2.43	0.48
1:B:134:VAL:HG21	1:B:145:PRO:HD2	1.94	0.48
1:B:238:ILE:HD11	1:B:301:ALA:HB2	1.95	0.47
1:C:19:LEU:CD2	1:C:56:LYS:HD3	2.44	0.47
1:A:146:PHE:CD2	1:A:190:LYS:HD3	2.50	0.47
1:B:87:GLU:HB2	1:B:114:MET:HE1	1.95	0.47
1:C:15:GLU:H	1:C:15:GLU:CD	2.22	0.47
1:B:233:ARG:HG2	1:B:234:ALA:N	2.30	0.47
1:B:236:LEU:HG	1:B:294:MET:HE2	1.97	0.47
1:B:162:GLY:HA2	1:B:178:LEU:HG	1.96	0.47
1:B:275:GLU:O	1:B:275:GLU:HG3	2.15	0.47
1:C:160:SER:CA	1:C:163:ILE:HD13	2.45	0.47
1:C:233:ARG:HG3	1:C:233:ARG:NH1	2.30	0.47
1:B:161:VAL:HG22	1:B:182:TYR:CE2	2.50	0.46
1:B:219:GLU:HG2	1:B:235:GLU:OE2	2.15	0.46
1:A:290:THR:HB	1:A:293:SER:OG	2.14	0.46
1:B:28:ILE:C	1:B:28:ILE:HD13	2.41	0.46
1:B:280:LEU:C	1:B:280:LEU:HD23	2.41	0.46
1:C:205:ASN:HA	1:C:264:ARG:O	2.16	0.46
1:C:290:THR:HG22	1:C:292:THR:N	2.12	0.46
1:A:52:ALA:HB1	1:A:58:ALA:HB2	1.97	0.46
1:B:294:MET:SD	1:B:298:LEU:HD13	2.55	0.46
1:B:145:PRO:HG2	1:B:146:PHE:CD1	2.51	0.46
1:B:149:PRO:HG2	1:B:191:ALA:HB3	1.98	0.46
1:C:311:ARG:HD3	1:C:311:ARG:C	2.41	0.46
1:C:5:LEU:CD2	1:C:25:LEU:HD13	2.46	0.45
1:C:238:ILE:HD12	1:C:298:LEU:HD11	1.97	0.45
1:B:145:PRO:HG2	1:B:146:PHE:HD1	1.81	0.45
1:A:116:LYS:HE3	3:A:490:HOH:O	2.17	0.45
1:C:112:LEU:CD2	1:C:119:SER:HA	2.46	0.45
1:B:141:PRO:HA	1:B:142:PRO:HD3	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:199:GLU:OE2	1:B:294:MET:HG2	2.17	0.45
1:A:116:LYS:NZ	1:A:156:ASN:C	2.75	0.45
1:B:69:LEU:CD2	1:B:70:SER:N	2.80	0.45
1:A:227:THR:HG22	1:A:227:THR:O	2.17	0.44
1:B:26:ARG:HB3	1:B:26:ARG:HH21	1.78	0.44
1:B:14:HIS:CE1	1:B:18:LEU:HD21	2.53	0.44
1:B:222:PHE:CD1	1:B:222:PHE:N	2.86	0.44
1:C:161:VAL:HG12	1:C:182:TYR:CZ	2.52	0.44
1:B:26:ARG:HH21	1:B:26:ARG:CB	2.30	0.44
1:B:238:ILE:HD11	1:B:301:ALA:HB3	2.00	0.44
1:B:217:ARG:O	1:B:235:GLU:HB2	2.18	0.44
1:C:290:THR:HG23	1:C:291:PRO:CD	2.45	0.44
1:A:116:LYS:HZ2	1:A:156:ASN:C	2.26	0.44
1:A:1:MET:HE1	1:A:314:VAL:CG1	2.48	0.44
1:A:298:LEU:HD12	1:A:298:LEU:HA	1.85	0.44
1:B:116:LYS:HE2	1:B:153:LYS:HD3	2.00	0.44
1:C:19:LEU:HG	1:C:56:LYS:HD3	2.00	0.44
1:C:298:LEU:HD12	1:C:298:LEU:HA	1.88	0.43
1:A:134:VAL:HG12	1:A:188:VAL:HB	1.99	0.43
1:A:159:SER:HB3	3:A:499:HOH:O	2.18	0.43
1:C:160:SER:O	1:C:163:ILE:HD13	2.17	0.43
1:C:163:ILE:HD12	1:C:163:ILE:N	2.32	0.43
1:B:20:SER:HB2	1:B:289:PHE:HB2	2.00	0.43
1:B:157:THR:C	1:B:159:SER:H	2.26	0.43
1:C:28:ILE:O	1:C:28:ILE:HG23	2.19	0.43
1:C:5:LEU:HD23	1:C:25:LEU:HD13	1.99	0.43
1:B:42:ARG:HG3	1:B:42:ARG:HH11	1.84	0.43
1:C:159:SER:HB3	1:C:160:SER:H	1.68	0.43
1:B:138:LYS:HA	1:B:180:PHE:CE1	2.54	0.43
1:C:87:GLU:HB2	1:C:114:MET:HE1	2.01	0.43
1:C:112:LEU:C	1:C:112:LEU:HD23	2.43	0.43
1:C:15:GLU:HG2	1:C:16:VAL:N	2.34	0.42
1:C:19:LEU:HD21	1:C:56:LYS:HD3	2.00	0.42
1:A:78:PHE:C	1:A:78:PHE:CD1	2.97	0.42
1:A:266:MET:HB3	1:A:313:LEU:HD21	2.00	0.42
1:C:105:ALA:HB1	1:C:109:ALA:HB3	2.01	0.42
1:A:78:PHE:C	1:A:78:PHE:HD1	2.28	0.42
1:A:238:ILE:HA	1:A:239:PRO:HA	1.91	0.42
1:B:28:ILE:O	1:B:28:ILE:HG23	2.18	0.42
1:C:236:LEU:HD12	1:C:236:LEU:N	2.35	0.42
1:B:168:ARG:C	1:B:170:GLN:H	2.28	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:193:SER:HA	1:B:194:PRO:C	2.45	0.41
1:B:151:PHE:O	1:B:188:VAL:HA	2.20	0.41
1:B:161:VAL:HG22	1:B:182:TYR:CZ	2.55	0.41
1:B:183:ASP:C	1:B:185:LYS:H	2.28	0.41
1:C:81:LEU:N	1:C:81:LEU:HD22	2.36	0.41
1:A:1:MET:O	1:A:31:PRO:HD2	2.21	0.41
1:C:237:LEU:O	1:C:238:ILE:HD13	2.20	0.41
1:B:140:GLU:HA	1:B:141:PRO:HD3	1.84	0.41
1:A:168:ARG:HB3	3:A:441:HOH:O	2.21	0.41
1:C:52:ALA:HB1	1:C:58:ALA:HB2	2.02	0.41
1:C:238:ILE:HA	1:C:239:PRO:HA	1.87	0.41
1:B:9:GLY:O	1:B:14:HIS:HD2	2.04	0.41
1:C:78:PHE:C	1:C:78:PHE:CD1	2.99	0.41
1:B:87:GLU:OE2	2:B:402:DAL:HB3	2.21	0.40
1:B:153:LYS:CB	1:B:163:ILE:HG12	2.50	0.40
1:B:168:ARG:C	1:B:170:GLN:N	2.80	0.40
1:C:141:PRO:O	1:C:143:VAL:HG23	2.21	0.40
1:C:150:PHE:CE2	1:C:166:VAL:HB	2.57	0.40
1:B:222:PHE:O	1:B:222:PHE:CG	2.74	0.40
1:C:197:GLU:O	1:C:215:GLU:HG3	2.21	0.40
1:B:80:LEU:O	1:B:80:LEU:HD12	2.22	0.40
1:B:238:ILE:HA	1:B:239:PRO:C	2.45	0.40
1:B:240:ALA:CB	1:B:242:LEU:HD23	2.51	0.40
1:C:290:THR:HG22	1:C:292:THR:HG22	2.03	0.40
1:A:131:VAL:O	1:A:132:PRO:C	2.64	0.40
1:B:1:MET:HG2	1:B:30:PHE:CD2	2.56	0.40
1:A:266:MET:O	1:A:267:ALA:HB2	2.21	0.40
1:C:114:MET:O	1:C:114:MET:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/319 (99%)	306 (96%)	9 (3%)	2 (1%)	21	22
1	B	308/319 (97%)	290 (94%)	17 (6%)	1 (0%)	36	41
1	C	304/319 (95%)	289 (95%)	14 (5%)	1 (0%)	36	41
All	All	929/957 (97%)	885 (95%)	40 (4%)	4 (0%)	30	33

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	86	GLY
1	B	86	GLY
1	C	86	GLY
1	A	267	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/256 (100%)	240 (94%)	16 (6%)	16	18
1	B	249/256 (97%)	233 (94%)	16 (6%)	16	18
1	C	246/256 (96%)	237 (96%)	9 (4%)	30	39
All	All	751/768 (98%)	710 (94%)	41 (6%)	19	23

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	56	LYS
1	A	76	VAL
1	A	80	LEU
1	A	97	LEU
1	A	134	VAL
1	A	166	VAL
1	A	176	LEU
1	A	184	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	253	LEU
1	A	255	LEU
1	A	261	LEU
1	A	266	MET
1	A	290	THR
1	A	292	THR
1	A	298	LEU
1	B	2	ARG
1	B	18	LEU
1	B	28	ILE
1	B	69	LEU
1	B	80	LEU
1	B	92	GLN
1	B	97	LEU
1	B	138	LYS
1	B	169	PHE
1	B	181	ARG
1	B	217	ARG
1	B	222	PHE
1	B	238	ILE
1	B	255	LEU
1	B	283	LEU
1	B	298	LEU
1	C	25	LEU
1	C	26	ARG
1	C	56	LYS
1	C	150	PHE
1	C	169	PHE
1	C	216	VAL
1	C	255	LEU
1	C	266	MET
1	C	298	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	39	GLN
1	A	251	GLN
1	B	14	HIS
1	B	39	GLN
1	B	92	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	251	GLN
1	B	281	ASN
1	C	27	HIS
1	C	63	HIS
1	C	82	HIS
1	C	156	ASN
1	C	251	GLN
1	C	281	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DAL	B	402	-	5,5,5	2.75	3 (60%)	6,6,6	1.04	0
2	DAL	A	401	-	5,5,5	2.74	3 (60%)	6,6,6	1.09	0
2	DAL	C	403	-	5,5,5	2.56	3 (60%)	6,6,6	1.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAL	B	402	-	-	2/4/4/4	-
2	DAL	A	401	-	-	2/4/4/4	-
2	DAL	C	403	-	-	0/4/4/4	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	402	DAL	O-C	4.79	1.36	1.22
2	A	401	DAL	O-C	4.72	1.36	1.22
2	C	403	DAL	O-C	4.19	1.34	1.22
2	A	401	DAL	CA-C	-2.96	1.51	1.54
2	C	403	DAL	CA-C	-2.77	1.51	1.54
2	B	402	DAL	CA-C	-2.77	1.51	1.54
2	C	403	DAL	OXT-C	-2.70	1.22	1.30
2	B	402	DAL	OXT-C	-2.65	1.22	1.30
2	A	401	DAL	OXT-C	-2.47	1.22	1.30

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	DAL	O-C-CA-CB
2	A	401	DAL	OXT-C-CA-CB
2	B	402	DAL	O-C-CA-CB
2	B	402	DAL	OXT-C-CA-CB

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	402	DAL	2	0
2	A	401	DAL	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	319/319 (100%)	0.08	7 (2%) 62 60	17, 27, 44, 53	0
1	B	312/319 (97%)	0.38	22 (7%) 22 19	17, 31, 54, 69	0
1	C	308/319 (96%)	0.35	19 (6%) 26 23	17, 31, 50, 61	0
All	All	939/957 (98%)	0.27	48 (5%) 33 30	17, 29, 50, 69	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	230	THR	5.5
1	B	157	THR	4.3
1	A	225	TYR	4.0
1	B	161	VAL	3.8
1	A	319	THR	3.7
1	B	222	PHE	3.6
1	B	158	GLY	3.6
1	C	292	THR	3.3
1	B	243	ASP	3.2
1	C	141	PRO	3.2
1	B	232	GLY	3.2
1	C	233	ARG	3.1
1	C	159	SER	3.1
1	C	140	GLU	3.0
1	B	160	SER	2.9
1	C	139	GLY	2.9
1	C	244	PRO	2.9
1	A	226	GLU	2.9
1	C	169	PHE	2.8
1	B	169	PHE	2.8
1	C	221	PRO	2.7
1	B	242	LEU	2.7
1	C	158	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	84	ARG	2.6
1	B	238	ILE	2.6
1	A	227	THR	2.6
1	B	182	TYR	2.6
1	B	26	ARG	2.6
1	C	143	VAL	2.5
1	C	165	ARG	2.4
1	B	292	THR	2.4
1	B	231	PRO	2.3
1	C	56	LYS	2.3
1	C	319	THR	2.3
1	C	60	GLU	2.3
1	B	72	GLU	2.2
1	B	142	PRO	2.2
1	B	233	ARG	2.2
1	C	170	GLN	2.2
1	A	193	SER	2.2
1	B	246	THR	2.1
1	C	160	SER	2.1
1	A	26	ARG	2.1
1	B	69	LEU	2.1
1	B	163	ILE	2.1
1	C	81	LEU	2.1
1	A	56	LYS	2.0
1	B	2	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DAL	C	403	6/6	0.65	0.36	73,74,75,75	0
2	DAL	B	402	6/6	0.77	0.19	29,32,34,35	0
2	DAL	A	401	6/6	0.78	0.16	19,26,27,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.