



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:34 PM UTC

PDB ID : 4YZG / pdb_00004yzg
Title : Structure of the Arabidopsis TAP38/PPH1, a state-transition phosphatase responsible for dephosphorylation of LHCII
Authors : Wei, X.P.; Guo, J.T.; Li, M.; Liu, Z.F.
Deposited on : 2015-03-25
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	6% 81% 13% ...
1	B	302	4% 82% 11% ...

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein phosphatase 2C 57.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	294	Total	C	N	O	S	0	1	0
			2294	1435	400	448	11			
1	B	294	Total	C	N	O	S	0	1	0
			2295	1436	400	449	10			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	58	MET	-	expression tag	UNP P49599
A	352	LEU	-	expression tag	UNP P49599
A	353	GLU	-	expression tag	UNP P49599
A	354	HIS	-	expression tag	UNP P49599
A	355	HIS	-	expression tag	UNP P49599
A	356	HIS	-	expression tag	UNP P49599
A	357	HIS	-	expression tag	UNP P49599
A	358	HIS	-	expression tag	UNP P49599
A	359	HIS	-	expression tag	UNP P49599
B	58	MET	-	expression tag	UNP P49599
B	352	LEU	-	expression tag	UNP P49599
B	353	GLU	-	expression tag	UNP P49599
B	354	HIS	-	expression tag	UNP P49599
B	355	HIS	-	expression tag	UNP P49599
B	356	HIS	-	expression tag	UNP P49599
B	357	HIS	-	expression tag	UNP P49599
B	358	HIS	-	expression tag	UNP P49599
B	359	HIS	-	expression tag	UNP P49599

- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mn	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mn	0	0
			2	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	313	Total	O	0	0
			313	313		
4	B	261	Total	O	0	0
			261	261		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein phosphatase 2C 57

Chain A: 



- Molecule 1: Protein phosphatase 2C 57

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.40Å 73.88Å 82.00Å 90.00° 109.15° 90.00°	Depositor
Resolution (Å)	26.73 – 1.60 26.73 – 1.60	Depositor EDS
% Data completeness (in resolution range)	98.3 (26.73-1.60) 98.3 (26.73-1.60)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 1.60Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.180 , 0.203 0.176 , 0.198	Depositor DCC
R_{free} test set	4063 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	20.4	Xtriage
Anisotropy	0.239	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 49.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.049 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5177	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	16/2333 (0.7%)	1.00	9/3142 (0.3%)
1	B	0.88	15/2334 (0.6%)	1.00	10/3144 (0.3%)
All	All	0.95	31/4667 (0.7%)	1.00	19/6286 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
All	All	0	5

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	248	MET	C-N	-8.41	1.23	1.33
1	B	109	TYR	C-O	-7.35	1.15	1.24
1	A	177	HIS	CD2-NE2	-7.30	1.29	1.37
1	A	247	ASP	C-N	-7.02	1.24	1.33
1	B	165	VAL	C-O	-6.65	1.17	1.24
1	B	172	VAL	C-O	-6.48	1.17	1.23
1	B	107	GLU	C-O	-6.26	1.16	1.24
1	A	182[A]	CYS	C-O	-6.18	1.16	1.23
1	A	182[B]	CYS	C-O	-6.18	1.16	1.23
1	A	181	SER	C-N	-6.05	1.25	1.33
1	A	172	VAL	C-O	-6.03	1.18	1.24
1	A	148	TRP	C-N	5.96	1.41	1.33
1	A	168	ILE	C-O	-5.93	1.17	1.24
1	A	177	HIS	CG-ND1	-5.87	1.31	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	79	ARG	C-N	-5.74	1.24	1.33
1	A	293	LEU	C-O	-5.65	1.17	1.24
1	B	267	GLU	C-O	-5.63	1.17	1.24
1	B	112	CYS	C-O	-5.59	1.17	1.24
1	B	111	GLU	C-O	-5.50	1.17	1.24
1	B	62	TYR	C-N	-5.48	1.26	1.33
1	A	121	LEU	CA-C	-5.43	1.45	1.52
1	A	303	LYS	C-O	-5.42	1.17	1.23
1	B	194	LEU	C-O	-5.41	1.16	1.24
1	A	180	ASP	C-N	-5.38	1.26	1.33
1	A	261	LYS	C-O	-5.38	1.18	1.24
1	A	165	VAL	C-O	-5.37	1.18	1.24
1	B	105	ARG	C-O	-5.37	1.17	1.24
1	B	328	LEU	C-O	-5.24	1.18	1.24
1	B	158	GLU	C-O	-5.24	1.17	1.24
1	A	147	LYS	C-N	-5.18	1.26	1.33
1	B	170	ASN	C-O	-5.09	1.18	1.24

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	GLU	N-CA-CB	17.18	141.87	111.13
1	B	153	GLY	N-CA-C	15.64	132.79	112.77
1	A	154	ASP	N-CA-C	15.15	129.88	111.40
1	B	79	ARG	O-C-N	-11.59	109.13	123.27
1	B	350	ARG	CB-CA-C	-9.31	92.41	111.22
1	B	169	ARG	CA-C-N	8.38	131.52	120.28
1	B	169	ARG	C-N-CA	8.38	131.52	120.28
1	A	155	GLU	N-CA-C	-8.08	95.32	109.06
1	A	121	LEU	N-CA-C	-7.92	103.50	113.01
1	B	152	ASN	CA-C-N	7.69	128.46	120.00
1	B	152	ASN	C-N-CA	7.69	128.46	120.00
1	A	148	TRP	O-C-N	7.26	129.94	122.09
1	B	123	ASN	N-CA-C	6.17	117.81	111.14
1	A	181	SER	N-CA-C	-6.08	102.65	110.19
1	B	106	GLU	N-CA-C	5.78	120.48	112.45
1	A	170	ASN	CB-CA-C	-5.45	110.31	116.63
1	B	170	ASN	CB-CA-C	-5.24	102.09	110.79
1	A	154	ASP	CB-CA-C	-5.14	102.16	110.79
1	A	225	ARG	N-CA-C	5.11	116.71	108.34

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	153	GLY	Peptide
1	A	154	ASP	Peptide
1	B	154	ASP	Peptide
1	B	156	GLU	Peptide
1	B	169	ARG	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2294	0	2253	50	0
1	B	2295	0	2255	41	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	313	0	0	16	4
4	B	261	0	0	15	2
All	All	5177	0	4508	92	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:GLU:CG	1:A:156:GLU:HA	1.50	1.38
1:B:350:ARG:O	1:B:351:THR:CG2	1.75	1.35
1:A:182[A]:CYS:SG	4:A:783:HOH:O	1.97	1.19
1:B:156:GLU:HB3	1:B:158:GLU:HG3	1.26	1.18
1:A:156:GLU:O	1:A:156:GLU:HG3	1.55	1.06
1:A:155:GLU:HG3	1:A:156:GLU:CA	1.87	1.05
1:B:350:ARG:O	1:B:351:THR:HG23	0.87	1.04
1:B:350:ARG:C	1:B:351:THR:HG23	1.83	1.04
1:B:156:GLU:HB3	1:B:158:GLU:CG	1.86	1.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:106:GLU:HG2	1:B:107:GLU:N	1.74	1.00
1:A:105:ARG:NH2	4:A:501:HOH:O	1.96	0.98
1:A:182[B]:CYS:SG	1:A:197:TYR:CE1	2.56	0.97
1:A:155:GLU:CG	1:A:156:GLU:CA	2.40	0.97
1:A:155:GLU:HG3	1:A:156:GLU:HA	0.94	0.92
1:B:156:GLU:CB	1:B:158:GLU:HG3	2.01	0.90
1:A:281:GLN:NE2	4:A:503:HOH:O	2.03	0.89
1:A:181:SER:C	4:A:502:HOH:O	2.16	0.88
1:A:105:ARG:NH2	4:A:504:HOH:O	2.07	0.87
1:B:335:ARG:NH2	4:B:502:HOH:O	2.07	0.86
1:A:182[A]:CYS:SG	4:A:763:HOH:O	2.38	0.81
1:B:131:LYS:HD2	4:B:506:HOH:O	1.79	0.81
1:A:156:GLU:O	1:A:156:GLU:CG	2.29	0.79
1:A:251:LYS:NZ	1:A:255:GLU:OE2	2.13	0.79
1:B:131:LYS:CD	4:B:506:HOH:O	2.30	0.78
1:B:75:ASP:OD2	1:B:105:ARG:NH1	2.17	0.78
1:B:139:GLU:OE2	4:B:501:HOH:O	2.03	0.76
1:B:106:GLU:HG2	1:B:107:GLU:H	1.53	0.73
1:A:154:ASP:OD1	1:A:154:ASP:C	2.34	0.70
1:B:123:ASN:OD1	4:B:503:HOH:O	2.10	0.69
1:B:350:ARG:C	1:B:351:THR:CG2	2.49	0.69
1:A:155:GLU:HG2	1:A:156:GLU:HA	1.67	0.67
1:B:106:GLU:OE2	4:B:505:HOH:O	2.13	0.65
1:B:350:ARG:O	4:B:504:HOH:O	2.13	0.65
1:B:303:LYS:HG3	4:B:716:HOH:O	1.97	0.64
1:B:154:ASP:N	1:B:154:ASP:OD1	2.30	0.63
1:B:123:ASN:ND2	1:B:169:ARG:HH21	1.98	0.62
1:B:156:GLU:HB3	1:B:158:GLU:HG2	1.81	0.61
1:A:181:SER:CB	4:A:502:HOH:O	2.47	0.61
1:A:289:GLU:HA	1:A:350:ARG:HG3	1.82	0.61
1:A:182[B]:CYS:SG	1:A:197:TYR:CZ	2.95	0.60
1:A:182[B]:CYS:HG	1:A:197:TYR:HE1	1.48	0.59
1:B:106:GLU:CG	1:B:107:GLU:N	2.60	0.58
1:B:131:LYS:NZ	4:B:506:HOH:O	2.18	0.58
1:A:155:GLU:HG2	1:A:156:GLU:CA	2.29	0.57
1:B:170:ASN:N	4:B:511:HOH:O	2.39	0.56
1:A:117:GLN:HG3	4:A:673:HOH:O	2.06	0.56
1:A:316:ARG:HD2	4:A:512:HOH:O	2.05	0.55
1:B:139:GLU:CD	4:B:501:HOH:O	2.50	0.55
1:A:182[B]:CYS:SG	1:A:197:TYR:HE1	2.20	0.55
1:A:318:HIS:O	4:A:505:HOH:O	2.18	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:98:SER:O	1:B:102:LYS:HG3	2.08	0.53
1:B:155:GLU:HA	1:B:157:ASP:H	1.73	0.53
1:B:192:GLU:OE2	4:B:507:HOH:O	2.19	0.52
1:A:182[B]:CYS:HB2	1:A:299:TRP:NE1	2.24	0.52
1:A:105:ARG:HH11	1:A:105:ARG:HG3	1.73	0.51
1:A:154:ASP:OD1	1:A:155:GLU:HA	2.10	0.51
1:B:155:GLU:HA	1:B:157:ASP:N	2.26	0.51
1:A:225:ARG:NH1	4:A:506:HOH:O	2.20	0.50
1:A:286:SER:O	1:A:350:ARG:HD3	2.11	0.49
1:A:154:ASP:OD1	1:A:154:ASP:O	2.30	0.49
1:A:288:VAL:O	1:A:350:ARG:HD2	2.11	0.49
1:A:117:GLN:NE2	4:A:515:HOH:O	2.45	0.49
1:B:171:ASP:OD1	1:B:171:ASP:N	2.29	0.49
1:A:223:ASN:HD22	1:A:223:ASN:N	2.11	0.48
1:B:123:ASN:OD1	1:B:123:ASN:N	2.46	0.48
1:A:225:ARG:NH1	1:A:229:ASP:O	2.47	0.47
1:A:121:LEU:HD23	1:A:121:LEU:HA	1.56	0.47
1:B:153:GLY:O	1:B:154:ASP:C	2.57	0.47
1:B:302:MET:HE3	1:B:302:MET:HB2	1.76	0.47
1:A:105:ARG:HG3	1:A:105:ARG:NH1	2.30	0.46
1:A:154:ASP:O	1:A:157:ASP:N	2.48	0.46
1:A:154:ASP:O	1:A:157:ASP:HB2	2.16	0.46
1:A:303:LYS:HB3	1:A:303:LYS:HE3	1.62	0.45
1:B:135:ILE:O	1:B:139:GLU:HG3	2.16	0.45
1:A:312:ARG:HG3	4:A:637:HOH:O	2.15	0.45
1:A:120:SER:C	1:A:122:LEU:N	2.69	0.45
1:A:263:VAL:HA	1:A:266:ILE:HD12	1.99	0.44
1:A:120:SER:C	1:A:122:LEU:H	2.24	0.44
1:B:63[B]:THR:HG21	1:B:326:GLU:HA	2.00	0.44
1:A:182[B]:CYS:HB2	1:A:299:TRP:CE2	2.52	0.43
1:A:185:LEU:C	1:A:185:LEU:HD12	2.43	0.43
1:B:131:LYS:NZ	4:B:524:HOH:O	2.52	0.43
1:A:267:GLU:O	1:A:267:GLU:HG3	2.18	0.42
1:A:158:GLU:HB3	1:A:240:ARG:NH1	2.34	0.42
1:A:257:ARG:HD3	4:A:508:HOH:O	2.19	0.42
1:B:122:LEU:HA	1:B:122:LEU:HD23	1.62	0.42
1:B:252:GLY:HA3	1:B:258:TRP:CE3	2.54	0.42
1:B:170:ASN:HB2	4:B:511:HOH:O	2.20	0.42
1:B:243:THR:HG22	4:B:649:HOH:O	2.19	0.41
1:A:225:ARG:NH2	4:A:506:HOH:O	2.53	0.41
1:B:317:LYS:HB2	1:B:317:LYS:HE3	1.84	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:651:HOH:O	4:B:520:HOH:O[1_454]	1.84	0.36
4:A:545:HOH:O	4:B:516:HOH:O[1_454]	1.95	0.25
4:A:667:HOH:O	4:A:787:HOH:O[2_858]	1.99	0.21
4:A:527:HOH:O	4:A:699:HOH:O[2_848]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/302 (97%)	287 (98%)	6 (2%)	0	100	100
1	B	293/302 (97%)	287 (98%)	6 (2%)	0	100	100
All	All	586/604 (97%)	574 (98%)	12 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/253 (97%)	237 (96%)	9 (4%)	30	10
1	B	246/253 (97%)	241 (98%)	5 (2%)	48	24
All	All	492/506 (97%)	478 (97%)	14 (3%)	37	15

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	MET
1	A	120	SER
1	A	155	GLU
1	A	169	ARG
1	A	170	ASN
1	A	223	ASN
1	A	303	LYS
1	A	350	ARG
1	A	351	THR
1	B	120	SER
1	B	154	ASP
1	B	156	GLU
1	B	169	ARG
1	B	351	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	223	ASN
1	A	281	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	403	-	4,4,4	0.28	0	6,6,6	0.17	0
3	SO4	A	403	-	4,4,4	0.30	0	6,6,6	0.21	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	294/302 (97%)	0.13	17 (5%) 29 29	8, 24, 64, 146	1 (0%)
1	B	294/302 (97%)	0.26	11 (3%) 45 47	12, 30, 59, 128	1 (0%)
All	All	588/604 (97%)	0.19	28 (4%) 35 37	8, 27, 63, 146	2 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	351	THR	5.6
1	B	63[A]	THR	4.9
1	A	182[A]	CYS	4.6
1	B	125	GLY	4.2
1	B	258	TRP	4.1
1	A	156	GLU	4.0
1	A	123	ASN	3.8
1	B	153	GLY	3.7
1	A	151	ALA	3.6
1	A	154	ASP	3.6
1	B	156	GLU	3.5
1	A	208	ILE	3.3
1	A	122	LEU	3.3
1	A	121	LEU	3.3
1	A	124	GLY	3.1
1	B	124	GLY	3.0
1	A	120	SER	2.9
1	A	148	TRP	2.9
1	A	118	ALA	2.7
1	A	170	ASN	2.7
1	A	351	THR	2.6
1	B	119	GLY	2.4
1	B	264	SER	2.4
1	A	155	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	118	ALA	2.1
1	A	222	VAL	2.0
1	A	119	GLY	2.0
1	B	123	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	B	403	5/5	0.88	0.10	38,46,63,64	0
3	SO4	A	403	5/5	0.90	0.11	29,35,49,54	0
2	MN	B	401	1/1	1.00	0.03	14,14,14,14	0
2	MN	B	402	1/1	1.00	0.06	17,17,17,17	0
2	MN	A	401	1/1	1.00	0.05	16,16,16,16	0
2	MN	A	402	1/1	1.00	0.02	13,13,13,13	0

6.5 Other polymers [i](#)

There are no such residues in this entry.