



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:20 PM UTC

PDB ID : 5YZ3 / pdb_00005yz3
Title : Crystal structure of T2R-TTL-28 complex
Authors : Yu, Y.; Chen, Q.
Deposited on : 2017-12-12
Resolution : 2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	2% 93% 7% 5%
1	C	450	2% 91% 7% 5%
2	B	445	8% 88% 8% 5%
2	D	445	12% 90% 5% 5%
3	E	143	11% 79% 5% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	28% 80% 7% 13%

2 Entry composition [i](#)

There are 15 unique types of molecules in this entry. The entry contains 35117 atoms, of which 16904 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	437	Total	C	H	N	O	S	0	1	0
			6743	2166	3321	582	651	23			
1	C	440	Total	C	H	N	O	S	0	1	0
			6783	2178	3340	585	657	23			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	427	Total	C	H	N	O	S	0	2	0
			6615	2118	3239	578	653	27			
2	D	421	Total	C	H	N	O	S	0	1	0
			6499	2083	3184	563	641	28			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	121	Total	C	H	N	O	S	0	0	0
			2014	617	1014	181	197	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	expression tag	UNP P63043
E	4	ALA	-	expression tag	UNP P63043


- Molecule 4 is a protein called Tubulin Tyrosine Ligase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	F	334	Total	C	H	N	O	S	0	1	0
			5465	1767	2710	474	500	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total 42	C 10	H 10	N 5	O 14	P 3	0	0
5	C	1	Total 42	C 10	H 10	N 5	O 14	P 3	0	0
5	D	1	Total 42	C 10	H 10	N 5	O 14	P 3	0	0

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	H	N	O	P	
			38	10	10	5	11	2	

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	H	N	O	S	
			24	6	12	1	4	1	

- Molecule 11 is N-[4-(diethylamino)phenyl]-4H-pyrrolo[2,3-d][1,3]thiazole-5-carboxamide (CCD ID: 94U) (formula: $C_{16}H_{18}N_4OS$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total	C	H	N	O	S	
			40	16	18	4	1	1	0
11	D	1	Total	C	H	N	O	S	
			40	16	18	4	1	1	0


- Molecule 12 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	1	Total	Na		
			1	1	0	0

- Molecule 13 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	D	1	Total	Cl		
			1	1	0	0

- Molecule 14 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
14	F	1	Total 31	C 11	N 5	O 12	P 3	0	0


- Molecule 15 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	A	151	Total O 151 151	0	0
15	B	127	Total O 127 127	0	0
15	C	243	Total O 243 243	0	0
15	D	75	Total O 75 75	0	0
15	E	27	Total O 27 27	0	0
15	F	54	Total O 54 54	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tubulin alpha-1B chain




• Molecule 1: Tubulin alpha-1B chain




• Molecule 2: Tubulin beta-2B chain





• Molecule 2: Tubulin beta-2B chain







• Molecule 3: Stathmin-4



• Molecule 4: Tubulin Tyrosine Ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.89Å 157.50Å 180.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.62 – 2.54 49.62 – 2.54	Depositor EDS
% Data completeness (in resolution range)	98.4 (49.62-2.54) 92.1 (49.62-2.54)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.210 , 0.234 0.212 , 0.237	Depositor DCC
R_{free} test set	1500 reflections (1.54%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 40.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	35117	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MES, GDP, GOL, 94U, NA, CA, CL, GTP, ACP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/3500	0.61	0/4751
1	C	0.33	0/3521	0.62	0/4780
2	B	0.32	0/3451	0.62	0/4674
2	D	0.30	0/3388	0.61	0/4589
3	E	0.31	0/1008	0.57	0/1337
4	F	0.27	0/2817	0.64	2/3805 (0.1%)
All	All	0.31	0/17685	0.62	2/23936 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	88	SER	CA-C-N	10.60	139.70	121.14
4	F	88	SER	C-N-CA	10.60	139.70	121.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3422	3321	3334	16	0
1	C	3443	3340	3352	27	0
2	B	3376	3239	3247	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	3315	3184	3193	19	0
3	E	1000	1014	1018	7	0
4	F	2755	2710	2721	23	0
5	A	32	10	12	1	0
5	C	32	10	12	0	0
5	D	32	10	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
8	A	6	8	8	0	0
9	B	28	10	12	0	0
10	B	12	12	12	0	0
11	B	22	18	0	0	0
11	D	22	18	0	0	0
12	B	1	0	0	0	0
13	D	1	0	0	1	0
14	F	31	0	14	8	0
15	A	151	0	0	11	2
15	B	127	0	0	15	0
15	C	243	0	0	21	2
15	D	75	0	0	12	0
15	E	27	0	0	4	0
15	F	54	0	0	6	0
All	All	18213	16904	16947	117	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:331:GLU:CD	14:F:401:ACP:H3B2	1.73	1.12
4:F:331:GLU:OE2	14:F:401:ACP:H3B2	1.53	1.07
1:A:40:LYS:NZ	15:A:602:HOH:O	1.92	1.02
1:C:339:ARG:O	15:C:601:HOH:O	1.81	0.98
4:F:331:GLU:OE2	14:F:401:ACP:C3B	2.11	0.98
1:A:327:ASP:OD2	15:A:601:HOH:O	1.86	0.93
3:E:28:SER:O	15:E:201:HOH:O	1.87	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:D:504:CL:CL	15:D:625:HOH:O	2.26	0.88
2:D:41:ASP:OD2	15:D:601:HOH:O	1.92	0.86
4:F:36:ARG:NH2	15:F:502:HOH:O	2.08	0.86
1:A:193:THR:OG1	15:A:603:HOH:O	1.93	0.85
3:E:12:ASN:OD1	15:E:202:HOH:O	1.94	0.84
1:C:120:ASP:OD2	15:C:602:HOH:O	1.96	0.84
1:C:220:GLU:O	15:C:603:HOH:O	1.97	0.82
2:D:27:GLU:OE1	15:D:602:HOH:O	1.98	0.81
1:A:69:ASP:OD2	15:A:604:HOH:O	1.99	0.81
2:D:123:GLU:O	15:D:604:HOH:O	2.01	0.79
2:B:292:GLN:OE1	15:B:601:HOH:O	2.00	0.79
2:D:245:GLN:O	15:D:603:HOH:O	2.00	0.78
1:C:196:GLU:OE1	15:C:604:HOH:O	2.00	0.78
4:F:149:ALA:O	15:F:501:HOH:O	2.02	0.78
1:A:71:GLU:O	15:A:605:HOH:O	2.02	0.77
1:A:181:VAL:O	15:A:606:HOH:O	2.02	0.76
4:F:56:PRO:O	15:F:502:HOH:O	2.04	0.76
4:F:74:LYS:NZ	4:F:331:GLU:OE1	2.20	0.75
1:A:396:ASP:OD2	15:A:607:HOH:O	2.03	0.75
1:C:318:LEU:O	15:C:605:HOH:O	2.05	0.75
4:F:331:GLU:OE2	14:F:401:ACP:PG	2.47	0.72
2:B:291:GLN:O	15:B:602:HOH:O	2.08	0.71
2:B:245:GLN:O	15:B:603:HOH:O	2.09	0.69
1:C:32:PRO:O	15:C:606:HOH:O	2.10	0.68
2:D:245:GLN:OE1	15:D:605:HOH:O	2.11	0.67
2:B:162:ARG:NH2	15:B:614:HOH:O	2.27	0.67
3:E:64:GLN:OE1	15:E:203:HOH:O	2.11	0.67
1:C:279:GLU:OE1	15:C:608:HOH:O	2.13	0.66
1:C:76:ASP:OD2	15:C:607:HOH:O	2.13	0.65
1:A:183:GLU:OE1	5:A:501:GTP:O3'	2.10	0.64
4:F:323:GLU:OE1	15:F:503:HOH:O	2.15	0.63
1:C:285:GLN:NE2	1:C:372:GLN:OE1	2.32	0.61
1:A:221:ARG:NH1	2:B:327:ASP:OD2	2.32	0.61
4:F:224:SER:HA	4:F:246:GLN:HE22	1.64	0.61
2:D:284:LEU:N	15:D:614:HOH:O	2.33	0.60
2:D:251:ARG:NH2	15:D:615:HOH:O	2.34	0.60
4:F:126:ASP:OD1	4:F:127:GLU:N	2.34	0.60
1:C:327:ASP:OD2	15:C:609:HOH:O	2.17	0.58
2:D:245:GLN:NE2	15:D:618:HOH:O	2.37	0.58
2:B:422:TYR:OH	15:B:604:HOH:O	2.13	0.57
1:A:173:PRO:O	15:A:608:HOH:O	2.18	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:88:ASP:OD2	15:D:606:HOH:O	2.17	0.56
2:D:404:ASP:OD1	2:D:405:GLU:N	2.39	0.55
2:B:83:GLN:O	2:B:83:GLN:NE2	2.39	0.55
1:C:345:ASP:OD2	15:C:610:HOH:O	2.18	0.54
1:C:245:ASP:N	15:C:613:HOH:O	2.20	0.54
4:F:246:GLN:OE1	4:F:260:ASN:ND2	2.40	0.54
1:C:279:GLU:OE1	1:C:279:GLU:N	2.42	0.53
1:C:411:GLU:OE1	15:C:611:HOH:O	2.19	0.53
2:B:73:MET:N	15:B:607:HOH:O	2.24	0.52
2:B:334:GLN:NE2	15:B:619:HOH:O	2.31	0.52
4:F:16:GLU:OE2	4:F:19:ARG:NH1	2.42	0.52
2:D:399:THR:O	3:E:140:LYS:NZ	2.43	0.52
1:A:155:GLU:OE1	3:E:53:LYS:NZ	2.43	0.52
2:B:74:ASP:OD1	2:B:77:ARG:NH2	2.43	0.51
2:B:301:ALA:O	2:B:303:CYS:N	2.43	0.51
1:C:133:GLN:NE2	15:C:632:HOH:O	2.35	0.50
2:D:328:GLU:OE1	15:D:607:HOH:O	2.19	0.50
1:C:71:GLU:OE1	1:C:73:THR:N	2.43	0.50
2:D:107:THR:OG1	2:D:108:GLU:N	2.45	0.50
3:E:115:HIS:ND1	15:E:204:HOH:O	2.25	0.50
1:A:263:PRO:O	1:A:266:HIS:ND1	2.40	0.50
2:B:46:ARG:NH2	2:B:242:PHE:O	2.44	0.50
3:E:75:LYS:NZ	3:E:79:GLU:OE2	2.45	0.49
2:D:46:ARG:NH1	2:D:239[B]:CYS:O	2.45	0.49
2:B:283:ALA:N	15:B:622:HOH:O	2.33	0.49
2:D:46:ARG:NH1	2:D:239[A]:CYS:O	2.45	0.49
4:F:331:GLU:OE2	4:F:333:ASN:ND2	2.45	0.49
1:C:364:PRO:HA	15:C:626:HOH:O	2.13	0.49
4:F:200:ASP:OD1	4:F:241:THR:OG1	2.25	0.49
1:C:98:ASP:OD2	15:C:612:HOH:O	2.19	0.48
1:A:368:LEU:O	15:A:610:HOH:O	2.20	0.48
4:F:331:GLU:CD	14:F:401:ACP:C3B	2.62	0.48
14:F:401:ACP:O2B	14:F:401:ACP:O3G	2.32	0.48
2:B:57:ASN:OD1	15:B:605:HOH:O	2.20	0.48
2:B:72:THR:N	15:B:607:HOH:O	2.47	0.47
1:C:112:LYS:NZ	1:C:113:GLU:OE2	2.44	0.47
1:A:306:ASP:OD1	15:A:611:HOH:O	2.21	0.47
14:F:401:ACP:H3B1	14:F:401:ACP:O1A	2.14	0.47
2:B:157:GLU:OE2	15:B:606:HOH:O	2.21	0.46
4:F:103:THR:N	15:F:511:HOH:O	2.48	0.46
2:D:46:ARG:NH2	2:D:242:PHE:O	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:135:TYR:OH	4:F:165:GLU:HA	2.16	0.46
2:B:309:ARG:NH1	15:B:631:HOH:O	2.44	0.45
1:C:433:GLU:O	15:C:614:HOH:O	2.21	0.45
2:B:331:LEU:O	2:B:335:ASN:ND2	2.49	0.45
2:B:261:PRO:O	2:B:264:HIS:ND1	2.46	0.45
2:B:98:GLY:N	15:B:633:HOH:O	2.49	0.44
4:F:223:THR:O	4:F:260:ASN:ND2	2.51	0.44
2:B:379:LYS:NZ	15:B:635:HOH:O	2.51	0.43
1:C:178:SER:OG	1:C:183:GLU:OE1	2.24	0.43
4:F:331:GLU:OE1	15:F:505:HOH:O	2.21	0.42
2:B:262:ARG:NE	2:B:421:GLU:OE2	2.45	0.42
2:B:72:THR:HB	15:B:607:HOH:O	2.20	0.42
1:C:156:ARG:NH1	15:C:647:HOH:O	2.48	0.42
1:A:229:ARG:HD2	15:A:616:HOH:O	2.19	0.41
1:C:116:ASP:O	15:C:616:HOH:O	2.21	0.41
1:A:88:HIS:N	1:A:91:GLN:OE1	2.46	0.41
4:F:184:LYS:NZ	4:F:187:GLU:OE2	2.53	0.41
1:C:215:ARG:NH1	15:C:654:HOH:O	2.52	0.41
2:B:36:TYR:OH	2:B:40:SER:O	2.36	0.41
4:F:333:ASN:OD1	14:F:401:ACP:O1G	2.39	0.41
15:C:759:HOH:O	2:D:2:ARG:HG2	2.20	0.41
2:D:191:GLN:HB3	15:D:610:HOH:O	2.20	0.41
2:B:156:ARG:NH1	2:B:195:ASN:OD1	2.50	0.40
2:D:31:ASP:HB2	2:D:32:PRO:HD2	2.03	0.40
1:C:4[B]:CYS:SG	1:C:136:LEU:HG	2.61	0.40
1:C:183:GLU:N	1:C:184:PRO:CD	2.83	0.40
4:F:198:LYS:O	4:F:224:SER:N	2.49	0.40
1:C:215:ARG:NH1	15:C:659:HOH:O	2.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
15:A:641:HOH:O	15:C:731:HOH:O[3_545]	1.84	0.36
15:A:691:HOH:O	15:C:772:HOH:O[3_545]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/450 (97%)	421 (97%)	15 (3%)	0	100	100
1	C	439/450 (98%)	430 (98%)	9 (2%)	0	100	100
2	B	427/445 (96%)	412 (96%)	15 (4%)	0	100	100
2	D	418/445 (94%)	404 (97%)	14 (3%)	0	100	100
3	E	117/143 (82%)	115 (98%)	2 (2%)	0	100	100
4	F	325/384 (85%)	318 (98%)	7 (2%)	0	100	100
All	All	2162/2317 (93%)	2100 (97%)	62 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	369/378 (98%)	365 (99%)	4 (1%)	65	79
1	C	372/378 (98%)	371 (100%)	1 (0%)	86	92
2	B	371/383 (97%)	369 (100%)	2 (0%)	81	88
2	D	365/383 (95%)	362 (99%)	3 (1%)	73	84
3	E	109/127 (86%)	108 (99%)	1 (1%)	70	82
4	F	302/342 (88%)	299 (99%)	3 (1%)	68	80
All	All	1888/1991 (95%)	1874 (99%)	14 (1%)	76	85

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLU
1	A	73	THR
1	A	183	GLU
1	A	256	GLN
2	B	2	ARG
2	B	300	MET
1	C	347	CYS
2	D	125	GLU
2	D	284	LEU
2	D	323	MET
3	E	53	LYS
4	F	1	MET
4	F	31	ARG
4	F	320	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	356	ASN
1	A	393	HIS
2	B	99	ASN
2	B	134	GLN
2	B	190	HIS
2	B	292	GLN
2	B	375	GLN
2	B	426	GLN
1	C	85	GLN
1	C	329	ASN
2	D	37	HIS
2	D	99	ASN
2	D	190	HIS
2	D	245	GLN
2	D	329	GLN
3	E	12	ASN
3	E	51	GLN
3	E	71	HIS
4	F	145	ASN
4	F	246	GLN
4	F	260	ASN
4	F	269	GLN
4	F	289	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	F	306	HIS
4	F	310	GLN
4	F	333	ASN
4	F	380	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 17 ligands modelled in this entry, 8 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	MES	B	503	-	12,12,12	2.25	1 (8%)	15,16,16	2.30	5 (33%)
5	GTP	A	501	6	33,34,34	0.96	1 (3%)	50,54,54	1.53	8 (16%)
9	GDP	B	501	6	29,30,30	1.17	4 (13%)	45,47,47	1.68	5 (11%)
11	94U	B	504	-	23,24,24	2.29	9 (39%)	28,33,33	2.35	7 (25%)
14	ACP	F	401	-	31,33,33	2.17	9 (29%)	47,52,52	1.86	14 (29%)
5	GTP	C	501	6	33,34,34	0.93	1 (3%)	50,54,54	1.54	9 (18%)
5	GTP	D	501	6	33,34,34	0.91	1 (3%)	50,54,54	1.57	8 (16%)
11	94U	D	502	-	23,24,24	2.51	9 (39%)	28,33,33	2.42	7 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	GOL	A	504	-	5,5,5	0.38	0	5,5,5	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	MES	B	503	-	-	1/6/14/14	0/1/1/1
5	GTP	A	501	6	-	9/22/38/38	0/3/3/3
9	GDP	B	501	6	-	3/16/32/32	0/3/3/3
11	94U	B	504	-	-	8/16/16/16	0/3/3/3
14	ACP	F	401	-	-	5/19/38/38	0/3/3/3
5	GTP	C	501	6	-	6/22/38/38	0/3/3/3
5	GTP	D	501	6	-	6/22/38/38	0/3/3/3
11	94U	D	502	-	-	4/16/16/16	0/3/3/3
8	GOL	A	504	-	-	2/4/4/4	-

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	503	MES	C8-S	-7.59	1.66	1.77
11	D	502	94U	C12-N17	5.93	1.42	1.36
11	B	504	94U	C12-N17	5.25	1.41	1.36
14	F	401	ACP	PG-O1G	4.83	1.60	1.50
14	F	401	ACP	PB-O2B	-4.62	1.45	1.56
14	F	401	ACP	PG-O2G	-4.14	1.45	1.55
11	D	502	94U	C08-N07	3.77	1.43	1.35
14	F	401	ACP	C5-N7	-3.70	1.32	1.39
11	B	504	94U	C08-N07	3.60	1.43	1.35
14	F	401	ACP	C4-N9	-3.54	1.30	1.37
11	D	502	94U	C04-N07	3.46	1.48	1.41
11	D	502	94U	C10-C08	3.45	1.56	1.48
11	D	502	94U	C16-S15	3.38	1.78	1.72
11	D	502	94U	C03-C02	3.32	1.44	1.38
14	F	401	ACP	PB-O1B	3.31	1.59	1.51
11	B	504	94U	C03-C02	3.29	1.44	1.38
14	F	401	ACP	C8-N9	-3.20	1.32	1.37
11	B	504	94U	C04-N07	3.12	1.47	1.41
11	D	502	94U	C16-N17	3.12	1.38	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	504	94U	C16-N17	3.08	1.38	1.30
11	D	502	94U	C06-C05	3.05	1.43	1.38
11	B	504	94U	C16-S15	3.00	1.77	1.72
11	B	504	94U	C06-C05	2.89	1.43	1.38
9	B	501	GDP	C5-C4	2.88	1.46	1.38
14	F	401	ACP	C5-C4	2.83	1.44	1.39
9	B	501	GDP	C6-N1	-2.83	1.33	1.38
11	B	504	94U	C10-C08	2.79	1.54	1.48
11	D	502	94U	O09-C08	2.21	1.27	1.23
5	D	501	GTP	C2-N3	2.21	1.38	1.33
11	B	504	94U	O09-C08	2.20	1.27	1.23
9	B	501	GDP	C5-N7	-2.19	1.34	1.39
9	B	501	GDP	C4-N9	-2.08	1.32	1.38
14	F	401	ACP	PA-O3A	-2.07	1.57	1.59
5	A	501	GTP	C2-N3	2.02	1.38	1.33
5	C	501	GTP	C2-N3	2.02	1.38	1.33

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	D	502	94U	C10-C08-N07	8.27	126.26	116.07
11	B	504	94U	C10-C08-N07	7.79	125.67	116.07
11	B	504	94U	S15-C16-N17	-5.78	111.11	116.08
10	B	503	MES	C5-N4-C3	5.68	121.07	108.84
9	B	501	GDP	C5-C4-N3	-5.51	119.62	128.39
11	D	502	94U	S15-C16-N17	-5.46	111.39	116.08
14	F	401	ACP	C5-C4-N3	-5.35	119.35	126.72
5	D	501	GTP	C5-C4-N3	-5.05	120.35	128.39
5	C	501	GTP	C5-C4-N3	-4.85	120.67	128.39
5	A	501	GTP	C5-C4-N3	-4.82	120.73	128.39
9	B	501	GDP	C2-N3-C4	4.71	120.40	112.30
5	D	501	GTP	C2-N3-C4	4.58	120.19	112.30
5	A	501	GTP	C2-N3-C4	4.51	120.07	112.30
5	C	501	GTP	C2-N3-C4	4.50	120.06	112.30
9	B	501	GDP	N9-C4-N3	4.30	134.54	125.95
14	F	401	ACP	N3-C4-N9	4.15	134.23	127.17
10	B	503	MES	C7-N4-C5	4.11	122.19	111.24
14	F	401	ACP	C4-C5-N7	-3.67	106.39	110.58
14	F	401	ACP	C2-N3-C4	3.63	120.70	111.83
9	B	501	GDP	C6-C5-N7	3.41	136.49	130.29
14	F	401	ACP	N3-C2-N1	-3.40	123.44	128.58
5	D	501	GTP	N9-C4-N3	3.25	132.46	125.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	D	502	94U	O09-C08-C10	-3.22	116.94	121.09
14	F	401	ACP	C4-N9-C8	3.18	109.08	105.74
14	F	401	ACP	PB-O3A-PA	-3.10	122.27	132.37
5	A	501	GTP	N9-C4-N3	3.07	132.10	125.95
11	B	504	94U	O09-C08-C10	-3.07	117.14	121.09
5	C	501	GTP	N9-C4-N3	3.04	132.03	125.95
11	D	502	94U	O09-C08-N07	-2.99	116.78	123.89
11	D	502	94U	C14-C13-S15	2.88	147.27	135.34
11	B	504	94U	O09-C08-N07	-2.84	117.16	123.89
5	D	501	GTP	C2-N1-C6	-2.83	119.97	125.11
11	B	504	94U	C14-C13-S15	2.83	147.05	135.34
5	A	501	GTP	C2-N1-C6	-2.82	120.00	125.11
5	A	501	GTP	N9-C8-N7	-2.75	108.30	113.40
5	C	501	GTP	C2-N1-C6	-2.72	120.18	125.11
14	F	401	ACP	C5-N7-C8	2.65	107.62	103.45
5	C	501	GTP	N9-C8-N7	-2.65	108.48	113.40
5	D	501	GTP	N9-C8-N7	-2.63	108.53	113.40
10	B	503	MES	O3S-S-C8	2.54	110.97	106.00
5	D	501	GTP	C8-N7-C5	2.53	108.77	104.26
5	A	501	GTP	C8-N7-C5	2.52	108.75	104.26
5	D	501	GTP	C5-C6-N1	2.51	119.64	113.25
5	C	501	GTP	C8-N7-C5	2.48	108.68	104.26
5	A	501	GTP	O6-C6-C5	-2.47	120.01	126.53
5	A	501	GTP	C5-C6-N1	2.44	119.48	113.25
14	F	401	ACP	N9-C8-N7	-2.43	110.49	113.94
10	B	503	MES	C6-C5-N4	-2.42	106.44	110.12
14	F	401	ACP	C3'-C2'-C1'	2.41	106.02	101.46
11	D	502	94U	C05-C04-C03	-2.39	115.87	119.04
11	D	502	94U	C14-C13-C12	-2.37	106.52	108.28
5	C	501	GTP	C5-C6-N1	2.37	119.28	113.25
11	B	504	94U	C05-C04-C03	-2.36	115.91	119.04
9	B	501	GDP	C4-C5-N7	-2.35	106.94	110.67
14	F	401	ACP	O2'-C2'-C1'	-2.31	102.16	110.10
5	C	501	GTP	O6-C6-C5	-2.29	120.49	126.53
5	C	501	GTP	O2A-PA-O3A	2.27	113.42	107.27
11	B	504	94U	C14-C13-C12	-2.26	106.61	108.28
14	F	401	ACP	O3G-PG-C3B	2.25	111.85	106.40
5	D	501	GTP	O6-C6-C5	-2.25	120.60	126.53
14	F	401	ACP	C6-C5-N7	2.21	136.35	132.09
10	B	503	MES	O1S-S-C8	2.02	109.78	106.73
14	F	401	ACP	C2-N1-C6	2.01	122.03	118.73

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
5	D	501	GTP	C5'-O5'-PA-O3A
5	D	501	GTP	C5'-O5'-PA-O1A
8	A	504	GOL	O1-C1-C2-C3
9	B	501	GDP	C5'-O5'-PA-O3A
9	B	501	GDP	C5'-O5'-PA-O1A
9	B	501	GDP	C5'-O5'-PA-O2A
10	B	503	MES	C8-C7-N4-C5
11	B	504	94U	C22-C21-N18-C01
8	A	504	GOL	O1-C1-C2-O2
11	D	502	94U	C22-C21-N18-C01
11	B	504	94U	C22-C21-N18-C19
11	B	504	94U	C20-C19-N18-C01
11	D	502	94U	C22-C21-N18-C19
11	B	504	94U	C20-C19-N18-C21
11	D	502	94U	C20-C19-N18-C01
5	C	501	GTP	PB-O3A-PA-O2A
11	B	504	94U	C02-C01-N18-C21
5	D	501	GTP	C5'-O5'-PA-O2A
14	F	401	ACP	C5'-O5'-PA-O1A
14	F	401	ACP	C5'-O5'-PA-O2A
14	F	401	ACP	C5'-O5'-PA-O3A
5	A	501	GTP	C4'-C5'-O5'-PA
5	D	501	GTP	C4'-C5'-O5'-PA
5	A	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	PB-O3A-PA-O2A
5	D	501	GTP	PB-O3A-PA-O2A
11	B	504	94U	C02-C01-N18-C19
11	B	504	94U	C06-C01-N18-C21
11	B	504	94U	C06-C01-N18-C19
5	C	501	GTP	C4'-C5'-O5'-PA
11	D	502	94U	C20-C19-N18-C21
14	F	401	ACP	PG-C3B-PB-O1B
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	PB-O3B-PG-O2G
14	F	401	ACP	PB-C3B-PG-O1G

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3A-PA-O1A
5	D	501	GTP	PB-O3A-PA-O1A

There are no ring outliers.


2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	501	GTP	1	0
14	F	401	ACP	8	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 94U B 504




Ligand ACP F 401




Ligand GTP C 501



Ligand GTP D 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	437/450 (97%)	0.21	11 (2%)	58	59	19, 41, 69, 87	1 (0%)
1	C	440/450 (97%)	-0.12	10 (2%)	61	62	18, 31, 58, 76	1 (0%)
2	B	427/445 (95%)	0.37	36 (8%)	17	16	21, 41, 82, 127	2 (0%)
2	D	421/445 (94%)	0.99	54 (12%)	7	7	30, 59, 93, 122	1 (0%)
3	E	121/143 (84%)	0.96	16 (13%)	7	6	29, 57, 93, 109	0
4	F	334/384 (86%)	1.46	108 (32%)	1	0	28, 69, 137, 163	1 (0%)
All	All	2180/2317 (94%)	0.56	235 (10%)	11	10	18, 46, 97, 163	6 (0%)

All (235) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	161	LEU	6.3
2	B	280	GLN	5.8
4	F	233	PHE	5.5
2	D	248	ALA	4.9
4	F	372	THR	4.9
2	B	279	GLN	4.9
4	F	131	PHE	4.8
4	F	253	TYR	4.8
4	F	172	PHE	4.8
4	F	103	THR	4.7
2	D	284	LEU	4.6
4	F	169	LEU	4.6
4	F	141	GLY	4.5
2	D	245	GLN	4.5
2	B	428	ALA	4.5
2	D	92	PHE	4.4
4	F	136	ASN	4.4
4	F	179	VAL	4.3
4	F	170	LEU	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	144	GLY	4.2
1	A	437	VAL	4.2
4	F	240	LEU	4.1
4	F	149	ALA	4.1
4	F	380	HIS	4.0
2	D	394	PHE	4.0
1	A	88	HIS	4.0
4	F	181	VAL	3.9
4	F	186	LEU	3.9
4	F	101	TYR	3.8
1	C	340	SER	3.7
4	F	139	ARG	3.7
4	F	246	GLN	3.7
4	F	135	TYR	3.7
1	C	285	GLN	3.6
2	D	393	ALA	3.6
4	F	132	LEU	3.5
2	D	362	LYS	3.5
4	F	133	ALA	3.5
4	F	173	ILE	3.5
4	F	224	SER	3.5
2	D	37	HIS	3.5
4	F	232	ASN	3.4
4	F	223	THR	3.4
4	F	182	ILE	3.4
2	B	55	THR	3.4
2	D	406	MET	3.4
4	F	176	GLN	3.4
4	F	252	ASN	3.4
4	F	362	ALA	3.3
4	F	138	ARG	3.3
4	F	180	HIS	3.3
4	F	162	ILE	3.3
4	F	145	ASN	3.3
4	F	100	ILE	3.3
4	F	143	GLU	3.2
2	D	170	MET	3.2
4	F	167	SER	3.2
2	B	54	ALA	3.2
2	D	219	THR	3.2
4	F	256	TYR	3.2
4	F	130	VAL	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	121	GLU	3.1
4	F	126	ASP	3.1
4	F	237	THR	3.1
2	B	276	ARG	3.1
1	C	357	TYR	3.1
4	F	128	ARG	3.1
4	F	225	SER	3.1
2	B	245	GLN	3.0
2	D	72	THR	3.0
2	D	1	MET	3.0
4	F	175	GLU	3.0
4	F	231	ALA	3.0
2	D	397	TRP	3.0
4	F	234	GLN	3.0
4	F	166	ALA	3.0
4	F	236	LYS	3.0
4	F	239	HIS	3.0
2	B	277	GLY	2.9
4	F	241	THR	2.9
2	D	57	ASN	2.9
2	B	274	THR	2.9
4	F	245	ILE	2.8
3	E	139	LEU	2.8
4	F	137	ARG	2.8
2	D	94	GLN	2.8
4	F	177	GLY	2.8
2	B	246	LEU	2.8
2	D	246	LEU	2.8
4	F	142	ARG	2.8
4	F	27	TRP	2.8
2	D	247	ASN	2.8
2	D	322	SER	2.8
4	F	230	SER	2.8
2	B	283	ALA	2.8
2	B	218	THR	2.7
4	F	191	LEU	2.7
1	A	336	LYS	2.7
2	D	73	MET	2.7
1	C	178	SER	2.7
2	B	282	ARG	2.7
4	F	129	GLU	2.7
1	A	46	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	199	PHE	2.7
2	D	214	THR	2.7
4	F	174	ASP	2.6
1	A	347	CYS	2.6
4	F	260	ASN	2.6
4	F	75	ALA	2.6
4	F	228	TYR	2.6
4	F	335	ALA	2.6
1	C	4[A]	CYS	2.6
3	E	24	LEU	2.6
1	C	179	THR	2.6
2	D	39	ASP	2.6
4	F	73	ARG	2.6
2	D	69	GLU	2.6
2	B	336	LYS	2.6
4	F	254	GLY	2.6
4	F	292[A]	ARG	2.6
2	B	194[A]	GLU	2.6
2	D	53	GLU	2.6
4	F	140	GLU	2.6
4	F	178	GLN	2.6
2	B	275	SER	2.6
2	D	218	THR	2.6
4	F	226	GLU	2.5
2	D	239[A]	CYS	2.5
2	D	323	MET	2.5
3	E	48	GLU	2.5
3	E	138	GLU	2.5
2	B	57	ASN	2.5
3	E	141	GLU	2.5
1	A	96	LYS	2.5
4	F	247	LYS	2.5
2	B	323	MET	2.5
2	B	360	GLY	2.5
3	E	25	LYS	2.5
2	B	33	THR	2.5
2	B	56	GLY	2.4
4	F	25	GLY	2.4
2	D	377	LEU	2.4
2	B	212	PHE	2.4
2	D	388	MET	2.4
2	D	55	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	244	GLY	2.4
4	F	361	LEU	2.4
4	F	44	ARG	2.4
4	F	255	ARG	2.4
2	B	335	ASN	2.4
4	F	45	ASN	2.4
2	D	80	PRO	2.4
2	D	115	SER	2.4
2	B	39	ASP	2.4
2	B	333	VAL	2.4
2	D	285	THR	2.4
2	D	272	PRO	2.4
2	D	392	LYS	2.4
4	F	148	ILE	2.4
4	F	31	ARG	2.4
1	C	1	MET	2.4
4	F	320	MET	2.4
1	C	440	VAL	2.4
4	F	168	GLU	2.4
3	E	45	PRO	2.3
2	D	30	ILE	2.3
4	F	238	CYS	2.3
4	F	263	PHE	2.3
2	D	48	ASN	2.3
4	F	229	ASN	2.3
2	B	75	SER	2.3
1	C	283	HIS	2.3
4	F	244	CYS	2.3
2	D	124	SER	2.3
4	F	163	SER	2.3
4	F	235	ASP	2.3
2	B	239[A]	CYS	2.3
1	A	262	TYR	2.3
2	D	414	ASN	2.3
4	F	134	ALA	2.3
2	D	386	THR	2.3
2	B	338	SER	2.3
3	E	128	LYS	2.3
2	D	212	PHE	2.3
3	E	59	GLU	2.3
4	F	17	VAL	2.3
2	D	390	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	102	ALA	2.2
3	E	136	ASN	2.2
4	F	98	TYR	2.3
3	E	6	MET	2.2
4	F	90	SER	2.2
4	F	46	ARG	2.2
2	B	59	TYR	2.2
2	D	95	SER	2.2
2	D	180	VAL	2.2
4	F	198	LYS	2.2
1	A	38	SER	2.2
4	F	33	ASP	2.2
4	F	257	GLU	2.2
2	D	179	VAL	2.2
2	B	37	HIS	2.2
4	F	243	HIS	2.2
4	F	379	HIS	2.2
4	F	171	ASP	2.2
4	F	147	TRP	2.2
2	B	334	GLN	2.1
3	E	124	GLN	2.1
2	D	34	GLY	2.1
2	D	217	LEU	2.1
4	F	259	GLY	2.1
2	D	216	LYS	2.1
2	B	42	LEU	2.1
4	F	185	TYR	2.1
1	C	245	ASP	2.1
2	D	41	ASP	2.1
3	E	140	LYS	2.1
3	E	103	GLN	2.1
4	F	99	VAL	2.1
1	A	18	ASN	2.1
1	A	94	THR	2.1
2	B	38	GLY	2.1
1	A	90	GLU	2.1
2	B	281	TYR	2.1
2	D	361	LEU	2.1
2	D	146	GLY	2.1
3	E	60	ARG	2.1
2	B	214	THR	2.1
2	B	278	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	164	SER	2.1
4	F	195	GLY	2.0
2	D	227	HIS	2.0
4	F	146	VAL	2.0
4	F	353	VAL	2.0
4	F	96	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
12	NA	B	505	1/1	0.82	0.34	55,55,55,55	0
14	ACP	F	401	31/31	0.84	0.11	48,59,85,98	0
13	CL	D	504	1/1	0.86	0.13	43,43,43,43	0
11	94U	D	502	22/22	0.86	0.16	39,50,63,73	0
8	GOL	A	504	6/6	0.87	0.14	42,55,58,67	0
11	94U	B	504	22/22	0.90	0.13	28,36,54,54	0
5	GTP	D	501	32/32	0.92	0.11	40,50,61,65	0
10	MES	B	503	12/12	0.94	0.10	28,35,47,48	0
6	MG	A	502	1/1	0.95	0.07	21,21,21,21	0
9	GDP	B	501	28/28	0.96	0.09	21,26,36,40	0
5	GTP	A	501	32/32	0.97	0.07	18,27,34,40	0
5	GTP	C	501	32/32	0.97	0.07	14,22,28,33	0
6	MG	D	503	1/1	0.97	0.07	57,57,57,57	0
7	CA	A	503	1/1	0.97	0.06	50,50,50,50	0
6	MG	B	502	1/1	0.98	0.04	27,27,27,27	0
6	MG	C	502	1/1	0.98	0.07	22,22,22,22	0
7	CA	C	503	1/1	0.99	0.02	37,37,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ACP F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 94U D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 94U B 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.