



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:11 PM UTC

PDB ID : 6Z01 / pdb_00006z01
Title : DNA Topoisomerase
Authors : Takahashi, T.S.; Gadelle, D.; Forterre, P.; Mayer, C.; Petrella, S.
Deposited on : 2020-05-07
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	539	
1	B	539	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	B	601	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9818 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA topoisomerase I.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	521	Total	C	N	O	S	Se	0	0	0
			4346	2778	778	780	1	9			
1	B	517	Total	C	N	O	S	Se	0	3	0
			4339	2772	776	781	1	9			

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	6	Total	Cl	0	0
			6	6		
2	B	6	Total	Cl	0	0
			6	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	569	Total	O	0	0
			569	569		
3	B	552	Total	O	0	0
			552	552		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA topoisomerase I



• Molecule 1: DNA topoisomerase I



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.20Å 96.59Å 94.56Å 90.00° 113.33° 90.00°	Depositor
Resolution (Å)	35.44 – 1.90 35.44 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (35.44-1.90) 99.8 (35.44-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 1.89Å)	Xtriage
Refinement program	PHENIX 1.18_3845	Depositor
R, R_{free}	0.180 , 0.217 0.181 , 0.217	Depositor DCC
R_{free} test set	5022 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.238	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 39.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9818	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/4435	0.49	0/5954
1	B	0.36	0/4430	0.51	0/5946
All	All	0.35	0/8865	0.50	0/11900

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4346	0	4395	51	0
1	B	4339	0	4380	73	0
2	A	6	0	0	1	0
2	B	6	0	0	3	0
3	A	569	0	0	12	0
3	B	552	0	0	10	0
All	All	9818	0	8775	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:LYS:HG2	1:B:116:ARG:HH21	1.30	0.95
1:B:451:ARG:HH21	1:B:451:ARG:HB2	1.33	0.92
1:B:447:ARG:NH1	1:B:451:ARG:HH11	1.71	0.89
1:A:507:LYS:NZ	3:A:702:HOH:O	2.09	0.83
1:A:149:ARG:NH2	3:A:705:HOH:O	2.15	0.80
1:A:443:LYS:NZ	3:A:703:HOH:O	2.14	0.80
1:A:107:LYS:HG3	1:A:108:ILE:HG22	1.65	0.79
1:A:421:SER:O	3:A:701:HOH:O	2.00	0.79
1:B:451:ARG:HB2	1:B:451:ARG:NH2	1.98	0.78
1:A:94:ARG:NH1	3:A:708:HOH:O	2.18	0.76
1:B:398:LYS:HD2	1:B:461:LEU:HD21	1.68	0.76
1:A:141:GLU:HG3	2:A:606:CL:CL	2.23	0.74
1:B:447:ARG:HH11	1:B:451:ARG:HH11	1.34	0.73
1:A:417:ASN:ND2	3:A:710:HOH:O	2.23	0.72
1:B:43:TYR:OH	3:B:801:HOH:O	2.06	0.72
1:B:448:ILE:HA	1:B:451:ARG:NH1	2.06	0.69
1:B:41:MSE:HE1	1:B:67:PHE:HA	1.75	0.69
1:B:232:GLU:OE1	3:B:802:HOH:O	2.11	0.68
1:B:295:LEU:O	1:B:325:ARG:NH2	2.25	0.68
1:A:131:LYS:NZ	1:B:419:GLU:OE2	2.23	0.67
1:B:76[B]:GLN:OE1	3:B:803:HOH:O	2.12	0.67
1:A:453:GLU:OE2	3:A:704:HOH:O	2.14	0.66
1:B:448:ILE:HG12	1:B:451:ARG:HH12	1.62	0.63
1:B:436:LEU:HD12	1:B:448:ILE:HB	1.82	0.61
1:B:456:GLU:OE1	3:B:804:HOH:O	2.16	0.61
1:A:295:LEU:O	1:A:325:ARG:NH2	2.24	0.61
1:A:511:LYS:NZ	3:A:709:HOH:O	2.20	0.60
1:B:364:LYS:HD3	3:B:805:HOH:O	2.01	0.59
1:B:273:GLU:HB2	2:B:601:CL:CL	2.39	0.59
1:A:316:ASP:OD1	1:A:318:ARG:HG2	2.03	0.59
1:B:26:LYS:HB2	1:B:84:ASP:HB3	1.84	0.58
1:A:103:GLU:O	1:A:108:ILE:HG23	2.02	0.58
1:B:41:MSE:HE1	1:B:67:PHE:CA	2.33	0.57
1:B:273:GLU:OE1	3:B:805:HOH:O	2.16	0.57
1:A:49:LYS:O	3:A:707:HOH:O	2.18	0.57
1:A:523:GLU:OE2	3:A:706:HOH:O	2.17	0.57
1:A:26:LYS:HB2	1:A:84:ASP:HB3	1.85	0.57
1:B:256:ILE:HD13	1:B:345:ILE:HD13	1.85	0.57
1:B:433:MSE:HB3	1:B:434:GLN:NE2	2.21	0.56
1:A:430:LYS:NZ	1:A:433:MSE:HE1	2.19	0.56
1:B:64:LEU:HD11	1:B:80:ILE:HG12	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:423:GLN:O	1:B:427:GLU:N	2.30	0.54
1:A:439:ALA:HB3	1:A:445:LYS:HD3	1.89	0.54
1:B:41:MSE:HE2	1:B:67:PHE:HD1	1.72	0.54
1:B:436:LEU:HG	1:B:445:LYS:HG2	1.91	0.53
1:B:109:SER:N	3:B:815:HOH:O	2.42	0.52
1:A:111:GLU:OE2	1:A:114:ARG:NH1	2.43	0.51
1:B:433:MSE:HB3	1:B:434:GLN:HE22	1.75	0.51
1:B:139:MSE:HG3	2:B:604:CL:CL	2.47	0.51
1:A:393:PHE:CE1	1:A:486:TRP:CD1	2.98	0.51
1:B:109:SER:O	1:B:109:SER:OG	2.23	0.51
1:B:448:ILE:HA	1:B:451:ARG:HH12	1.76	0.50
1:A:3:LYS:HZ3	1:A:190:ASP:CG	2.20	0.50
1:A:419:GLU:O	1:A:423:GLN:HG3	2.11	0.50
1:B:113:LYS:HG2	1:B:116:ARG:NH2	2.13	0.50
1:B:430:LYS:O	1:B:433:MSE:HB2	2.12	0.50
1:B:448:ILE:HG23	1:B:451:ARG:HH22	1.77	0.49
1:A:423:GLN:O	1:A:427:GLU:HG3	2.13	0.49
1:B:41:MSE:CE	1:B:67:PHE:HA	2.42	0.49
1:B:112:ARG:HH22	1:B:113:LYS:HG3	1.78	0.48
1:B:112:ARG:NH2	1:B:113:LYS:HG3	2.28	0.48
1:B:448:ILE:HG12	1:B:451:ARG:NH1	2.27	0.48
1:B:256:ILE:HA	1:B:345:ILE:HD11	1.96	0.48
1:A:106:LYS:HA	1:A:109:SER:HB2	1.94	0.48
1:B:149:ARG:HA	1:B:230:MSE:HE2	1.94	0.48
1:A:27:ILE:HG12	1:A:83:ILE:HG12	1.96	0.48
1:A:74:ARG:HG3	1:A:75:PHE:CD2	2.49	0.48
1:B:444:LYS:O	1:B:448:ILE:HG13	2.13	0.47
1:A:293:LYS:HE2	1:A:300:GLU:HB2	1.97	0.47
1:B:393:PHE:CE1	1:B:486:TRP:CD1	3.02	0.47
1:B:173:GLU:CD	1:B:189:HIS:HE2	2.23	0.47
1:B:434:GLN:HA	1:B:437:ARG:HB2	1.96	0.47
1:B:364:LYS:NZ	3:B:830:HOH:O	2.47	0.47
1:B:420:GLN:HA	1:B:423:GLN:HG3	1.97	0.47
1:B:511:LYS:NZ	3:B:833:HOH:O	2.48	0.47
1:B:252:LYS:O	1:B:256:ILE:HG12	2.16	0.46
1:B:431:LYS:O	1:B:435:GLN:HB2	2.16	0.46
1:A:96:ARG:NH2	3:A:724:HOH:O	2.46	0.46
1:A:444:LYS:HD3	1:A:444:LYS:HA	1.56	0.46
1:B:209:TRP:HB2	1:B:216:ILE:HG12	1.98	0.46
1:B:256:ILE:HD13	1:B:345:ILE:CD1	2.45	0.46
1:B:448:ILE:HA	1:B:451:ARG:CZ	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:433:MSE:O	1:A:437:ARG:HG3	2.15	0.46
1:B:325:ARG:O	1:B:329:GLU:HG3	2.16	0.46
1:A:106:LYS:HA	1:A:106:LYS:HD3	1.39	0.45
1:B:383:PRO:HD2	1:B:386:LYS:HD2	1.97	0.45
1:B:436:LEU:HB2	1:B:448:ILE:HB	1.98	0.45
1:A:108:ILE:O	1:A:108:ILE:CG1	2.65	0.45
1:A:432:LEU:HD21	1:A:451:ARG:NH1	2.31	0.45
1:B:447:ARG:HH11	1:B:447:ARG:HG2	1.80	0.44
1:B:113:LYS:O	1:B:117:GLU:HB2	2.17	0.44
1:B:352:ARG:HG2	1:B:356:LYS:HE3	1.98	0.44
1:B:169:LEU:HD11	1:B:182:TRP:CE2	2.53	0.44
1:B:4:TRP:CE2	1:B:189:HIS:HA	2.51	0.44
1:B:6:THR:HG22	1:B:129:ASP:HA	1.99	0.44
1:B:430:LYS:HA	1:B:430:LYS:HD3	1.56	0.44
1:A:433:MSE:HE3	1:A:433:MSE:HB2	1.72	0.44
1:A:104:TYR:CZ	1:A:352:ARG:HD2	2.54	0.43
1:A:345:ILE:HD13	1:A:345:ILE:HA	1.84	0.43
1:A:431:LYS:O	1:A:435:GLN:HG3	2.19	0.43
1:A:416:LYS:HE2	1:A:417:ASN:ND2	2.34	0.42
1:A:38:GLN:HG2	1:A:70:THR:OG1	2.19	0.42
1:A:136:ALA:HB2	1:A:211:SER:HA	2.01	0.42
1:A:107:LYS:HG3	1:A:108:ILE:N	2.35	0.42
1:A:430:LYS:HA	1:A:433:MSE:CE	2.50	0.42
1:B:273:GLU:HG3	2:B:601:CL:CL	2.57	0.42
1:A:430:LYS:HA	1:A:430:LYS:HD3	1.73	0.42
1:A:430:LYS:CE	1:A:433:MSE:HE1	2.50	0.41
1:B:436:LEU:HB2	1:B:448:ILE:CG2	2.50	0.41
1:B:102:LYS:HB3	1:B:104:TYR:CE1	2.55	0.41
1:B:148:GLY:O	1:B:230:MSE:HE2	2.20	0.41
1:B:456:GLU:HG3	3:B:975:HOH:O	2.20	0.41
1:A:425:LYS:O	1:A:429:VAL:HG12	2.20	0.41
1:A:64:LEU:HD23	1:A:64:LEU:HA	1.86	0.41
1:B:41:MSE:HE1	1:B:67:PHE:N	2.34	0.41
1:B:416:LYS:HE3	1:B:416:LYS:HB3	1.72	0.41
1:A:277:ASP:OD1	1:A:278:GLU:N	2.54	0.41
1:A:502:LEU:HD23	1:A:502:LEU:HA	1.88	0.41
1:B:294:LEU:HD23	1:B:299:ILE:HG23	2.03	0.41
1:A:249:LYS:NZ	3:A:736:HOH:O	2.54	0.41
1:A:71:PHE:O	1:A:76:GLN:NE2	2.54	0.40
1:B:101:ASP:O	1:B:103:GLU:HG2	2.21	0.40
1:B:447:ARG:HG2	1:B:447:ARG:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	519/539 (96%)	508 (98%)	11 (2%)	0	100	100
1	B	516/539 (96%)	511 (99%)	5 (1%)	0	100	100
All	All	1035/1078 (96%)	1019 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	458/462 (99%)	446 (97%)	12 (3%)	40	35
1	B	458/462 (99%)	436 (95%)	22 (5%)	23	15
All	All	916/924 (99%)	882 (96%)	34 (4%)	30	22

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	THR
1	A	96	ARG
1	A	103	GLU
1	A	106	LYS
1	A	107	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	108	ILE
1	A	286	THR
1	A	296	GLU
1	A	336	LYS
1	A	416	LYS
1	A	440	GLU
1	A	444	LYS
1	B	8	VAL
1	B	69	LYS
1	B	101	ASP
1	B	109	SER
1	B	111	GLU
1	B	119	LEU
1	B	127	GLU
1	B	147	MSE
1	B	217	LYS
1	B	253	MSE
1	B	345	ILE
1	B	419	GLU
1	B	420	GLN
1	B	423	GLN
1	B	430	LYS
1	B	433	MSE
1	B	436	LEU
1	B	443	LYS
1	B	447	ARG
1	B	450	GLU
1	B	456	GLU
1	B	524	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	GLN
1	A	417	ASN
1	B	10	ASN
1	B	81	ASN
1	B	420	GLN
1	B	434	GLN
1	B	435	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	512/539 (94%)	0.17	11 (2%) 63 67	21, 37, 78, 114	0
1	B	508/539 (94%)	0.23	33 (6%) 25 26	18, 36, 87, 102	3 (0%)
All	All	1020/1078 (94%)	0.20	44 (4%) 40 42	18, 37, 86, 114	3 (0%)

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	436	LEU	5.4
1	B	104	TYR	3.6
1	A	104	TYR	3.5
1	B	110	ALA	3.5
1	A	108	ILE	3.4
1	B	177	VAL	3.3
1	B	432	LEU	3.1
1	B	446	ALA	3.1
1	B	171	LEU	3.0
1	A	436	LEU	3.0
1	B	418	TRP	3.0
1	B	102	LYS	2.9
1	A	432	LEU	2.9
1	B	176	PRO	2.9
1	B	4	TRP	2.8
1	B	130	GLY	2.8
1	B	7	LEU	2.8
1	B	439	ALA	2.7
1	B	193	TRP	2.7
1	B	448	ILE	2.7
1	B	115	LEU	2.7
1	B	6	THR	2.6
1	A	442	GLU	2.6
1	B	8	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	185	ILE	2.4
1	B	449	ALA	2.4
1	B	133	PHE	2.4
1	A	448	ILE	2.4
1	A	446	ALA	2.4
1	B	452	LEU	2.4
1	A	100	ALA	2.4
1	A	449	ALA	2.4
1	B	178	PRO	2.3
1	B	109	SER	2.3
1	B	445	LYS	2.3
1	A	71	PHE	2.2
1	B	450	GLU	2.1
1	A	439	ALA	2.1
1	B	443	LYS	2.1
1	B	175	ALA	2.1
1	B	112	ARG	2.1
1	B	444	LYS	2.0
1	B	179	PRO	2.0
1	B	429	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CL	B	603	1/1	0.84	0.15	61,61,61,61	0
2	CL	A	605	1/1	0.93	0.09	63,63,63,63	0
2	CL	B	606	1/1	0.94	0.09	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CL	B	604	1/1	0.97	0.07	64,64,64,64	0
2	CL	B	602	1/1	0.97	0.14	38,38,38,38	0
2	CL	A	601	1/1	0.98	0.04	40,40,40,40	0
2	CL	A	606	1/1	0.98	0.12	43,43,43,43	0
2	CL	A	603	1/1	0.98	0.06	33,33,33,33	0
2	CL	A	604	1/1	0.99	0.09	34,34,34,34	0
2	CL	B	601	1/1	0.99	0.06	36,36,36,36	0
2	CL	B	605	1/1	0.99	0.05	33,33,33,33	0
2	CL	A	602	1/1	0.99	0.04	30,30,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.