



Full wwPDB EM Validation Report ⓘ

Mar 17, 2026 – 12:20 PM UTC

PDB ID : 8Z0K / pdb_00008z0k
EMDB ID : EMD-39706
Title : Cryo-EM structure of Cas8-HNH system at full R-loop state
Authors : Zhang, H.; Zhu, H.; Li, X.; Liu, Y.
Deposited on : 2024-04-09
Resolution : 2.51 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	7159 (2.01 - 3.01)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	
1	B	325	
1	C	325	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	D	325	 92%5% ..
1	G	325	 89%10% ..
1	H	325	 77%12% • 10%
2	E	255	 89%11%
3	F	344	 74%19% • •
4	I	37	 57%43%
5	J	7	 86%14%
6	L	69	 25%48%12%16%
7	M	181	 50%31% • • 14%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 23037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called type I-F CRISPR-associated protein Csy3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	325	Total	C	N	O	S	0	0
			2620	1673	431	501	15		
1	B	321	Total	C	N	O	S	0	0
			2588	1655	426	492	15		
1	C	324	Total	C	N	O	S	0	0
			2613	1669	430	499	15		
1	D	319	Total	C	N	O	S	0	0
			2580	1653	426	486	15		
1	G	321	Total	C	N	O	S	0	0
			2597	1662	428	492	15		
1	H	292	Total	C	N	O	S	0	0
			2346	1503	384	446	13		

- Molecule 2 is a protein called hypothetical protein J6N51_11000.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	255	Total	C	N	O	S	0	0
			1979	1259	331	377	12		

- Molecule 3 is a protein called HNH endonuclease.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	F	332	Total	C	N	O	S	0	0
			2458	1545	427	478	8		

- Molecule 4 is a DNA chain called DNA (37-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
4	I	37	Total	C	N	O	P	0	0
			750	357	135	221	37		

- Molecule 5 is a DNA chain called DNA (5'-D(P*GP*TP*GP*CP*GP*GP*A)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
5	J	7	Total	C	N	O	P	0	0
			148	69	30	42	7		

- Molecule 6 is a RNA chain called RNA (69-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
6	L	58	Total	C	N	O	P	0	0
			1249	556	229	406	58		


- Molecule 7 is a protein called type I-F CRISPR-associated endoribonuclease Cas6/Csy4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	M	155	Total	C	N	O	S	0	0
			1109	705	175	226	3		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: type I-F CRISPR-associated protein Csy3

Chain A: 




- Molecule 1: type I-F CRISPR-associated protein Csy3

Chain B: 



- Molecule 1: type I-F CRISPR-associated protein Csy3

Chain C: 




- Molecule 1: type I-F CRISPR-associated protein Csy3

Chain D: 




- Molecule 1: type I-F CRISPR-associated protein Csy3

Chain G: 



- Molecule 1: type I-F CRISPR-associated protein Csy3

Chain H:  77% 12% 10%




- Molecule 2: hypothetical protein J6N51_11000

Chain E:  89% 11%



- Molecule 3: HNH endonuclease

Chain F:  74% 19% 7%



- Molecule 4: DNA (37-MER)

Chain I:  57% 43%





- Molecule 5: DNA (5'-D(P*GP*TP*GP*CP*GP*GP*A)-3')

Chain J:  86% 14%




- Molecule 6: RNA (69-MER)

Chain L:  25% 48% 12% 16%



● Molecule 7: type I-F CRISPR-associated endoribonuclease Cas6/Csy4



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	173047	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.955	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.038	Depositor
Recommended contour level	0.02	Depositor
Map size ($\text{\AA}$)	270.0, 270.0, 270.0	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.75, 0.75, 0.75	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.41	0/2679	0.60	1/3624 (0.0%)
1	B	0.34	0/2646	0.58	0/3579
1	C	0.42	2/2672 (0.1%)	0.58	1/3615 (0.0%)
1	D	0.40	1/2638 (0.0%)	0.60	2/3565 (0.1%)
1	G	0.39	0/2655	0.65	1/3588 (0.0%)
1	H	0.40	1/2398 (0.0%)	0.71	2/3246 (0.1%)
2	E	0.40	0/2014	0.65	3/2723 (0.1%)
3	F	0.56	0/2505	0.86	11/3409 (0.3%)
4	I	0.31	0/839	0.56	0/1290
5	J	0.31	0/166	0.57	0/255
6	L	0.31	0/1397	0.56	0/2176
7	M	0.76	0/1125	1.11	9/1535 (0.6%)
All	All	0.43	4/23734 (0.0%)	0.68	30/32605 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	199	THR	C-N	-7.59	1.23	1.33
1	D	139	VAL	C-N	-7.39	1.23	1.33
1	C	42	THR	C-N	6.95	1.43	1.33
1	C	293	ASP	CA-C	-5.05	1.46	1.52

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	M	66	GLU	N-CA-C	-11.01	99.66	112.87
7	M	162	THR	N-CA-C	9.31	122.84	108.96
3	F	2	LEU	N-CA-C	-8.17	102.62	112.59
7	M	3	SER	N-CA-C	7.44	119.44	108.14
7	M	69	ALA	N-CA-C	-7.34	104.06	112.87
7	M	48	PHE	N-CA-C	7.11	121.44	110.42
3	F	132	ILE	N-CA-C	-7.11	106.29	113.47
7	M	52	GLY	N-CA-C	-6.90	105.35	115.63
3	F	80	VAL	N-CA-C	6.64	118.28	108.45
1	H	36	ASP	N-CA-C	-6.52	99.55	109.85
1	H	199	THR	O-C-N	-6.51	114.73	122.15
7	M	50	LYS	N-CA-C	-6.29	104.70	112.38
2	E	250	LEU	N-CA-C	6.27	119.41	109.81
7	M	47	SER	N-CA-C	5.94	123.45	110.80
1	G	141	ASN	N-CA-C	-5.89	104.98	111.82
3	F	37	ALA	N-CA-C	5.59	117.77	108.99
7	M	33	VAL	CB-CA-C	-5.58	104.83	111.81
3	F	50	GLY	N-CA-C	5.49	119.61	111.76
3	F	8	ALA	N-CA-C	-5.45	105.34	111.28
2	E	171	GLY	CA-C-N	5.30	131.67	121.54
2	E	171	GLY	C-N-CA	5.30	131.67	121.54
1	A	204	ARG	N-CA-C	-5.29	101.27	109.14
1	D	139	VAL	O-C-N	-5.24	115.18	122.05
1	D	43	PHE	N-CA-C	5.17	117.99	109.72
3	F	113	GLU	N-CA-C	-5.16	105.09	111.33
1	C	232	ASP	N-CA-C	5.11	116.85	111.28
3	F	88	ARG	CA-C-N	-5.08	113.53	119.32
3	F	88	ARG	C-N-CA	-5.08	113.53	119.32
3	F	293	GLY	CA-C-N	5.04	131.16	121.54
3	F	293	GLY	C-N-CA	5.04	131.16	121.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	286	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2620	0	2551	13	0
1	B	2588	0	2528	11	0
1	C	2613	0	2550	13	0
1	D	2580	0	2542	14	0
1	G	2597	0	2552	21	0
1	H	2346	0	2261	23	0
2	E	1979	0	1952	18	0
3	F	2458	0	2277	61	0
4	I	750	0	416	18	0
5	J	148	0	79	1	0
6	L	1249	0	627	18	0
7	M	1109	0	976	64	0
All	All	23037	0	21311	247	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (247) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:M:64:ASP:O	7:M:67:ALA:CB	1.82	1.26
7:M:64:ASP:C	7:M:67:ALA:HB3	1.70	1.17
7:M:64:ASP:O	7:M:67:ALA:HB3	0.94	1.11
7:M:64:ASP:HB3	7:M:67:ALA:HB2	1.30	1.10
7:M:64:ASP:CB	7:M:67:ALA:HB2	1.81	1.09
3:F:112:ALA:HA	3:F:115:ARG:HB3	1.30	1.09
7:M:64:ASP:CA	7:M:67:ALA:HB2	1.85	1.06
7:M:42:THR:HB	7:M:59:GLU:HB2	1.35	1.05
7:M:64:ASP:N	7:M:67:ALA:CB	2.27	0.98
7:M:64:ASP:C	7:M:67:ALA:CB	2.30	0.97
7:M:64:ASP:CA	7:M:67:ALA:CB	2.45	0.93
7:M:43:PHE:HE1	7:M:58:ILE:HG12	1.34	0.90
1:C:205:GLU:HG3	1:C:206:TYR:HD1	1.42	0.83
7:M:65:LYS:C	7:M:67:ALA:H	1.86	0.83
7:M:64:ASP:H	7:M:67:ALA:CB	1.90	0.81
7:M:64:ASP:N	7:M:67:ALA:HB2	1.89	0.81
7:M:43:PHE:CE1	7:M:58:ILE:HG12	2.17	0.78
3:F:144:ASN:HD21	3:F:147:ILE:HG13	1.47	0.78
6:L:71:G:H21	6:L:75:A:H8	1.30	0.78
7:M:65:LYS:C	7:M:67:ALA:N	2.35	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:112:ALA:CA	3:F:115:ARG:HB3	2.14	0.72
4:I:4:DA:H2''	4:I:5:DC:O5'	1.90	0.71
7:M:42:THR:O	7:M:44:PRO:HD3	1.89	0.71
7:M:1:MET:HA	7:M:62:SER:O	1.90	0.71
3:F:10:ILE:HA	3:F:19:LYS:HE2	1.72	0.70
3:F:279:GLU:OE2	3:F:281:LYS:CB	2.40	0.69
1:G:140:ASN:HD21	1:G:183:VAL:H	1.40	0.69
3:F:1:MET:HE2	3:F:5:LYS:HE3	1.77	0.67
7:M:19:ILE:HD13	7:M:83:TYR:HB3	1.76	0.67
7:M:1:MET:HE3	7:M:61:LEU:HD22	1.77	0.67
3:F:273:PRO:HB2	3:F:275:HIS:CE1	2.30	0.67
7:M:74:GLU:O	7:M:75:GLU:HB3	1.95	0.66
7:M:44:PRO:O	7:M:45:ALA:C	2.39	0.66
2:E:204:VAL:CG1	3:F:142:ARG:HA	2.26	0.66
1:C:205:GLU:HG3	1:C:206:TYR:CD1	2.29	0.65
6:L:71:G:N2	6:L:75:A:H8	1.94	0.65
1:H:267:ASP:HB2	1:H:271:TYR:HE2	1.60	0.65
7:M:64:ASP:HB3	7:M:67:ALA:CB	2.18	0.64
4:I:8:DC:H4'	4:I:9:DA:OP1	1.97	0.63
1:A:55:LEU:HD21	1:B:284:ARG:HH12	1.62	0.63
3:F:112:ALA:HA	3:F:115:ARG:CB	2.20	0.63
4:I:-2:DT:H4'	4:I:-1:DT:OP1	1.99	0.62
4:I:10:DA:H2''	4:I:11:DT:H5'	1.81	0.62
3:F:9:ALA:O	3:F:10:ILE:C	2.44	0.61
4:I:-18:DG:H1	6:L:59:C:H5	1.49	0.60
7:M:42:THR:CB	7:M:59:GLU:HB2	2.23	0.60
7:M:64:ASP:H	7:M:67:ALA:HB2	1.55	0.60
2:E:204:VAL:HG11	3:F:142:ARG:HA	1.84	0.59
1:H:151:ASN:ND2	1:H:223:VAL:O	2.35	0.59
3:F:307:VAL:HG22	3:F:319:ASN:HD21	1.67	0.58
1:C:74:PRO:HD3	1:D:284:ARG:HH12	1.67	0.58
3:F:114:LEU:O	3:F:115:ARG:C	2.47	0.58
1:B:24:CYS:HB2	1:B:324:ILE:HG23	1.86	0.57
3:F:308:PRO:C	3:F:310:SER:H	2.13	0.57
7:M:64:ASP:C	7:M:67:ALA:H	2.12	0.57
4:I:-2:DT:H2''	4:I:-1:DT:O5'	2.05	0.57
3:F:27:LEU:O	3:F:31:ILE:HG23	2.04	0.56
3:F:50:GLY:O	3:F:82:ASN:ND2	2.35	0.56
1:B:106:MET:HE1	1:B:115:ARG:HG3	1.87	0.56
3:F:1:MET:HE3	3:F:4:ASN:HB2	1.86	0.56
7:M:2:PHE:HA	7:M:92:PHE:HA	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:55:LEU:HB2	1:G:229:MET:HE1	1.87	0.56
1:C:271:TYR:HB3	1:C:273:PHE:CE2	2.40	0.56
3:F:6:ILE:O	3:F:6:ILE:HG12	2.05	0.56
1:H:267:ASP:HB2	1:H:271:TYR:CE2	2.38	0.56
6:L:61:G:H2'	6:L:62:U:C5	2.41	0.56
7:M:68:LEU:C	7:M:70:SER:N	2.63	0.56
3:F:10:ILE:HA	3:F:19:LYS:CE	2.35	0.55
3:F:144:ASN:C	3:F:144:ASN:HD22	2.15	0.55
7:M:64:ASP:O	7:M:67:ALA:CA	2.51	0.55
7:M:6:LEU:HD22	7:M:86:VAL:HA	1.89	0.55
1:H:17:GLU:O	1:H:18:ASN:ND2	2.38	0.55
1:C:13:LYS:O	1:C:14:SER:HB3	2.05	0.55
3:F:102:THR:O	3:F:104:MET:N	2.40	0.55
7:M:3:SER:O	7:M:90:ILE:HA	2.06	0.55
3:F:84:ALA:O	3:F:85:LYS:C	2.49	0.55
7:M:40:GLY:HA2	7:M:173:GLY:O	2.06	0.55
7:M:163:ASP:C	7:M:164:ILE:HG12	2.31	0.55
1:D:13:LYS:O	1:D:14:SER:HB3	2.07	0.55
1:G:55:LEU:HD22	6:L:59:C:H5''	1.88	0.55
7:M:42:THR:HB	7:M:59:GLU:CB	2.24	0.55
1:H:162:VAL:HG22	1:H:211:VAL:HG22	1.88	0.54
2:E:213:ASP:OD1	3:F:159:HIS:HA	2.08	0.54
1:H:271:TYR:HB2	1:H:273:PHE:CE1	2.42	0.54
4:I:4:DA:H4'	4:I:5:DC:OP1	2.08	0.54
6:L:71:G:O2'	6:L:75:A:N6	2.37	0.54
7:M:103:ARG:NH1	7:M:104:GLU:H	2.06	0.54
7:M:42:THR:C	7:M:44:PRO:HD3	2.33	0.53
1:C:24:CYS:HB2	1:C:324:ILE:HG23	1.91	0.53
3:F:286:GLN:O	3:F:289:LEU:HG	2.09	0.53
1:G:140:ASN:ND2	1:G:183:VAL:H	2.05	0.53
1:C:47:LEU:HD21	1:C:82:CYS:SG	2.49	0.53
3:F:102:THR:O	3:F:103:VAL:C	2.52	0.53
1:A:55:LEU:HD21	1:B:284:ARG:NH1	2.24	0.53
3:F:307:VAL:HG13	3:F:319:ASN:OD1	2.08	0.53
1:C:72:MET:HE1	1:D:283:ALA:H	1.73	0.53
1:G:49:ILE:HD12	1:G:242:LYS:HG2	1.90	0.53
1:A:255:ASN:O	1:A:259:ARG:HG3	2.09	0.52
1:H:205:GLU:HG3	1:H:206:TYR:HD1	1.74	0.52
3:F:5:LYS:C	3:F:7:LEU:H	2.18	0.51
7:M:43:PHE:HE1	7:M:58:ILE:CG1	2.16	0.51
7:M:72:CYS:HB2	7:M:76:HIS:CE1	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:133:ILE:HG13	2:E:138:ILE:HD11	1.92	0.51
7:M:76:HIS:O	7:M:78:ALA:N	2.43	0.51
1:G:24:CYS:HB2	1:G:324:ILE:HG23	1.92	0.50
4:I:14:DG:H2''	4:I:15:DC:H5'	1.92	0.50
1:D:72:MET:HE3	1:G:282:ALA:HB1	1.93	0.50
3:F:85:LYS:NZ	5:J:2:DG:H21	2.08	0.50
7:M:44:PRO:O	7:M:46:TYR:N	2.44	0.50
3:F:44:THR:HG23	3:F:165:PRO:HG3	1.93	0.50
1:A:74:PRO:HA	1:B:284:ARG:NH2	2.27	0.50
1:D:24:CYS:HB2	1:D:324:ILE:HG23	1.94	0.49
3:F:107:LEU:HD22	3:F:129:ARG:HG3	1.93	0.49
7:M:5:ILE:HG12	7:M:59:GLU:HG2	1.94	0.49
7:M:78:ALA:O	7:M:79:GLU:C	2.54	0.49
4:I:8:DC:H2''	4:I:9:DA:O5'	2.12	0.49
1:H:291:ARG:NH1	1:H:295:LYS:O	2.45	0.49
7:M:74:GLU:O	7:M:75:GLU:CB	2.61	0.49
2:E:204:VAL:HG12	2:E:205:GLU:H	1.77	0.49
1:H:149:TRP:CD2	6:L:58:G:N2	2.81	0.49
1:B:271:TYR:HB3	1:B:273:PHE:CE2	2.48	0.49
1:H:304:MET:HB2	1:H:311:LEU:HD11	1.93	0.49
7:M:6:LEU:CD2	7:M:86:VAL:HA	2.43	0.49
2:E:248:LEU:HD23	2:E:250:LEU:HD11	1.96	0.48
3:F:47:ASN:OD1	4:I:14:DG:H5'	2.13	0.48
1:D:36:ASP:H	1:D:43:PHE:HE2	1.62	0.48
1:B:13:LYS:O	1:B:14:SER:HB3	2.12	0.48
2:E:204:VAL:HG12	2:E:205:GLU:N	2.29	0.48
1:B:233:ASP:O	1:B:236:LYS:HE3	2.13	0.48
1:C:13:LYS:O	1:C:14:SER:CB	2.62	0.48
1:G:89:ASP:N	1:G:89:ASP:OD1	2.46	0.48
1:D:35:THR:HG22	1:D:43:PHE:O	2.14	0.48
1:A:164:ILE:HD11	1:A:192:ILE:HG23	1.94	0.48
3:F:112:ALA:O	3:F:113:GLU:C	2.57	0.48
1:G:229:MET:HE3	1:G:229:MET:HB2	1.80	0.48
3:F:81:THR:OG1	3:F:82:ASN:N	2.45	0.48
7:M:49:ASP:C	7:M:51:LYS:N	2.71	0.47
1:A:164:ILE:HG22	1:A:165:GLU:HG2	1.96	0.47
1:H:32:PHE:HE2	1:H:225:PRO:HB3	1.79	0.47
6:L:70:C:H3'	6:L:71:G:H8	1.79	0.47
1:H:24:CYS:HB2	1:H:324:ILE:HG23	1.96	0.47
6:L:71:G:H3'	6:L:72:G:H8	1.79	0.47
2:E:157:TYR:CE1	2:E:228:CYS:SG	3.06	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:289:LEU:O	3:F:293:GLY:N	2.48	0.47
1:B:273:PHE:CZ	1:B:286:ILE:HG21	2.49	0.47
2:E:42:LEU:HD11	2:E:124:ILE:HG12	1.97	0.47
7:M:68:LEU:C	7:M:70:SER:H	2.22	0.46
3:F:275:HIS:CD2	3:F:276:LEU:HG	2.50	0.46
3:F:2:LEU:HD12	3:F:2:LEU:HA	1.86	0.46
1:G:40:ARG:NH1	1:G:159:GLU:OE2	2.48	0.46
1:H:223:VAL:HG23	1:H:225:PRO:HD3	1.97	0.46
1:H:252:GLN:H	1:H:252:GLN:HG3	1.54	0.46
1:G:205:GLU:HG3	1:G:206:TYR:HD2	1.80	0.46
3:F:278:ASP:OD1	3:F:278:ASP:N	2.40	0.46
7:M:139:PHE:HA	7:M:158:PHE:HE2	1.80	0.46
7:M:32:PHE:O	7:M:36:ASP:N	2.43	0.45
1:G:56:ALA:HB3	1:G:75:ASN:HB3	1.98	0.45
1:G:297:PHE:HE1	1:G:319:VAL:HG13	1.81	0.45
4:I:14:DG:H1'	4:I:15:DC:H5'	1.98	0.45
3:F:273:PRO:HB2	3:F:275:HIS:ND1	2.31	0.45
1:H:165:GLU:OE1	1:H:166:ASP:N	2.49	0.45
1:A:12:LEU:HD21	1:A:113:ASN:HB2	1.98	0.45
1:A:24:CYS:HB2	1:A:324:ILE:HG23	1.97	0.45
2:E:123:SER:O	2:E:127:THR:OG1	2.30	0.45
3:F:102:THR:C	3:F:104:MET:N	2.74	0.45
1:H:303:ARG:NH2	1:H:309:GLU:OE2	2.44	0.45
3:F:2:LEU:HD11	3:F:95:MET:HE3	1.99	0.45
1:D:229:MET:HB3	1:D:229:MET:HE3	1.56	0.45
7:M:47:SER:OG	7:M:48:PHE:N	2.49	0.45
3:F:19:LYS:O	3:F:22:LYS:N	2.49	0.44
3:F:45:GLU:HG2	3:F:146:PHE:CD1	2.52	0.44
1:G:164:ILE:HG22	1:G:165:GLU:HG2	1.99	0.44
4:I:-3:DT:H2''	4:I:-2:DT:O5'	2.16	0.44
1:G:255:ASN:O	1:G:259:ARG:HG3	2.17	0.44
3:F:144:ASN:ND2	3:F:147:ILE:HG13	2.24	0.44
1:H:153:LYS:HZ1	7:M:18:ILE:HG22	1.82	0.44
7:M:42:THR:N	7:M:59:GLU:O	2.31	0.44
3:F:308:PRO:C	3:F:310:SER:N	2.73	0.44
1:H:159:GLU:HG2	1:H:214:PHE:HB2	2.00	0.44
1:H:320:MET:O	1:H:324:ILE:HG13	2.18	0.44
4:I:14:DG:C2'	4:I:15:DC:H5'	2.48	0.44
1:A:76:PRO:HG2	4:I:7:DG:N3	2.33	0.44
7:M:35:HIS:O	7:M:36:ASP:HB3	2.18	0.44
6:L:61:G:H2'	6:L:62:U:H5	1.81	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:M:163:ASP:O	7:M:164:ILE:HD13	2.18	0.43
1:D:62:MET:HE3	1:D:62:MET:HB2	1.84	0.43
2:E:94:HIS:HE2	3:F:45:GLU:CD	2.26	0.43
1:H:173:ASN:O	1:H:174:SER:HB3	2.18	0.43
3:F:6:ILE:HG23	3:F:20:ILE:HD12	2.00	0.43
1:D:52:LYS:HE3	1:G:252:GLN:OE1	2.18	0.43
2:E:174:MET:HB3	3:F:67:LEU:HD13	1.99	0.43
4:I:2:DT:H6	4:I:2:DT:H2'	1.67	0.43
7:M:136:GLN:HA	7:M:139:PHE:HB2	1.99	0.43
7:M:143:TYR:CD1	7:M:143:TYR:N	2.86	0.43
1:D:253:LYS:NZ	6:L:48:G:OP1	2.47	0.43
1:G:55:LEU:HB2	6:L:59:C:H5''	2.00	0.43
1:G:229:MET:HE2	6:L:53:G:C4	2.53	0.43
2:E:94:HIS:HD2	2:E:96:MET:HE3	1.84	0.43
3:F:324:SER:O	3:F:328:HIS:N	2.51	0.43
1:D:149:TRP:CD2	1:D:253:LYS:HE3	2.54	0.43
6:L:42:A:O2'	6:L:43:A:O4'	2.37	0.43
2:E:159:LEU:HD12	2:E:225:GLY:O	2.19	0.42
1:G:285:SER:OG	1:G:286:ILE:N	2.51	0.42
2:E:209:ASP:OD2	2:E:212:LYS:HG3	2.19	0.42
2:E:212:LYS:HD2	3:F:151:PHE:HE1	1.83	0.42
3:F:15:PRO:HG2	3:F:18:GLN:H	1.83	0.42
1:A:325:ARG:HH12	6:L:27:A:H5'	1.83	0.42
4:I:5:DC:H2''	4:I:6:DG:O5'	2.18	0.42
7:M:104:GLU:O	7:M:105:GLU:HB3	2.19	0.42
3:F:19:LYS:C	3:F:21:ASN:N	2.76	0.42
3:F:120:GLU:H	3:F:120:GLU:HG2	1.69	0.42
3:F:223:ASN:OD1	3:F:223:ASN:N	2.53	0.42
6:L:80:G:H21	7:M:151:THR:HG21	1.84	0.42
6:L:60:A:H2'	6:L:61:G:O4'	2.19	0.42
1:A:63:PRO:HA	1:A:64:PRO:HD3	1.95	0.42
4:I:-4:DA:H2''	4:I:-3:DT:O5'	2.20	0.42
1:H:99:VAL:HG13	1:H:200:PHE:CE1	2.55	0.42
4:I:5:DC:H4'	4:I:6:DG:OP1	2.20	0.42
1:A:204:ARG:HE	1:A:204:ARG:HB3	1.61	0.42
1:B:72:MET:HE3	1:B:72:MET:HB3	1.93	0.42
1:C:278:GLU:O	1:C:318:TYR:OH	2.38	0.42
3:F:39:HIS:CE1	3:F:166:SER:HB2	2.55	0.42
7:M:43:PHE:HD1	7:M:43:PHE:HA	1.76	0.42
7:M:5:ILE:HG23	7:M:59:GLU:HG2	2.01	0.41
1:C:273:PHE:CZ	1:C:286:ILE:HG21	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:M:76:HIS:C	7:M:78:ALA:N	2.78	0.41
3:F:3:ARG:O	3:F:6:ILE:HG22	2.21	0.41
7:M:65:LYS:O	7:M:67:ALA:N	2.53	0.41
1:D:164:ILE:HD11	1:D:192:ILE:HG23	2.02	0.41
3:F:1:MET:SD	3:F:1:MET:N	2.78	0.41
1:C:260:THR:HG22	1:C:274:PRO:HB2	2.02	0.41
1:G:260:THR:HG22	1:G:276:PRO:HG3	2.01	0.41
7:M:28:LEU:O	7:M:29:HIS:C	2.64	0.41
1:B:78:LYS:HG3	1:C:231:PHE:CZ	2.56	0.41
2:E:60:GLU:HG3	3:F:222:LYS:HE2	2.01	0.41
3:F:35:HIS:CD2	3:F:35:HIS:N	2.88	0.41
2:E:51:ILE:HD13	2:E:109:LEU:HD13	2.02	0.41
3:F:15:PRO:CG	3:F:18:GLN:HB2	2.51	0.40
7:M:3:SER:N	7:M:91:THR:O	2.54	0.40
1:A:34:GLN:NE2	1:A:46:PRO:O	2.54	0.40
3:F:51:ASN:OD1	3:F:82:ASN:ND2	2.54	0.40
1:H:275:ILE:HG13	1:H:283:ALA:HB2	2.03	0.40
7:M:169:PHE:HA	7:M:175:LEU:HA	2.03	0.40
3:F:110:ASP:O	3:F:111:SER:C	2.63	0.40
1:G:63:PRO:HA	1:G:64:PRO:HD3	1.98	0.40
6:L:59:C:H1'	6:L:60:A:C8	2.55	0.40
1:H:103:LYS:HE2	1:H:103:LYS:HB3	1.91	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/325 (99%)	311 (96%)	12 (4%)	0	100	100
1	B	317/325 (98%)	304 (96%)	11 (4%)	2 (1%)	21	38
1	C	322/325 (99%)	311 (97%)	10 (3%)	1 (0%)	36	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	315/325 (97%)	302 (96%)	12 (4%)	1 (0%)	36	55
1	G	317/325 (98%)	303 (96%)	12 (4%)	2 (1%)	21	38
1	H	286/325 (88%)	260 (91%)	22 (8%)	4 (1%)	9	17
2	E	253/255 (99%)	239 (94%)	13 (5%)	1 (0%)	30	49
3	F	326/344 (95%)	292 (90%)	33 (10%)	1 (0%)	36	55
7	M	147/181 (81%)	122 (83%)	19 (13%)	6 (4%)	2	3
All	All	2606/2730 (96%)	2444 (94%)	144 (6%)	18 (1%)	20	34

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	E	170	ALA
7	M	47	SER
1	B	285	SER
1	C	14	SER
3	F	103	VAL
7	M	45	ALA
7	M	161	PRO
1	G	285	SER
1	H	165	GLU
1	H	270	THR
1	H	294	THR
1	D	14	SER
7	M	105	GLU
7	M	44	PRO
7	M	164	ILE
1	G	292	PRO
1	B	292	PRO
1	H	287	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	285/292 (98%)	283 (99%)	2 (1%)	76	89
1	B	282/292 (97%)	280 (99%)	2 (1%)	76	89
1	C	285/292 (98%)	282 (99%)	3 (1%)	65	84
1	D	282/292 (97%)	280 (99%)	2 (1%)	76	89
1	G	284/292 (97%)	281 (99%)	3 (1%)	65	84
1	H	252/292 (86%)	248 (98%)	4 (2%)	55	79
2	E	211/219 (96%)	208 (99%)	3 (1%)	59	81
3	F	244/304 (80%)	235 (96%)	9 (4%)	30	57
7	M	106/160 (66%)	100 (94%)	6 (6%)	18	39
All	All	2231/2435 (92%)	2197 (98%)	34 (2%)	55	80

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	249	MET
1	B	118	ILE
1	B	286	ILE
1	C	204	ARG
1	C	252	GLN
1	C	286	ILE
1	D	72	MET
1	D	140	ASN
2	E	182	LEU
2	E	223	LEU
2	E	230	LYS
3	F	1	MET
3	F	27	LEU
3	F	57	ILE
3	F	82	ASN
3	F	144	ASN
3	F	306	ILE
3	F	307	VAL
3	F	309	LEU
3	F	320	MET
1	G	72	MET
1	G	215	VAL
1	G	286	ILE
1	H	42	THR
1	H	252	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	271	TYR
1	H	295	LYS
7	M	8	ILE
7	M	24	ILE
7	M	29	HIS
7	M	36	ASP
7	M	102	ILE
7	M	164	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	173	ASN
1	A	256	ASN
1	A	333	GLN
1	B	34	GLN
1	B	252	GLN
1	C	41	HIS
1	D	26	ASN
1	D	144	ASN
1	D	252	GLN
1	D	308	ASN
1	D	333	GLN
2	E	104	ASN
3	F	34	ASN
3	F	35	HIS
3	F	71	ASN
3	F	82	ASN
3	F	144	ASN
3	F	149	GLN
3	F	170	ASN
3	F	193	ASN
1	G	41	HIS
1	G	140	ASN
1	G	317	HIS
1	H	41	HIS
1	H	151	ASN
1	H	194	GLN
1	H	252	GLN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
6	L	56/69 (81%)	34 (60%)	1 (1%)

All (34) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	L	23	U
6	L	24	A
6	L	25	G
6	L	29	G
6	L	30	A
6	L	34	C
6	L	35	C
6	L	41	G
6	L	42	A
6	L	44	A
6	L	45	U
6	L	46	U
6	L	47	A
6	L	49	G
6	L	50	U
6	L	51	G
6	L	53	G
6	L	54	C
6	L	55	U
6	L	56	U
6	L	57	A
6	L	58	G
6	L	59	C
6	L	62	U
6	L	63	G
6	L	64	U
6	L	66	C
6	L	68	G
6	L	70	C
6	L	71	G
6	L	72	G
6	L	76	G
6	L	77	G
6	L	79	G

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
6	L	24	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39706. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180



Z Index: 180

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 183




Y Index: 216




Z Index: 206


6.3.2 Raw map



X Index: 183



Y Index: 163




Z Index: 205


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 201 nm^3 ; this corresponds to an approximate mass of 181 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.398 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.398 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.51	-	-
Author-provided FSC curve	2.51	2.88	2.56
Unmasked-calculated*	3.31	3.97	3.39

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.31 differs from the reported value 2.51 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-39706 and PDB model 8Z0K. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion ⓘ



At the recommended contour level, 99% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9520	0.5510
A	0.9670	0.5880
B	0.9720	0.5960
C	0.9630	0.5890
D	0.9680	0.5880
E	0.9560	0.5710
F	0.8910	0.4810
G	0.9630	0.5700
H	0.9580	0.5300
I	0.9890	0.5840
J	0.9260	0.4630
L	0.9580	0.4900
M	0.8690	0.3670

1.0

0.0

<0.0