



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:42 PM UTC

PDB ID : 1Z1F / pdb_00001z1f
Title : Crystal structure of stilbene synthase from *Arachis hypogaea* (resveratrol-bound form)
Authors : Shomura, Y.; Torayama, I.; Suh, D.Y.; Xiang, T.; Kita, A.; Sankawa, U.; Miki, K.
Deposited on : 2005-03-03
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	51% 43% 5% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	STL	A	400	-	X	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3105 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called stilbene synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	388	2988	1890	509	568	21	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ALA	-	cloning artifact	UNP Q9SLV5

- Molecule 2 is RESVERATROL (CCD ID: STL) (formula: C₁₄H₁₂O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	17	14	3	0	0

- Molecule 3 is CITRIC ACID (CCD ID: CIT) (formula: C₆H₈O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	6	7		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	87	Total	O	0	0
			87	87		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: stilbene synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	100.75Å 100.75Å 74.08Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.59 – 2.90 37.59 – 2.90	Depositor EDS
% Data completeness (in resolution range)	93.0 (37.59-2.90) 93.0 (37.59-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.81 (at 2.91Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.192 , 0.252 0.185 , 0.249	Depositor DCC
R_{free} test set	451 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	19.4	Xtriage
Anisotropy	0.474	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.074 for -h,-k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3105	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CIT, STL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/3043	0.99	12/4118 (0.3%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	376	GLY	N-CA-C	-6.78	106.58	115.47
1	A	374	GLY	CA-C-N	6.29	127.70	119.84
1	A	374	GLY	C-N-CA	6.29	127.70	119.84
1	A	338	SER	CB-CA-C	-5.90	109.79	116.63
1	A	388	ALA	N-CA-C	5.65	117.84	110.43
1	A	296	ASN	N-CA-C	-5.55	106.50	113.72
1	A	227	ASP	CA-C-N	5.52	125.79	119.83
1	A	227	ASP	C-N-CA	5.52	125.79	119.83
1	A	344	PHE	N-CA-C	-5.36	105.48	112.23
1	A	135	VAL	N-CA-C	5.19	116.23	108.54
1	A	215	PHE	N-CA-C	5.08	117.71	110.24
1	A	222	ILE	CB-CA-C	-5.07	102.93	110.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2988	0	3011	195	0
2	A	17	0	10	1	0
3	A	13	0	5	4	0
4	A	87	0	0	23	0
All	All	3105	0	3026	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 32.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:THR:HG21	1:A:201:PRO:HD2	1.27	1.13
1:A:63:THR:HG23	1:A:65:ILE:H	1.13	1.06
1:A:145:ILE:HD13	1:A:150:LEU:HD12	1.43	0.98
1:A:103:PRO:HG3	1:A:140:VAL:HG13	1.45	0.97
1:A:271:VAL:HG23	1:A:272:PRO:HD3	1.44	0.96
1:A:373:PHE:HD1	1:A:379:ILE:HD12	1.31	0.93
1:A:250:SER:HB3	1:A:377:LEU:HB2	1.50	0.93
1:A:49:MET:HE2	1:A:203:GLU:HG2	1.57	0.86
1:A:63:THR:HG23	1:A:65:ILE:N	1.90	0.85
1:A:383:VAL:CG2	4:A:578:HOH:O	2.27	0.83
1:A:373:PHE:CD1	1:A:379:ILE:HD12	2.14	0.83
1:A:107:LYS:HD2	1:A:147:LEU:HB3	1.61	0.80
1:A:271:VAL:CG2	1:A:272:PRO:HD3	2.11	0.80
1:A:242:THR:HG22	1:A:382:VAL:HG22	1.64	0.80
1:A:276:SER:OG	1:A:312:GLN:HB3	1.82	0.79
1:A:272:PRO:HA	1:A:309:ILE:HD13	1.64	0.79
1:A:188:ILE:HB	1:A:222:ILE:HD12	1.64	0.79
1:A:270:SER:O	1:A:274:ILE:HG12	1.84	0.78
1:A:44:THR:HG21	1:A:201:PRO:CD	2.11	0.77
1:A:286:ALA:HB1	4:A:578:HOH:O	1.85	0.77
1:A:121:MET:HE1	1:A:148:LEU:O	1.84	0.76
1:A:250:SER:HB3	1:A:377:LEU:CB	2.15	0.75
1:A:7:ILE:HG23	1:A:11:GLN:NE2	2.03	0.74
1:A:366:ASP:O	1:A:385:ARG:HD2	1.88	0.73
1:A:98:MET:HE1	1:A:193:ASN:O	1.90	0.72
1:A:98:MET:SD	1:A:196:VAL:HG13	2.30	0.72
1:A:383:VAL:HG22	4:A:578:HOH:O	1.90	0.72
1:A:271:VAL:HG23	1:A:272:PRO:CD	2.21	0.71
1:A:63:THR:CG2	1:A:65:ILE:H	1.97	0.71
1:A:383:VAL:HG21	4:A:578:HOH:O	1.87	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:PRO:CA	1:A:309:ILE:HD13	2.21	0.70
1:A:287:PHE:CD1	1:A:292:ILE:HD12	2.27	0.69
1:A:136:ALA:C	1:A:137:LEU:HD23	2.18	0.69
1:A:31:VAL:HG12	1:A:68:ARG:O	1.93	0.69
1:A:151:ASP:O	1:A:154:VAL:HG23	1.92	0.68
1:A:378:THR:O	1:A:379:ILE:HD13	1.94	0.68
1:A:287:PHE:HD1	1:A:292:ILE:HD12	1.59	0.67
1:A:228:PRO:O	1:A:230:PRO:HD3	1.93	0.67
1:A:193:ASN:HD22	1:A:195:SER:H	1.43	0.67
1:A:352:LYS:HA	1:A:355:GLU:HG2	1.77	0.66
1:A:269:LYS:HB2	1:A:269:LYS:NZ	2.11	0.66
1:A:350:ARG:HG3	1:A:351:LYS:N	2.10	0.65
1:A:44:THR:HG23	1:A:84:CYS:O	1.95	0.65
1:A:54:LYS:O	1:A:58:ARG:HG2	1.97	0.65
1:A:375:PRO:C	1:A:377:LEU:H	2.04	0.65
1:A:33:GLN:HG2	4:A:538:HOH:O	1.98	0.64
1:A:300:TRP:C	1:A:301:ILE:HD12	2.24	0.63
1:A:9:LYS:HG3	4:A:582:HOH:O	1.97	0.63
1:A:185:ARG:NH2	3:A:401:CIT:O1	2.32	0.62
1:A:286:ALA:CB	4:A:578:HOH:O	2.44	0.61
1:A:287:PHE:HB3	1:A:292:ILE:HB	1.83	0.61
1:A:44:THR:CG2	1:A:201:PRO:HD2	2.18	0.60
1:A:256:GLY:HA2	4:A:588:HOH:O	2.00	0.60
1:A:136:ALA:O	1:A:137:LEU:HD23	2.00	0.60
1:A:385:ARG:HG2	1:A:385:ARG:HH11	1.66	0.60
1:A:49:MET:CE	1:A:203:GLU:HG2	2.29	0.59
1:A:188:ILE:CB	1:A:222:ILE:HD12	2.33	0.59
1:A:307:ARG:HG3	1:A:308:ALA:N	2.17	0.59
1:A:76:ILE:CG2	1:A:97:MET:HE1	2.33	0.58
1:A:91:LEU:HD23	1:A:259:ARG:O	2.02	0.58
1:A:132:THR:HB	4:A:566:HOH:O	2.04	0.57
1:A:193:ASN:ND2	1:A:195:SER:H	2.03	0.57
1:A:192:GLU:HG3	1:A:338:SER:HB3	1.87	0.56
1:A:93:ALA:O	1:A:97:MET:HG3	2.06	0.56
1:A:296:ASN:HD21	1:A:319:LEU:HA	1.71	0.56
1:A:12:ARG:HA	1:A:180:ASN:O	2.06	0.56
1:A:375:PRO:C	1:A:377:LEU:N	2.65	0.55
1:A:87:LYS:HG3	1:A:261:VAL:HG21	1.88	0.55
1:A:76:ILE:HG23	1:A:97:MET:HE1	1.89	0.54
1:A:166:ALA:HB3	1:A:339:SER:HB3	1.90	0.54
1:A:102:VAL:HB	1:A:103:PRO:HD3	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:ALA:C	4:A:578:HOH:O	2.50	0.53
1:A:91:LEU:HD21	1:A:258:LEU:HD22	1.90	0.53
1:A:145:ILE:HD13	1:A:150:LEU:CD1	2.27	0.53
1:A:230:PRO:O	1:A:231:GLU:HB2	2.07	0.53
1:A:167:GLY:N	4:A:517:HOH:O	2.38	0.53
1:A:347:ASP:CG	1:A:351:LYS:HE2	2.33	0.53
1:A:37:ALA:HB3	1:A:57:GLN:HG2	1.90	0.53
1:A:72:LEU:HD11	1:A:195:SER:HA	1.90	0.52
1:A:145:ILE:CD1	1:A:150:LEU:HD12	2.29	0.52
1:A:269:LYS:HB2	1:A:269:LYS:HZ3	1.72	0.52
1:A:258:LEU:C	1:A:259:ARG:HD2	2.35	0.52
1:A:61:GLU:C	1:A:63:THR:H	2.18	0.52
1:A:188:ILE:HD12	1:A:188:ILE:N	2.24	0.52
1:A:107:LYS:HG3	1:A:148:LEU:HD13	1.90	0.51
1:A:188:ILE:CD1	1:A:224:ILE:HD12	2.40	0.51
1:A:199:ARG:NH1	1:A:199:ARG:HB3	2.24	0.51
1:A:288:ASP:HB2	1:A:289:PRO:HD3	1.93	0.51
1:A:371:PHE:HE1	1:A:381:THR:HG1	1.58	0.51
1:A:188:ILE:O	1:A:221:ALA:HA	2.11	0.51
1:A:110:ALA:O	1:A:114:ILE:HG12	2.12	0.50
1:A:385:ARG:HH11	1:A:385:ARG:CG	2.24	0.50
1:A:72:LEU:HB3	1:A:77:LEU:HD11	1.94	0.49
1:A:257:LEU:HB3	1:A:259:ARG:HD3	1.93	0.49
1:A:268:ASN:ND2	1:A:270:SER:HB2	2.27	0.49
1:A:2:VAL:HG13	1:A:3:SER:N	2.27	0.49
1:A:165:PHE:HD2	1:A:374:GLY:HA3	1.78	0.49
1:A:49:MET:HE2	1:A:203:GLU:CG	2.38	0.49
1:A:102:VAL:HG13	1:A:191:SER:HB3	1.95	0.49
1:A:227:ASP:N	1:A:228:PRO:CD	2.76	0.48
1:A:83:MET:HG3	4:A:570:HOH:O	2.12	0.48
1:A:98:MET:O	1:A:102:VAL:HG23	2.13	0.48
1:A:288:ASP:N	1:A:289:PRO:CD	2.76	0.48
1:A:257:LEU:O	1:A:263:LEU:HD12	2.12	0.48
1:A:26:ASN:HD22	1:A:218:GLY:HA3	1.79	0.47
1:A:144:LEU:HD13	1:A:144:LEU:O	2.15	0.47
1:A:8:ARG:HH12	1:A:180:ASN:HD21	1.62	0.47
1:A:185:ARG:HH21	3:A:401:CIT:H22	1.79	0.47
1:A:5:SER:O	1:A:9:LYS:HG3	2.15	0.47
1:A:18:THR:HG21	1:A:235:PRO:HB3	1.97	0.47
1:A:30:CYS:HB3	1:A:67:ASN:HD21	1.80	0.47
1:A:275:ILE:CD1	1:A:377:LEU:HD11	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:ARG:HG3	1:A:308:ALA:H	1.80	0.47
1:A:201:PRO:HA	4:A:568:HOH:O	2.15	0.47
1:A:206:MET:O	1:A:207:ASP:C	2.58	0.47
1:A:86:TYR:O	1:A:199:ARG:HD3	2.15	0.46
1:A:13:ALA:HB3	1:A:179:GLU:O	2.15	0.46
1:A:255:GLY:HA3	1:A:266:TYR:CZ	2.49	0.46
1:A:248:PRO:HD3	4:A:572:HOH:O	2.16	0.46
1:A:123:LYS:HD2	3:A:401:CIT:O4	2.16	0.46
1:A:136:ALA:O	1:A:139:GLY:HA2	2.16	0.46
1:A:126:HIS:HB2	1:A:186:VAL:HG22	1.98	0.46
1:A:162:GLN:HB2	1:A:166:ALA:HB2	1.98	0.46
1:A:167:GLY:HA3	4:A:517:HOH:O	2.15	0.45
1:A:21:ALA:C	1:A:22:ILE:HG13	2.41	0.45
1:A:338:SER:HB2	2:A:400:STL:C14	2.46	0.45
1:A:188:ILE:HD11	1:A:224:ILE:HD12	1.99	0.45
1:A:359:LYS:HG3	1:A:360:THR:HG23	1.97	0.45
1:A:57:GLN:NE2	1:A:57:GLN:CA	2.80	0.45
1:A:287:PHE:CE2	1:A:369:VAL:HB	2.52	0.45
1:A:117:TRP:CD2	1:A:119:GLN:HB2	2.52	0.45
1:A:202:SER:HB3	1:A:205:ASP:HB3	1.99	0.45
1:A:63:THR:O	1:A:64:GLN:CB	2.64	0.45
1:A:20:LEU:HB3	4:A:509:HOH:O	2.17	0.44
1:A:350:ARG:HG3	1:A:351:LYS:H	1.78	0.44
1:A:24:THR:HB	1:A:344:PHE:CZ	2.53	0.44
1:A:74:GLU:O	1:A:78:LYS:HG3	2.18	0.44
1:A:3:SER:C	1:A:5:SER:N	2.73	0.44
1:A:236:LEU:HD11	1:A:350:ARG:NH1	2.33	0.44
1:A:294:ASP:OD1	1:A:296:ASN:HB2	2.17	0.44
1:A:385:ARG:CG	1:A:385:ARG:NH1	2.80	0.44
1:A:167:GLY:CA	4:A:517:HOH:O	2.65	0.44
1:A:385:ARG:HD2	1:A:385:ARG:HA	1.72	0.43
1:A:251:HIS:HA	1:A:376:GLY:HA2	1.99	0.43
1:A:32:ASP:OD2	1:A:32:ASP:C	2.60	0.43
1:A:60:CYS:O	1:A:63:THR:HG22	2.18	0.43
1:A:296:ASN:HD22	1:A:296:ASN:HA	1.73	0.43
1:A:8:ARG:NE	1:A:8:ARG:HA	2.33	0.43
1:A:275:ILE:HD13	1:A:377:LEU:HD11	2.01	0.43
1:A:57:GLN:NE2	1:A:57:GLN:HA	2.33	0.43
1:A:366:ASP:O	1:A:385:ARG:CD	2.62	0.43
1:A:86:TYR:CE2	1:A:87:LYS:HD3	2.54	0.43
1:A:50:THR:O	1:A:54:LYS:HG3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:274:ILE:HG21	1:A:377:LEU:HG	2.00	0.43
1:A:286:ALA:O	4:A:578:HOH:O	2.21	0.43
1:A:296:ASN:HA	1:A:323:LYS:HE3	2.00	0.43
1:A:276:SER:HG	1:A:312:GLN:HB3	1.80	0.43
1:A:26:ASN:ND2	1:A:218:GLY:HA3	2.35	0.42
1:A:144:LEU:HD13	1:A:144:LEU:C	2.43	0.42
1:A:18:THR:HG21	1:A:235:PRO:CB	2.49	0.42
1:A:230:PRO:O	1:A:231:GLU:CB	2.63	0.42
1:A:37:ALA:CB	1:A:57:GLN:HG2	2.49	0.42
1:A:27:PRO:HA	1:A:28:PRO:HD3	1.95	0.42
1:A:165:PHE:CD1	1:A:165:PHE:C	2.96	0.42
1:A:181:ASN:HB2	1:A:184:ALA:HB2	2.00	0.42
1:A:65:ILE:HA	1:A:332:SER:HA	2.02	0.42
1:A:287:PHE:CZ	1:A:369:VAL:HB	2.53	0.42
1:A:61:GLU:C	1:A:63:THR:N	2.77	0.42
1:A:322:GLU:OE1	4:A:536:HOH:O	2.22	0.42
1:A:164:CYS:HB3	1:A:303:HIS:NE2	2.35	0.41
1:A:60:CYS:O	1:A:63:THR:CG2	2.68	0.41
1:A:49:MET:O	1:A:50:THR:C	2.62	0.41
1:A:139:GLY:O	1:A:142:TYR:HB3	2.21	0.41
1:A:110:ALA:HA	1:A:221:ALA:CB	2.50	0.41
1:A:170:VAL:HG23	1:A:171:LEU:N	2.35	0.41
1:A:79:GLU:H	1:A:79:GLU:HG3	1.73	0.41
1:A:123:LYS:HB3	3:A:401:CIT:O3	2.20	0.41
1:A:347:ASP:OD2	1:A:351:LYS:HE2	2.21	0.41
1:A:8:ARG:NH1	1:A:180:ASN:HD21	2.18	0.41
1:A:193:ASN:ND2	1:A:195:SER:OG	2.53	0.41
1:A:71:TYR:CD1	1:A:101:GLU:HG2	2.56	0.41
1:A:80:ASN:OD1	4:A:558:HOH:O	2.22	0.41
1:A:352:LYS:HD3	1:A:355:GLU:OE2	2.20	0.41
1:A:119:GLN:NE2	1:A:232:VAL:CG1	2.84	0.41
1:A:371:PHE:HE1	1:A:381:THR:OG1	2.03	0.41
1:A:253:ALA:HA	1:A:268:ASN:HB3	2.02	0.40
1:A:300:TRP:O	1:A:349:MET:HE1	2.21	0.40
1:A:29:ASN:HB3	1:A:70:MET:O	2.21	0.40
1:A:137:LEU:HA	1:A:138:PRO:C	2.46	0.40
1:A:202:SER:N	4:A:568:HOH:O	2.35	0.40
1:A:18:THR:HG23	1:A:237:PHE:O	2.21	0.40
1:A:97:MET:O	1:A:101:GLU:HB2	2.22	0.40
1:A:80:ASN:HB3	4:A:570:HOH:O	2.21	0.40
1:A:242:THR:HB	4:A:514:HOH:O	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:ASP:O	1:A:333:ASN:ND2	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	386/390 (99%)	352 (91%)	32 (8%)	2 (0%)	24 54

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	50	THR
1	A	375	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	328/329 (100%)	309 (94%)	19 (6%)	18 49

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	57	GLN
1	A	101	GLU
1	A	127	LEU
1	A	132	THR
1	A	197	THR
1	A	222	ILE
1	A	223	ILE
1	A	228	PRO
1	A	230	PRO
1	A	258	LEU
1	A	269	LYS
1	A	296	ASN
1	A	312	GLN
1	A	322	GLU
1	A	324	MET
1	A	375	PRO
1	A	377	LEU
1	A	385	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	33	GLN
1	A	45	ASN
1	A	67	ASN
1	A	119	GLN
1	A	180	ASN
1	A	181	ASN
1	A	193	ASN
1	A	268	ASN
1	A	277	GLN
1	A	278	ASN
1	A	280	ASN
1	A	296	ASN
1	A	333	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CIT	A	401	-	12,12,12	2.37	6 (50%)	17,17,17	1.95	6 (35%)
2	STL	A	400	-	18,18,18	2.96	11 (61%)	24,24,24	2.29	8 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CIT	A	401	-	-	0/16/16/16	-
2	STL	A	400	-	-	4/5/5/5	0/2/2/2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	400	STL	C2-C1	4.41	1.45	1.39
2	A	400	STL	C11-C10	4.40	1.45	1.38
2	A	400	STL	C2-C3	4.18	1.45	1.39
2	A	400	STL	C14-C13	3.88	1.45	1.38
2	A	400	STL	C13-C12	3.75	1.46	1.39
2	A	400	STL	C6-C1	3.74	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	CIT	O1-C1	-3.52	1.10	1.22
3	A	401	CIT	O2-C1	-3.45	1.19	1.30
3	A	401	CIT	O3-C5	3.28	1.32	1.22
2	A	400	STL	C10-C9	3.18	1.45	1.39
3	A	401	CIT	O4-C5	-3.16	1.20	1.30
2	A	400	STL	C6-C5	3.09	1.45	1.39
2	A	400	STL	C11-C12	3.07	1.44	1.39
2	A	400	STL	C4-C3	2.85	1.43	1.39
2	A	400	STL	C4-C5	2.75	1.44	1.39
3	A	401	CIT	C2-C3	2.59	1.57	1.54
3	A	401	CIT	O5-C6	2.02	1.28	1.22

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	STL	C5-C4-C3	-5.66	115.50	120.26
2	A	400	STL	C3-C2-C1	-4.08	114.22	119.26
3	A	401	CIT	O4-C5-C4	3.90	126.69	114.35
2	A	400	STL	O2-C3-C2	-3.73	110.08	119.85
2	A	400	STL	C14-C13-C12	-3.53	116.14	119.88
2	A	400	STL	C4-C3-C2	-3.42	115.79	120.47
3	A	401	CIT	O3-C5-C4	-3.11	114.14	122.95
2	A	400	STL	C5-C6-C1	-3.09	117.66	120.26
3	A	401	CIT	O6-C6-C3	2.90	118.71	113.14
3	A	401	CIT	C3-C2-C1	2.83	121.65	113.92
3	A	401	CIT	O5-C6-C3	-2.69	116.87	122.09
3	A	401	CIT	O2-C1-O1	2.41	129.54	123.33
2	A	400	STL	C11-C10-C9	-2.23	118.34	121.22
2	A	400	STL	C14-C9-C10	2.14	120.83	117.65

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	400	STL	C7-C8-C9-C14
2	A	400	STL	C6-C5-C7-C8
2	A	400	STL	C4-C5-C7-C8
2	A	400	STL	C7-C8-C9-C10

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	CIT	4	0
2	A	400	STL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/390 (99%)	-0.39	1 (0%) 90 87	7, 18, 37, 62	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	VAL	3.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CIT	A	401	13/13	0.86	0.22	98,98,99,99	0
2	STL	A	400	17/17	0.91	0.14	44,45,48,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.