



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:10 PM UTC

PDB ID : 4Z14 / pdb_00004z14
Title : Recombinantly expressed latent aurone synthase (polyphenol oxidase)
Authors : Molitor, C.; Mauracher, S.G.; Rompel, A.
Deposited on : 2015-03-26
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7383 (2.54-2.50)
Clashscore	190562	8079 (2.54-2.50)
Ramachandran outliers	187476	7944 (2.54-2.50)
Sidechain outliers	187428	7946 (2.54-2.50)
RSRZ outliers	180081	7387 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	520	6% 92%
1	B	520	3% 93%
1	C	520	2% 93%
1	D	520	7% 92%
1	E	520	5% 91%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	520	6% 91% 5%
1	G	520	4% 93%
1	H	520	5% 92%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 61726 atoms, of which 29358 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aurone synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	D	501	Total	C	H	N	O	S	0	0	0
			7456	2479	3570	677	715	15			
1	B	504	Total	C	H	N	O	S	0	0	0
			7739	2545	3741	691	747	15			
1	H	498	Total	C	H	N	O	S	0	0	0
			7623	2507	3698	682	721	15			
1	F	498	Total	C	H	N	O	S	0	0	0
			7520	2486	3618	675	726	15			
1	C	499	Total	C	H	N	O	S	0	0	0
			7683	2519	3731	682	736	15			
1	E	497	Total	C	H	N	O	S	0	0	0
			7555	2495	3649	680	716	15			
1	G	509	Total	C	H	N	O	S	0	0	0
			7725	2547	3731	694	738	15			
1	A	501	Total	C	H	N	O	S	0	0	0
			7543	2493	3620	685	730	15			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	MET	-	initiating methionine	UNP A0A075DN54
D	-1	ALA	-	expression tag	UNP A0A075DN54
D	0	LEU	-	expression tag	UNP A0A075DN54
B	-2	MET	-	initiating methionine	UNP A0A075DN54
B	-1	ALA	-	expression tag	UNP A0A075DN54
B	0	LEU	-	expression tag	UNP A0A075DN54
H	-2	MET	-	initiating methionine	UNP A0A075DN54
H	-1	ALA	-	expression tag	UNP A0A075DN54
H	0	LEU	-	expression tag	UNP A0A075DN54
F	-2	MET	-	initiating methionine	UNP A0A075DN54
F	-1	ALA	-	expression tag	UNP A0A075DN54
F	0	LEU	-	expression tag	UNP A0A075DN54
C	-2	MET	-	initiating methionine	UNP A0A075DN54

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	ALA	-	expression tag	UNP A0A075DN54
C	0	LEU	-	expression tag	UNP A0A075DN54
E	-2	MET	-	initiating methionine	UNP A0A075DN54
E	-1	ALA	-	expression tag	UNP A0A075DN54
E	0	LEU	-	expression tag	UNP A0A075DN54
G	-2	MET	-	initiating methionine	UNP A0A075DN54
G	-1	ALA	-	expression tag	UNP A0A075DN54
G	0	LEU	-	expression tag	UNP A0A075DN54
A	-2	MET	-	initiating methionine	UNP A0A075DN54
A	-1	ALA	-	expression tag	UNP A0A075DN54
A	0	LEU	-	expression tag	UNP A0A075DN54

- Molecule 2 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	2	Total Cu 2 2	0	0
2	B	2	Total Cu 2 2	0	0
2	H	2	Total Cu 2 2	0	0
2	F	2	Total Cu 2 2	0	0
2	C	2	Total Cu 2 2	0	0
2	E	2	Total Cu 2 2	0	0
2	G	2	Total Cu 2 2	0	0
2	A	2	Total Cu 2 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	61	Total O 61 61	0	0
3	B	130	Total O 130 130	0	0
3	H	95	Total O 95 95	0	0
3	F	90	Total O 90 90	0	0


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	136	Total 136	O 136	0	0
3	E	133	Total 133	O 133	0	0
3	G	103	Total 103	O 103	0	0
3	A	118	Total 118	O 118	0	0




• Molecule 1: Aurone synthase




• Molecule 1: Aurone synthase



• Molecule 1: Aurone synthase



• Molecule 1: Aurone synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	62.85Å 103.79Å 175.56Å 100.69° 91.90° 105.18°	Depositor
Resolution (Å)	47.54 – 2.53 47.54 – 2.53	Depositor EDS
% Data completeness (in resolution range)	97.9 (47.54-2.53) 97.9 (47.54-2.53)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.208 , 0.253 0.214 , 0.256	Depositor DCC
R_{free} test set	6850 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	47.7	Xtriage
Anisotropy	0.198	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 58.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.035 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	61726	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.48 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.7184e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/4029	0.62	1/5481 (0.0%)
1	B	0.28	0/4106	0.58	0/5585
1	C	0.28	0/4059	0.57	0/5522
1	D	0.28	0/3993	0.60	0/5442
1	E	0.28	0/4012	0.57	0/5458
1	F	0.28	0/4009	0.59	0/5459
1	G	0.28	0/4102	0.60	0/5582
1	H	0.28	0/4030	0.59	0/5479
All	All	0.28	0/32340	0.59	1/44008 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	436	LEU	N-CA-C	-5.64	105.06	112.72

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	437	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3923	3620	3671	12	0
1	B	3998	3741	3780	14	0
1	C	3952	3731	3744	11	0
1	D	3886	3570	3608	14	0
1	E	3906	3649	3678	18	0
1	F	3902	3618	3640	16	0
1	G	3994	3731	3775	12	0
1	H	3925	3698	3725	13	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
3	A	118	0	0	4	0
3	B	130	0	0	6	0
3	C	136	0	0	3	0
3	D	61	0	0	4	0
3	E	133	0	0	5	0
3	F	90	0	0	7	0
3	G	103	0	0	2	0
3	H	95	0	0	2	0
All	All	32368	29358	29621	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:466:MET:HA	1:E:466:MET:HE2	1.65	0.78
1:A:468:SER:O	3:A:801:HOH:O	2.01	0.78
1:F:135:ILE:N	3:F:801:HOH:O	2.19	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:359:PRO:O	1:A:363:ARG:NH2	2.21	0.74
1:F:132:TYR:O	3:F:801:HOH:O	2.07	0.72
1:C:110:ASP:OD2	3:C:801:HOH:O	2.08	0.70
1:D:385:ARG:NH1	1:H:265:PRO:O	2.26	0.69
1:F:48:ASP:OD1	1:F:52:ARG:NH1	2.26	0.67
1:D:465:VAL:N	3:D:803:HOH:O	2.28	0.65
1:E:300:ARG:NH2	3:E:803:HOH:O	2.29	0.65
1:B:359:PRO:O	1:H:363:ARG:NH2	2.30	0.64
1:B:69:ARG:NH2	3:B:805:HOH:O	2.30	0.64
1:E:52:ARG:NH2	3:E:808:HOH:O	2.31	0.64
1:E:456:ILE:HG23	1:E:457:PRO:HD2	1.79	0.64
1:A:48:ASP:OD1	1:A:52:ARG:NH1	2.31	0.63
1:B:69:ARG:NH1	3:B:806:HOH:O	2.30	0.63
1:H:51:VAL:N	3:H:805:HOH:O	2.31	0.62
1:E:117:ASN:N	1:E:248:GLU:OE2	2.33	0.61
1:E:347:ASN:ND2	3:E:807:HOH:O	2.31	0.61
1:B:192:ASP:OD2	3:B:801:HOH:O	2.15	0.61
1:E:466:MET:N	3:E:811:HOH:O	2.34	0.61
1:A:434:ASP:HA	1:A:448:GLU:HG2	1.82	0.61
1:D:393:ARG:NH2	3:D:804:HOH:O	2.34	0.60
1:B:117:ASN:N	1:B:248:GLU:OE2	2.32	0.60
1:E:59:LYS:NZ	1:E:347:ASN:HD21	2.00	0.58
1:C:217:ARG:NH2	1:C:480:ASP:OD2	2.35	0.58
1:E:433:ASN:ND2	1:E:483:THR:OG1	2.39	0.56
1:E:350:GLU:N	3:E:821:HOH:O	2.38	0.56
1:E:456:ILE:CG2	1:E:457:PRO:HD2	2.36	0.55
1:B:1:ALA:N	3:B:807:HOH:O	2.34	0.55
1:A:1:ALA:N	3:A:807:HOH:O	2.32	0.55
1:C:82:ASP:OD2	1:C:84:ARG:NH1	2.41	0.54
1:C:416:LYS:NZ	3:C:815:HOH:O	2.41	0.54
1:F:449:TYR:OH	3:F:802:HOH:O	2.18	0.54
1:F:217:ARG:NH2	1:F:480:ASP:OD2	2.39	0.53
1:G:7:ASP:OD2	1:G:10:SER:OG	2.15	0.53
1:E:404:GLU:OE1	1:E:404:GLU:N	2.41	0.53
1:B:217:ARG:NH2	1:B:480:ASP:OD2	2.37	0.53
1:G:236:PRO:HA	1:G:240:GLY:H	1.75	0.52
1:D:351:VAL:HG22	1:D:352:PHE:N	2.24	0.52
1:F:348:SER:C	1:F:350:GLU:HA	2.36	0.51
1:F:405:GLU:OE2	3:F:803:HOH:O	2.19	0.49
1:G:235:SER:O	1:G:239:ASN:HA	2.12	0.49
1:D:117:ASN:N	1:D:248:GLU:OE2	2.38	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:59:LYS:NZ	1:F:347:ASN:HD21	2.12	0.48
1:D:188:ASP:OD2	1:D:196:LYS:HE3	2.14	0.48
1:B:404:GLU:N	1:B:404:GLU:OE1	2.47	0.48
1:G:236:PRO:HB3	1:G:241:ASP:OD2	2.13	0.48
1:D:385:ARG:NH2	1:D:500:GLU:O	2.47	0.47
1:E:466:MET:HE2	1:E:466:MET:CA	2.40	0.47
1:D:351:VAL:HG22	1:D:352:PHE:H	1.77	0.47
1:H:7:ASP:OD2	1:H:10:SER:OG	2.25	0.47
1:A:29:ARG:NH1	3:A:821:HOH:O	2.47	0.47
1:D:217:ARG:NH2	1:D:480:ASP:OD2	2.47	0.47
1:D:433:ASN:ND2	1:D:483:THR:OG1	2.48	0.47
1:B:381:LYS:NZ	3:B:817:HOH:O	2.48	0.46
1:G:217:ARG:NH2	1:G:480:ASP:OD2	2.45	0.46
1:B:363:ARG:NH2	1:H:359:PRO:O	2.49	0.46
1:A:244:VAL:O	3:A:802:HOH:O	2.21	0.46
1:A:117:ASN:N	1:A:248:GLU:OE2	2.44	0.46
1:G:63:LYS:NZ	1:G:67:ASP:OD2	2.48	0.46
1:D:417:LYS:NZ	3:D:806:HOH:O	2.38	0.45
1:H:45:PHE:CE1	1:H:339:LYS:HB3	2.51	0.45
1:C:363:ARG:NH2	1:E:359:PRO:O	2.50	0.45
1:A:188:ASP:OD2	1:A:196:LYS:HE3	2.17	0.45
1:E:12:CYS:SG	1:E:13:LYS:N	2.89	0.45
1:D:401:ARG:NH1	1:D:511:LEU:HD22	2.32	0.44
1:G:194:LYS:NZ	3:G:813:HOH:O	2.50	0.44
1:F:361:GLN:O	3:F:804:HOH:O	2.21	0.44
1:F:117:ASN:N	1:F:248:GLU:OE2	2.45	0.44
1:H:111:ILE:CD1	1:H:235:SER:HB3	2.48	0.43
1:C:404:GLU:OE1	1:C:404:GLU:N	2.48	0.43
1:H:368:VAL:HG23	1:H:369:ALA:N	2.34	0.43
1:D:363:ARG:NH2	1:F:359:PRO:O	2.51	0.43
1:F:1:ALA:N	3:F:807:HOH:O	2.32	0.43
1:H:181:HIS:NE2	1:H:195:ASP:OD1	2.52	0.43
1:C:13:LYS:NZ	1:C:99:GLY:O	2.50	0.43
1:C:359:PRO:O	1:E:363:ARG:NH2	2.52	0.43
1:G:117:ASN:N	1:G:248:GLU:OE2	2.43	0.42
1:H:188:ASP:OD2	1:H:196:LYS:HE3	2.19	0.42
1:F:195:ASP:OD2	1:G:63:LYS:HD2	2.19	0.42
1:H:111:ILE:HG12	1:H:235:SER:HB3	2.02	0.42
1:F:372:GLY:N	3:F:817:HOH:O	2.53	0.42
1:A:181:HIS:NE2	1:A:195:ASP:OD1	2.49	0.42
1:B:312:TRP:O	1:B:331:ASN:ND2	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:404:GLU:OE1	1:A:404:GLU:N	2.51	0.41
1:B:395:LYS:HE2	1:B:487:GLU:OE2	2.20	0.41
1:F:404:GLU:OE1	1:F:404:GLU:N	2.51	0.41
1:E:222:PRO:HD2	1:E:515:PRO:HG3	2.02	0.41
1:G:188:ASP:OD2	1:G:196:LYS:HE3	2.19	0.41
1:C:154:GLU:OE1	3:C:802:HOH:O	2.21	0.41
1:D:185:ARG:NH2	3:D:810:HOH:O	2.54	0.41
1:E:82:ASP:OD2	1:E:84:ARG:NH1	2.53	0.41
1:A:395:LYS:HE2	1:A:487:GLU:OE2	2.21	0.41
1:C:7:ASP:OD2	1:C:10:SER:OG	2.37	0.41
1:C:401:ARG:NH1	1:C:511:LEU:HD22	2.36	0.41
1:B:333:ASP:OD2	3:B:803:HOH:O	2.22	0.41
1:F:395:LYS:HE2	1:F:487:GLU:OE2	2.20	0.40
1:H:111:ILE:HD13	1:H:235:SER:HB3	2.01	0.40
1:B:122:PHE:N	1:B:123:PRO:HD2	2.36	0.40
1:H:63:LYS:NZ	3:H:828:HOH:O	2.54	0.40
1:G:388:GLN:NE2	3:G:819:HOH:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/520 (94%)	474 (96%)	16 (3%)	1 (0%)	43	62
1	B	494/520 (95%)	480 (97%)	14 (3%)	0	100	100
1	C	489/520 (94%)	469 (96%)	20 (4%)	0	100	100
1	D	491/520 (94%)	474 (96%)	17 (4%)	0	100	100
1	E	485/520 (93%)	462 (95%)	23 (5%)	0	100	100
1	F	488/520 (94%)	472 (97%)	15 (3%)	1 (0%)	43	62
1	G	499/520 (96%)	481 (96%)	15 (3%)	3 (1%)	21	36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	484/520 (93%)	470 (97%)	14 (3%)	0	100	100
All	All	3921/4160 (94%)	3782 (96%)	134 (3%)	5 (0%)	48	67

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	349	LYS
1	G	351	VAL
1	A	440	VAL
1	F	439	GLY
1	G	444	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/456 (89%)	404 (100%)	2 (0%)	81	91
1	B	422/456 (92%)	422 (100%)	0	100	100
1	C	418/456 (92%)	417 (100%)	1 (0%)	87	95
1	D	395/456 (87%)	393 (100%)	2 (0%)	81	91
1	E	403/456 (88%)	401 (100%)	2 (0%)	81	91
1	F	403/456 (88%)	401 (100%)	2 (0%)	81	91
1	G	417/456 (91%)	415 (100%)	2 (0%)	81	91
1	H	411/456 (90%)	408 (99%)	3 (1%)	76	89
All	All	3275/3648 (90%)	3261 (100%)	14 (0%)	84	92

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	26	ILE
1	D	274	TYR
1	H	26	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	274	TYR
1	H	465	VAL
1	F	26	ILE
1	F	274	TYR
1	C	445	CYS
1	E	49	LYS
1	E	516	LYS
1	G	26	ILE
1	G	274	TYR
1	A	26	ILE
1	A	274	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	117	ASN
1	D	264	GLN
1	D	367	GLN
1	D	379	GLN
1	B	267	ASN
1	B	459	ASN
1	H	98	ASN
1	H	267	ASN
1	H	356	ASN
1	F	267	ASN
1	F	347	ASN
1	F	356	ASN
1	C	347	ASN
1	C	356	ASN
1	C	367	GLN
1	C	482	ASN
1	E	89	GLN
1	E	144	ASN
1	E	264	GLN
1	E	267	ASN
1	E	347	ASN
1	G	267	ASN
1	G	323	ASN
1	G	458	HIS
1	A	356	ASN
1	A	361	GLN
1	A	433	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	501/520 (96%)	0.45	31 (6%)	26	24	32, 60, 98, 155	0
1	B	504/520 (96%)	0.27	17 (3%)	48	44	29, 56, 95, 150	0
1	C	499/520 (95%)	0.27	10 (2%)	65	62	37, 62, 88, 153	0
1	D	501/520 (96%)	0.73	35 (6%)	22	20	42, 77, 109, 162	0
1	E	497/520 (95%)	0.37	28 (5%)	30	27	29, 59, 96, 139	0
1	F	498/520 (95%)	0.50	29 (5%)	29	26	34, 63, 100, 128	0
1	G	509/520 (97%)	0.51	20 (3%)	43	39	39, 64, 100, 122	0
1	H	498/520 (95%)	0.53	25 (5%)	34	31	43, 67, 104, 125	0
All	All	4007/4160 (96%)	0.45	195 (4%)	35	31	29, 63, 101, 162	0

All (195) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	233	GLY	5.9
1	A	182	ILE	5.9
1	D	47	ASN	5.4
1	D	48	ASP	5.0
1	B	234	ASP	4.9
1	G	49	LYS	4.7
1	G	48	ASP	4.3
1	G	47	ASN	4.3
1	H	350	GLU	4.3
1	G	234	ASP	4.2
1	B	348	SER	4.0
1	F	22	GLN	4.0
1	A	24	GLY	3.9
1	A	460	ASP	3.9
1	E	370	THR	3.9
1	F	350	GLU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	24	GLY	3.8
1	D	372	GLY	3.7
1	B	461	LYS	3.7
1	A	444	PRO	3.7
1	H	369	ALA	3.6
1	F	373	ASP	3.6
1	D	140	ILE	3.6
1	A	438	ASP	3.6
1	C	374	VAL	3.5
1	C	461	LYS	3.5
1	A	349	LYS	3.5
1	E	423	GLY	3.5
1	A	351	VAL	3.4
1	D	514	ILE	3.4
1	F	438	ASP	3.4
1	F	23	GLU	3.4
1	H	11	ILE	3.4
1	F	21	ASN	3.3
1	H	408	GLN	3.3
1	A	437	LYS	3.3
1	D	241	ASP	3.3
1	H	141	ASP	3.3
1	G	461	LYS	3.3
1	D	223	THR	3.2
1	H	438	ASP	3.2
1	E	21	ASN	3.2
1	H	351	VAL	3.2
1	A	366	ALA	3.2
1	H	236	PRO	3.2
1	F	368	VAL	3.2
1	A	440	VAL	3.2
1	F	16	SER	3.2
1	D	465	VAL	3.2
1	A	435	LYS	3.1
1	A	441	PHE	3.1
1	A	183	GLU	3.1
1	A	436	LEU	3.1
1	D	109	PRO	3.0
1	E	15	ALA	3.0
1	D	16	SER	2.9
1	E	22	GLN	2.9
1	E	182	ILE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	183	GLU	2.9
1	E	467	THR	2.9
1	F	36	LEU	2.9
1	B	236	PRO	2.8
1	F	14	ASP	2.8
1	E	23	GLU	2.8
1	E	107	GLY	2.8
1	F	458	HIS	2.8
1	E	106	SER	2.8
1	F	109	PRO	2.8
1	D	347	ASN	2.7
1	H	241	ASP	2.7
1	G	438	ASP	2.6
1	H	347	ASN	2.6
1	D	42	ASP	2.6
1	F	24	GLY	2.6
1	B	23	GLU	2.6
1	G	351	VAL	2.6
1	D	398	ALA	2.6
1	F	183	GLU	2.6
1	C	16	SER	2.6
1	A	348	SER	2.6
1	F	468	SER	2.6
1	E	468	SER	2.6
1	D	407	ASP	2.5
1	F	38	LYS	2.5
1	E	48	ASP	2.5
1	E	421	ASP	2.5
1	B	500	GLU	2.5
1	H	21	ASN	2.5
1	A	516	LYS	2.5
1	B	25	ALA	2.5
1	D	141	ASP	2.5
1	A	459	ASN	2.5
1	E	17	SER	2.5
1	G	236	PRO	2.5
1	H	23	GLU	2.5
1	D	165	LEU	2.5
1	G	352	PHE	2.5
1	D	412	VAL	2.5
1	C	465	VAL	2.5
1	G	239	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	24	GLY	2.4
1	E	350	GLU	2.4
1	G	233	GLY	2.4
1	H	66	ASP	2.4
1	H	460	ASP	2.4
1	E	184	ASP	2.4
1	A	81	ASP	2.4
1	E	487	GLU	2.4
1	C	184	ASP	2.4
1	G	241	ASP	2.4
1	A	184	ASP	2.4
1	E	466	MET	2.4
1	F	99	GLY	2.4
1	D	456	ILE	2.4
1	E	11	ILE	2.4
1	B	15	ALA	2.4
1	F	17	SER	2.3
1	E	501	ASP	2.3
1	B	368	VAL	2.3
1	G	59	LYS	2.3
1	D	25	ALA	2.3
1	D	515	PRO	2.3
1	A	9	THR	2.3
1	B	11	ILE	2.3
1	H	26	ILE	2.3
1	D	349	LYS	2.3
1	F	156	LYS	2.3
1	E	424	LYS	2.3
1	D	374	VAL	2.3
1	F	10	SER	2.3
1	D	438	ASP	2.2
1	E	373	ASP	2.2
1	F	242	PRO	2.2
1	A	46	PRO	2.2
1	B	184	ASP	2.2
1	F	487	GLU	2.2
1	G	46	PRO	2.2
1	F	13	LYS	2.2
1	G	349	LYS	2.2
1	A	206	CYS	2.2
1	A	445	CYS	2.2
1	H	233	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	372	GLY	2.2
1	F	11	ILE	2.2
1	E	514	ILE	2.2
1	D	112	ASP	2.2
1	D	197	ASP	2.2
1	B	81	ASP	2.2
1	G	350	GLU	2.2
1	B	34	PRO	2.2
1	F	465	VAL	2.2
1	E	440	VAL	2.2
1	A	465	VAL	2.2
1	D	458	HIS	2.2
1	C	500	GLU	2.2
1	H	515	PRO	2.2
1	F	457	PRO	2.2
1	D	15	ALA	2.1
1	A	514	ILE	2.1
1	C	197	ASP	2.1
1	A	30	LYS	2.1
1	A	352	PHE	2.1
1	D	386	LEU	2.1
1	D	320	TYR	2.1
1	G	185	ARG	2.1
1	G	445	CYS	2.1
1	H	184	ASP	2.1
1	E	112	ASP	2.1
1	D	406	LYS	2.1
1	D	242	PRO	2.1
1	D	351	VAL	2.1
1	H	51	VAL	2.1
1	D	144	ASN	2.1
1	C	303	GLY	2.1
1	F	500	GLU	2.1
1	H	339	LYS	2.1
1	A	32	CYS	2.1
1	F	351	VAL	2.1
1	G	25	ALA	2.1
1	F	483	THR	2.1
1	D	182	ILE	2.1
1	G	52	ARG	2.0
1	C	347	ASN	2.0
1	H	140	ILE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	17	SER	2.0
1	H	84	ARG	2.0
1	E	351	VAL	2.0
1	A	15	ALA	2.0
1	B	487	GLU	2.0
1	A	23	GLU	2.0
1	H	439	GLY	2.0
1	C	459	ASN	2.0
1	B	14	ASP	2.0
1	H	167	ASP	2.0
1	H	16	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CU	H	700	1/1	0.97	0.06	62,62,62,62	0
2	CU	B	700	1/1	0.98	0.04	69,69,69,69	0
2	CU	D	701	1/1	0.98	0.05	74,74,74,74	0
2	CU	F	700	1/1	0.98	0.03	66,66,66,66	0
2	CU	C	701	1/1	0.98	0.05	61,61,61,61	0
2	CU	A	700	1/1	0.98	0.04	61,61,61,61	0
2	CU	B	701	1/1	0.99	0.03	48,48,48,48	0
2	CU	F	701	1/1	0.99	0.03	64,64,64,64	0
2	CU	C	700	1/1	0.99	0.02	52,52,52,52	0
2	CU	D	700	1/1	0.99	0.03	67,67,67,67	0
2	CU	E	700	1/1	0.99	0.04	78,78,78,78	0
2	CU	E	701	1/1	0.99	0.03	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CU	G	700	1/1	0.99	0.04	58,58,58,58	0
2	CU	G	701	1/1	0.99	0.03	59,59,59,59	0
2	CU	H	701	1/1	0.99	0.02	58,58,58,58	0
2	CU	A	701	1/1	0.99	0.02	49,49,49,49	0

6.5 Other polymers [i](#)

There are no such residues in this entry.