



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:12 AM UTC

PDB ID : 4Z16 / pdb_00004z16
Title : Crystal Structure of the Jak3 Kinase Domain Covalently Bound to N-(3-(((5-chloro-2-((2-methoxy-4-(4-methylpiperazin-1-yl)phenyl)amino)pyrimidin-4-yl)amino)methyl)phenyl)acrylamide
Authors : McNally, R.; Tan, L.; Gray, N.S.; Eck, M.J.
Deposited on : 2015-03-26
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	4% 76% 10% 14%
1	B	316	4% 78% 9% 12%
1	C	316	7% 77% 9% 14%
1	D	316	5% 76% 9% 14%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosine-protein kinase JAK3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	273	Total	C	N	O	P	S	0	0	0
			2207	1404	385	401	2	15			
1	B	278	Total	C	N	O	P	S	0	0	0
			2242	1424	391	410	2	15			
1	C	273	Total	C	N	O	P	S	0	0	0
			2207	1404	385	401	2	15			
1	D	273	Total	C	N	O	P	S	0	0	0
			2207	1404	385	401	2	15			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	809	GLY	-	expression tag	UNP P52333
A	810	SER	-	expression tag	UNP P52333
A	896	PRO	GLN	see remark 999	UNP P52333
A	897	GLU	SER	see remark 999	UNP P52333
B	809	GLY	-	expression tag	UNP P52333
B	810	SER	-	expression tag	UNP P52333
B	896	PRO	GLN	see remark 999	UNP P52333
B	897	GLU	SER	see remark 999	UNP P52333
C	809	GLY	-	expression tag	UNP P52333
C	810	SER	-	expression tag	UNP P52333
C	896	PRO	GLN	see remark 999	UNP P52333
C	897	GLU	SER	see remark 999	UNP P52333
D	809	GLY	-	expression tag	UNP P52333
D	810	SER	-	expression tag	UNP P52333
D	896	PRO	GLN	see remark 999	UNP P52333
D	897	GLU	SER	see remark 999	UNP P52333

- Molecule 2 is N-(3-[[[5-chloro-2-[[2-methoxy-4-(4-methylpiperazin-1-yl)phenyl]amino]pyrimidin-4-yl]amino]methyl]phenyl)prop-2-enamide (CCD ID: 4LH) (formula: C₂₆H₃₀ClN₇O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 36	C 26	Cl 1	N 7	O 2	0	0
2	B	1	Total 36	C 26	Cl 1	N 7	O 2	0	0
2	C	1	Total 36	C 26	Cl 1	N 7	O 2	0	0
2	D	1	Total 36	C 26	Cl 1	N 7	O 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	8	Total O 8 8	0	0
3	B	16	Total O 16 16	0	0
3	C	13	Total O 13 13	0	0
3	D	9	Total O 9 9	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tyrosine-protein kinase JAK3



• Molecule 1: Tyrosine-protein kinase JAK3



• Molecule 1: Tyrosine-protein kinase JAK3



Chain D:

Category	Count
GLY	1
SER	1
CYS	1
GLN	1
ASP	1
P814	1
E818	1
K823	1
G831	1
N832	1
F833	1
L838	1
L844	1
N847	1
T848	1
Q858	1
R866	1
Q869	1
K885	1
S880	1
Y891	1
GLY	1
PRO	1
GLY	1
ARG	1
PRO	1
E897	1
L898	1
R899	1
L914	1
R925	1
M937	1
F938	1
Y939	1
L940	1
D967	1
L973	1
L974	1
P975	1
L976	1
D977	1
Y980	1
Y981	1

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.62Å 68.21Å 93.13Å 92.64° 93.06° 86.20°	Depositor
Resolution (Å)	92.91 – 2.90 92.91 – 2.90	Depositor EDS
% Data completeness (in resolution range)	97.0 (92.91-2.90) 97.1 (92.91-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 2.91Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.202 , 0.240 (Not available) , 0.234	Depositor DCC
R_{free} test set	1495 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å ²)	49.9	Xtriage
Anisotropy	0.439	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 60.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9053	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4LH, PTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	0/2223	1.32	6/2997 (0.2%)
1	B	0.73	0/2260	1.30	6/3050 (0.2%)
1	C	0.72	0/2223	1.32	6/2997 (0.2%)
1	D	0.74	0/2223	1.33	6/2997 (0.2%)
All	All	0.73	0/8929	1.32	24/12041 (0.2%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	869	GLN	CA-C-N	6.09	128.36	120.44
1	C	869	GLN	C-N-CA	6.09	128.36	120.44
1	A	869	GLN	CA-C-N	5.93	128.15	120.44
1	A	869	GLN	C-N-CA	5.93	128.15	120.44
1	D	869	GLN	CA-C-N	5.87	128.07	120.44
1	D	869	GLN	C-N-CA	5.87	128.07	120.44
1	B	869	GLN	CA-C-N	5.75	127.92	120.44
1	B	869	GLN	C-N-CA	5.75	127.92	120.44
1	C	939	TYR	CA-C-N	5.34	127.74	120.54
1	C	939	TYR	C-N-CA	5.34	127.74	120.54
1	D	939	TYR	CA-C-N	5.30	127.70	120.54
1	D	939	TYR	C-N-CA	5.30	127.70	120.54
1	C	818	GLU	CA-C-N	5.27	127.65	120.54
1	C	818	GLU	C-N-CA	5.27	127.65	120.54
1	A	939	TYR	CA-C-N	5.26	127.64	120.54
1	A	939	TYR	C-N-CA	5.26	127.64	120.54
1	A	818	GLU	CA-C-N	5.25	127.62	120.54
1	A	818	GLU	C-N-CA	5.25	127.62	120.54
1	D	818	GLU	CA-C-N	5.21	127.58	120.54
1	D	818	GLU	C-N-CA	5.21	127.58	120.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	939	TYR	CA-C-N	5.20	127.56	120.54
1	B	939	TYR	C-N-CA	5.20	127.56	120.54
1	B	818	GLU	CA-C-N	5.09	127.41	120.54
1	B	818	GLU	C-N-CA	5.09	127.41	120.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2207	0	2183	10	0
1	B	2242	0	2212	8	0
1	C	2207	0	2183	9	0
1	D	2207	0	2183	9	0
2	A	36	0	29	2	0
2	B	36	0	29	2	0
2	C	36	0	29	3	0
2	D	36	0	29	1	0
3	A	8	0	0	0	0
3	B	16	0	0	0	0
3	C	13	0	0	0	0
3	D	9	0	0	0	0
All	All	9053	0	8877	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:928:LEU:HG	1:C:932:GLN:HE21	1.55	0.70
1:D:983:VAL:HG12	1:D:1002:ASN:HB3	1.78	0.65
1:A:1038:MET:HB3	1:A:1053:LEU:HD11	1.79	0.63
1:A:1038:MET:HB2	1:A:1049:ARG:HG3	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:975:PRO:HD3	1:D:981:PTR:HD1	1.83	0.60
1:A:890:SER:HB3	1:A:899:ARG:HB2	1.89	0.54
1:C:890:SER:HB3	1:C:899:ARG:HB2	1.90	0.54
1:C:928:LEU:HG	1:C:932:GLN:NE2	2.22	0.54
1:B:890:SER:HB3	1:B:899:ARG:HB2	1.90	0.53
1:D:890:SER:HB3	1:D:899:ARG:HB2	1.90	0.52
1:B:975:PRO:HD3	1:B:981:PTR:HD1	1.92	0.52
1:B:1038:MET:HB3	1:B:1053:LEU:HD11	1.93	0.51
1:A:958:GLU:HG2	1:D:847:ASN:HD21	1.75	0.51
1:D:996:PRO:HA	1:D:999:LEU:HD12	1.94	0.49
1:A:914:LEU:HD11	1:A:1020:LEU:HD23	1.95	0.48
1:C:914:LEU:HD11	1:C:1020:LEU:HD23	1.96	0.48
1:B:914:LEU:HD11	1:B:1020:LEU:HD23	1.96	0.47
1:D:1022:THR:HG23	1:D:1063:PRO:HB3	1.96	0.47
1:C:1022:THR:HG23	1:C:1063:PRO:HB3	1.96	0.47
1:C:836:VAL:HG21	2:C:2000:4LH:H12	1.96	0.47
1:A:1022:THR:HG23	1:A:1063:PRO:HB3	1.97	0.47
1:B:1022:THR:HG23	1:B:1063:PRO:HB3	1.97	0.47
1:D:914:LEU:HD11	1:D:1020:LEU:HD23	1.97	0.46
1:C:1038:MET:HB3	1:C:1053:LEU:HD11	1.98	0.46
1:B:1069:GLU:HB2	1:B:1098:LEU:HD21	1.98	0.46
2:B:2000:4LH:OAE	2:B:2000:4LH:H8	2.17	0.45
2:D:2000:4LH:H8	2:D:2000:4LH:OAE	2.16	0.45
2:C:2000:4LH:OAE	2:C:2000:4LH:H8	2.17	0.43
2:A:2000:4LH:OAE	2:A:2000:4LH:H8	2.18	0.43
1:B:1026:LYS:HD3	1:B:1026:LYS:H	1.83	0.43
1:D:1026:LYS:HD3	1:D:1026:LYS:H	1.85	0.42
2:B:2000:4LH:CAL	2:B:2000:4LH:N3	2.83	0.41
1:A:1069:GLU:HB2	1:A:1098:LEU:HD21	2.03	0.41
2:A:2000:4LH:CAL	2:A:2000:4LH:N3	2.83	0.41
2:C:2000:4LH:CAL	2:C:2000:4LH:N3	2.83	0.41
1:A:887:ARG:HH22	1:D:848:THR:HG22	1.86	0.40
1:C:910:LEU:HD21	1:C:1020:LEU:HD21	2.04	0.40
1:C:1026:LYS:HD3	1:C:1026:LYS:H	1.85	0.40
1:A:1026:LYS:H	1:A:1026:LYS:HD3	1.85	0.40
1:B:975:PRO:HG2	1:B:978:LYS:HB2	2.03	0.40
1:A:910:LEU:HD21	1:A:1020:LEU:HD21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/316 (83%)	256 (97%)	5 (2%)	2 (1%)	16	44
1	B	270/316 (85%)	260 (96%)	8 (3%)	2 (1%)	18	48
1	C	263/316 (83%)	256 (97%)	6 (2%)	1 (0%)	30	59
1	D	263/316 (83%)	256 (97%)	6 (2%)	1 (0%)	30	59
All	All	1059/1264 (84%)	1028 (97%)	25 (2%)	6 (1%)	21	51

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	860	SER
1	A	967	ASP
1	B	967	ASP
1	C	967	ASP
1	D	967	ASP
1	B	860	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	238/272 (88%)	227 (95%)	11 (5%)	24	57
1	B	242/272 (89%)	231 (96%)	11 (4%)	24	58
1	C	238/272 (88%)	226 (95%)	12 (5%)	22	53
1	D	238/272 (88%)	224 (94%)	14 (6%)	18	48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	956/1088 (88%)	908 (95%)	48 (5%)	22	53

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	823	LYS
1	A	833	PHE
1	A	838	LEU
1	A	885	LYS
1	A	898	LEU
1	A	925	ARG
1	A	937	MET
1	A	940	LEU
1	A	973	LEU
1	A	1051	LEU
1	A	1096	ASP
1	B	823	LYS
1	B	833	PHE
1	B	838	LEU
1	B	885	LYS
1	B	898	LEU
1	B	925	ARG
1	B	937	MET
1	B	940	LEU
1	B	973	LEU
1	B	1051	LEU
1	B	1096	ASP
1	C	823	LYS
1	C	833	PHE
1	C	836	VAL
1	C	838	LEU
1	C	885	LYS
1	C	898	LEU
1	C	925	ARG
1	C	937	MET
1	C	940	LEU
1	C	973	LEU
1	C	1051	LEU
1	C	1096	ASP
1	D	823	LYS
1	D	833	PHE
1	D	838	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	858	GLN
1	D	885	LYS
1	D	898	LEU
1	D	925	ARG
1	D	937	MET
1	D	940	LEU
1	D	973	LEU
1	D	983	VAL
1	D	999	LEU
1	D	1051	LEU
1	D	1096	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	847	ASN
1	A	856	GLN
1	A	873	GLN
1	A	915	GLN
1	A	1007	GLN
1	B	856	GLN
1	B	858	GLN
1	B	915	GLN
1	B	1071	HIS
1	C	856	GLN
1	C	858	GLN
1	C	915	GLN
1	D	847	ASN
1	D	856	GLN
1	D	858	GLN
1	D	873	GLN
1	D	915	GLN
1	D	1007	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PTR	A	980	1	15,16,17	1.56	2 (13%)	17,22,24	1.52	2 (11%)
1	PTR	C	980	1	15,16,17	1.72	4 (26%)	17,22,24	1.46	3 (17%)
1	PTR	B	980	1	15,16,17	1.45	2 (13%)	17,22,24	1.43	1 (5%)
1	PTR	D	980	1	15,16,17	1.62	3 (20%)	17,22,24	1.48	3 (17%)
1	PTR	A	981	1	15,16,17	1.52	3 (20%)	17,22,24	1.36	2 (11%)
1	PTR	C	981	1	15,16,17	1.80	2 (13%)	17,22,24	0.84	0
1	PTR	B	981	1	15,16,17	1.53	4 (26%)	17,22,24	1.30	1 (5%)
1	PTR	D	981	1	15,16,17	1.47	2 (13%)	17,22,24	1.32	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	980	1	-	0/10/11/13	0/1/1/1
1	PTR	C	980	1	-	0/10/11/13	0/1/1/1
1	PTR	B	980	1	-	0/10/11/13	0/1/1/1
1	PTR	D	980	1	-	0/10/11/13	0/1/1/1
1	PTR	A	981	1	-	2/10/11/13	0/1/1/1
1	PTR	C	981	1	-	1/10/11/13	0/1/1/1
1	PTR	B	981	1	-	0/10/11/13	0/1/1/1
1	PTR	D	981	1	-	0/10/11/13	0/1/1/1

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	981	PTR	P-OH	-4.62	1.51	1.59
1	D	980	PTR	CE2-CZ	4.09	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	980	PTR	CE2-CZ	3.96	1.46	1.38
1	A	980	PTR	CE2-CZ	3.88	1.46	1.38
1	D	981	PTR	CE2-CZ	3.71	1.45	1.38
1	B	980	PTR	CE2-CZ	3.40	1.45	1.38
1	A	981	PTR	CE2-CZ	3.21	1.44	1.38
1	B	981	PTR	CE2-CZ	2.97	1.44	1.38
1	C	980	PTR	P-OH	-2.96	1.54	1.59
1	C	981	PTR	CE2-CZ	2.91	1.44	1.38
1	B	981	PTR	CE1-CZ	2.64	1.43	1.38
1	A	981	PTR	CE1-CZ	2.56	1.43	1.38
1	A	981	PTR	CD2-CG	2.40	1.43	1.38
1	B	981	PTR	CE1-CD1	2.39	1.42	1.38
1	D	980	PTR	CE2-CD2	2.38	1.42	1.38
1	D	980	PTR	P-OH	-2.32	1.55	1.59
1	C	980	PTR	CE1-CZ	2.25	1.43	1.38
1	D	981	PTR	P-OH	-2.25	1.55	1.59
1	A	980	PTR	CE1-CZ	2.17	1.42	1.38
1	B	981	PTR	CD1-CG	2.11	1.43	1.38
1	C	980	PTR	CE2-CD2	2.08	1.42	1.38
1	B	980	PTR	CE1-CZ	2.06	1.42	1.38

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	981	PTR	O2P-P-OH	3.64	116.08	105.32
1	D	980	PTR	OH-CZ-CE2	3.35	129.25	119.22
1	C	980	PTR	OH-CZ-CE2	3.28	129.06	119.22
1	B	980	PTR	OH-CZ-CE2	3.07	128.42	119.22
1	A	980	PTR	O3P-P-OH	3.05	114.33	105.32
1	A	980	PTR	OH-CZ-CE2	2.99	128.18	119.22
1	A	981	PTR	OH-CZ-CE2	2.67	127.22	119.22
1	D	980	PTR	O3P-P-OH	2.65	113.17	105.32
1	D	981	PTR	OH-CZ-CE2	2.63	127.09	119.22
1	D	981	PTR	O2P-P-OH	2.57	112.91	105.32
1	C	980	PTR	O2P-P-OH	2.48	112.66	105.32
1	D	981	PTR	CB-CG-CD1	-2.27	116.67	120.90
1	A	981	PTR	CB-CG-CD1	-2.14	116.92	120.90
1	C	980	PTR	OH-CZ-CE1	-2.12	112.85	119.22
1	D	980	PTR	OH-CZ-CE1	-2.10	112.91	119.22

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	981	PTR	C-CA-CB-CG
1	C	981	PTR	CZ-OH-P-O2P
1	A	981	PTR	CE2-CZ-OH-P

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	981	PTR	1	0
1	D	981	PTR	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	4LH	A	2000	1	39,39,39	1.72	6 (15%)	52,53,53	2.44	14 (26%)
2	4LH	C	2000	1	39,39,39	1.72	7 (17%)	52,53,53	2.39	14 (26%)
2	4LH	B	2000	1	39,39,39	1.70	5 (12%)	52,53,53	2.40	14 (26%)
2	4LH	D	2000	1	39,39,39	1.71	5 (12%)	52,53,53	2.40	15 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4LH	A	2000	1	-	8/21/31/31	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4LH	C	2000	1	-	8/21/31/31	0/4/4/4
2	4LH	B	2000	1	-	8/21/31/31	0/4/4/4
2	4LH	D	2000	1	-	8/21/31/31	0/4/4/4

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	2000	4LH	CAV-CBF	-4.94	1.40	1.51
2	D	2000	4LH	CAP-CAQ	4.93	1.54	1.30
2	A	2000	4LH	CAV-CBF	-4.92	1.40	1.51
2	B	2000	4LH	CAP-CAQ	4.87	1.53	1.30
2	B	2000	4LH	CAV-CBF	-4.84	1.40	1.51
2	A	2000	4LH	CAP-CAQ	4.82	1.53	1.30
2	C	2000	4LH	CAP-CAQ	4.81	1.53	1.30
2	D	2000	4LH	CAV-CBF	-4.62	1.41	1.51
2	A	2000	4LH	CAQ-CBE	4.51	1.55	1.48
2	C	2000	4LH	CAQ-CBE	4.43	1.55	1.48
2	D	2000	4LH	CAQ-CBE	4.37	1.55	1.48
2	B	2000	4LH	CAQ-CBE	4.25	1.54	1.48
2	D	2000	4LH	C6-N1	3.54	1.41	1.34
2	A	2000	4LH	C6-N1	3.53	1.41	1.34
2	B	2000	4LH	C6-N1	3.53	1.41	1.34
2	C	2000	4LH	C6-N1	3.36	1.41	1.34
2	D	2000	4LH	CBH-NBA	-2.67	1.36	1.41
2	A	2000	4LH	CBH-NBA	-2.59	1.36	1.41
2	C	2000	4LH	CBH-NBA	-2.57	1.36	1.41
2	B	2000	4LH	CBH-NBA	-2.44	1.36	1.41
2	A	2000	4LH	CAU-NBP	2.24	1.50	1.46
2	C	2000	4LH	CAU-NBP	2.18	1.50	1.46
2	C	2000	4LH	CAT-NBP	2.03	1.50	1.46

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2000	4LH	N1-C2-N3	-7.88	118.80	126.42
2	B	2000	4LH	CAP-CAQ-CBE	-7.74	113.72	122.22
2	B	2000	4LH	N1-C2-N3	-7.63	119.04	126.42
2	D	2000	4LH	CAP-CAQ-CBE	-7.62	113.84	122.22
2	A	2000	4LH	CAP-CAQ-CBE	-7.60	113.86	122.22
2	C	2000	4LH	CAP-CAQ-CBE	-7.59	113.89	122.22
2	C	2000	4LH	N1-C2-N3	-7.57	119.10	126.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2000	4LH	N1-C2-N3	-7.40	119.26	126.42
2	A	2000	4LH	CAS-NBO-CAR	5.64	118.51	109.54
2	B	2000	4LH	CAS-NBO-CAR	5.63	118.51	109.54
2	D	2000	4LH	CAS-NBO-CAR	5.55	118.38	109.54
2	C	2000	4LH	CAS-NBO-CAR	5.41	118.15	109.54
2	B	2000	4LH	C5-C6-N1	-5.25	118.75	122.78
2	D	2000	4LH	C5-C6-N1	-5.16	118.82	122.78
2	A	2000	4LH	C5-C6-N1	-4.93	119.00	122.78
2	C	2000	4LH	C5-C6-N1	-4.77	119.11	122.78
2	D	2000	4LH	C4-C5-CL5	4.15	122.80	119.76
2	A	2000	4LH	CAQ-CBE-NBA	4.14	116.65	113.84
2	C	2000	4LH	CAQ-CBE-NBA	3.96	116.53	113.84
2	A	2000	4LH	C6-N1-C2	3.86	121.11	115.81
2	B	2000	4LH	C6-N1-C2	3.85	121.08	115.81
2	D	2000	4LH	C6-N1-C2	3.74	120.94	115.81
2	C	2000	4LH	CAU-NBP-CAT	3.74	119.98	111.57
2	C	2000	4LH	C6-N1-C2	3.71	120.90	115.81
2	A	2000	4LH	CAU-NBP-CAT	3.71	119.90	111.57
2	B	2000	4LH	CAU-NBP-CAT	3.66	119.80	111.57
2	D	2000	4LH	CAU-NBP-CAT	3.57	119.60	111.57
2	B	2000	4LH	CAQ-CBE-NBA	3.36	116.12	113.84
2	D	2000	4LH	CAQ-CBE-NBA	3.11	115.95	113.84
2	C	2000	4LH	OAE-CBE-CAQ	-3.05	118.13	122.70
2	B	2000	4LH	OAE-CBE-CAQ	-3.00	118.20	122.70
2	A	2000	4LH	OAE-CBE-CAQ	-2.95	118.27	122.70
2	D	2000	4LH	OAE-CBE-CAQ	-2.95	118.27	122.70
2	A	2000	4LH	C2-N3-C4	2.72	123.04	116.36
2	A	2000	4LH	C4-C5-CL5	2.65	121.70	119.76
2	C	2000	4LH	C2-N3-C4	2.65	122.88	116.36
2	B	2000	4LH	C2-N3-C4	2.63	122.81	116.36
2	D	2000	4LH	C2-N3-C4	2.58	122.69	116.36
2	C	2000	4LH	CAT-CAR-NBO	2.48	114.84	110.86
2	A	2000	4LH	CAT-CAR-NBO	2.48	114.84	110.86
2	C	2000	4LH	NAZ-C4-N3	2.45	121.62	118.33
2	A	2000	4LH	NAZ-C4-N3	2.44	121.61	118.33
2	A	2000	4LH	C6-C5-C4	-2.40	117.72	119.84
2	B	2000	4LH	C4-C5-CL5	2.38	121.50	119.76
2	C	2000	4LH	C4-C5-CL5	2.37	121.50	119.76
2	C	2000	4LH	C6-C5-C4	-2.35	117.76	119.84
2	B	2000	4LH	CAT-CAR-NBO	2.31	114.57	110.86
2	D	2000	4LH	CAT-CAR-NBO	2.29	114.54	110.86
2	D	2000	4LH	NAZ-C4-N3	2.12	121.18	118.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2000	4LH	NAZ-C4-N3	2.11	121.17	118.33
2	D	2000	4LH	CBK-NBB-C2	-2.10	122.82	129.22
2	B	2000	4LH	CBK-NBB-C2	-2.08	122.87	129.22
2	C	2000	4LH	CBK-NBB-C2	-2.06	122.94	129.22
2	A	2000	4LH	CBK-NBB-C2	-2.06	122.95	129.22
2	B	2000	4LH	CAU-CAS-NBO	2.02	114.10	110.86
2	D	2000	4LH	CAU-CAS-NBO	2.01	114.09	110.86
2	D	2000	4LH	C6-C5-C4	-2.01	118.07	119.84

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2000	4LH	CAP-CAQ-CBE-OAE
2	A	2000	4LH	CAP-CAQ-CBE-NBA
2	B	2000	4LH	CAP-CAQ-CBE-OAE
2	B	2000	4LH	CAP-CAQ-CBE-NBA
2	C	2000	4LH	CAP-CAQ-CBE-OAE
2	C	2000	4LH	CAP-CAQ-CBE-NBA
2	D	2000	4LH	CAP-CAQ-CBE-OAE
2	D	2000	4LH	CAP-CAQ-CBE-NBA
2	A	2000	4LH	CBK-CBL-OBC-CAA
2	B	2000	4LH	CBK-CBL-OBC-CAA
2	C	2000	4LH	CBK-CBL-OBC-CAA
2	D	2000	4LH	CBK-CBL-OBC-CAA
2	A	2000	4LH	CAO-CBL-OBC-CAA
2	C	2000	4LH	CAO-CBL-OBC-CAA
2	D	2000	4LH	CAO-CBL-OBC-CAA
2	B	2000	4LH	CAO-CBL-OBC-CAA
2	B	2000	4LH	CAK-CBI-NBP-CAT
2	D	2000	4LH	CAK-CBI-NBP-CAT
2	C	2000	4LH	CAK-CBI-NBP-CAT
2	A	2000	4LH	CAK-CBI-NBP-CAT
2	D	2000	4LH	CAO-CBI-NBP-CAU
2	B	2000	4LH	CAO-CBI-NBP-CAU
2	C	2000	4LH	CAO-CBI-NBP-CAU
2	A	2000	4LH	CAO-CBI-NBP-CAU
2	D	2000	4LH	CAK-CBI-NBP-CAU
2	B	2000	4LH	CAO-CBI-NBP-CAT
2	B	2000	4LH	CAK-CBI-NBP-CAU
2	C	2000	4LH	CAK-CBI-NBP-CAU
2	C	2000	4LH	CAO-CBI-NBP-CAT

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	2000	4LH	CAO-CBI-NBP-CAT
2	A	2000	4LH	CAO-CBI-NBP-CAT
2	A	2000	4LH	CAK-CBI-NBP-CAU


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2000	4LH	2	0
2	C	2000	4LH	3	0
2	B	2000	4LH	2	0
2	D	2000	4LH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	271/316 (85%)	0.52	12 (4%)	39 30	35, 57, 97, 145	0
1	B	276/316 (87%)	0.44	12 (4%)	40 31	35, 56, 96, 150	0
1	C	271/316 (85%)	0.66	21 (7%)	19 16	31, 62, 106, 133	0
1	D	271/316 (85%)	0.70	16 (5%)	28 22	35, 65, 109, 145	0
All	All	1089/1264 (86%)	0.58	61 (5%)	30 23	31, 60, 103, 150	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1099	TRP	4.2
1	C	831	GLY	4.0
1	A	1103	ARG	4.0
1	B	1103	ARG	4.0
1	C	1046	ALA	3.7
1	C	1103	ARG	3.6
1	D	1103	ARG	3.6
1	C	814	PRO	3.4
1	C	990	PRO	3.4
1	D	814	PRO	3.4
1	D	984	ARG	3.3
1	B	814	PRO	3.3
1	A	814	PRO	3.2
1	D	990	PRO	3.2
1	A	831	GLY	3.2
1	A	1046	ALA	3.1
1	D	833	PHE	3.1
1	C	847	ASN	3.1
1	A	891	TYR	3.0
1	C	833	PHE	3.0
1	C	1038	MET	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	989	SER	2.8
1	A	819	GLU	2.8
1	D	992	PHE	2.7
1	D	831	GLY	2.7
1	D	1048	CYS	2.7
1	C	919	ALA	2.6
1	D	1028	CYS	2.6
1	D	1038	MET	2.5
1	A	984	ARG	2.5
1	A	859	HIS	2.5
1	C	1035	LEU	2.5
1	B	844	LEU	2.4
1	A	990	PRO	2.4
1	D	866	ARG	2.4
1	C	823	LYS	2.4
1	B	819	GLU	2.3
1	C	891	TYR	2.3
1	B	833	PHE	2.3
1	C	859	HIS	2.3
1	C	1034	PHE	2.3
1	B	986	PRO	2.3
1	A	847	ASN	2.2
1	C	1047	LEU	2.2
1	D	1058	GLN	2.2
1	C	984	ARG	2.2
1	D	977	ASP	2.2
1	D	1100	SER	2.2
1	C	998	SER	2.2
1	D	1089	SER	2.2
1	C	862	PRO	2.2
1	C	983	VAL	2.2
1	C	1024	CYS	2.2
1	B	834	GLY	2.1
1	A	1102	SER	2.1
1	B	987	GLY	2.1
1	B	985	GLU	2.1
1	D	844	LEU	2.0
1	A	833	PHE	2.0
1	C	815	THR	2.0
1	B	1046	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	PTR	C	980	16/17	0.81	0.14	70,83,103,107	0
1	PTR	D	980	16/17	0.84	0.16	81,96,119,125	0
1	PTR	B	980	16/17	0.85	0.12	52,64,83,85	0
1	PTR	C	981	16/17	0.86	0.15	71,77,90,91	0
1	PTR	D	981	16/17	0.87	0.14	80,85,95,97	0
1	PTR	A	980	16/17	0.88	0.13	57,68,85,87	0
1	PTR	B	981	16/17	0.90	0.13	54,60,75,75	0
1	PTR	A	981	16/17	0.91	0.12	57,66,83,84	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	4LH	A	2000	36/36	0.88	0.14	39,50,71,74	0
2	4LH	C	2000	36/36	0.90	0.12	36,51,76,78	0
2	4LH	B	2000	36/36	0.92	0.10	25,44,66,70	0
2	4LH	D	2000	36/36	0.92	0.11	41,51,73,78	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 4LH A 2000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4LH C 2000:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 4LH B 2000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.