



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 07:26 PM EDT

PDB ID : 6Z27 / pdb_00006z27
Title : Photosynthetic Reaction Center From Rhodobacter Sphaeroides strain RV
LCP crystallization
Authors : Gabdulkhakov, A.G.; Fufina, T.Y.; Vasilieva, L.G.; Betzel, C.; Selikhanov,
G.K.
Deposited on : 2020-05-15
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	250	18% 80% 15% • •
2	L	281	14% 82% 14% •
3	M	302	12% 90% 10%

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 7219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	240	Total	C	N	O	S	0	0	0
			1833	1173	314	337	9			

- Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	270	Total	C	N	O	S	0	0	0
			2148	1452	340	348	8			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	178	THR	SER	engineered mutation	UNP P0C0Y8


- Molecule 3 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	302	Total	C	N	O	S	0	2	0
			2428	1622	398	398	10			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	8	THR	SER	engineered mutation	UNP P0C0Y9

- Molecule 4 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: C₁₄H₃₁NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	H	1	Total	C	N	O	0	0
			16	14	1	1		
4	H	1	Total	C	N	O	0	0
			16	14	1	1		
4	L	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	H	1	Total	O	P	0	0
			5	4	1		
5	H	1	Total	O	P	0	0
			5	4	1		
5	H	1	Total	O	P	0	0
			5	4	1		
5	M	1	Total	O	P	0	0
			5	4	1		
5	M	1	Total	O	P	0	0
			5	4	1		
5	M	1	Total	O	P	0	0
			5	4	1		
5	M	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	L	1	Total	C	O		0	0
			25	21	4			
6	M	1	Total	C	O		0	0
			25	21	4			

- Molecule 7 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: $C_{55}H_{74}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 8 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: $C_{55}H_{76}N_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	L	1	Total	C	N	O	0	0
			65	55	4	6		
8	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 9 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	M	1	Total	Fe	0	0
			1	1		

- Molecule 10 is UBIQUINONE-10 (CCD ID: U10) (formula: $C_{59}H_{90}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	M	1	Total	C	O	0	0
			48	44	4		

- Molecule 11 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	M	1	Total	C	O	0	0
			4	2	2		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	H	67	Total 67	O 67	0	0
12	L	47	Total 47	O 47	0	0
12	M	47	Total 47	O 47	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Reaction center protein H chain



• Molecule 2: Reaction center protein L chain



• Molecule 3: Reaction center protein M chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	99.91Å 99.91Å 234.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.86 – 2.10 48.86 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.86-2.10) 100.0 (48.86-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 1.97Å)	Xtriage
Refinement program	REFMAC 1.18_3861, PHENIX 1.18_3861	Depositor
R, R_{free}	0.209 , 0.236 0.217 , 0.241	Depositor DCC
R_{free} test set	2100 reflections (2.48%)	wwPDB-VP
Wilson B-factor (Å ²)	52.1	Xtriage
Anisotropy	0.132	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 52.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7219	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, U10, EDO, OLC, LDA, BCL, BPH, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	0.58	5/1882 (0.3%)	0.60	2/2561 (0.1%)
2	L	0.33	0/2231	0.50	0/3053
3	M	0.36	1/2524 (0.0%)	0.49	0/3445
All	All	0.43	6/6637 (0.1%)	0.53	2/9059 (0.0%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	10	PHE	CA-C	-9.51	1.47	1.52
3	M	216	PHE	C-O	-6.05	1.17	1.24
1	H	86	ALA	C-O	-6.01	1.17	1.23
1	H	232	LYS	C-O	-5.78	1.17	1.24
1	H	230	GLU	C-O	-5.32	1.17	1.24
1	H	85	ILE	C-O	-5.17	1.18	1.24

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	10	PHE	N-CA-C	-6.29	98.48	108.30
1	H	10	PHE	CB-CA-C	-5.85	103.57	115.27

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1833	0	1833	26	0
2	L	2148	0	2114	29	0
3	M	2428	0	2344	20	0
4	H	32	0	62	3	0
4	L	16	0	31	1	0
4	M	64	0	124	1	0
5	H	15	0	0	1	0
5	M	25	0	0	0	0
6	L	25	0	40	5	0
6	M	25	0	40	4	0
7	L	66	0	74	0	0
7	M	198	0	222	8	0
8	L	65	0	76	0	0
8	M	65	0	76	6	0
9	M	1	0	0	0	0
10	M	48	0	63	1	0
11	M	4	0	6	0	0
12	H	67	0	0	4	0
12	L	47	0	0	0	0
12	M	47	0	0	0	0
All	All	7219	0	7105	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:171:ILE:HG13	1:H:172:PRO:HD3	1.49	0.94
1:H:9:ASN:O	1:H:9:ASN:ND2	2.18	0.77
1:H:146:LYS:HE3	1:H:200:SER:HA	1.66	0.75
1:H:128:HIS:ND1	12:H:801:HOH:O	2.24	0.71
1:H:171:ILE:HG13	1:H:172:PRO:CD	2.25	0.65
6:L:301:OLC:H18B	7:M:404:BCL:H201	1.80	0.63
2:L:250:ILE:HB	2:L:254:ILE:HD11	1.81	0.61
6:M:401:OLC:H11	7:M:403:BCL:H193	1.82	0.61
7:M:403:BCL:H62	7:M:404:BCL:H192	1.81	0.61
7:M:404:BCL:H203	8:M:406:BPH:H5C1	1.81	0.61
3:M:289:THR:HB	4:M:402:LDA:H91	1.82	0.59
3:M:67[A]:PHE:CE1	6:M:401:OLC:H12A	2.39	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:229:PHE:HB2	3:M:244:ALA:HB2	1.86	0.58
3:M:66:TRP:CD1	3:M:122:MET:HB2	2.39	0.57
3:M:179:ILE:HD11	7:M:403:BCL:H192	1.87	0.57
1:H:172:PRO:HB2	2:L:210:ASP:OD1	2.05	0.56
1:H:247:LYS:NZ	12:H:804:HOH:O	2.38	0.56
2:L:264:GLN:HA	2:L:267:VAL:HG12	1.87	0.56
3:M:73:TRP:HB2	3:M:114:LEU:HD23	1.89	0.55
4:H:701:LDA:H82	4:H:702:LDA:H121	1.88	0.55
2:L:169:TYR:O	2:L:263:TRP:NE1	2.36	0.55
1:H:87:LEU:HD23	1:H:100:PRO:HA	1.89	0.55
3:M:78:ALA:HB1	3:M:84:VAL:HG13	1.89	0.55
2:L:51:TRP:HA	2:L:54:VAL:HG22	1.90	0.54
2:L:52:SER:HB2	2:L:85:LEU:HD13	1.89	0.53
3:M:157:TRP:CD1	7:M:403:BCL:HBB1	2.44	0.53
2:L:69:PRO:HG2	2:L:142:TRP:HB2	1.91	0.53
2:L:253:THR:OG1	2:L:254:ILE:N	2.43	0.52
2:L:229:ILE:HB	6:L:301:OLC:H21	1.92	0.52
2:L:225:GLY:H	6:L:301:OLC:H22	1.73	0.52
3:M:101:TYR:O	3:M:104:SER:HB3	2.10	0.51
2:L:87:GLN:HE21	2:L:142:TRP:CD1	2.29	0.51
2:L:161:GLY:HA2	2:L:167:PHE:CD1	2.46	0.51
2:L:161:GLY:HA2	2:L:167:PHE:CE1	2.45	0.51
1:H:118:ARG:HD2	12:H:803:HOH:O	2.12	0.50
3:M:75:TRP:HE1	6:M:401:OLC:H18	1.76	0.50
3:M:60:LEU:HA	8:M:406:BPH:H4C2	1.94	0.49
1:H:119:ASP:OD1	1:H:220:LYS:HE2	2.12	0.48
2:L:62:GLN:OE1	2:L:151:TRP:NE1	2.45	0.47
1:H:151:LEU:HD23	1:H:201:ASN:C	2.40	0.47
3:M:101:TYR:CE1	3:M:108:PRO:HD3	2.50	0.46
1:H:152:PRO:HA	1:H:163:LYS:HD3	1.97	0.46
1:H:232:LYS:NZ	12:H:806:HOH:O	2.49	0.46
1:H:132:LYS:NZ	5:H:703:PO4:O4	2.47	0.45
6:L:301:OLC:H17A	8:M:406:BPH:HMA1	1.99	0.45
3:M:218:MET:HG2	3:M:252:TRP:CH2	2.51	0.45
1:H:146:LYS:HE2	1:H:146:LYS:HB2	1.50	0.45
1:H:122:GLU:HB2	1:H:227:LEU:HD21	1.99	0.45
1:H:197:LYS:NZ	1:H:199:GLN:HG3	2.31	0.45
1:H:170:ASP:OD1	1:H:172:PRO:HD2	2.17	0.45
2:L:254:ILE:HG13	2:L:255:TRP:N	2.31	0.45
2:L:249:ILE:HD12	2:L:249:ILE:HA	1.90	0.44
3:M:113:GLY:O	3:M:117:ILE:HG12	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:160:LEU:HD23	3:M:284:ILE:HG21	2.00	0.44
1:H:211:ASP:OD2	1:H:247:LYS:NZ	2.50	0.44
2:L:250:ILE:HA	2:L:254:ILE:HG12	2.00	0.44
3:M:81:ASN:ND2	3:M:84:VAL:HG12	2.33	0.44
1:H:135:LYS:HG2	1:H:166:ASP:OD2	2.18	0.43
4:H:702:LDA:HM11	4:H:702:LDA:H22	1.48	0.43
2:L:225:GLY:N	6:L:301:OLC:H22	2.33	0.43
3:M:62:SER:OG	3:M:121:PHE:O	2.36	0.43
3:M:116:LEU:HD21	3:M:171:TRP:CD1	2.54	0.43
4:L:302:LDA:H22	4:L:302:LDA:HM22	1.70	0.42
3:M:196:LEU:HD23	3:M:196:LEU:HA	1.87	0.42
2:L:130:THR:HG23	2:L:249:ILE:HD13	2.01	0.42
1:H:149:ILE:HD13	1:H:166:ASP:HA	2.01	0.42
2:L:20:ASN:HA	2:L:23:ASP:HB2	2.01	0.42
2:L:101:ALA:O	2:L:105:VAL:HG23	2.19	0.42
2:L:169:TYR:CD2	2:L:260:VAL:HG22	2.54	0.42
1:H:10:PHE:HB3	1:H:11:ASP:H	1.37	0.42
2:L:219:LEU:HG	2:L:220:VAL:HG13	2.02	0.41
3:M:114:LEU:HD12	3:M:114:LEU:HA	1.90	0.41
8:M:406:BPH:H7C2	8:M:406:BPH:H4C1	2.02	0.41
1:H:81:GLU:O	1:H:83:ARG:HG2	2.20	0.41
8:M:406:BPH:H4C1	8:M:406:BPH:C7	2.50	0.41
2:L:16:LEU:HG	2:L:106:GLU:HG2	2.03	0.41
2:L:48:LEU:HB3	2:L:85:LEU:HD22	2.02	0.41
2:L:62:GLN:CD	2:L:151:TRP:HE1	2.29	0.41
6:M:401:OLC:C11	7:M:403:BCL:H193	2.48	0.41
1:H:120:LEU:N	1:H:226:THR:HB	2.36	0.41
2:L:60:ASN:HB3	2:L:63:LEU:HD12	2.03	0.41
7:M:404:BCL:H202	8:M:406:BPH:H8	2.03	0.41
2:L:51:TRP:O	2:L:55:LEU:HG	2.20	0.40
10:M:408:U10:H322	10:M:408:U10:H28	1.51	0.40
1:H:21:TRP:HZ2	4:H:701:LDA:HM13	1.85	0.40
1:H:195:MET:HE2	1:H:238:ALA:HA	2.03	0.40
2:L:135:ARG:HB3	2:L:136:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	238/250 (95%)	230 (97%)	7 (3%)	1 (0%)	30	28
2	L	268/281 (95%)	259 (97%)	9 (3%)	0	100	100
3	M	302/302 (100%)	292 (97%)	10 (3%)	0	100	100
All	All	808/833 (97%)	781 (97%)	26 (3%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	138	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	195/202 (96%)	192 (98%)	3 (2%)	57	65
2	L	213/220 (97%)	213 (100%)	0	100	100
3	M	238/236 (101%)	237 (100%)	1 (0%)	84	89
All	All	646/658 (98%)	642 (99%)	4 (1%)	78	86

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	9	ASN
1	H	10	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	231	ASP
3	M	216	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	183	ASN
3	M	138	GLN
3	M	188	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 26 ligands modelled in this entry, 1 is monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	LDA	M	410	-	13,15,15	2.27	2 (15%)	14,17,17	0.51	0
4	LDA	M	409	-	13,15,15	2.38	2 (15%)	14,17,17	0.46	0
5	PO4	M	413	-	4,4,4	0.78	0	6,6,6	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	LDA	M	411	-	13,15,15	2.42	2 (15%)	14,17,17	0.54	0
5	PO4	M	412	-	4,4,4	1.06	0	6,6,6	0.89	0
7	BCL	M	404	-	69,74,74	1.32	5 (7%)	79,115,115	1.45	8 (10%)
7	BCL	M	403	-	69,74,74	1.16	4 (5%)	79,115,115	1.36	9 (11%)
10	U10	M	408	-	48,48,63	2.71	14 (29%)	60,61,79	1.71	14 (23%)
7	BCL	M	405	-	69,74,74	1.21	6 (8%)	79,115,115	1.29	6 (7%)
11	EDO	M	417	-	3,3,3	0.36	0	2,2,2	1.17	0
5	PO4	H	703	-	4,4,4	0.84	0	6,6,6	0.42	0
4	LDA	L	302	-	13,15,15	2.22	2 (15%)	14,17,17	0.47	0
5	PO4	H	704	-	4,4,4	0.91	0	6,6,6	0.48	0
8	BPH	M	406	-	59,70,70	1.27	7 (11%)	59,101,101	2.14	10 (16%)
5	PO4	M	415	-	4,4,4	0.87	0	6,6,6	1.29	1 (16%)
7	BCL	L	303	-	69,74,74	1.32	6 (8%)	79,115,115	1.23	8 (10%)
4	LDA	H	701	-	13,15,15	2.10	2 (15%)	14,17,17	0.43	0
5	PO4	M	414	-	4,4,4	0.80	0	6,6,6	0.53	0
4	LDA	H	702	-	13,15,15	2.14	2 (15%)	14,17,17	0.57	0
8	BPH	L	304	-	59,70,70	1.23	7 (11%)	59,101,101	2.12	12 (20%)
5	PO4	M	416	-	4,4,4	0.87	0	6,6,6	0.40	0
6	OLC	L	301	-	24,24,24	0.97	1 (4%)	25,25,25	0.94	1 (4%)
6	OLC	M	401	-	24,24,24	0.92	1 (4%)	25,25,25	0.86	0
5	PO4	H	705	-	4,4,4	0.81	0	6,6,6	0.51	0
4	LDA	M	402	-	13,15,15	2.32	2 (15%)	14,17,17	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	LDA	L	302	-	-	7/13/13/13	-
7	BCL	M	404	-	-	4/41/137/137	-
4	LDA	M	410	-	-	6/13/13/13	-
7	BCL	M	403	-	-	5/41/137/137	-
8	BPH	L	304	-	-	3/37/105/105	0/5/6/6
6	OLC	L	301	-	-	12/24/24/24	-
8	BPH	M	406	-	-	15/37/105/105	0/5/6/6
6	OLC	M	401	-	-	13/24/24/24	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BCL	L	303	-	-	0/41/137/137	-
4	LDA	M	409	-	-	4/13/13/13	-
4	LDA	M	402	-	-	6/13/13/13	-
10	U10	M	408	-	-	7/45/69/87	0/1/1/1
4	LDA	M	411	-	-	7/13/13/13	-
4	LDA	H	701	-	-	3/13/13/13	-
7	BCL	M	405	-	-	3/41/137/137	-
11	EDO	M	417	-	-	1/1/1/1	-
4	LDA	H	702	-	-	7/13/13/13	-

All (65) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	M	411	LDA	O1-N1	-6.81	1.25	1.42
4	M	409	LDA	O1-N1	-6.71	1.25	1.42
4	L	302	LDA	O1-N1	-6.58	1.26	1.42
10	M	408	U10	C8-C9	6.56	1.48	1.33
4	M	402	LDA	O1-N1	-6.54	1.26	1.42
10	M	408	U10	C28-C29	6.41	1.47	1.33
4	H	701	LDA	O1-N1	-6.38	1.26	1.42
10	M	408	U10	C33-C34	6.38	1.47	1.33
10	M	408	U10	C13-C14	6.28	1.47	1.33
4	M	410	LDA	O1-N1	-6.27	1.26	1.42
10	M	408	U10	C23-C24	6.15	1.47	1.33
4	H	702	LDA	O1-N1	-6.15	1.27	1.42
7	M	404	BCL	MG-NA	6.04	2.20	2.06
10	M	408	U10	C18-C19	5.86	1.46	1.33
7	L	303	BCL	MG-NA	5.44	2.19	2.06
4	M	411	LDA	C1-N1	-5.35	1.46	1.51
4	M	409	LDA	C1-N1	-5.25	1.46	1.51
4	M	402	LDA	C1-N1	-5.13	1.46	1.51
4	M	410	LDA	C1-N1	-5.09	1.46	1.51
10	M	408	U10	C38-C39	4.98	1.47	1.32
10	M	408	U10	O4-C4	-4.92	1.24	1.36
10	M	408	U10	O3-C3	-4.88	1.25	1.36
7	M	405	BCL	MG-NA	4.78	2.17	2.06
4	H	702	LDA	C1-N1	-4.53	1.46	1.51
8	M	406	BPH	CBD-CGD	-4.42	1.46	1.52
4	L	302	LDA	C1-N1	-4.34	1.47	1.51
7	L	303	BCL	MG-NC	4.28	2.16	2.06
7	M	403	BCL	MG-NA	4.26	2.16	2.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	L	301	OLC	O20-C1	4.17	1.45	1.33
6	M	401	OLC	O20-C1	3.98	1.44	1.33
4	H	701	LDA	C1-N1	-3.81	1.47	1.51
7	M	404	BCL	MG-NC	3.73	2.15	2.06
7	M	404	BCL	C3B-C4B	3.69	1.48	1.41
7	L	303	BCL	C3B-C4B	3.58	1.48	1.41
8	M	406	BPH	C3D-CAD	-3.49	1.41	1.47
8	L	304	BPH	C3D-CAD	-3.40	1.41	1.47
8	L	304	BPH	C1D-C2D	3.36	1.43	1.39
10	M	408	U10	C3-C2	-3.30	1.39	1.48
8	L	304	BPH	CBD-CGD	-3.14	1.48	1.52
7	M	405	BCL	CHD-C1D	3.07	1.44	1.38
8	L	304	BPH	C3B-C4B	3.06	1.46	1.41
8	M	406	BPH	C1D-C2D	2.97	1.42	1.39
7	M	404	BCL	C1D-ND	2.94	1.41	1.37
7	M	403	BCL	MG-NC	2.90	2.13	2.06
7	M	403	BCL	C3B-C4B	2.89	1.46	1.41
7	L	303	BCL	CHD-C1D	2.84	1.43	1.38
8	L	304	BPH	OBD-CAD	2.80	1.26	1.22
8	L	304	BPH	C3A-C2A	-2.78	1.52	1.54
10	M	408	U10	C4-C5	-2.77	1.40	1.48
8	M	406	BPH	C3B-C4B	2.77	1.45	1.41
7	M	405	BCL	C3B-C4B	2.73	1.46	1.41
7	M	403	BCL	CHD-C1D	2.65	1.43	1.38
10	M	408	U10	C6-C5	-2.64	1.39	1.46
10	M	408	U10	C6-C1	2.59	1.39	1.35
7	M	404	BCL	CHD-C1D	2.57	1.43	1.38
8	M	406	BPH	CHA-CBD	2.44	1.54	1.51
8	L	304	BPH	CHA-CBD	2.39	1.54	1.51
7	M	405	BCL	MG-NC	2.36	2.11	2.06
7	L	303	BCL	C1D-ND	2.27	1.40	1.37
7	M	405	BCL	O1A-CGA	-2.24	1.15	1.22
10	M	408	U10	C1-C2	-2.17	1.39	1.47
7	M	405	BCL	OBD-CAD	2.13	1.26	1.22
8	M	406	BPH	OBD-CAD	2.12	1.25	1.22
7	L	303	BCL	CMB-C2B	2.01	1.54	1.50
8	M	406	BPH	C5-C3	2.00	1.55	1.51

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	M	406	BPH	C4D-CHA-CBD	-11.87	102.76	108.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	304	BPH	C4D-CHA-CBD	-11.14	103.11	108.45
7	M	403	BCL	C4D-CHA-C1A	5.25	127.51	121.24
7	M	404	BCL	C4D-CHA-C1A	5.24	127.49	121.24
7	M	405	BCL	C4D-CHA-C1A	5.11	127.34	121.24
7	L	303	BCL	C4D-CHA-C1A	4.42	126.52	121.24
10	M	408	U10	C32-C33-C34	-4.29	117.81	127.62
7	M	404	BCL	C4A-NA-C1A	4.10	108.55	106.68
8	M	406	BPH	C4D-ND-C1D	-4.08	103.98	108.87
10	M	408	U10	C22-C23-C24	-3.96	118.55	127.62
8	L	304	BPH	C4D-ND-C1D	-3.89	104.21	108.87
7	M	405	BCL	CHD-C1D-ND	-3.87	119.36	124.80
7	M	403	BCL	CHD-C1D-ND	-3.83	119.42	124.80
7	M	405	BCL	C1D-ND-C4D	-3.74	103.69	106.31
7	M	404	BCL	CHD-C1D-ND	-3.62	119.71	124.80
8	M	406	BPH	C17-C16-C15	3.56	129.25	113.28
7	M	404	BCL	C1D-ND-C4D	-3.52	103.84	106.31
7	L	303	BCL	CHD-C1D-ND	-3.52	119.85	124.80
10	M	408	U10	C30-C29-C31	3.50	121.31	115.23
8	L	304	BPH	C1-C2-C3	-3.48	120.49	126.20
8	L	304	BPH	C3D-C4D-ND	3.45	112.13	107.71
10	M	408	U10	C17-C18-C19	-3.41	119.81	127.62
8	L	304	BPH	O2D-CGD-CBD	3.29	114.56	110.95
7	M	404	BCL	CHA-C1A-NA	-3.25	119.03	126.39
7	L	303	BCL	C1D-ND-C4D	-3.17	104.09	106.31
8	L	304	BPH	OBD-CAD-CBD	-3.17	121.17	125.82
7	M	403	BCL	C6-C7-C8	3.13	126.38	115.97
7	M	405	BCL	CHA-C1A-NA	-3.11	119.35	126.39
8	M	406	BPH	C3D-C4D-ND	3.09	111.67	107.71
7	M	403	BCL	C1D-ND-C4D	-3.05	104.17	106.31
8	L	304	BPH	C2D-C1D-ND	3.05	111.63	109.43
7	M	403	BCL	CHA-C1A-NA	-3.00	119.60	126.39
8	M	406	BPH	O2D-CGD-CBD	2.99	114.23	110.95
10	M	408	U10	C12-C13-C14	-2.90	120.98	127.62
10	M	408	U10	C20-C19-C21	2.87	120.21	115.23
8	L	304	BPH	CMB-C2B-C3B	2.83	130.34	124.68
10	M	408	U10	C25-C24-C26	2.83	120.14	115.23
10	M	408	U10	C27-C28-C29	-2.81	121.19	127.62
7	L	303	BCL	CHA-C1A-NA	-2.80	120.05	126.39
7	M	404	BCL	C2A-C1A-CHA	2.75	128.65	123.87
8	M	406	BPH	OBD-CAD-CBD	-2.72	121.83	125.82
10	M	408	U10	C35-C34-C36	2.69	119.89	115.23
10	M	408	U10	C37-C38-C39	-2.58	119.04	127.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	304	BPH	CMD-C2D-C3D	2.57	129.81	124.68
7	L	303	BCL	C2A-C1A-CHA	2.54	128.28	123.87
7	M	405	BCL	C2A-C1A-CHA	2.52	128.23	123.87
10	M	408	U10	C7-C6-C1	-2.49	120.63	124.89
5	M	415	PO4	O2-P-O1	-2.46	102.27	110.95
7	L	303	BCL	C1C-NC-C4C	2.44	107.79	106.68
8	M	406	BPH	C6-C5-C3	2.41	119.35	113.47
8	M	406	BPH	C15-C13-C12	-2.31	100.38	112.07
6	L	301	OLC	C3-C2-C1	-2.30	105.27	113.69
8	M	406	BPH	CMB-C2B-C3B	2.30	129.28	124.68
10	M	408	U10	C41-C39-C40	2.29	119.87	114.59
8	L	304	BPH	C11-C10-C8	-2.27	108.42	115.97
7	M	404	BCL	CED-O2D-CGD	2.26	121.04	115.92
7	M	403	BCL	CMB-C2B-C1B	-2.26	121.98	125.42
10	M	408	U10	C15-C14-C16	2.23	119.10	115.23
8	L	304	BPH	O2D-CGD-O1D	-2.21	119.55	123.85
7	M	403	BCL	C1C-NC-C4C	2.19	107.68	106.68
10	M	408	U10	C22-C21-C19	-2.18	105.95	113.19
7	M	404	BCL	C1-C2-C3	-2.18	122.62	126.20
7	M	403	BCL	C2A-C1A-CHA	2.18	127.64	123.87
7	M	403	BCL	C16-C15-C13	2.17	123.18	115.97
7	L	303	BCL	OBB-CAB-CBB	-2.16	114.94	119.77
7	M	405	BCL	CAA-CBA-CGA	2.11	119.21	113.21
8	M	406	BPH	C16-C15-C13	2.10	122.96	115.97
7	L	303	BCL	C16-C15-C13	-2.04	109.18	115.97
8	L	304	BPH	C4C-C3C-C2C	-2.04	100.90	102.84

There are no chirality outliers.

All (103) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	702	LDA	C2-C1-N1-O1
4	H	702	LDA	C2-C1-N1-CM1
4	M	411	LDA	C2-C1-N1-CM1
4	M	411	LDA	C2-C1-N1-CM2
6	L	301	OLC	O23-C22-C24-O25
8	M	406	BPH	C2C-C3C-CAC-CBC
10	M	408	U10	C27-C28-C29-C30
10	M	408	U10	C27-C28-C29-C31
8	M	406	BPH	C4-C3-C5-C6
8	M	406	BPH	C2-C3-C5-C6
4	L	302	LDA	C7-C8-C9-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	M	401	OLC	C3-C4-C5-C6
6	L	301	OLC	C12-C13-C14-C15
7	M	404	BCL	C14-C13-C15-C16
8	M	406	BPH	C6-C7-C8-C9
8	M	406	BPH	C11-C12-C13-C14
8	M	406	BPH	C14-C13-C15-C16
10	M	408	U10	C24-C26-C27-C28
10	M	408	U10	C29-C31-C32-C33
8	M	406	BPH	C5-C6-C7-C8
6	L	301	OLC	C2-C1-O20-C21
6	L	301	OLC	C21-C22-C24-O25
6	M	401	OLC	C21-C22-C24-O25
6	M	401	OLC	C14-C15-C16-C17
6	M	401	OLC	C4-C5-C6-C7
6	L	301	OLC	O19-C1-O20-C21
4	M	402	LDA	C1-C2-C3-C4
4	H	702	LDA	C1-C2-C3-C4
4	M	411	LDA	C7-C8-C9-C10
4	M	411	LDA	C6-C7-C8-C9
6	M	401	OLC	C6-C7-C8-C9
7	M	404	BCL	C15-C16-C17-C18
4	M	402	LDA	C4-C5-C6-C7
4	M	409	LDA	C4-C5-C6-C7
6	M	401	OLC	O23-C22-C24-O25
4	M	409	LDA	C7-C8-C9-C10
6	L	301	OLC	C6-C7-C8-C9
7	M	403	BCL	C11-C12-C13-C15
7	M	404	BCL	C12-C13-C15-C16
4	M	410	LDA	C11-C10-C9-C8
4	H	701	LDA	C1-C2-C3-C4
4	L	302	LDA	C1-C2-C3-C4
8	L	304	BPH	C2-C3-C5-C6
6	M	401	OLC	C15-C16-C17-C18
4	M	411	LDA	C9-C10-C11-C12
8	M	406	BPH	C8-C10-C11-C12
10	M	408	U10	C25-C24-C26-C27
4	H	702	LDA	C9-C10-C11-C12
4	M	410	LDA	C1-C2-C3-C4
4	M	410	LDA	C9-C10-C11-C12
8	M	406	BPH	C11-C12-C13-C15
8	L	304	BPH	C4-C3-C5-C6
10	M	408	U10	C23-C24-C26-C27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	M	409	LDA	C11-C10-C9-C8
4	L	302	LDA	C2-C3-C4-C5
4	M	410	LDA	C6-C7-C8-C9
4	H	701	LDA	C7-C8-C9-C10
4	L	302	LDA	C5-C6-C7-C8
4	H	702	LDA	C7-C8-C9-C10
4	L	302	LDA	C4-C5-C6-C7
4	M	402	LDA	C9-C10-C11-C12
4	M	409	LDA	C1-C2-C3-C4
8	M	406	BPH	C11-C10-C8-C9
4	M	402	LDA	C2-C1-N1-CM2
6	L	301	OLC	C3-C4-C5-C6
8	M	406	BPH	C13-C15-C16-C17
4	H	701	LDA	C9-C10-C11-C12
8	M	406	BPH	C10-C11-C12-C13
7	M	403	BCL	C11-C12-C13-C14
4	H	702	LDA	C5-C6-C7-C8
8	M	406	BPH	C15-C16-C17-C18
6	M	401	OLC	C7-C8-C9-C10
4	M	402	LDA	C7-C8-C9-C10
7	M	405	BCL	CHA-CBD-CGD-O1D
7	M	405	BCL	CHA-CBD-CGD-O2D
4	L	302	LDA	C9-C10-C11-C12
6	M	401	OLC	O19-C1-O20-C21
4	H	702	LDA	N1-C1-C2-C3
6	L	301	OLC	O20-C1-C2-C3
6	M	401	OLC	C2-C1-O20-C21
7	M	405	BCL	C15-C16-C17-C18
6	M	401	OLC	O20-C21-C22-C24
4	M	410	LDA	C4-C5-C6-C7
6	L	301	OLC	C1-C2-C3-C4
10	M	408	U10	C5-C4-O4-C4M
11	M	417	EDO	O1-C1-C2-O2
8	M	406	BPH	C12-C13-C15-C16
6	M	401	OLC	C11-C12-C13-C14
4	M	410	LDA	C7-C8-C9-C10
7	M	403	BCL	C4-C3-C5-C6
8	L	304	BPH	CHA-CBD-CGD-O1D
6	L	301	OLC	C11-C12-C13-C14
7	M	403	BCL	C2-C3-C5-C6
4	M	411	LDA	C3-C4-C5-C6
7	M	404	BCL	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	M	401	OLC	C9-C10-C11-C12
4	L	302	LDA	C3-C4-C5-C6
6	L	301	OLC	O20-C21-C22-O23
6	L	301	OLC	C5-C6-C7-C8
4	M	411	LDA	C2-C1-N1-O1
7	M	403	BCL	C16-C17-C18-C19
8	M	406	BPH	C4C-C3C-CAC-CBC
4	M	402	LDA	C6-C7-C8-C9



There are no ring outliers.



11 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	M	404	BCL	4	0
7	M	403	BCL	5	0
10	M	408	U10	1	0
5	H	703	PO4	1	0
4	L	302	LDA	1	0
8	M	406	BPH	6	0
4	H	701	LDA	2	0
4	H	702	LDA	2	0
6	L	301	OLC	5	0
6	M	401	OLC	4	0
4	M	402	LDA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	240/250 (96%)	1.04	44 (18%) 3 3	40, 58, 79, 109	0
2	L	270/281 (96%)	0.85	38 (14%) 6 6	37, 56, 102, 127	0
3	M	302/302 (100%)	0.82	36 (11%) 9 9	26, 56, 90, 116	2 (0%)
All	All	812/833 (97%)	0.90	118 (14%) 6 6	26, 57, 90, 127	2 (0%)

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	9	ASN	7.3
2	L	255	TRP	5.5
2	L	269	LEU	5.3
3	M	1	ALA	5.0
2	L	265	TRP	4.9
2	L	259	TRP	4.7
2	L	260	VAL	4.6
1	H	10	PHE	4.5
2	L	51	TRP	4.5
2	L	165	GLY	4.3
2	L	256	PHE	4.3
2	L	267	VAL	4.3
2	L	263	TRP	4.3
1	H	171	ILE	4.2
1	H	246	PRO	4.2
1	H	165	VAL	4.1
1	H	151	LEU	3.9
2	L	262	TRP	3.8
1	H	144	ALA	3.7
2	L	270	PRO	3.6
1	H	90	THR	3.6
1	H	140	PHE	3.5
3	M	297	TRP	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	M	35	PHE	3.5
2	L	59	TRP	3.4
2	L	167	PHE	3.4
3	M	192	VAL	3.4
2	L	162	TYR	3.3
2	L	166	ASN	3.3
3	M	289	THR	3.3
3	M	288	GLY	3.2
1	H	203	VAL	3.2
2	L	54	VAL	3.2
3	M	188	ASN	3.2
2	L	257	ASP	3.2
1	H	138	ALA	3.1
3	M	174	ALA	3.1
1	H	149	ILE	3.1
1	H	164	VAL	3.1
3	M	55	LEU	3.1
3	M	67[A]	PHE	3.1
1	H	245	ALA	3.1
3	M	171	TRP	3.0
3	M	12	VAL	3.0
2	L	258	GLN	3.0
1	H	145	GLY	3.0
1	H	92	VAL	3.0
3	M	109	LEU	2.9
3	M	10	VAL	2.9
1	H	172	PRO	2.9
2	L	254	ILE	2.9
1	H	179	LEU	2.8
1	H	200	SER	2.8
2	L	261	ASP	2.8
3	M	168	MET	2.8
2	L	55	LEU	2.8
3	M	68	PHE	2.7
1	H	184	LYS	2.7
2	L	63	LEU	2.7
3	M	105	PHE	2.7
2	L	252	GLY	2.7
2	L	75	LEU	2.7
3	M	17	ASP	2.7
1	H	136	ALA	2.6
3	M	162	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	M	116	LEU	2.6
3	M	101	TYR	2.6
1	H	91	ALA	2.6
1	H	146	LYS	2.6
3	M	3	TYR	2.6
1	H	198	VAL	2.6
3	M	293	ASN	2.6
3	M	13	ARG	2.6
3	M	6	ILE	2.6
1	H	150	GLY	2.6
1	H	205	VAL	2.5
3	M	296	VAL	2.5
1	H	158	LEU	2.5
2	L	141	ALA	2.5
3	M	191	LEU	2.5
1	H	106	LYS	2.5
2	L	57	GLY	2.5
2	L	163	THR	2.4
1	H	12	LEU	2.4
2	L	161	GLY	2.4
1	H	135	LYS	2.4
3	M	79	GLY	2.4
1	H	167	ILE	2.4
3	M	166	ILE	2.4
1	H	133	PRO	2.4
2	L	266	TRP	2.4
3	M	4	GLN	2.3
1	H	142	VAL	2.3
1	H	175	MET	2.3
1	H	188	THR	2.3
1	H	18	TYR	2.3
3	M	103	LEU	2.3
1	H	168	TRP	2.3
1	H	178	PHE	2.2
1	H	181	VAL	2.2
1	H	199	GLN	2.2
3	M	201	PHE	2.2
2	L	66	VAL	2.2
3	M	172	SER	2.2
2	L	67	TYR	2.2
3	M	23	ASP	2.2
1	H	183	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	L	40	PHE	2.1
2	L	64	ILE	2.1
2	L	77	GLY	2.1
1	H	248	ARG	2.1
1	H	186	GLY	2.1
1	H	204	HIS	2.1
3	M	82	PRO	2.1
2	L	144	TYR	2.0
2	L	142	TRP	2.0
2	L	264	GLN	2.0
3	M	76	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PO4	H	705	5/5	0.64	0.12	76,77,101,107	0
5	PO4	H	703	5/5	0.68	0.12	74,80,98,101	0
5	PO4	M	414	5/5	0.68	0.10	82,87,99,103	0
4	LDA	M	410	16/16	0.72	0.27	64,72,84,89	0
5	PO4	M	416	5/5	0.73	0.13	76,85,89,93	5
5	PO4	M	413	5/5	0.75	0.10	71,72,92,101	0
4	LDA	M	409	16/16	0.77	0.22	71,83,100,100	0
4	LDA	L	302	16/16	0.79	0.24	63,76,87,88	0
5	PO4	H	704	5/5	0.82	0.10	81,91,95,96	0
6	OLC	M	401	25/25	0.82	0.21	57,70,86,88	0
11	EDO	M	417	4/4	0.82	0.20	56,59,60,64	0
4	LDA	M	402	16/16	0.84	0.19	65,80,93,94	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	LDA	H	701	16/16	0.85	0.20	47,69,76,81	0
4	LDA	M	411	16/16	0.89	0.19	64,69,75,75	0
6	OLC	L	301	25/25	0.89	0.17	49,61,77,79	0
7	BCL	M	403	66/66	0.93	0.12	47,55,87,90	0
7	BCL	M	404	66/66	0.93	0.11	42,52,70,81	0
7	BCL	L	303	66/66	0.93	0.11	44,54,62,66	0
5	PO4	M	415	5/5	0.94	0.08	48,64,67,75	5
8	BPH	M	406	65/65	0.94	0.11	40,50,114,123	0
10	U10	M	408	48/63	0.94	0.11	37,53,70,72	0
4	LDA	H	702	16/16	0.94	0.14	49,59,74,78	0
7	BCL	M	405	66/66	0.95	0.09	44,51,59,71	0
5	PO4	M	412	5/5	0.95	0.12	48,50,57,70	0
8	BPH	L	304	65/65	0.96	0.08	39,46,58,63	0
9	FE	M	407	1/1	1.00	0.02	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around OLC L 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL M 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL L 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH M 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U10 M 408:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BCL M 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.