



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:00 PM UTC

PDB ID : 6Z38 / pdb_00006z38
Title : TodX deltaS2S3 mutant monoaromatic hydrocarbon channel
Authors : van den Berg, B.
Deposited on : 2020-05-19
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	432	12% 57% 36% • •

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3115 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TodX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	414	Total	C	N	O	S	0	0	0
			3115	1972	528	610	5			


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	72	TYR	ARG	conflict	UNP Q51971
A	73	ALA	SER	conflict	UNP Q51971
A	?	-	ASN	deletion	UNP Q51971
A	?	-	ASN	deletion	UNP Q51971
A	?	-	ARG	deletion	UNP Q51971
A	?	-	ALA	deletion	UNP Q51971
A	?	-	PRO	deletion	UNP Q51971
A	?	-	TYR	deletion	UNP Q51971
A	76	ALA	PRO	conflict	UNP Q51971
A	?	-	GLY	deletion	UNP Q51971
A	427	HIS	-	expression tag	UNP Q51971
A	428	HIS	-	expression tag	UNP Q51971
A	429	HIS	-	expression tag	UNP Q51971
A	430	HIS	-	expression tag	UNP Q51971
A	431	HIS	-	expression tag	UNP Q51971
A	432	HIS	-	expression tag	UNP Q51971

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: TodX



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	80.11Å 115.93Å 172.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.14 – 2.90 48.14 – 2.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.14-2.90) 100.0 (48.14-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472, PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.253 , 0.318 0.260 , 0.322	Depositor DCC
R_{free} test set	865 reflections (4.74%)	wwPDB-VP
Wilson B-factor (Å ²)	95.1	Xtriage
Anisotropy	0.243	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 90.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3115	wwPDB-VP
Average B, all atoms (Å ²)	127.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/3177	0.80	1/4313 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	67	PRO	N-CA-CB	7.58	111.21	103.25

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	111	THR	Peptide
1	A	185	GLY	Peptide
1	A	269	GLU	Peptide
1	A	321	HIS	Peptide
1	A	323	TYR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3115	0	3038	134	0
All	All	3115	0	3038	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:ARG:NH1	1:A:149:ASP:OD1	1.98	0.95
1:A:20:SER:HG	1:A:32:SER:HG	0.97	0.93
1:A:308:PHE:HB3	1:A:315:ILE:HG22	1.53	0.90
1:A:275:THR:HG22	1:A:293:LYS:HG3	1.58	0.86
1:A:394:ARG:HH12	1:A:396:ARG:HH21	1.32	0.74
1:A:39:PHE:HZ	1:A:219:THR:HG21	1.49	0.74
1:A:17:GLY:N	1:A:372:THR:HG21	2.03	0.73
1:A:285:ARG:HB2	1:A:336:LYS:HB2	1.70	0.72
1:A:174:ASN:ND2	1:A:318:ALA:O	2.22	0.71
1:A:352:GLN:OE1	1:A:366:TYR:OH	2.10	0.69
1:A:17:GLY:H	1:A:372:THR:HG21	1.57	0.69
1:A:352:GLN:HB3	1:A:366:TYR:OH	1.93	0.68
1:A:16:MET:HG3	1:A:344:ARG:HB3	1.74	0.68
1:A:29:ALA:HA	1:A:32:SER:HB3	1.76	0.67
1:A:288:VAL:HG22	1:A:333:THR:HG22	1.78	0.66
1:A:195:PHE:CE1	1:A:247:LEU:HD13	2.31	0.65
1:A:294:ARG:HD2	1:A:296:TYR:CZ	2.32	0.64
1:A:39:PHE:CZ	1:A:219:THR:HG21	2.31	0.64
1:A:219:THR:HG22	1:A:221:LYS:HZ2	1.63	0.64
1:A:236:THR:HB	1:A:270:MET:HB2	1.83	0.61
1:A:112:GLU:HB2	1:A:190:GLY:HA2	1.84	0.60
1:A:117:THR:HG23	1:A:119:PHE:H	1.65	0.60
1:A:394:ARG:NH1	1:A:396:ARG:HH21	1.99	0.59
1:A:124:ARG:HG2	1:A:124:ARG:HH11	1.67	0.59
1:A:285:ARG:HG2	1:A:285:ARG:HH11	1.69	0.58
1:A:219:THR:HA	1:A:228:LEU:O	2.03	0.58
1:A:347:TYR:OH	1:A:369:ARG:NH1	2.36	0.58
1:A:219:THR:HG22	1:A:221:LYS:NZ	2.19	0.58
1:A:285:ARG:NH2	1:A:335:TYR:OH	2.36	0.57
1:A:293:LYS:HB3	1:A:328:VAL:HG13	1.87	0.57
1:A:367:LEU:HA	1:A:395:GLU:OE1	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:LYS:HG3	1:A:272:ALA:HB2	1.87	0.57
1:A:61:ASP:HB3	1:A:107:PHE:CZ	2.38	0.57
1:A:205:GLY:C	1:A:207:VAL:H	2.13	0.56
1:A:344:ARG:NH2	1:A:376:GLU:HB2	2.20	0.56
1:A:10:GLY:O	1:A:14:ARG:HB2	2.06	0.56
1:A:179:LEU:HD22	1:A:183:LEU:HD11	1.88	0.56
1:A:41:PRO:HB2	1:A:425:ASN:HD21	1.71	0.56
1:A:101:GLU:OE2	1:A:103:GLY:N	2.38	0.54
1:A:359:ILE:HD13	1:A:411:GLN:HB2	1.88	0.54
1:A:31:ILE:CD1	1:A:131:PRO:HG3	2.37	0.54
1:A:7:GLU:OE1	1:A:8:GLY:N	2.41	0.54
1:A:20:SER:HA	1:A:25:THR:HG21	1.89	0.54
1:A:344:ARG:HH22	1:A:376:GLU:HB2	1.72	0.54
1:A:129:ARG:NH2	1:A:236:THR:OG1	2.40	0.54
1:A:352:GLN:H	1:A:368:LYS:HZ1	1.54	0.54
1:A:275:THR:HG22	1:A:293:LYS:CG	2.36	0.53
1:A:143:THR:HG23	1:A:219:THR:HB	1.91	0.53
1:A:220:TYR:HE2	1:A:222:LEU:HA	1.73	0.53
1:A:241:LEU:HB2	1:A:265:VAL:HB	1.91	0.53
1:A:352:GLN:HE21	1:A:355:ASP:HB2	1.74	0.53
1:A:44:ASN:HD22	1:A:83:GLN:H	1.57	0.53
1:A:285:ARG:HH11	1:A:285:ARG:CG	2.22	0.53
1:A:60:HIS:O	1:A:61:ASP:OD2	2.28	0.52
1:A:14:ARG:O	1:A:372:THR:OG1	2.28	0.52
1:A:195:PHE:CZ	1:A:247:LEU:HD13	2.44	0.52
1:A:47:GLU:O	1:A:48:LEU:HD12	2.10	0.51
1:A:49:GLY:O	1:A:50:LEU:HD12	2.09	0.51
1:A:352:GLN:H	1:A:368:LYS:NZ	2.08	0.51
1:A:297:TRP:HB3	1:A:323:TYR:HB3	1.92	0.51
1:A:58:LYS:HE3	1:A:60:HIS:CD2	2.46	0.50
1:A:246:THR:HG23	1:A:259:LEU:O	2.10	0.50
1:A:196:SER:C	1:A:197:LEU:HD12	2.37	0.50
1:A:46:PHE:HD1	1:A:80:TYR:HB2	1.77	0.50
1:A:339:ASN:OD1	1:A:340:ASP:N	2.45	0.50
1:A:385:ILE:HG13	1:A:422:TYR:HD1	1.77	0.50
1:A:80:TYR:CE2	1:A:82:ALA:HB2	2.47	0.49
1:A:352:GLN:OE1	1:A:368:LYS:NZ	2.46	0.49
1:A:283:ASN:HB3	1:A:286:TRP:HB3	1.95	0.49
1:A:109:SER:O	1:A:117:THR:HG22	2.13	0.49
1:A:205:GLY:O	1:A:207:VAL:N	2.33	0.48
1:A:347:TYR:HD1	1:A:371:VAL:HG22	1.78	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:PHE:N	1:A:270:MET:HE3	2.28	0.48
1:A:8:GLY:O	1:A:14:ARG:NH1	2.46	0.48
1:A:237:SER:O	1:A:237:SER:OG	2.24	0.48
1:A:61:ASP:HA	1:A:409:LEU:HA	1.96	0.48
1:A:31:ILE:HD11	1:A:131:PRO:HG3	1.95	0.48
1:A:121:ASN:HA	1:A:158:GLU:O	2.14	0.48
1:A:4:PHE:C	1:A:6:LEU:H	2.22	0.47
1:A:24:TYR:CE1	1:A:40:ALA:HB2	2.50	0.47
1:A:220:TYR:CE2	1:A:222:LEU:HA	2.48	0.47
1:A:131:PRO:O	1:A:132:ILE:HD12	2.15	0.47
1:A:295:ALA:O	1:A:325:ASP:HA	2.15	0.47
1:A:380:ASP:C	1:A:382:ASP:H	2.22	0.47
1:A:297:TRP:CB	1:A:323:TYR:HB3	2.45	0.47
1:A:321:HIS:O	1:A:323:TYR:HB2	2.15	0.47
1:A:29:ALA:HB1	1:A:33:ASN:O	2.15	0.47
1:A:124:ARG:HG2	1:A:124:ARG:NH1	2.29	0.46
1:A:187:VAL:HG12	1:A:249:ALA:HB1	1.98	0.46
1:A:72:TYR:O	1:A:72:TYR:HD1	1.99	0.46
1:A:134:PHE:CE2	1:A:146:ALA:HB3	2.51	0.46
1:A:59:VAL:HG21	1:A:361:PRO:HB3	1.98	0.45
1:A:359:ILE:CD1	1:A:411:GLN:HB2	2.46	0.45
1:A:100:THR:HG1	1:A:123:SER:HG	1.64	0.45
1:A:360:LEU:HD12	1:A:360:LEU:HA	1.73	0.45
1:A:245:ALA:CB	1:A:263:ILE:HG13	2.47	0.45
1:A:384:ARG:O	1:A:385:ILE:HG13	2.17	0.45
1:A:285:ARG:CG	1:A:285:ARG:NH1	2.79	0.45
1:A:179:LEU:HD22	1:A:183:LEU:CD1	2.47	0.45
1:A:366:TYR:OH	1:A:368:LYS:NZ	2.49	0.44
1:A:157:LEU:H	1:A:197:LEU:HB2	1.82	0.44
1:A:44:ASN:HB3	1:A:80:TYR:CE1	2.53	0.44
1:A:359:ILE:HG21	1:A:399:THR:HB	2.00	0.43
1:A:16:MET:SD	1:A:334:ALA:HB2	2.58	0.43
1:A:199:ARG:H	1:A:199:ARG:HG3	1.51	0.43
1:A:324:GLN:NE2	1:A:354:LEU:O	2.52	0.43
1:A:385:ILE:HG13	1:A:422:TYR:CD1	2.53	0.43
1:A:44:ASN:ND2	1:A:83:GLN:H	2.15	0.43
1:A:175:LEU:HD11	1:A:315:ILE:HG12	1.99	0.43
1:A:207:VAL:HA	1:A:242:GLU:O	2.19	0.43
1:A:293:LYS:HB3	1:A:328:VAL:CG1	2.47	0.43
1:A:57:ILE:HG13	1:A:413:HIS:HB2	2.01	0.42
1:A:199:ARG:O	1:A:201:SER:N	2.48	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:LEU:O	1:A:124:ARG:HA	2.18	0.42
1:A:162:PRO:O	1:A:163:SER:C	2.61	0.42
1:A:381:LYS:O	1:A:384:ARG:NH1	2.53	0.42
1:A:175:LEU:HD11	1:A:315:ILE:CG1	2.49	0.42
1:A:11:ALA:O	1:A:388:ALA:HB2	2.19	0.42
1:A:352:GLN:HG3	1:A:355:ASP:HA	2.02	0.42
1:A:122:SER:O	1:A:157:LEU:HD12	2.20	0.42
1:A:45:GLN:H	1:A:45:GLN:CD	2.28	0.41
1:A:297:TRP:HB2	1:A:324:GLN:H	1.85	0.41
1:A:197:LEU:HD23	1:A:207:VAL:HG21	2.02	0.41
1:A:235:LYS:HE3	1:A:300:VAL:HG23	2.03	0.41
1:A:49:GLY:HA2	1:A:420:VAL:O	2.21	0.41
1:A:46:PHE:CD1	1:A:80:TYR:HB2	2.55	0.41
1:A:149:ASP:OD2	1:A:149:ASP:N	2.53	0.41
1:A:277:GLY:HA3	1:A:291:ASP:OD1	2.21	0.41
1:A:245:ALA:HB3	1:A:263:ILE:HG13	2.02	0.41
1:A:250:ILE:HA	1:A:255:ALA:O	2.21	0.41
1:A:15:ALA:HB2	1:A:388:ALA:HB2	2.03	0.40
1:A:87:TRP:CZ3	1:A:136:TYR:HB2	2.55	0.40
1:A:77:GLN:NE2	1:A:79:SER:OG	2.54	0.40
1:A:175:LEU:HG	1:A:180:VAL:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	410/432 (95%)	355 (87%)	38 (9%)	17 (4%)	2 9

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	7	GLU
1	A	182	SER
1	A	283	ASN
1	A	380	ASP
1	A	64	GLY
1	A	353	ALA
1	A	138	ALA
1	A	181	PRO
1	A	199	ARG
1	A	359	ILE
1	A	84	LEU
1	A	207	VAL
1	A	20	SER
1	A	67	PRO
1	A	41	PRO
1	A	300	VAL
1	A	204	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	327/344 (95%)	327 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	45	GLN
1	A	77	GLN
1	A	110	GLN
1	A	116	GLN
1	A	174	ASN
1	A	200	ASN
1	A	324	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	370	HIS
1	A	425	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	414/432 (95%)	0.84	54 (13%) 7 6	74, 119, 183, 228	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	144	PHE	7.4
1	A	78	LEU	5.3
1	A	426	PHE	4.4
1	A	337	TYR	4.4
1	A	216	LEU	4.4
1	A	300	VAL	4.2
1	A	134	PHE	3.8
1	A	93	LEU	3.8
1	A	311	GLN	3.6
1	A	343	LEU	3.5
1	A	358	LEU	3.5
1	A	270	MET	3.4
1	A	4	PHE	3.3
1	A	373	PHE	3.3
1	A	6	LEU	3.3
1	A	354	LEU	3.1
1	A	366	TYR	3.1
1	A	182	SER	3.0
1	A	50	LEU	3.0
1	A	312	LEU	3.0
1	A	212	TRP	2.9
1	A	257	LEU	2.9
1	A	389	ILE	2.9
1	A	341	LEU	2.9
1	A	94	PHE	2.8
1	A	91	ALA	2.8
1	A	363	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	391	PHE	2.8
1	A	387	LEU	2.7
1	A	269	GLU	2.6
1	A	183	LEU	2.6
1	A	268	PHE	2.6
1	A	256	VAL	2.5
1	A	271	PRO	2.5
1	A	319	LEU	2.4
1	A	217	GLY	2.4
1	A	399	THR	2.4
1	A	275	THR	2.4
1	A	198	SER	2.4
1	A	92	GLY	2.4
1	A	206	ALA	2.4
1	A	321	HIS	2.3
1	A	205	GLY	2.3
1	A	260	ASP	2.3
1	A	169	LEU	2.3
1	A	180	VAL	2.3
1	A	161	LEU	2.2
1	A	25	THR	2.1
1	A	331	ILE	2.1
1	A	165	GLN	2.1
1	A	302	ASP	2.1
1	A	9	TYR	2.1
1	A	218	LEU	2.0
1	A	323	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.