



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 10:53 AM UTC

PDB ID : 7Z3A / pdb_00007z3a
EMDB ID : EMD-14474
Title : AMC009 SOSIPv5.2 in complex with Fabs ACS101 and ACS124
Authors : van Schooten, J.; Ward, A.
Deposited on : 2022-03-02
Resolution : 3.95 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7707 (3.45 - 4.45)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	482	
1	C	482	
1	D	482	
2	B	154	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	154	
2	F	154	
3	G	124	
3	M	124	
4	I	108	
4	O	108	
5	H	126	
5	J	126	
5	K	126	
6	L	108	
6	N	108	
6	P	108	
7	2	2	
7	9	2	
7	AA	2	
7	Q	2	
7	W	2	
7	g	2	
7	l	2	
7	s	2	
7	u	2	
7	v	2	
8	0	3	
8	1	3	
8	3	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
8	4	3	33%	100%
8	5	3	33%	100%
8	6	3	33%	100%
8	7	3	67%	100%
8	8	3	67%	100%
8	R	3	67%	100%
8	T	3	67%	100%
8	U	3	100%	100%
8	V	3	100%	100%
8	X	3	67%	100%
8	Y	3	33%	100%
8	Z	3	33%	100%
8	a	3	67%	100%
8	b	3	67%	100%
8	c	3	67%	100%
8	e	3	67%	100%
8	f	3	67%	100%
8	h	3	67%	100%
8	i	3	67%	100%
8	j	3	67%	33%
8	k	3	67%	33%
8	m	3	67%	33%
8	n	3	67%	100%
8	o	3	100%	100%
8	p	3	67%	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	q	3	67% 100%
8	r	3	67% 33%
8	t	3	67% 100%
8	w	3	67% 100%
8	x	3	100%
8	z	3	67% 100%
9	S	5	80% 100%
9	y	5	60% 100%
10	d	3	67% 100%

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 24000 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AMC009 SOSIPv5.2 envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	429	Total	C	N	O	S	0	0
			3403	2149	598	629	27		
1	C	429	Total	C	N	O	S	0	0
			3403	2149	598	629	27		
1	D	429	Total	C	N	O	S	0	0
			3403	2149	598	629	27		

- Molecule 2 is a protein called AMC009 SOSIP.v5.2 envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	124	Total	C	N	O	S	0	0
			992	623	172	190	7		
2	E	113	Total	C	N	O	S	0	0
			898	566	158	167	7		
2	F	114	Total	C	N	O	S	0	0
			907	571	159	170	7		

- Molecule 3 is a protein called ACS124 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	123	Total	C	N	O	S	0	0
			969	618	164	183	4		
3	M	123	Total	C	N	O	S	0	0
			969	618	164	183	4		

- Molecule 4 is a protein called ACS124 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	I	108	Total	C	N	O	S	0	0
			820	510	142	165	3		
4	O	108	Total	C	N	O	S	0	0
			820	510	142	165	3		

- Molecule 5 is a protein called ACS101 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	H	125	Total	C	N	O	S	0	0
			990	630	171	186	3		
5	J	125	Total	C	N	O	S	0	0
			990	630	171	186	3		
5	K	125	Total	C	N	O	S	0	0
			990	630	171	186	3		

- Molecule 6 is a protein called ACS101 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	L	106	Total	C	N	O	S	0	0
			795	502	130	160	3		
6	N	106	Total	C	N	O	S	0	0
			795	502	130	160	3		
6	P	106	Total	C	N	O	S	0	0
			795	502	130	160	3		

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
7	Q	2	Total	C	N	O	0	0
			28	16	2	10		
7	W	2	Total	C	N	O	0	0
			28	16	2	10		
7	g	2	Total	C	N	O	0	0
			28	16	2	10		
7	l	2	Total	C	N	O	0	0
			28	16	2	10		
7	s	2	Total	C	N	O	0	0
			28	16	2	10		
7	u	2	Total	C	N	O	0	0
			28	16	2	10		
7	v	2	Total	C	N	O	0	0
			28	16	2	10		
7	2	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
7	9	2	Total	C	N	O	0	0
			28	16	2	10		
7	AA	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
8	R	3	Total	C	N	O	0	0
			39	22	2	15		
8	T	3	Total	C	N	O	0	0
			39	22	2	15		
8	U	3	Total	C	N	O	0	0
			39	22	2	15		
8	V	3	Total	C	N	O	0	0
			39	22	2	15		
8	X	3	Total	C	N	O	0	0
			39	22	2	15		
8	Y	3	Total	C	N	O	0	0
			39	22	2	15		
8	Z	3	Total	C	N	O	0	0
			39	22	2	15		
8	a	3	Total	C	N	O	0	0
			39	22	2	15		
8	b	3	Total	C	N	O	0	0
			39	22	2	15		
8	c	3	Total	C	N	O	0	0
			39	22	2	15		
8	e	3	Total	C	N	O	0	0
			39	22	2	15		
8	f	3	Total	C	N	O	0	0
			39	22	2	15		
8	h	3	Total	C	N	O	0	0
			39	22	2	15		
8	i	3	Total	C	N	O	0	0
			39	22	2	15		
8	j	3	Total	C	N	O	0	0
			39	22	2	15		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
8	k	3	Total	C	N	O	0	0
			39	22	2	15		
8	m	3	Total	C	N	O	0	0
			39	22	2	15		
8	n	3	Total	C	N	O	0	0
			39	22	2	15		
8	o	3	Total	C	N	O	0	0
			39	22	2	15		
8	p	3	Total	C	N	O	0	0
			39	22	2	15		
8	q	3	Total	C	N	O	0	0
			39	22	2	15		
8	r	3	Total	C	N	O	0	0
			39	22	2	15		
8	t	3	Total	C	N	O	0	0
			39	22	2	15		
8	w	3	Total	C	N	O	0	0
			39	22	2	15		
8	x	3	Total	C	N	O	0	0
			39	22	2	15		
8	z	3	Total	C	N	O	0	0
			39	22	2	15		
8	0	3	Total	C	N	O	0	0
			39	22	2	15		
8	1	3	Total	C	N	O	0	0
			39	22	2	15		
8	3	3	Total	C	N	O	0	0
			39	22	2	15		
8	4	3	Total	C	N	O	0	0
			39	22	2	15		
8	5	3	Total	C	N	O	0	0
			39	22	2	15		
8	6	3	Total	C	N	O	0	0
			39	22	2	15		
8	7	3	Total	C	N	O	0	0
			39	22	2	15		
8	8	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
9	S	5	Total	C	N	O	0	0
			61	34	2	25		
9	y	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 10 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
10	d	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
11	A	1	Total	C	N	O	0
			14	8	1	5	



Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
11	A	1	Total 14	C 8	N 1	O 5	0
11	A	1	Total 14	C 8	N 1	O 5	0
11	A	1	Total 14	C 8	N 1	O 5	0
11	A	1	Total 14	C 8	N 1	O 5	0
11	B	1	Total 14	C 8	N 1	O 5	0
11	B	1	Total 14	C 8	N 1	O 5	0
11	B	1	Total 14	C 8	N 1	O 5	0
11	C	1	Total 14	C 8	N 1	O 5	0
11	C	1	Total 14	C 8	N 1	O 5	0
11	C	1	Total 14	C 8	N 1	O 5	0
11	E	1	Total 14	C 8	N 1	O 5	0
11	E	1	Total 14	C 8	N 1	O 5	0
11	D	1	Total 14	C 8	N 1	O 5	0
11	D	1	Total 14	C 8	N 1	O 5	0
11	D	1	Total 14	C 8	N 1	O 5	0
11	D	1	Total 14	C 8	N 1	O 5	0
11	D	1	Total 14	C 8	N 1	O 5	0
11	D	1	Total 14	C 8	N 1	O 5	0
11	F	1	Total 14	C 8	N 1	O 5	0
11	F	1	Total 14	C 8	N 1	O 5	0




- Molecule 2: AMC009 SOSIP.v5.2 envelope glycoprotein gp41





- Molecule 2: AMC009 SOSIP.v5.2 envelope glycoprotein gp41





- Molecule 2: AMC009 SOSIP.v5.2 envelope glycoprotein gp41




- Molecule 3: ACS124 heavy chain




- Molecule 3: ACS124 heavy chain



- Molecule 4: ACS124 light chain





- Molecule 4: ACS124 light chain




- Molecule 5: ACS101 heavy chain





- Molecule 5: ACS101 heavy chain




- Molecule 5: ACS101 heavy chain




- Molecule 6: ACS101 light chain




- Molecule 6: ACS101 light chain





- Molecule 6: ACS101 light chain



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

nose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	95062	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	49	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.860	Depositor
Minimum map value	-0.373	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.029	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	345.0, 345.0, 345.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.15, 1.15, 1.15	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.16	6/3476 (0.2%)	1.32	33/4718 (0.7%)
1	C	1.14	3/3476 (0.1%)	1.33	37/4718 (0.8%)
1	D	1.18	4/3476 (0.1%)	1.30	33/4718 (0.7%)
2	B	1.28	1/1008 (0.1%)	1.20	5/1367 (0.4%)
2	E	1.25	2/914 (0.2%)	1.28	10/1241 (0.8%)
2	F	1.22	1/923 (0.1%)	1.13	2/1253 (0.2%)
3	G	1.25	4/994 (0.4%)	1.30	10/1355 (0.7%)
3	M	1.25	4/994 (0.4%)	1.27	8/1355 (0.6%)
4	I	1.07	2/839 (0.2%)	1.36	6/1143 (0.5%)
4	O	1.11	2/839 (0.2%)	1.35	7/1143 (0.6%)
5	H	1.27	2/1018 (0.2%)	1.24	4/1387 (0.3%)
5	J	1.10	1/1018 (0.1%)	1.22	3/1387 (0.2%)
5	K	1.23	1/1018 (0.1%)	1.17	2/1387 (0.1%)
6	L	1.11	2/813 (0.2%)	1.33	8/1103 (0.7%)
6	N	1.04	1/813 (0.1%)	1.42	9/1103 (0.8%)
6	P	1.12	1/813 (0.1%)	1.37	10/1103 (0.9%)
All	All	1.17	37/22432 (0.2%)	1.29	187/30481 (0.6%)

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	O	48	TYR	CB-CG	-7.83	1.34	1.51
3	M	103	TRP	NE1-CE2	-7.01	1.29	1.37
1	A	66	ARG	NE-CZ	6.65	1.40	1.33
1	D	66	ARG	NE-CZ	6.59	1.40	1.33
5	H	35	HIS	CB-CG	-6.47	1.41	1.50
3	G	103	TRP	NE1-CE2	-6.44	1.30	1.37
2	B	523	LEU	CB-CG	6.31	1.66	1.53
3	M	78	PHE	CB-CG	-6.29	1.36	1.50
1	C	66	ARG	NE-CZ	6.28	1.40	1.33
6	P	106	LEU	CB-CG	6.20	1.65	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	35	TRP	CZ2-CH2	6.18	1.49	1.37
1	A	376	PHE	CB-CG	-6.16	1.36	1.50
6	L	106	LEU	CB-CG	5.98	1.65	1.53
1	D	35	TRP	CZ2-CH2	5.96	1.48	1.37
1	A	184	ILE	CB-CG1	5.96	1.65	1.53
3	M	53	PHE	CB-CG	-5.83	1.37	1.50
1	C	35	TRP	CZ2-CH2	5.82	1.48	1.37
6	N	106	LEU	CB-CG	5.81	1.65	1.53
4	I	108	LEU	CB-CG	5.76	1.65	1.53
2	E	542	ARG	CA-C	-5.75	1.45	1.52
4	O	108	LEU	CB-CG	5.66	1.64	1.53
3	G	53	PHE	CB-CG	-5.65	1.37	1.50
6	L	49	PHE	CB-CG	-5.64	1.37	1.50
2	E	523	LEU	CB-CG	5.62	1.64	1.53
1	C	35	TRP	CD2-CE3	5.46	1.49	1.40
4	I	48	TYR	CB-CG	-5.43	1.39	1.51
5	H	103	TRP	NE1-CE2	-5.42	1.31	1.37
3	M	94	ARG	NE-CZ	5.36	1.39	1.33
5	K	102	PRO	N-CD	-5.28	1.40	1.47
1	A	374	HIS	CB-CG	-5.27	1.42	1.50
3	G	92	CYS	CB-SG	-5.26	1.63	1.81
1	A	35	TRP	CD2-CE3	5.25	1.48	1.40
1	D	184	ILE	CB-CG1	5.19	1.63	1.53
3	G	100(G)	TRP	NE1-CE2	-5.13	1.31	1.37
1	D	374	HIS	CB-CG	-5.09	1.43	1.50
2	F	631	TRP	NE1-CE2	-5.08	1.31	1.37
5	J	59	TYR	CB-CG	-5.07	1.40	1.51

All (187) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	32	LEU	N-CA-C	8.45	122.66	108.13
5	H	56	GLY	N-CA-C	-8.19	100.90	112.37
6	P	26	SER	N-CA-C	-8.17	104.46	114.75
1	C	437	PRO	N-CA-C	-7.79	102.25	110.58
1	C	298	ARG	CA-C-N	7.57	128.55	120.83
1	C	298	ARG	C-N-CA	7.57	128.55	120.83
1	C	205	CYS	CA-C-N	7.44	127.61	119.87
1	C	205	CYS	C-N-CA	7.44	127.61	119.87
5	J	105	GLN	N-CA-C	-7.29	104.91	113.88
1	D	298	ARG	CA-C-N	7.18	127.80	120.04
1	D	298	ARG	C-N-CA	7.18	127.80	120.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	30	TYR	N-CA-C	-7.17	105.06	114.31
1	C	332	ASN	CA-CB-CG	7.01	119.61	112.60
1	A	205	CYS	CA-C-N	7.00	126.63	119.56
1	A	205	CYS	C-N-CA	7.00	126.63	119.56
1	C	437	PRO	CA-C-N	6.88	127.06	120.31
1	C	437	PRO	C-N-CA	6.88	127.06	120.31
1	A	71	THR	N-CA-C	6.83	120.79	111.17
3	G	67	VAL	N-CA-C	6.81	117.64	108.11
1	D	182	VAL	N-CA-C	6.80	115.48	107.73
2	E	621	MET	CA-C-N	-6.76	116.25	123.08
2	E	621	MET	C-N-CA	-6.76	116.25	123.08
1	A	383	PHE	CA-CB-CG	6.75	120.55	113.80
6	L	30	TYR	N-CA-C	-6.73	105.69	114.04
1	C	464	GLU	N-CA-C	6.72	121.08	113.01
4	I	57	ILE	CA-C-N	6.70	126.66	120.03
4	I	57	ILE	C-N-CA	6.70	126.66	120.03
6	P	60	HIS	CA-CB-CG	-6.59	107.21	113.80
4	O	57	ILE	CA-C-N	6.57	126.53	120.03
4	O	57	ILE	C-N-CA	6.57	126.53	120.03
1	C	130	ASN	CA-CB-CG	6.56	119.16	112.60
3	G	60	ASN	CA-C-N	6.54	127.06	119.47
3	G	60	ASN	C-N-CA	6.54	127.06	119.47
2	B	624	ASN	CA-CB-CG	-6.54	106.06	112.60
1	C	182	VAL	CB-CA-C	-6.52	103.74	110.71
1	A	182	VAL	CB-CA-C	-6.50	103.30	110.78
5	J	93	ALA	N-CA-C	6.49	119.35	110.06
3	M	60	ASN	CA-C-N	6.48	126.99	119.47
3	M	60	ASN	C-N-CA	6.48	126.99	119.47
1	A	120	VAL	N-CA-C	6.45	117.36	109.30
5	J	56	GLY	N-CA-C	-6.43	103.84	112.14
2	E	608	VAL	CA-C-N	6.41	126.38	119.78
2	E	608	VAL	C-N-CA	6.41	126.38	119.78
1	D	205	CYS	CA-C-N	6.40	126.02	119.56
1	D	205	CYS	C-N-CA	6.40	126.02	119.56
4	I	42	ALA	CA-C-N	6.38	126.34	120.03
4	I	42	ALA	C-N-CA	6.38	126.34	120.03
1	C	492	GLU	CA-C-N	6.35	126.48	119.87
1	C	492	GLU	C-N-CA	6.35	126.48	119.87
6	N	27	ILE	CB-CA-C	-6.33	106.33	111.71
1	D	437	PRO	CA-C-N	6.33	126.24	119.85
1	D	437	PRO	C-N-CA	6.33	126.24	119.85
4	O	42	ALA	CA-C-N	6.32	126.28	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	O	42	ALA	C-N-CA	6.32	126.28	120.03
1	C	300	ASN	N-CA-C	-6.29	102.23	110.53
3	G	27	VAL	CA-C-N	6.26	126.23	119.78
3	G	27	VAL	C-N-CA	6.26	126.23	119.78
1	A	468	PHE	CA-CB-CG	-6.22	107.58	113.80
1	A	437	PRO	CA-C-N	6.18	126.14	119.78
1	A	437	PRO	C-N-CA	6.18	126.14	119.78
1	D	267	GLU	N-CA-C	6.16	118.08	111.36
6	P	21	SER	N-CA-C	6.14	118.41	109.07
1	C	313	PRO	CB-CA-C	-6.12	103.75	111.71
2	B	611	ASN	CA-CB-CG	6.12	118.72	112.60
6	P	50	GLU	CB-CA-C	-6.10	109.53	116.54
1	A	36	VAL	CB-CA-C	-6.10	102.78	111.31
6	L	60	HIS	CA-CB-CG	-6.09	107.71	113.80
3	M	67	VAL	N-CA-C	6.08	116.62	108.11
1	A	492	GLU	CA-C-N	6.07	126.19	119.87
1	A	492	GLU	C-N-CA	6.07	126.19	119.87
1	D	261	LEU	CA-C-N	6.07	130.75	122.07
1	D	261	LEU	C-N-CA	6.07	130.75	122.07
2	F	608	VAL	CA-C-N	6.05	126.01	119.78
2	F	608	VAL	C-N-CA	6.05	126.01	119.78
1	D	492	GLU	CA-C-N	6.04	126.16	119.87
1	D	492	GLU	C-N-CA	6.04	126.16	119.87
4	O	53	ARG	CA-C-N	6.00	125.97	120.03
4	O	53	ARG	C-N-CA	6.00	125.97	120.03
1	C	81	PRO	N-CA-C	-6.00	101.78	111.14
6	N	54	ARG	CA-C-N	5.99	125.90	119.85
6	N	54	ARG	C-N-CA	5.99	125.90	119.85
6	P	1	SER	CA-C-N	5.98	128.21	120.44
6	P	1	SER	C-N-CA	5.98	128.21	120.44
1	C	120	VAL	N-CA-C	5.97	116.76	109.30
1	C	181	ILE	CA-C-N	5.93	126.86	122.59
1	C	181	ILE	C-N-CA	5.93	126.86	122.59
1	C	181	ILE	N-CA-C	5.92	116.40	108.11
1	A	219	ALA	CA-C-N	5.91	125.88	120.03
1	A	219	ALA	C-N-CA	5.91	125.88	120.03
1	D	219	ALA	CA-C-N	5.88	125.85	120.03
1	D	219	ALA	C-N-CA	5.88	125.85	120.03
3	M	27	VAL	CA-C-N	5.87	125.87	119.89
3	M	27	VAL	C-N-CA	5.87	125.87	119.89
1	D	130	ASN	CA-CB-CG	5.84	118.44	112.60
1	D	339	ASN	CA-CB-CG	5.82	118.42	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	120	VAL	N-CA-C	5.82	116.57	109.30
2	E	544	LEU	CA-C-N	5.78	132.84	122.38
2	E	544	LEU	C-N-CA	5.78	132.84	122.38
6	N	43	ALA	CA-C-N	5.70	125.65	119.78
6	N	43	ALA	C-N-CA	5.70	125.65	119.78
1	C	469	ARG	CA-C-N	5.69	125.64	119.78
1	C	469	ARG	C-N-CA	5.69	125.64	119.78
1	D	262	ASN	CA-CB-CG	5.67	118.27	112.60
1	D	75	VAL	CA-C-N	5.66	125.61	119.78
1	D	75	VAL	C-N-CA	5.66	125.61	119.78
1	C	363	GLN	CB-CA-C	-5.66	110.03	116.54
2	E	536	THR	CA-C-N	5.65	128.12	120.38
2	E	536	THR	C-N-CA	5.65	128.12	120.38
1	C	219	ALA	CA-C-N	5.65	125.62	120.03
1	C	219	ALA	C-N-CA	5.65	125.62	120.03
6	P	43	ALA	CA-C-N	5.64	125.59	119.78
6	P	43	ALA	C-N-CA	5.64	125.59	119.78
1	A	182	VAL	N-CA-C	5.63	114.08	107.77
1	A	194	ILE	N-CA-C	5.62	116.35	110.62
1	A	368	ASP	CA-C-N	5.62	125.98	119.47
1	A	368	ASP	C-N-CA	5.62	125.98	119.47
1	A	267	GLU	N-CA-C	5.58	117.44	111.36
1	C	68	VAL	N-CA-C	-5.57	101.64	109.21
1	A	497	ALA	CA-C-N	5.55	125.46	119.85
1	A	497	ALA	C-N-CA	5.55	125.46	119.85
1	D	151	ARG	CB-CA-C	-5.54	110.17	116.54
3	G	83	THR	N-CA-C	5.50	118.94	110.42
1	A	123	THR	CA-C-N	5.50	125.21	119.82
1	A	123	THR	C-N-CA	5.50	125.21	119.82
6	L	43	ALA	CA-C-N	5.48	125.46	120.03
6	L	43	ALA	C-N-CA	5.48	125.46	120.03
5	K	100(I)	LEU	CB-CA-C	-5.47	103.81	111.80
2	E	542	ARG	CA-C-N	-5.47	112.70	122.32
2	E	542	ARG	C-N-CA	-5.47	112.70	122.32
5	H	5	LEU	N-CA-C	5.46	117.30	108.34
1	D	237	GLY	CA-C-N	5.44	125.38	119.78
1	D	237	GLY	C-N-CA	5.44	125.38	119.78
5	H	97	ARG	CA-C-N	-5.41	115.20	120.34
5	H	97	ARG	C-N-CA	-5.41	115.20	120.34
6	P	54	ARG	CA-C-N	5.41	125.31	119.85
6	P	54	ARG	C-N-CA	5.41	125.31	119.85
1	D	164	SER	CB-CA-C	-5.40	110.37	116.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	O	84	ASP	CA-CB-CG	5.38	117.98	112.60
3	M	83	THR	N-CA-C	5.38	118.76	110.42
1	C	391	PHE	N-CA-C	5.33	118.93	111.30
4	I	7	PRO	CA-C-N	5.33	125.40	119.32
4	I	7	PRO	C-N-CA	5.33	125.40	119.32
1	C	261	LEU	CA-C-N	5.33	129.69	122.07
1	C	261	LEU	C-N-CA	5.33	129.69	122.07
1	C	237	GLY	CA-C-N	5.29	125.05	119.76
1	C	237	GLY	C-N-CA	5.29	125.05	119.76
6	N	50	GLU	CB-CA-C	-5.28	110.47	116.54
1	D	313	PRO	N-CA-C	-5.27	106.20	113.53
3	G	91	TYR	CA-C-N	5.27	129.43	122.42
3	G	91	TYR	C-N-CA	5.27	129.43	122.42
1	A	364	SER	N-CA-C	5.26	117.75	111.71
1	A	70	ALA	CA-C-N	5.25	130.28	122.82
1	A	70	ALA	C-N-CA	5.25	130.28	122.82
1	A	376	PHE	CA-CB-CG	5.24	119.04	113.80
6	L	6	GLN	CA-C-N	5.23	125.13	119.85
6	L	6	GLN	C-N-CA	5.23	125.13	119.85
2	B	608	VAL	CA-C-N	5.23	125.13	119.85
2	B	608	VAL	C-N-CA	5.23	125.13	119.85
1	D	195	ASN	CA-C-N	5.23	127.55	120.65
1	D	195	ASN	C-N-CA	5.23	127.55	120.65
3	M	100(H)	PHE	CA-CB-CG	5.21	119.01	113.80
1	C	262	ASN	CA-CB-CG	5.21	117.81	112.60
1	D	469	ARG	CA-C-N	5.21	125.13	119.76
1	D	469	ARG	C-N-CA	5.21	125.13	119.76
5	K	28	THR	N-CA-C	-5.20	101.50	109.41
1	A	133	ASP	N-CA-C	5.20	117.42	109.62
1	A	278	THR	N-CA-C	-5.19	107.11	113.50
6	N	60	HIS	CA-CB-CG	-5.18	108.62	113.80
1	A	257	THR	N-CA-C	5.16	116.99	108.48
2	B	637	ASN	CA-CB-CG	5.16	117.76	112.60
1	A	436	ALA	CA-C-N	5.14	125.68	120.38
1	A	436	ALA	C-N-CA	5.14	125.68	120.38
6	L	54	ARG	CA-C-N	5.12	125.33	120.31
6	L	54	ARG	C-N-CA	5.12	125.33	120.31
1	A	70	ALA	N-CA-C	-5.09	104.69	111.87
1	D	297	THR	N-CA-C	5.08	116.97	108.99
1	C	383	PHE	CA-CB-CG	5.06	118.86	113.80
3	G	66	ARG	CA-C-N	-5.05	116.52	123.14
3	G	66	ARG	C-N-CA	-5.05	116.52	123.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	501	CYS	CA-C-N	5.05	130.79	121.70
1	D	501	CYS	C-N-CA	5.05	130.79	121.70
1	D	191	TYR	N-CA-C	5.05	117.47	109.50
1	C	436	ALA	CA-C-N	5.04	123.29	119.66
1	C	436	ALA	C-N-CA	5.04	123.29	119.66
3	M	14	PRO	N-CA-C	-5.02	103.23	111.21
1	C	194	ILE	N-CA-C	5.02	115.57	109.30
1	C	165	ILE	N-CA-C	-5.01	108.24	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3403	0	3351	10	0
1	C	3403	0	3352	15	0
1	D	3403	0	3351	15	0
2	B	992	0	967	4	0
2	E	898	0	879	2	0
2	F	907	0	885	2	0
3	G	969	0	948	3	0
3	M	969	0	948	7	0
4	I	820	0	788	1	0
4	O	820	0	788	3	0
5	H	990	0	942	2	0
5	J	990	0	942	2	0
5	K	990	0	942	10	0
6	L	795	0	773	1	0
6	N	795	0	773	2	0
6	P	795	0	773	5	0
7	2	28	0	25	0	0
7	9	28	0	25	0	0
7	AA	28	0	25	0	0
7	Q	28	0	25	0	0
7	W	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	g	28	0	25	0	0
7	l	28	0	25	0	0
7	s	28	0	25	0	0
7	u	28	0	25	0	0
7	v	28	0	25	0	0
8	0	39	0	34	0	0
8	1	39	0	34	0	0
8	3	39	0	34	0	0
8	4	39	0	34	0	0
8	5	39	0	34	0	0
8	6	39	0	34	0	0
8	7	39	0	34	0	0
8	8	39	0	34	0	0
8	R	39	0	34	0	0
8	T	39	0	34	0	0
8	U	39	0	34	0	0
8	V	39	0	33	0	0
8	X	39	0	34	0	0
8	Y	39	0	34	0	0
8	Z	39	0	34	0	0
8	a	39	0	34	0	0
8	b	39	0	34	0	0
8	c	39	0	34	0	0
8	e	39	0	34	0	0
8	f	39	0	34	0	0
8	h	39	0	34	0	0
8	i	39	0	34	0	0
8	j	39	0	34	1	0
8	k	39	0	34	1	0
8	m	39	0	34	1	0
8	n	39	0	34	0	0
8	o	39	0	34	0	0
8	p	39	0	34	0	0
8	q	39	0	34	0	0
8	r	39	0	34	1	0
8	t	39	0	34	0	0
8	w	39	0	34	0	0
8	x	39	0	34	0	0
8	z	39	0	34	0	0
9	S	61	0	52	0	0
9	y	61	0	52	0	0
10	d	39	0	34	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	A	70	0	65	0	0
11	B	42	0	39	2	0
11	C	42	0	39	0	0
11	D	84	0	78	0	0
11	E	28	0	26	0	0
11	F	28	0	26	0	0
All	All	24000	0	23218	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:K:101:ASP:OD1	6:P:46:VAL:HG21	1.43	1.17
5:K:101:ASP:OD1	6:P:46:VAL:CG2	1.98	1.10
1:D:358:THR:HG23	1:D:396:ASN:HB3	1.59	0.82
5:K:100(H):TRP:NE1	5:K:101:ASP:OD2	2.12	0.82
1:C:312:ALA:HB3	1:C:315:ARG:HB3	1.74	0.69
1:A:120:VAL:HG22	1:A:315:ARG:HG3	1.76	0.67
5:K:101:ASP:HB2	5:K:102:PRO:HD3	1.75	0.67
1:C:312:ALA:HB1	1:C:313:PRO:HD2	1.77	0.67
1:C:166:ARG:NH2	1:C:313:PRO:HB3	2.10	0.66
2:B:634:GLU:O	11:B:702:NAG:H83	1.99	0.62
1:D:312:ALA:HB3	1:D:315:ARG:HB2	1.86	0.57
1:A:107:ASP:OD1	2:B:574:LYS:NZ	2.40	0.55
5:K:101:ASP:OD1	6:P:46:VAL:CB	2.53	0.55
4:O:35:TYR:CE1	4:O:86:TYR:HB2	2.42	0.55
1:C:312:ALA:HB3	1:C:315:ARG:CB	2.37	0.54
1:D:107:ASP:OD1	2:F:574:LYS:NZ	2.42	0.53
5:K:100(H):TRP:CD1	5:K:101:ASP:OD2	2.62	0.53
1:C:277:PHE:H	8:k:1:NAG:H82	1.73	0.52
5:K:101:ASP:OD1	6:P:46:VAL:HG23	2.02	0.52
2:B:620:ASP:N	2:B:620:ASP:OD1	2.43	0.51
1:C:107:ASP:OD1	2:E:574:LYS:NZ	2.44	0.50
1:A:232:LYS:NZ	1:A:269:GLU:OE2	2.45	0.50
1:A:312:ALA:HB1	1:A:313:PRO:HD2	1.95	0.49
6:L:49:PHE:O	6:L:50:GLU:C	2.56	0.49
5:J:101:ASP:HB3	5:J:102:PRO:HD3	1.95	0.49
6:P:49:PHE:O	6:P:50:GLU:C	2.55	0.48
1:C:315:ARG:C	1:C:316:TRP:CD1	2.91	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:490:LYS:NZ	1:C:492:GLU:OE2	2.44	0.48
4:I:35:TYR:CZ	4:I:86:TYR:HB2	2.49	0.48
3:M:100(G):TRP:O	3:M:100(G):TRP:CG	2.66	0.48
3:M:101:ASP:HB2	3:M:102:PRO:HD3	1.97	0.47
1:D:123:THR:N	1:D:124:PRO:CD	2.78	0.47
1:D:290:GLU:OE2	1:D:337:LYS:NZ	2.46	0.46
1:C:363:GLN:O	1:C:470:PRO:HD2	2.15	0.46
1:C:97:LYS:NZ	5:K:100:ASP:O	2.49	0.46
2:B:617:ARG:HB2	11:B:701:NAG:H81	1.98	0.46
8:j:1:NAG:H83	8:r:1:NAG:H83	1.97	0.46
1:D:56:SER:O	1:D:57:ASP:C	2.56	0.46
2:F:606:THR:OG1	2:F:607:ALA:N	2.48	0.46
3:G:34:TRP:CH2	3:G:92:CYS:SG	3.09	0.45
1:C:123:THR:N	1:C:124:PRO:CD	2.80	0.45
1:D:165:ILE:HG12	1:D:313:PRO:HA	1.99	0.45
1:D:309:ILE:HG13	1:D:312:ALA:H	1.82	0.45
1:A:357:LYS:HB3	1:A:358:THR:H	1.70	0.45
2:E:606:THR:OG1	2:E:607:ALA:N	2.50	0.44
4:O:35:TYR:CZ	4:O:86:TYR:HB2	2.52	0.44
1:A:71:THR:HB	1:A:74:CYS:HB2	2.00	0.44
3:M:100(G):TRP:NE1	4:O:35:TYR:CD1	2.86	0.44
1:A:314:GLY:H	1:D:198:THR:HA	1.82	0.43
1:D:358:THR:HB	1:D:465:THR:HG23	2.00	0.43
1:D:461:ASN:OD1	1:D:461:ASN:N	2.50	0.43
3:G:101:ASP:HB2	3:G:102:PRO:HD3	2.00	0.43
1:C:413:HIS:CD2	8:m:1:NAG:H81	2.53	0.43
5:H:101:ASP:HB2	5:H:102:PRO:HD3	2.00	0.43
3:M:100(G):TRP:O	3:M:100(H):PHE:CB	2.64	0.43
1:D:165:ILE:O	1:D:166:ARG:HB2	2.19	0.43
6:N:49:PHE:O	6:N:50:GLU:C	2.61	0.43
3:M:52:PHE:CG	3:M:53:PHE:N	2.87	0.42
1:A:463(A):LYS:O	1:A:463(B):THR:C	2.63	0.41
5:H:47:TRP:CZ2	5:H:49:GLY:HA2	2.55	0.41
1:A:280:ASN:OD1	1:A:280:ASN:C	2.62	0.41
1:D:294:ILE:HD11	1:D:331:CYS:HB3	2.01	0.41
5:K:47:TRP:CZ2	5:K:49:GLY:HA2	2.55	0.41
1:C:173:TYR:CD2	1:C:173:TYR:C	2.97	0.41
1:C:113:ASP:OD2	1:C:429:LYS:NZ	2.53	0.41
1:D:99:ASP:OD1	1:D:99:ASP:N	2.53	0.41
3:M:100(G):TRP:O	3:M:100(H):PHE:HB2	2.21	0.41
1:A:133:ASP:OD1	1:A:155:LYS:NZ	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:N:27:ILE:O	6:N:31:ASP:N	2.54	0.41
1:C:99:ASP:OD1	1:C:99:ASP:N	2.50	0.40
5:K:100(H):TRP:NE1	5:K:101:ASP:CG	2.78	0.40
1:D:165:ILE:CG1	1:D:313:PRO:HA	2.51	0.40
3:M:94:ARG:HB3	3:M:102:PRO:HG2	2.04	0.40
3:G:52:PHE:CG	3:G:53:PHE:N	2.89	0.40
5:J:47:TRP:CZ2	5:J:49:GLY:HA2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	419/482 (87%)	410 (98%)	9 (2%)	0	100	100
1	C	419/482 (87%)	404 (96%)	15 (4%)	0	100	100
1	D	419/482 (87%)	408 (97%)	11 (3%)	0	100	100
2	B	120/154 (78%)	118 (98%)	2 (2%)	0	100	100
2	E	109/154 (71%)	106 (97%)	3 (3%)	0	100	100
2	F	110/154 (71%)	108 (98%)	2 (2%)	0	100	100
3	G	121/124 (98%)	117 (97%)	4 (3%)	0	100	100
3	M	121/124 (98%)	115 (95%)	6 (5%)	0	100	100
4	I	106/108 (98%)	106 (100%)	0	0	100	100
4	O	106/108 (98%)	106 (100%)	0	0	100	100
5	H	123/126 (98%)	119 (97%)	4 (3%)	0	100	100
5	J	123/126 (98%)	119 (97%)	4 (3%)	0	100	100
5	K	123/126 (98%)	120 (98%)	3 (2%)	0	100	100
6	L	104/108 (96%)	99 (95%)	5 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	N	104/108 (96%)	101 (97%)	3 (3%)	0	100	100
6	P	104/108 (96%)	102 (98%)	2 (2%)	0	100	100
All	All	2731/3074 (89%)	2658 (97%)	73 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	387/429 (90%)	384 (99%)	3 (1%)	73	77
1	C	387/429 (90%)	385 (100%)	2 (0%)	81	82
1	D	387/429 (90%)	383 (99%)	4 (1%)	68	76
2	B	107/130 (82%)	107 (100%)	0	100	100
2	E	96/130 (74%)	96 (100%)	0	100	100
2	F	97/130 (75%)	96 (99%)	1 (1%)	68	76
3	G	109/110 (99%)	109 (100%)	0	100	100
3	M	109/110 (99%)	109 (100%)	0	100	100
4	I	91/91 (100%)	91 (100%)	0	100	100
4	O	91/91 (100%)	91 (100%)	0	100	100
5	H	103/104 (99%)	103 (100%)	0	100	100
5	J	103/104 (99%)	103 (100%)	0	100	100
5	K	103/104 (99%)	103 (100%)	0	100	100
6	L	89/91 (98%)	89 (100%)	0	100	100
6	N	89/91 (98%)	89 (100%)	0	100	100
6	P	89/91 (98%)	89 (100%)	0	100	100
All	All	2437/2664 (92%)	2427 (100%)	10 (0%)	81	84

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	315	ARG
1	A	354	LYS
1	A	357	LYS
1	C	354	LYS
1	C	357	LYS
1	D	295	ASN
1	D	309	ILE
1	D	354	LYS
1	D	358	THR
2	F	625	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	344	GLN
1	A	352	GLN
1	A	428	GLN
1	C	114	GLN
1	C	352	GLN
2	E	550	GLN
2	E	650	GLN
2	F	650	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

135 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	0	1	1,8	14,14,15	2.31	6 (42%)	17,19,21	1.41	4 (23%)
8	NAG	0	2	8	14,14,15	2.08	4 (28%)	17,19,21	1.04	1 (5%)
8	BMA	0	3	8	11,11,12	1.91	4 (36%)	15,15,17	0.71	0
8	NAG	1	1	1,8	14,14,15	1.98	5 (35%)	17,19,21	1.49	3 (17%)
8	NAG	1	2	8	14,14,15	1.93	5 (35%)	17,19,21	1.08	2 (11%)
8	BMA	1	3	8	11,11,12	1.90	5 (45%)	15,15,17	0.76	1 (6%)
7	NAG	2	1	7,1	14,14,15	2.07	5 (35%)	17,19,21	1.24	2 (11%)
7	NAG	2	2	7	14,14,15	2.30	6 (42%)	17,19,21	1.13	2 (11%)
8	NAG	3	1	1,8	14,14,15	2.27	5 (35%)	17,19,21	1.70	4 (23%)
8	NAG	3	2	8	14,14,15	2.29	6 (42%)	17,19,21	1.23	3 (17%)
8	BMA	3	3	8	11,11,12	2.02	6 (54%)	15,15,17	0.66	0
8	NAG	4	1	1,8	14,14,15	2.05	5 (35%)	17,19,21	1.10	1 (5%)
8	NAG	4	2	8	14,14,15	2.08	5 (35%)	17,19,21	1.00	1 (5%)
8	BMA	4	3	8	11,11,12	1.94	6 (54%)	15,15,17	0.65	0
8	NAG	5	1	1,8	14,14,15	1.98	4 (28%)	17,19,21	1.15	1 (5%)
8	NAG	5	2	8	14,14,15	2.07	6 (42%)	17,19,21	0.98	2 (11%)
8	BMA	5	3	8	11,11,12	1.95	6 (54%)	15,15,17	0.73	0
8	NAG	6	1	1,8	14,14,15	2.24	5 (35%)	17,19,21	1.26	3 (17%)
8	NAG	6	2	8	14,14,15	2.42	7 (50%)	17,19,21	1.32	3 (17%)
8	BMA	6	3	8	11,11,12	1.97	6 (54%)	15,15,17	0.68	0
8	NAG	7	1	1,8	14,14,15	2.15	7 (50%)	17,19,21	1.02	1 (5%)
8	NAG	7	2	8	14,14,15	2.11	5 (35%)	17,19,21	0.94	1 (5%)
8	BMA	7	3	8	11,11,12	1.98	6 (54%)	15,15,17	0.75	0
8	NAG	8	1	1,8	14,14,15	0.56	0	17,19,21	1.25	2 (11%)
8	NAG	8	2	8	14,14,15	0.31	0	17,19,21	1.49	4 (23%)
8	BMA	8	3	8	11,11,12	0.20	0	15,15,17	0.84	1 (6%)
7	NAG	9	1	7,2	14,14,15	2.37	5 (35%)	17,19,21	1.17	1 (5%)
7	NAG	9	2	7	14,14,15	2.28	7 (50%)	17,19,21	0.90	2 (11%)
7	NAG	AA	1	7,2	14,14,15	2.24	7 (50%)	17,19,21	1.27	2 (11%)
7	NAG	AA	2	7	14,14,15	2.33	6 (42%)	17,19,21	0.89	1 (5%)
7	NAG	Q	1	7,1	14,14,15	2.33	6 (42%)	17,19,21	1.18	2 (11%)
7	NAG	Q	2	7	14,14,15	2.11	6 (42%)	17,19,21	0.91	1 (5%)
8	NAG	R	1	1,8	14,14,15	2.26	7 (50%)	17,19,21	1.55	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	R	2	8	14,14,15	2.08	5 (35%)	17,19,21	1.14	2 (11%)
8	BMA	R	3	8	11,11,12	1.99	6 (54%)	15,15,17	0.75	0
9	NAG	S	1	1,9	14,14,15	2.10	5 (35%)	17,19,21	0.99	0
9	NAG	S	2	9	14,14,15	2.03	5 (35%)	17,19,21	1.01	1 (5%)
9	BMA	S	3	9	11,11,12	1.58	3 (27%)	15,15,17	0.85	1 (6%)
9	MAN	S	4	9	11,11,12	2.00	5 (45%)	15,15,17	0.75	0
9	MAN	S	5	9	11,11,12	1.85	4 (36%)	15,15,17	0.80	0
8	NAG	T	1	1,8	14,14,15	1.97	5 (35%)	17,19,21	1.13	1 (5%)
8	NAG	T	2	8	14,14,15	2.10	6 (42%)	17,19,21	1.00	1 (5%)
8	BMA	T	3	8	11,11,12	1.97	5 (45%)	15,15,17	0.64	0
8	NAG	U	1	1,8	14,14,15	2.14	5 (35%)	17,19,21	1.16	1 (5%)
8	NAG	U	2	8	14,14,15	2.14	6 (42%)	17,19,21	1.33	3 (17%)
8	BMA	U	3	8	11,11,12	2.01	4 (36%)	15,15,17	0.65	0
8	NAG	V	1	1,8	14,14,15	2.21	6 (42%)	17,19,21	0.98	1 (5%)
8	NAG	V	2	8	14,14,15	1.92	5 (35%)	17,19,21	12.54	4 (23%)
8	BMA	V	3	8	11,11,12	1.88	4 (36%)	15,15,17	0.79	0
7	NAG	W	1	7,1	14,14,15	1.96	5 (35%)	17,19,21	1.27	2 (11%)
7	NAG	W	2	7	14,14,15	2.12	5 (35%)	17,19,21	0.94	1 (5%)
8	NAG	X	1	1,8	14,14,15	2.01	7 (50%)	17,19,21	1.30	2 (11%)
8	NAG	X	2	8	14,14,15	2.18	5 (35%)	17,19,21	0.94	1 (5%)
8	BMA	X	3	8	11,11,12	2.00	6 (54%)	15,15,17	0.64	0
8	NAG	Y	1	1,8	14,14,15	2.07	7 (50%)	17,19,21	1.09	1 (5%)
8	NAG	Y	2	8	14,14,15	2.01	5 (35%)	17,19,21	1.01	2 (11%)
8	BMA	Y	3	8	11,11,12	1.94	6 (54%)	15,15,17	0.74	0
8	NAG	Z	1	1,8	14,14,15	2.01	4 (28%)	17,19,21	0.98	0
8	NAG	Z	2	8	14,14,15	2.03	6 (42%)	17,19,21	0.95	1 (5%)
8	BMA	Z	3	8	11,11,12	1.95	5 (45%)	15,15,17	0.73	0
8	NAG	a	1	1,8	14,14,15	2.22	5 (35%)	17,19,21	1.17	2 (11%)
8	NAG	a	2	8	14,14,15	2.43	7 (50%)	17,19,21	1.27	2 (11%)
8	BMA	a	3	8	11,11,12	2.03	6 (54%)	15,15,17	0.62	0
8	NAG	b	1	1,8	14,14,15	2.18	4 (28%)	17,19,21	0.94	1 (5%)
8	NAG	b	2	8	14,14,15	2.05	6 (42%)	17,19,21	0.97	1 (5%)
8	BMA	b	3	8	11,11,12	1.99	5 (45%)	15,15,17	0.69	0
8	NAG	c	1	1,8	14,14,15	2.13	5 (35%)	17,19,21	1.15	1 (5%)
8	NAG	c	2	8	14,14,15	2.44	6 (42%)	17,19,21	1.14	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	BMA	c	3	8	11,11,12	2.03	6 (54%)	15,15,17	0.63	0
10	NAG	d	1	10,1	14,14,15	2.13	4 (28%)	17,19,21	1.12	2 (11%)
10	NAG	d	2	10	14,14,15	2.23	8 (57%)	17,19,21	1.32	4 (23%)
10	BMA	d	3	10	11,11,12	1.96	5 (45%)	15,15,17	0.69	0
8	NAG	e	1	2,8	14,14,15	2.18	6 (42%)	17,19,21	1.66	4 (23%)
8	NAG	e	2	8	14,14,15	2.18	6 (42%)	17,19,21	0.91	1 (5%)
8	BMA	e	3	8	11,11,12	2.00	6 (54%)	15,15,17	0.63	0
8	NAG	f	1	1,8	14,14,15	2.10	6 (42%)	17,19,21	1.11	2 (11%)
8	NAG	f	2	8	14,14,15	2.09	6 (42%)	17,19,21	1.28	2 (11%)
8	BMA	f	3	8	11,11,12	1.96	6 (54%)	15,15,17	0.69	0
7	NAG	g	1	7,1	14,14,15	2.36	6 (42%)	17,19,21	0.84	0
7	NAG	g	2	7	14,14,15	1.99	6 (42%)	17,19,21	0.99	2 (11%)
8	NAG	h	1	1,8	14,14,15	2.07	5 (35%)	17,19,21	1.23	3 (17%)
8	NAG	h	2	8	14,14,15	2.07	5 (35%)	17,19,21	0.98	1 (5%)
8	BMA	h	3	8	11,11,12	2.01	5 (45%)	15,15,17	0.63	0
8	NAG	i	1	1,8	14,14,15	2.16	6 (42%)	17,19,21	1.38	3 (17%)
8	NAG	i	2	8	14,14,15	2.20	5 (35%)	17,19,21	1.24	4 (23%)
8	BMA	i	3	8	11,11,12	1.98	5 (45%)	15,15,17	0.66	0
8	NAG	j	1	1,8	14,14,15	2.26	7 (50%)	17,19,21	1.34	4 (23%)
8	NAG	j	2	8	14,14,15	2.02	4 (28%)	17,19,21	1.05	2 (11%)
8	BMA	j	3	8	11,11,12	1.95	4 (36%)	15,15,17	0.75	0
8	NAG	k	1	1,8	14,14,15	2.02	6 (42%)	17,19,21	1.23	3 (17%)
8	NAG	k	2	8	14,14,15	1.95	6 (42%)	17,19,21	1.09	1 (5%)
8	BMA	k	3	8	11,11,12	1.96	5 (45%)	15,15,17	0.67	0
7	NAG	l	1	7,1	14,14,15	2.01	5 (35%)	17,19,21	1.35	3 (17%)
7	NAG	l	2	7	14,14,15	2.02	5 (35%)	17,19,21	0.89	1 (5%)
8	NAG	m	1	1,8	14,14,15	2.07	6 (42%)	17,19,21	1.16	2 (11%)
8	NAG	m	2	8	14,14,15	2.11	6 (42%)	17,19,21	0.89	1 (5%)
8	BMA	m	3	8	11,11,12	1.97	5 (45%)	15,15,17	0.73	0
8	NAG	n	1	1,8	14,14,15	2.39	6 (42%)	17,19,21	1.59	3 (17%)
8	NAG	n	2	8	14,14,15	2.21	6 (42%)	17,19,21	1.08	1 (5%)
8	BMA	n	3	8	11,11,12	2.07	6 (54%)	15,15,17	0.65	0
8	NAG	o	1	1,8	14,14,15	2.14	6 (42%)	17,19,21	1.31	3 (17%)
8	NAG	o	2	8	14,14,15	2.18	7 (50%)	17,19,21	1.25	4 (23%)
8	BMA	o	3	8	11,11,12	1.98	6 (54%)	15,15,17	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	p	1	1,8	14,14,15	2.09	4 (28%)	17,19,21	1.08	0
8	NAG	p	2	8	14,14,15	2.42	7 (50%)	17,19,21	1.33	4 (23%)
8	BMA	p	3	8	11,11,12	2.00	5 (45%)	15,15,17	0.68	0
8	NAG	q	1	1,8	14,14,15	2.10	7 (50%)	17,19,21	1.15	2 (11%)
8	NAG	q	2	8	14,14,15	2.25	7 (50%)	17,19,21	0.95	0
8	BMA	q	3	8	11,11,12	2.00	5 (45%)	15,15,17	0.69	0
8	NAG	r	1	1,8	14,14,15	2.24	6 (42%)	17,19,21	1.08	2 (11%)
8	NAG	r	2	8	14,14,15	2.08	6 (42%)	17,19,21	1.04	2 (11%)
8	BMA	r	3	8	11,11,12	1.99	5 (45%)	15,15,17	0.63	0
7	NAG	s	1	7,1	14,14,15	2.20	5 (35%)	17,19,21	1.14	1 (5%)
7	NAG	s	2	7	14,14,15	2.09	5 (35%)	17,19,21	0.87	1 (5%)
8	NAG	t	1	1,8	14,14,15	2.13	5 (35%)	17,19,21	1.11	2 (11%)
8	NAG	t	2	8	14,14,15	2.22	6 (42%)	17,19,21	1.31	4 (23%)
8	BMA	t	3	8	11,11,12	2.06	5 (45%)	15,15,17	0.70	0
7	NAG	u	1	7,2	14,14,15	2.30	6 (42%)	17,19,21	1.47	3 (17%)
7	NAG	u	2	7	14,14,15	2.26	7 (50%)	17,19,21	0.94	2 (11%)
7	NAG	v	1	7,2	14,14,15	2.38	6 (42%)	17,19,21	1.06	1 (5%)
7	NAG	v	2	7	14,14,15	2.06	5 (35%)	17,19,21	0.89	1 (5%)
8	NAG	w	1	1,8	14,14,15	2.03	4 (28%)	17,19,21	1.07	1 (5%)
8	NAG	w	2	8	14,14,15	2.10	6 (42%)	17,19,21	1.02	2 (11%)
8	BMA	w	3	8	11,11,12	1.96	6 (54%)	15,15,17	0.63	0
8	NAG	x	1	1,8	14,14,15	2.37	6 (42%)	17,19,21	1.34	1 (5%)
8	NAG	x	2	8	14,14,15	2.20	6 (42%)	17,19,21	1.24	3 (17%)
8	BMA	x	3	8	11,11,12	2.00	5 (45%)	15,15,17	0.67	0
9	NAG	y	1	1,9	14,14,15	2.29	6 (42%)	17,19,21	1.21	2 (11%)
9	NAG	y	2	9	14,14,15	2.25	6 (42%)	17,19,21	1.75	4 (23%)
9	BMA	y	3	9	11,11,12	1.41	3 (27%)	15,15,17	0.67	0
9	MAN	y	4	9	11,11,12	1.94	6 (54%)	15,15,17	0.67	0
9	MAN	y	5	9	11,11,12	1.91	5 (45%)	15,15,17	0.72	0
8	NAG	z	1	1,8	14,14,15	2.21	5 (35%)	17,19,21	1.08	2 (11%)
8	NAG	z	2	8	14,14,15	2.27	6 (42%)	17,19,21	1.07	1 (5%)
8	BMA	z	3	8	11,11,12	1.99	5 (45%)	15,15,17	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	0	1	1,8	-	4/6/23/26	0/1/1/1
8	NAG	0	2	8	-	0/6/23/26	0/1/1/1
8	BMA	0	3	8	-	1/2/19/22	0/1/1/1
8	NAG	1	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	1	2	8	-	0/6/23/26	0/1/1/1
8	BMA	1	3	8	-	0/2/19/22	0/1/1/1
7	NAG	2	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	2	2	7	-	0/6/23/26	0/1/1/1
8	NAG	3	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	3	2	8	-	0/6/23/26	0/1/1/1
8	BMA	3	3	8	-	0/2/19/22	0/1/1/1
8	NAG	4	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	4	2	8	-	0/6/23/26	0/1/1/1
8	BMA	4	3	8	-	0/2/19/22	0/1/1/1
8	NAG	5	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	5	2	8	-	0/6/23/26	0/1/1/1
8	BMA	5	3	8	-	1/2/19/22	0/1/1/1
8	NAG	6	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	6	2	8	-	0/6/23/26	0/1/1/1
8	BMA	6	3	8	-	1/2/19/22	0/1/1/1
8	NAG	7	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	7	2	8	-	0/6/23/26	0/1/1/1
8	BMA	7	3	8	-	1/2/19/22	0/1/1/1
8	NAG	8	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	8	2	8	-	3/6/23/26	0/1/1/1
8	BMA	8	3	8	-	1/2/19/22	0/1/1/1
7	NAG	9	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	9	2	7	-	0/6/23/26	0/1/1/1
7	NAG	AA	1	7,2	-	1/6/23/26	0/1/1/1
7	NAG	AA	2	7	-	0/6/23/26	0/1/1/1
7	NAG	Q	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	Q	2	7	-	0/6/23/26	0/1/1/1
8	NAG	R	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	R	2	8	-	0/6/23/26	0/1/1/1
8	BMA	R	3	8	-	1/2/19/22	0/1/1/1
9	NAG	S	1	1,9	-	0/6/23/26	0/1/1/1
9	NAG	S	2	9	-	0/6/23/26	0/1/1/1
9	BMA	S	3	9	-	0/2/19/22	0/1/1/1
9	MAN	S	4	9	-	1/2/19/22	0/1/1/1
9	MAN	S	5	9	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	T	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	T	2	8	-	0/6/23/26	0/1/1/1
8	BMA	T	3	8	-	0/2/19/22	0/1/1/1
8	NAG	U	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	U	2	8	-	0/6/23/26	0/1/1/1
8	BMA	U	3	8	-	0/2/19/22	0/1/1/1
8	NAG	V	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	V	2	8	-	1/6/23/26	0/1/1/1
8	BMA	V	3	8	-	1/2/19/22	0/1/1/1
7	NAG	W	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	W	2	7	-	0/6/23/26	0/1/1/1
8	NAG	X	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	X	2	8	-	0/6/23/26	0/1/1/1
8	BMA	X	3	8	-	0/2/19/22	0/1/1/1
8	NAG	Y	1	1,8	-	1/6/23/26	0/1/1/1
8	NAG	Y	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Y	3	8	-	1/2/19/22	0/1/1/1
8	NAG	Z	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	Z	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Z	3	8	-	1/2/19/22	0/1/1/1
8	NAG	a	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	a	2	8	-	0/6/23/26	0/1/1/1
8	BMA	a	3	8	-	0/2/19/22	0/1/1/1
8	NAG	b	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	b	2	8	-	0/6/23/26	0/1/1/1
8	BMA	b	3	8	-	1/2/19/22	0/1/1/1
8	NAG	c	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	c	2	8	-	0/6/23/26	0/1/1/1
8	BMA	c	3	8	-	0/2/19/22	0/1/1/1
10	NAG	d	1	10,1	-	2/6/23/26	0/1/1/1
10	NAG	d	2	10	-	0/6/23/26	0/1/1/1
10	BMA	d	3	10	-	0/2/19/22	0/1/1/1
8	NAG	e	1	2,8	-	0/6/23/26	0/1/1/1
8	NAG	e	2	8	-	0/6/23/26	0/1/1/1
8	BMA	e	3	8	-	0/2/19/22	0/1/1/1
8	NAG	f	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	f	2	8	-	0/6/23/26	0/1/1/1
8	BMA	f	3	8	-	2/2/19/22	0/1/1/1
7	NAG	g	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	g	2	7	-	0/6/23/26	0/1/1/1
8	NAG	h	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	h	2	8	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BMA	h	3	8	-	0/2/19/22	0/1/1/1
8	NAG	i	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	i	2	8	-	0/6/23/26	0/1/1/1
8	BMA	i	3	8	-	0/2/19/22	0/1/1/1
8	NAG	j	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	j	2	8	-	0/6/23/26	0/1/1/1
8	BMA	j	3	8	-	1/2/19/22	0/1/1/1
8	NAG	k	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	k	2	8	-	0/6/23/26	0/1/1/1
8	BMA	k	3	8	-	1/2/19/22	0/1/1/1
7	NAG	l	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	l	2	7	-	0/6/23/26	0/1/1/1
8	NAG	m	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	m	2	8	-	0/6/23/26	0/1/1/1
8	BMA	m	3	8	-	1/2/19/22	0/1/1/1
8	NAG	n	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	n	2	8	-	0/6/23/26	0/1/1/1
8	BMA	n	3	8	-	0/2/19/22	0/1/1/1
8	NAG	o	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	o	2	8	-	0/6/23/26	0/1/1/1
8	BMA	o	3	8	-	1/2/19/22	0/1/1/1
8	NAG	p	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	p	2	8	-	0/6/23/26	0/1/1/1
8	BMA	p	3	8	-	1/2/19/22	0/1/1/1
8	NAG	q	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	q	2	8	-	0/6/23/26	0/1/1/1
8	BMA	q	3	8	-	1/2/19/22	0/1/1/1
8	NAG	r	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	r	2	8	-	0/6/23/26	0/1/1/1
8	BMA	r	3	8	-	0/2/19/22	0/1/1/1
7	NAG	s	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	s	2	7	-	0/6/23/26	0/1/1/1
8	NAG	t	1	1,8	-	1/6/23/26	0/1/1/1
8	NAG	t	2	8	-	0/6/23/26	0/1/1/1
8	BMA	t	3	8	-	1/2/19/22	0/1/1/1
7	NAG	u	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	u	2	7	-	0/6/23/26	0/1/1/1
7	NAG	v	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	v	2	7	-	0/6/23/26	0/1/1/1
8	NAG	w	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	w	2	8	-	0/6/23/26	0/1/1/1
8	BMA	w	3	8	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	x	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	x	2	8	-	0/6/23/26	0/1/1/1
8	BMA	x	3	8	-	1/2/19/22	0/1/1/1
9	NAG	y	1	1,9	-	0/6/23/26	0/1/1/1
9	NAG	y	2	9	-	1/6/23/26	0/1/1/1
9	BMA	y	3	9	-	2/2/19/22	0/1/1/1
9	MAN	y	4	9	-	0/2/19/22	0/1/1/1
9	MAN	y	5	9	-	0/2/19/22	0/1/1/1
8	NAG	z	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	z	2	8	-	0/6/23/26	0/1/1/1
8	BMA	z	3	8	-	0/2/19/22	0/1/1/1

All (728) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	c	2	NAG	C1-C2	6.53	1.61	1.52
7	g	1	NAG	C1-C2	6.48	1.61	1.52
8	p	2	NAG	C1-C2	6.31	1.60	1.52
7	9	1	NAG	C1-C2	6.29	1.60	1.52
8	a	2	NAG	C1-C2	6.26	1.60	1.52
7	2	2	NAG	C1-C2	6.25	1.60	1.52
8	x	1	NAG	C1-C2	6.20	1.60	1.52
7	AA	2	NAG	C1-C2	6.19	1.60	1.52
8	6	2	NAG	C1-C2	6.14	1.60	1.52
8	n	1	NAG	C1-C2	6.10	1.60	1.52
7	u	1	NAG	C1-C2	6.09	1.60	1.52
7	v	1	NAG	C1-C2	6.09	1.60	1.52
8	3	1	NAG	C1-C2	6.08	1.60	1.52
7	Q	1	NAG	C1-C2	5.82	1.60	1.52
7	s	1	NAG	C1-C2	5.73	1.60	1.52
8	o	1	NAG	C1-C2	5.72	1.60	1.52
8	r	1	NAG	C1-C2	5.69	1.60	1.52
8	6	1	NAG	C1-C2	5.69	1.60	1.52
7	9	2	NAG	C1-C2	5.68	1.60	1.52
7	u	2	NAG	C1-C2	5.67	1.60	1.52
9	y	1	NAG	C1-C2	5.64	1.60	1.52
8	V	1	NAG	C1-C2	5.61	1.60	1.52
8	z	1	NAG	C1-C2	5.61	1.60	1.52
8	X	2	NAG	C1-C2	5.57	1.59	1.52
8	b	1	NAG	C1-C2	5.51	1.59	1.52
8	R	1	NAG	C1-C2	5.50	1.59	1.52
7	W	2	NAG	C1-C2	5.50	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	AA	1	NAG	C1-C2	5.47	1.59	1.52
10	d	1	NAG	C1-C2	5.47	1.59	1.52
8	a	1	NAG	C1-C2	5.45	1.59	1.52
8	3	2	NAG	C1-C2	5.42	1.59	1.52
8	z	2	NAG	C1-C2	5.41	1.59	1.52
8	x	2	NAG	C1-C2	5.38	1.59	1.52
8	m	1	NAG	C1-C2	5.34	1.59	1.52
8	i	1	NAG	C1-C2	5.33	1.59	1.52
8	e	2	NAG	C1-C2	5.32	1.59	1.52
8	7	1	NAG	C1-C2	5.31	1.59	1.52
8	w	1	NAG	C1-C2	5.29	1.59	1.52
7	l	1	NAG	C1-C2	5.28	1.59	1.52
8	j	1	NAG	C1-C2	5.27	1.59	1.52
8	Y	1	NAG	C1-C2	5.24	1.59	1.52
8	i	2	NAG	C1-C2	5.24	1.59	1.52
8	4	1	NAG	C1-C2	5.23	1.59	1.52
8	7	2	NAG	C1-C2	5.22	1.59	1.52
8	t	2	NAG	C1-C2	5.20	1.59	1.52
8	0	1	NAG	C1-C2	5.19	1.59	1.52
7	s	2	NAG	C1-C2	5.17	1.59	1.52
8	U	1	NAG	C1-C2	5.14	1.59	1.52
9	y	2	NAG	C1-C2	5.13	1.59	1.52
8	c	1	NAG	C1-C2	5.12	1.59	1.52
8	Z	1	NAG	C1-C2	5.12	1.59	1.52
8	5	1	NAG	C1-C2	5.09	1.59	1.52
8	4	2	NAG	C1-C2	5.08	1.59	1.52
8	T	1	NAG	C1-C2	5.07	1.59	1.52
8	0	2	NAG	C1-C2	5.06	1.59	1.52
8	t	1	NAG	C1-C2	5.04	1.59	1.52
9	S	1	NAG	C1-C2	5.04	1.59	1.52
8	o	2	NAG	C1-C2	5.03	1.59	1.52
8	h	1	NAG	C1-C2	5.02	1.59	1.52
7	W	1	NAG	C1-C2	4.98	1.59	1.52
8	q	2	NAG	C1-C2	4.98	1.59	1.52
8	k	1	NAG	C1-C2	4.95	1.59	1.52
8	w	2	NAG	C1-C2	4.94	1.59	1.52
7	Q	2	NAG	C1-C2	4.94	1.59	1.52
8	T	2	NAG	C1-C2	4.94	1.59	1.52
8	m	2	NAG	C1-C2	4.92	1.59	1.52
7	2	1	NAG	C1-C2	4.88	1.59	1.52
8	f	1	NAG	C1-C2	4.86	1.59	1.52
8	h	2	NAG	C1-C2	4.86	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	p	1	NAG	C1-C2	4.85	1.59	1.52
8	5	2	NAG	C1-C2	4.85	1.59	1.52
7	l	2	NAG	C1-C2	4.85	1.58	1.52
8	n	2	NAG	C1-C2	4.84	1.58	1.52
8	l	2	NAG	C1-C2	4.84	1.58	1.52
10	d	2	NAG	C1-C2	4.81	1.58	1.52
8	j	2	NAG	C1-C2	4.79	1.58	1.52
8	e	1	NAG	C1-C2	4.78	1.58	1.52
8	X	1	NAG	C1-C2	4.77	1.58	1.52
8	q	1	NAG	C1-C2	4.77	1.58	1.52
8	R	2	NAG	C1-C2	4.71	1.58	1.52
7	v	2	NAG	C1-C2	4.70	1.58	1.52
8	Y	2	NAG	C1-C2	4.66	1.58	1.52
8	r	2	NAG	C1-C2	4.65	1.58	1.52
7	g	2	NAG	C1-C2	4.62	1.58	1.52
8	Z	2	NAG	C1-C2	4.62	1.58	1.52
8	l	1	NAG	C1-C2	4.61	1.58	1.52
8	f	2	NAG	C1-C2	4.60	1.58	1.52
8	b	2	NAG	C1-C2	4.59	1.58	1.52
9	S	2	NAG	C1-C2	4.55	1.58	1.52
8	U	2	NAG	C1-C2	4.53	1.58	1.52
8	k	2	NAG	C1-C2	4.45	1.58	1.52
8	V	2	NAG	C1-C2	4.28	1.58	1.52
8	0	1	NAG	O5-C5	4.04	1.51	1.43
8	p	1	NAG	O5-C5	3.67	1.50	1.43
8	j	1	NAG	O5-C5	3.63	1.50	1.43
7	Q	1	NAG	O5-C5	3.59	1.50	1.43
8	q	2	NAG	O5-C5	3.52	1.50	1.43
8	b	1	NAG	O5-C5	3.52	1.50	1.43
8	a	1	NAG	O5-C5	3.51	1.50	1.43
9	S	1	NAG	O5-C5	3.50	1.50	1.43
7	9	2	NAG	O5-C5	3.49	1.50	1.43
9	y	2	NAG	O5-C5	3.48	1.50	1.43
7	9	1	NAG	O5-C5	3.48	1.50	1.43
8	n	3	BMA	C2-C3	3.44	1.57	1.52
8	h	3	BMA	O5-C5	3.42	1.50	1.43
8	U	1	NAG	O5-C5	3.41	1.50	1.43
8	z	1	NAG	O5-C5	3.41	1.50	1.43
8	U	3	BMA	C2-C3	3.41	1.57	1.52
10	d	1	NAG	O5-C5	3.40	1.50	1.43
8	c	3	BMA	O5-C5	3.40	1.50	1.43
8	t	3	BMA	O5-C5	3.40	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	n	3	BMA	O5-C5	3.39	1.50	1.43
9	y	1	NAG	O5-C5	3.39	1.50	1.43
8	r	3	BMA	O5-C5	3.38	1.50	1.43
8	a	3	BMA	O5-C5	3.36	1.50	1.43
8	e	3	BMA	O5-C5	3.35	1.50	1.43
7	Q	2	NAG	O5-C5	3.34	1.49	1.43
9	S	4	MAN	C2-C3	3.34	1.57	1.52
8	X	3	BMA	O5-C5	3.32	1.49	1.43
8	x	3	BMA	O5-C5	3.32	1.49	1.43
7	v	1	NAG	O5-C5	3.31	1.49	1.43
8	c	1	NAG	O5-C5	3.31	1.49	1.43
8	z	3	BMA	O5-C5	3.30	1.49	1.43
7	AA	1	NAG	O5-C5	3.30	1.49	1.43
8	i	3	BMA	O5-C5	3.29	1.49	1.43
8	c	3	BMA	C2-C3	3.29	1.57	1.52
8	r	1	NAG	O5-C5	3.29	1.49	1.43
8	U	3	BMA	O5-C5	3.28	1.49	1.43
8	q	3	BMA	O5-C5	3.28	1.49	1.43
8	R	3	BMA	C2-C3	3.27	1.57	1.52
9	S	4	MAN	O5-C5	3.27	1.49	1.43
8	6	2	NAG	O5-C5	3.27	1.49	1.43
8	t	2	NAG	O5-C5	3.26	1.49	1.43
8	p	3	BMA	O5-C5	3.26	1.49	1.43
9	y	4	MAN	O5-C5	3.26	1.49	1.43
8	e	2	NAG	O5-C5	3.25	1.49	1.43
7	v	2	NAG	O5-C5	3.25	1.49	1.43
8	j	3	BMA	C2-C3	3.25	1.57	1.52
8	3	3	BMA	C2-C3	3.25	1.57	1.52
10	d	3	BMA	C2-C3	3.24	1.57	1.52
7	u	2	NAG	O5-C5	3.24	1.49	1.43
7	s	2	NAG	O5-C5	3.24	1.49	1.43
8	6	1	NAG	O5-C5	3.24	1.49	1.43
8	q	1	NAG	O5-C5	3.23	1.49	1.43
7	g	1	NAG	O5-C5	3.23	1.49	1.43
8	c	2	NAG	O5-C5	3.23	1.49	1.43
8	3	3	BMA	O5-C5	3.23	1.49	1.43
8	a	3	BMA	C2-C3	3.23	1.57	1.52
8	m	3	BMA	C2-C3	3.23	1.57	1.52
8	U	2	NAG	O5-C5	3.22	1.49	1.43
8	Y	3	BMA	C2-C3	3.22	1.57	1.52
8	t	3	BMA	C2-C3	3.22	1.57	1.52
8	0	3	BMA	C2-C3	3.21	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	f	1	NAG	O5-C5	3.21	1.49	1.43
8	7	3	BMA	C2-C3	3.21	1.57	1.52
8	x	1	NAG	O5-C5	3.20	1.49	1.43
8	X	3	BMA	C2-C3	3.20	1.57	1.52
8	T	3	BMA	C2-C3	3.20	1.57	1.52
9	y	5	MAN	O5-C5	3.20	1.49	1.43
8	f	3	BMA	C2-C3	3.19	1.57	1.52
8	o	3	BMA	C2-C3	3.19	1.57	1.52
8	b	3	BMA	O5-C5	3.19	1.49	1.43
8	T	3	BMA	O5-C5	3.19	1.49	1.43
8	w	3	BMA	O5-C5	3.19	1.49	1.43
8	Z	3	BMA	C2-C3	3.19	1.57	1.52
8	o	3	BMA	O5-C5	3.18	1.49	1.43
8	t	1	NAG	O5-C5	3.18	1.49	1.43
8	V	1	NAG	O5-C5	3.18	1.49	1.43
8	r	3	BMA	C2-C3	3.18	1.57	1.52
8	m	2	NAG	O5-C5	3.18	1.49	1.43
8	5	3	BMA	C2-C3	3.18	1.57	1.52
8	p	2	NAG	O5-C5	3.17	1.49	1.43
9	S	2	NAG	O5-C5	3.17	1.49	1.43
8	k	3	BMA	O5-C5	3.17	1.49	1.43
8	7	3	BMA	O5-C5	3.17	1.49	1.43
8	j	2	NAG	O5-C5	3.16	1.49	1.43
8	b	2	NAG	O5-C5	3.16	1.49	1.43
8	q	3	BMA	C2-C3	3.15	1.57	1.52
8	R	3	BMA	O5-C5	3.15	1.49	1.43
8	3	2	NAG	O5-C5	3.15	1.49	1.43
8	a	2	NAG	O5-C5	3.15	1.49	1.43
7	2	2	NAG	O5-C5	3.15	1.49	1.43
9	y	5	MAN	C2-C3	3.15	1.57	1.52
8	e	3	BMA	C2-C3	3.14	1.57	1.52
10	d	3	BMA	O5-C5	3.14	1.49	1.43
8	f	3	BMA	O5-C5	3.14	1.49	1.43
8	4	3	BMA	O5-C5	3.13	1.49	1.43
8	i	3	BMA	C2-C3	3.13	1.57	1.52
8	6	3	BMA	C2-C3	3.13	1.57	1.52
8	z	2	NAG	O5-C5	3.13	1.49	1.43
8	n	2	NAG	O5-C5	3.13	1.49	1.43
8	x	3	BMA	C2-C3	3.13	1.57	1.52
8	h	3	BMA	C2-C3	3.12	1.57	1.52
8	z	3	BMA	C2-C3	3.12	1.57	1.52
8	1	3	BMA	C2-C3	3.12	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	0	3	BMA	O5-C5	3.11	1.49	1.43
7	2	1	NAG	O5-C5	3.11	1.49	1.43
8	Y	3	BMA	O5-C5	3.11	1.49	1.43
8	j	3	BMA	O5-C5	3.11	1.49	1.43
8	6	3	BMA	O5-C5	3.11	1.49	1.43
8	0	2	NAG	O5-C5	3.11	1.49	1.43
9	y	4	MAN	C2-C3	3.11	1.57	1.52
8	1	3	BMA	O5-C5	3.11	1.49	1.43
7	l	2	NAG	O5-C5	3.10	1.49	1.43
9	S	5	MAN	O5-C5	3.10	1.49	1.43
7	AA	2	NAG	O5-C5	3.09	1.49	1.43
8	Z	3	BMA	O5-C5	3.09	1.49	1.43
8	p	3	BMA	C2-C3	3.09	1.57	1.52
8	4	3	BMA	C2-C3	3.08	1.57	1.52
8	b	3	BMA	C2-C3	3.08	1.57	1.52
8	x	2	NAG	O5-C5	3.08	1.49	1.43
8	V	2	NAG	O5-C5	3.07	1.49	1.43
8	m	3	BMA	O5-C5	3.07	1.49	1.43
8	w	2	NAG	O5-C5	3.06	1.49	1.43
8	n	1	NAG	C4-C5	3.06	1.59	1.53
7	g	2	NAG	O5-C5	3.05	1.49	1.43
8	Z	2	NAG	O5-C5	3.05	1.49	1.43
8	V	3	BMA	C2-C3	3.05	1.57	1.52
8	h	2	NAG	O5-C5	3.05	1.49	1.43
8	5	3	BMA	O5-C5	3.04	1.49	1.43
8	R	2	NAG	O5-C5	3.04	1.49	1.43
8	w	3	BMA	C2-C3	3.04	1.57	1.52
8	R	1	NAG	O5-C5	3.03	1.49	1.43
8	5	2	NAG	O5-C5	3.03	1.49	1.43
8	Z	1	NAG	O5-C5	3.02	1.49	1.43
8	i	1	NAG	O5-C5	3.01	1.49	1.43
8	Y	2	NAG	O5-C5	3.00	1.49	1.43
8	n	3	BMA	C1-C2	3.00	1.59	1.52
7	s	1	NAG	O5-C5	2.99	1.49	1.43
10	d	2	NAG	C4-C5	2.99	1.59	1.53
9	S	5	MAN	C2-C3	2.99	1.57	1.52
8	7	2	NAG	O5-C5	2.98	1.49	1.43
8	e	1	NAG	C4-C5	2.98	1.59	1.53
8	U	3	BMA	C1-C2	2.97	1.59	1.52
7	W	2	NAG	O5-C5	2.96	1.49	1.43
8	i	2	NAG	O5-C5	2.96	1.49	1.43
8	o	2	NAG	O5-C5	2.96	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	d	2	NAG	O5-C5	2.95	1.49	1.43
8	k	3	BMA	C2-C3	2.94	1.57	1.52
8	4	2	NAG	O5-C5	2.93	1.49	1.43
8	k	3	BMA	C1-C2	2.93	1.59	1.52
8	n	2	NAG	C4-C5	2.92	1.59	1.53
8	T	2	NAG	O5-C5	2.91	1.49	1.43
8	q	3	BMA	C1-C2	2.91	1.59	1.52
8	7	1	NAG	O5-C5	2.91	1.49	1.43
8	r	2	NAG	O5-C5	2.90	1.49	1.43
8	3	3	BMA	C1-C2	2.90	1.59	1.52
8	z	3	BMA	C1-C2	2.90	1.59	1.52
8	p	3	BMA	C1-C2	2.89	1.59	1.52
8	k	1	NAG	O5-C5	2.88	1.49	1.43
8	X	2	NAG	O5-C5	2.87	1.49	1.43
8	h	1	NAG	O5-C5	2.86	1.49	1.43
8	t	3	BMA	C1-C2	2.86	1.59	1.52
8	3	1	NAG	O5-C5	2.86	1.49	1.43
8	V	3	BMA	O5-C5	2.85	1.49	1.43
8	f	2	NAG	O5-C5	2.84	1.49	1.43
8	a	3	BMA	C1-C2	2.84	1.59	1.52
7	u	1	NAG	O5-C5	2.83	1.48	1.43
8	c	3	BMA	C1-C2	2.82	1.58	1.52
8	t	2	NAG	C3-C2	2.81	1.58	1.52
8	U	2	NAG	C4-C5	2.81	1.59	1.53
8	i	3	BMA	C1-C2	2.80	1.58	1.52
8	w	1	NAG	O5-C5	2.80	1.48	1.43
8	z	2	NAG	C4-C5	2.80	1.59	1.53
8	3	1	NAG	C4-C5	2.80	1.59	1.53
8	1	1	NAG	O5-C5	2.79	1.48	1.43
8	i	2	NAG	C3-C2	2.78	1.58	1.52
7	u	1	NAG	C4-C5	2.78	1.58	1.53
8	U	2	NAG	C3-C2	2.76	1.58	1.52
8	6	2	NAG	C4-C3	2.76	1.59	1.52
8	R	2	NAG	C3-C2	2.75	1.58	1.52
8	b	3	BMA	C1-C2	2.75	1.58	1.52
8	6	3	BMA	C1-C2	2.75	1.58	1.52
8	o	3	BMA	C1-C2	2.75	1.58	1.52
8	r	3	BMA	C1-C2	2.74	1.58	1.52
8	h	3	BMA	C1-C2	2.74	1.58	1.52
8	X	3	BMA	C1-C2	2.74	1.58	1.52
8	c	2	NAG	C3-C2	2.73	1.58	1.52
8	m	3	BMA	C1-C2	2.73	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	e	3	BMA	C1-C2	2.73	1.58	1.52
8	x	3	BMA	C1-C2	2.73	1.58	1.52
8	3	2	NAG	C4-C5	2.72	1.58	1.53
8	n	1	NAG	O4-C4	2.72	1.49	1.43
8	j	3	BMA	C1-C2	2.72	1.58	1.52
8	n	2	NAG	C3-C2	2.72	1.58	1.52
8	7	3	BMA	C1-C2	2.71	1.58	1.52
10	d	3	BMA	C1-C2	2.71	1.58	1.52
8	a	2	NAG	C4-C5	2.70	1.58	1.53
8	e	1	NAG	C2-N2	2.70	1.50	1.46
8	w	3	BMA	C1-C2	2.69	1.58	1.52
8	5	3	BMA	C1-C2	2.69	1.58	1.52
8	T	3	BMA	C1-C2	2.69	1.58	1.52
8	Y	1	NAG	O5-C5	2.69	1.48	1.43
8	V	3	BMA	C1-C2	2.68	1.58	1.52
8	0	1	NAG	O5-C1	2.68	1.48	1.43
8	i	2	NAG	C4-C5	2.67	1.58	1.53
8	f	2	NAG	C4-C3	2.67	1.59	1.52
7	v	2	NAG	C3-C2	2.67	1.58	1.52
7	AA	2	NAG	C3-C2	2.67	1.58	1.52
7	W	2	NAG	C3-C2	2.66	1.58	1.52
8	Z	3	BMA	C1-C2	2.66	1.58	1.52
8	4	3	BMA	C1-C2	2.66	1.58	1.52
8	a	1	NAG	O5-C1	2.65	1.48	1.43
8	e	2	NAG	C4-C5	2.65	1.58	1.53
8	R	3	BMA	C1-C2	2.65	1.58	1.52
8	4	1	NAG	O5-C5	2.65	1.48	1.43
8	0	3	BMA	C1-C2	2.65	1.58	1.52
8	o	1	NAG	O5-C5	2.65	1.48	1.43
8	o	2	NAG	C3-C2	2.64	1.58	1.52
8	X	2	NAG	C3-C2	2.64	1.58	1.52
8	U	2	NAG	O4-C4	2.64	1.49	1.43
8	R	1	NAG	C4-C5	2.63	1.58	1.53
8	r	2	NAG	C4-C5	2.63	1.58	1.53
10	d	1	NAG	O5-C1	2.63	1.48	1.43
8	n	2	NAG	C4-C3	2.63	1.59	1.52
8	x	1	NAG	C4-C5	2.63	1.58	1.53
7	Q	1	NAG	C4-C5	2.63	1.58	1.53
8	x	2	NAG	C3-C2	2.63	1.58	1.52
8	k	2	NAG	O5-C5	2.63	1.48	1.43
8	q	2	NAG	C4-C5	2.62	1.58	1.53
8	p	2	NAG	C3-C2	2.62	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	n	1	NAG	O5-C5	2.62	1.48	1.43
8	7	2	NAG	C3-C2	2.62	1.58	1.52
9	y	2	NAG	C4-C5	2.61	1.58	1.53
10	d	2	NAG	C3-C2	2.61	1.58	1.52
9	y	2	NAG	C2-N2	2.61	1.50	1.46
8	0	2	NAG	C4-C5	2.61	1.58	1.53
7	Q	1	NAG	O5-C1	2.61	1.48	1.43
7	9	1	NAG	O5-C1	2.61	1.48	1.43
7	2	2	NAG	C3-C2	2.60	1.58	1.52
8	4	2	NAG	C3-C2	2.60	1.58	1.52
8	0	1	NAG	C4-C5	2.60	1.58	1.53
8	f	3	BMA	C1-C2	2.60	1.58	1.52
8	1	3	BMA	C1-C2	2.60	1.58	1.52
8	m	3	BMA	C4-C5	2.59	1.58	1.53
8	U	1	NAG	O5-C1	2.59	1.48	1.43
8	k	2	NAG	C4-C5	2.59	1.58	1.53
8	Y	3	BMA	C1-C2	2.59	1.58	1.52
8	e	1	NAG	O5-C5	2.58	1.48	1.43
8	z	2	NAG	C3-C2	2.58	1.57	1.52
7	u	2	NAG	C3-C2	2.57	1.57	1.52
8	i	1	NAG	C4-C5	2.57	1.58	1.53
7	u	2	NAG	C2-N2	2.57	1.50	1.46
8	i	2	NAG	C4-C3	2.57	1.59	1.52
9	S	3	BMA	O5-C5	2.56	1.48	1.43
8	p	2	NAG	C4-C3	2.56	1.59	1.52
8	T	2	NAG	C3-C2	2.56	1.57	1.52
8	b	3	BMA	C4-C5	2.56	1.58	1.53
8	6	1	NAG	O5-C1	2.55	1.48	1.43
9	S	4	MAN	C1-C2	2.55	1.58	1.52
8	o	2	NAG	C4-C5	2.55	1.58	1.53
8	m	2	NAG	C3-C2	2.55	1.57	1.52
7	g	2	NAG	C3-C2	2.55	1.57	1.52
8	3	2	NAG	C3-C2	2.55	1.57	1.52
8	p	2	NAG	C4-C5	2.55	1.58	1.53
8	j	1	NAG	C4-C5	2.55	1.58	1.53
8	a	2	NAG	C3-C2	2.54	1.57	1.52
8	t	3	BMA	C4-C5	2.53	1.58	1.53
8	e	1	NAG	C4-C3	2.53	1.58	1.52
7	v	1	NAG	O5-C1	2.53	1.47	1.43
8	p	3	BMA	C4-C5	2.53	1.58	1.53
8	r	2	NAG	C3-C2	2.53	1.57	1.52
7	v	1	NAG	C4-C5	2.52	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	y	4	MAN	C1-C2	2.52	1.58	1.52
8	6	2	NAG	C4-C5	2.52	1.58	1.53
8	a	2	NAG	C4-C3	2.52	1.58	1.52
8	q	1	NAG	C4-C5	2.51	1.58	1.53
8	j	3	BMA	C4-C5	2.51	1.58	1.53
9	y	1	NAG	C4-C3	2.51	1.58	1.52
8	V	2	NAG	C4-C5	2.50	1.58	1.53
8	U	1	NAG	C4-C5	2.50	1.58	1.53
8	n	1	NAG	C3-C2	2.50	1.57	1.52
8	6	3	BMA	C4-C5	2.50	1.58	1.53
8	5	1	NAG	O5-C5	2.50	1.48	1.43
8	c	1	NAG	O5-C1	2.50	1.47	1.43
8	b	1	NAG	C4-C5	2.50	1.58	1.53
8	f	2	NAG	C4-C5	2.49	1.58	1.53
8	5	3	BMA	C4-C5	2.49	1.58	1.53
9	S	2	NAG	C3-C2	2.49	1.57	1.52
8	t	1	NAG	C4-C5	2.49	1.58	1.53
7	W	1	NAG	C3-C2	2.49	1.57	1.52
8	f	3	BMA	C4-C5	2.48	1.58	1.53
8	f	1	NAG	O5-C1	2.48	1.47	1.43
7	s	2	NAG	C3-C2	2.48	1.57	1.52
8	6	2	NAG	C3-C2	2.48	1.57	1.52
7	9	2	NAG	C2-N2	2.48	1.50	1.46
10	d	2	NAG	C2-N2	2.47	1.50	1.46
8	k	3	BMA	C4-C5	2.47	1.58	1.53
7	l	2	NAG	C3-C2	2.47	1.57	1.52
8	q	3	BMA	C4-C5	2.47	1.58	1.53
8	Z	3	BMA	C4-C5	2.47	1.58	1.53
8	T	2	NAG	C2-N2	2.46	1.50	1.46
7	9	2	NAG	C3-C2	2.46	1.57	1.52
8	7	3	BMA	C4-C5	2.46	1.58	1.53
8	b	2	NAG	C4-C5	2.46	1.58	1.53
8	f	2	NAG	C3-C2	2.46	1.57	1.52
8	w	2	NAG	C3-C2	2.46	1.57	1.52
8	w	1	NAG	C4-C5	2.46	1.58	1.53
8	3	3	BMA	C4-C5	2.46	1.58	1.53
8	m	1	NAG	C3-C2	2.46	1.57	1.52
8	R	2	NAG	C4-C5	2.46	1.58	1.53
8	Z	1	NAG	C4-C5	2.46	1.58	1.53
7	2	1	NAG	O5-C1	2.46	1.47	1.43
8	5	2	NAG	C3-C2	2.46	1.57	1.52
8	p	1	NAG	O5-C1	2.46	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	q	1	NAG	O5-C1	2.46	1.47	1.43
8	e	1	NAG	C3-C2	2.45	1.57	1.52
8	j	2	NAG	C3-C2	2.45	1.57	1.52
9	y	1	NAG	C4-C5	2.45	1.58	1.53
7	9	1	NAG	C4-C5	2.44	1.58	1.53
10	d	1	NAG	C4-C5	2.44	1.58	1.53
8	R	3	BMA	C4-C5	2.44	1.58	1.53
8	o	3	BMA	C4-C5	2.44	1.58	1.53
8	X	1	NAG	C4-C3	2.44	1.58	1.52
8	R	1	NAG	C3-C2	2.44	1.57	1.52
8	z	2	NAG	C4-C3	2.44	1.58	1.52
8	o	2	NAG	C4-C3	2.44	1.58	1.52
8	n	2	NAG	C2-N2	2.44	1.50	1.46
9	y	1	NAG	C3-C2	2.44	1.57	1.52
8	h	2	NAG	C3-C2	2.43	1.57	1.52
8	x	3	BMA	C4-C5	2.43	1.58	1.53
9	S	4	MAN	O5-C1	2.43	1.47	1.43
8	b	2	NAG	C3-C2	2.43	1.57	1.52
8	V	1	NAG	O5-C1	2.43	1.47	1.43
7	Q	2	NAG	C3-C2	2.42	1.57	1.52
8	t	1	NAG	C3-C2	2.42	1.57	1.52
7	Q	1	NAG	C3-C2	2.42	1.57	1.52
8	3	2	NAG	C4-C3	2.42	1.58	1.52
8	q	2	NAG	C3-C2	2.42	1.57	1.52
8	V	1	NAG	C4-C5	2.42	1.58	1.53
8	V	3	BMA	C4-C5	2.42	1.58	1.53
9	y	4	MAN	C4-C5	2.42	1.58	1.53
8	0	3	BMA	C4-C5	2.42	1.58	1.53
7	AA	2	NAG	C2-N2	2.42	1.50	1.46
8	x	1	NAG	O5-C1	2.42	1.47	1.43
8	Z	2	NAG	C4-C5	2.41	1.58	1.53
8	X	2	NAG	C4-C5	2.41	1.58	1.53
10	d	2	NAG	C4-C3	2.41	1.58	1.52
9	S	5	MAN	C4-C5	2.41	1.58	1.53
8	X	3	BMA	C4-C5	2.41	1.58	1.53
8	r	1	NAG	O5-C1	2.41	1.47	1.43
8	a	3	BMA	C4-C5	2.41	1.58	1.53
8	h	2	NAG	C4-C5	2.41	1.58	1.53
9	y	5	MAN	C4-C5	2.41	1.58	1.53
9	S	1	NAG	O5-C1	2.41	1.47	1.43
8	0	1	NAG	C4-C3	2.41	1.58	1.52
8	j	2	NAG	C4-C5	2.40	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	AA	1	NAG	C4-C3	2.40	1.58	1.52
8	Y	2	NAG	C3-C2	2.40	1.57	1.52
9	S	3	BMA	C2-C3	2.40	1.56	1.52
8	x	2	NAG	C2-N2	2.40	1.50	1.46
8	Y	3	BMA	C4-C5	2.40	1.58	1.53
7	Q	2	NAG	C4-C5	2.39	1.58	1.53
8	x	2	NAG	C4-C5	2.39	1.58	1.53
8	5	1	NAG	C4-C5	2.39	1.58	1.53
8	e	3	BMA	C4-C5	2.39	1.58	1.53
8	r	3	BMA	C4-C5	2.39	1.58	1.53
8	r	2	NAG	C2-N2	2.39	1.50	1.46
8	T	1	NAG	O5-C5	2.39	1.48	1.43
8	l	1	NAG	C4-C5	2.39	1.58	1.53
8	t	2	NAG	C4-C3	2.38	1.58	1.52
7	9	2	NAG	C4-C5	2.38	1.58	1.53
8	U	2	NAG	C4-C3	2.38	1.58	1.52
9	y	2	NAG	C3-C2	2.38	1.57	1.52
8	3	2	NAG	C2-N2	2.38	1.50	1.46
8	q	2	NAG	O5-C1	2.38	1.47	1.43
9	S	4	MAN	C4-C5	2.38	1.58	1.53
8	c	2	NAG	C4-C5	2.38	1.58	1.53
8	k	2	NAG	C3-C2	2.38	1.57	1.52
8	h	1	NAG	C4-C5	2.38	1.58	1.53
7	l	1	NAG	O5-C5	2.37	1.48	1.43
8	l	2	NAG	C3-C2	2.37	1.57	1.52
8	h	3	BMA	C4-C5	2.37	1.58	1.53
8	n	3	BMA	C4-C5	2.37	1.58	1.53
8	j	1	NAG	C4-C3	2.37	1.58	1.52
8	c	1	NAG	C4-C5	2.37	1.58	1.53
7	W	1	NAG	C4-C3	2.36	1.58	1.52
7	g	1	NAG	O5-C1	2.36	1.47	1.43
8	7	2	NAG	C4-C5	2.36	1.58	1.53
8	w	3	BMA	O5-C1	2.36	1.47	1.43
8	T	2	NAG	C4-C5	2.35	1.58	1.53
8	Z	2	NAG	C3-C2	2.35	1.57	1.52
7	AA	1	NAG	C4-C5	2.35	1.58	1.53
7	s	1	NAG	C3-C2	2.35	1.57	1.52
8	p	1	NAG	C4-C5	2.35	1.58	1.53
8	T	1	NAG	C3-C2	2.35	1.57	1.52
8	z	3	BMA	C4-C5	2.35	1.58	1.53
9	S	2	NAG	C4-C5	2.34	1.58	1.53
7	s	1	NAG	O5-C1	2.34	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	g	1	NAG	C4-C5	2.34	1.58	1.53
8	c	2	NAG	C2-N2	2.34	1.50	1.46
8	w	2	NAG	C4-C5	2.34	1.58	1.53
7	v	1	NAG	C4-C3	2.34	1.58	1.52
7	s	1	NAG	C4-C5	2.34	1.58	1.53
8	r	2	NAG	C4-C3	2.34	1.58	1.52
8	c	3	BMA	C4-C5	2.33	1.58	1.53
8	X	1	NAG	C2-N2	2.33	1.50	1.46
9	S	1	NAG	C4-C5	2.33	1.58	1.53
8	T	3	BMA	C4-C5	2.33	1.58	1.53
8	5	2	NAG	C4-C5	2.33	1.58	1.53
8	6	1	NAG	C4-C5	2.33	1.58	1.53
8	h	1	NAG	O5-C1	2.32	1.47	1.43
8	k	1	NAG	C4-C5	2.32	1.58	1.53
7	2	1	NAG	C4-C5	2.32	1.58	1.53
8	1	3	BMA	C4-C5	2.32	1.58	1.53
8	3	1	NAG	C3-C2	2.32	1.57	1.52
8	7	1	NAG	C3-C2	2.32	1.57	1.52
8	U	3	BMA	C4-C5	2.32	1.58	1.53
8	n	1	NAG	C4-C3	2.32	1.58	1.52
8	4	1	NAG	C3-C2	2.32	1.57	1.52
10	d	3	BMA	C4-C5	2.32	1.58	1.53
8	R	1	NAG	C4-C3	2.32	1.58	1.52
7	g	2	NAG	C4-C5	2.31	1.58	1.53
8	4	3	BMA	C4-C5	2.31	1.58	1.53
8	r	1	NAG	C4-C5	2.31	1.58	1.53
7	Q	2	NAG	C2-N2	2.31	1.50	1.46
8	i	3	BMA	C4-C5	2.31	1.57	1.53
8	t	3	BMA	O5-C1	2.31	1.47	1.43
7	v	2	NAG	C4-C5	2.31	1.57	1.53
8	t	2	NAG	C4-C5	2.31	1.57	1.53
9	y	5	MAN	C1-C2	2.30	1.57	1.52
8	f	1	NAG	C4-C5	2.30	1.57	1.53
8	5	2	NAG	C2-N2	2.29	1.50	1.46
8	m	1	NAG	O5-C5	2.29	1.47	1.43
8	w	3	BMA	C4-C5	2.29	1.57	1.53
8	j	1	NAG	C3-C2	2.29	1.57	1.52
8	V	1	NAG	C3-C2	2.28	1.57	1.52
9	y	3	BMA	C1-C2	2.28	1.57	1.52
8	R	3	BMA	O5-C1	2.28	1.47	1.43
8	4	2	NAG	C4-C5	2.28	1.57	1.53
9	S	3	BMA	C1-C2	2.28	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	AA	2	NAG	C4-C5	2.28	1.57	1.53
8	e	2	NAG	C3-C2	2.28	1.57	1.52
8	Y	2	NAG	C4-C5	2.28	1.57	1.53
7	AA	1	NAG	O5-C1	2.28	1.47	1.43
8	w	2	NAG	C4-C3	2.28	1.58	1.52
9	S	5	MAN	C1-C2	2.27	1.57	1.52
8	X	1	NAG	C3-C2	2.27	1.57	1.52
8	h	1	NAG	C3-C2	2.27	1.57	1.52
8	R	2	NAG	C4-C3	2.27	1.58	1.52
8	z	1	NAG	C4-C5	2.27	1.57	1.53
8	q	2	NAG	C4-C3	2.27	1.58	1.52
8	X	1	NAG	O5-C5	2.27	1.47	1.43
8	c	1	NAG	C4-C3	2.27	1.58	1.52
9	y	3	BMA	C2-C3	2.27	1.56	1.52
8	x	3	BMA	O5-C1	2.26	1.47	1.43
8	a	1	NAG	C4-C5	2.26	1.57	1.53
8	c	2	NAG	C4-C3	2.26	1.58	1.52
7	2	2	NAG	C4-C5	2.26	1.57	1.53
8	1	1	NAG	C3-C2	2.26	1.57	1.52
8	a	2	NAG	C2-N2	2.26	1.50	1.46
8	i	1	NAG	C4-C3	2.26	1.58	1.52
8	t	1	NAG	O5-C1	2.26	1.47	1.43
8	w	2	NAG	C2-N2	2.26	1.50	1.46
7	2	2	NAG	C2-N2	2.26	1.50	1.46
7	v	2	NAG	C2-N2	2.26	1.50	1.46
8	m	2	NAG	C4-C3	2.26	1.58	1.52
8	Z	2	NAG	C2-N2	2.25	1.50	1.46
7	g	1	NAG	C3-C2	2.25	1.57	1.52
8	o	1	NAG	C2-N2	2.24	1.50	1.46
8	f	1	NAG	C3-C2	2.24	1.57	1.52
8	b	1	NAG	O5-C1	2.24	1.47	1.43
7	l	1	NAG	C3-C2	2.24	1.57	1.52
8	1	2	NAG	O5-C5	2.24	1.47	1.43
8	R	1	NAG	O5-C1	2.23	1.47	1.43
8	p	2	NAG	C2-N2	2.23	1.50	1.46
8	z	1	NAG	O5-C1	2.23	1.47	1.43
8	h	2	NAG	C2-N2	2.22	1.49	1.46
7	u	1	NAG	C3-C2	2.22	1.57	1.52
8	h	3	BMA	O5-C1	2.21	1.47	1.43
9	S	2	NAG	C4-C3	2.21	1.58	1.52
8	3	1	NAG	C4-C3	2.21	1.58	1.52
8	R	1	NAG	C2-N2	2.21	1.49	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	l	2	NAG	C4-C5	2.21	1.57	1.53
8	Y	2	NAG	C4-C3	2.21	1.58	1.52
7	u	2	NAG	C4-C5	2.21	1.57	1.53
8	i	1	NAG	C3-C2	2.21	1.57	1.52
8	7	1	NAG	C4-C5	2.20	1.57	1.53
7	s	2	NAG	C4-C5	2.20	1.57	1.53
8	a	1	NAG	C4-C3	2.20	1.58	1.52
7	l	2	NAG	C2-N2	2.20	1.49	1.46
8	7	1	NAG	O5-C1	2.20	1.47	1.43
8	m	2	NAG	C4-C5	2.20	1.57	1.53
8	l	2	NAG	C4-C3	2.20	1.58	1.52
8	Y	1	NAG	C4-C5	2.19	1.57	1.53
8	b	3	BMA	O5-C1	2.19	1.47	1.43
8	r	1	NAG	C4-C3	2.19	1.58	1.52
8	0	2	NAG	C3-C2	2.19	1.57	1.52
8	6	2	NAG	C2-N2	2.19	1.49	1.46
8	Y	1	NAG	C3-C2	2.18	1.57	1.52
8	j	1	NAG	O5-C1	2.18	1.47	1.43
10	d	2	NAG	O5-C1	2.18	1.47	1.43
8	m	1	NAG	C2-N2	2.18	1.49	1.46
8	o	2	NAG	C2-N2	2.18	1.49	1.46
8	f	2	NAG	C2-N2	2.18	1.49	1.46
8	6	1	NAG	C4-C3	2.18	1.58	1.52
8	T	3	BMA	O5-C1	2.17	1.47	1.43
8	x	1	NAG	C3-C2	2.17	1.57	1.52
8	5	1	NAG	C3-C2	2.17	1.57	1.52
8	o	1	NAG	C4-C5	2.17	1.57	1.53
8	4	2	NAG	C4-C3	2.17	1.58	1.52
7	2	1	NAG	C4-C3	2.16	1.58	1.52
8	5	2	NAG	C4-C3	2.16	1.58	1.52
9	y	3	BMA	O5-C5	2.16	1.47	1.43
8	e	2	NAG	C2-N2	2.16	1.49	1.46
7	l	1	NAG	C4-C3	2.16	1.57	1.52
7	AA	1	NAG	C2-N2	2.16	1.49	1.46
7	9	2	NAG	C4-C3	2.16	1.57	1.52
8	4	3	BMA	O5-C1	2.16	1.47	1.43
9	y	1	NAG	O5-C1	2.16	1.47	1.43
8	1	1	NAG	C4-C3	2.15	1.57	1.52
8	1	2	NAG	C4-C5	2.15	1.57	1.53
8	X	1	NAG	C4-C5	2.15	1.57	1.53
7	l	1	NAG	C4-C5	2.15	1.57	1.53
7	u	2	NAG	O5-C1	2.15	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	o	1	NAG	C4-C3	2.15	1.57	1.52
8	6	3	BMA	O5-C1	2.14	1.47	1.43
8	q	2	NAG	O4-C4	2.14	1.48	1.43
8	k	1	NAG	C4-C3	2.14	1.57	1.52
8	Z	2	NAG	C4-C3	2.14	1.57	1.52
8	e	3	BMA	O5-C1	2.14	1.47	1.43
9	y	5	MAN	C4-C3	2.14	1.57	1.52
7	g	2	NAG	C2-N2	2.14	1.49	1.46
7	u	1	NAG	C2-N2	2.14	1.49	1.46
8	b	2	NAG	C4-C3	2.13	1.57	1.52
8	m	1	NAG	C4-C3	2.13	1.57	1.52
8	z	2	NAG	O4-C4	2.13	1.48	1.43
8	V	2	NAG	C3-C2	2.13	1.57	1.52
8	q	1	NAG	C2-N2	2.12	1.49	1.46
8	i	1	NAG	O4-C4	2.12	1.48	1.43
8	i	3	BMA	O5-C1	2.12	1.47	1.43
8	q	1	NAG	C4-C3	2.12	1.57	1.52
8	a	3	BMA	O5-C1	2.12	1.47	1.43
7	2	2	NAG	C4-C3	2.12	1.57	1.52
8	e	2	NAG	C4-C3	2.12	1.57	1.52
8	k	1	NAG	O5-C1	2.12	1.47	1.43
8	x	2	NAG	C4-C3	2.12	1.57	1.52
7	u	2	NAG	C4-C3	2.11	1.57	1.52
7	AA	2	NAG	C4-C3	2.11	1.57	1.52
8	o	1	NAG	C3-C2	2.11	1.56	1.52
8	q	1	NAG	C3-C2	2.11	1.56	1.52
8	a	2	NAG	O4-C4	2.10	1.48	1.43
8	7	1	NAG	C4-C3	2.10	1.57	1.52
7	W	1	NAG	C4-C5	2.10	1.57	1.53
8	m	1	NAG	C4-C5	2.10	1.57	1.53
8	X	2	NAG	C4-C3	2.10	1.57	1.52
8	j	1	NAG	O4-C4	2.10	1.48	1.43
8	o	3	BMA	O5-C1	2.10	1.47	1.43
8	f	3	BMA	O5-C1	2.09	1.47	1.43
8	T	1	NAG	C4-C3	2.09	1.57	1.52
8	V	2	NAG	C4-C3	2.09	1.57	1.52
8	7	3	BMA	O5-C1	2.09	1.47	1.43
7	u	1	NAG	C4-C3	2.09	1.57	1.52
8	k	2	NAG	C2-N2	2.09	1.49	1.46
8	c	3	BMA	O5-C1	2.09	1.47	1.43
8	Y	1	NAG	O5-C1	2.09	1.47	1.43
7	W	1	NAG	O5-C5	2.09	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	g	2	NAG	C4-C3	2.09	1.57	1.52
8	U	1	NAG	C4-C3	2.09	1.57	1.52
7	W	2	NAG	C4-C5	2.08	1.57	1.53
8	1	3	BMA	C4-C3	2.08	1.57	1.52
8	k	2	NAG	C4-C3	2.08	1.57	1.52
8	3	3	BMA	O5-C1	2.08	1.47	1.43
8	b	2	NAG	C2-N2	2.08	1.49	1.46
8	Y	3	BMA	C4-C3	2.07	1.57	1.52
8	4	1	NAG	C4-C5	2.07	1.57	1.53
7	Q	2	NAG	C4-C3	2.07	1.57	1.52
8	X	3	BMA	O5-C1	2.07	1.47	1.43
7	g	1	NAG	C4-C3	2.07	1.57	1.52
8	T	2	NAG	C4-C3	2.06	1.57	1.52
8	p	3	BMA	O5-C1	2.06	1.47	1.43
8	k	3	BMA	O5-C1	2.06	1.47	1.43
8	e	3	BMA	C4-C3	2.06	1.57	1.52
8	k	1	NAG	C3-C2	2.06	1.56	1.52
8	X	3	BMA	C4-C3	2.06	1.57	1.52
9	S	1	NAG	C3-C2	2.06	1.56	1.52
8	m	2	NAG	C2-N2	2.06	1.49	1.46
10	d	3	BMA	C4-C3	2.06	1.57	1.52
8	V	1	NAG	C4-C3	2.06	1.57	1.52
9	y	2	NAG	O5-C1	2.06	1.47	1.43
8	z	1	NAG	C4-C3	2.06	1.57	1.52
8	3	3	BMA	C4-C3	2.06	1.57	1.52
7	W	2	NAG	C2-N2	2.06	1.49	1.46
8	6	2	NAG	O4-C4	2.05	1.48	1.43
8	f	1	NAG	C4-C3	2.05	1.57	1.52
7	AA	1	NAG	C3-C2	2.05	1.56	1.52
8	m	3	BMA	C4-C3	2.05	1.57	1.52
8	X	1	NAG	O5-C1	2.05	1.47	1.43
8	5	3	BMA	O5-C1	2.05	1.47	1.43
7	s	2	NAG	C2-N2	2.05	1.49	1.46
8	c	3	BMA	C4-C3	2.05	1.57	1.52
8	7	2	NAG	C4-C3	2.04	1.57	1.52
8	a	3	BMA	C4-C3	2.04	1.57	1.52
8	w	1	NAG	C3-C2	2.04	1.56	1.52
7	v	1	NAG	O4-C4	2.04	1.48	1.43
10	d	2	NAG	O4-C4	2.04	1.48	1.43
9	y	4	MAN	O5-C1	2.04	1.47	1.43
8	p	2	NAG	O4-C4	2.04	1.48	1.43
8	T	1	NAG	C4-C5	2.03	1.57	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	7	1	NAG	C2-N2	2.03	1.49	1.46
8	z	3	BMA	O5-C1	2.03	1.47	1.43
7	Q	1	NAG	C4-C3	2.03	1.57	1.52
8	Y	1	NAG	C2-N2	2.03	1.49	1.46
8	n	3	BMA	C4-C3	2.03	1.57	1.52
8	6	3	BMA	C4-C3	2.03	1.57	1.52
8	4	3	BMA	C4-C3	2.02	1.57	1.52
8	7	3	BMA	C4-C3	2.02	1.57	1.52
8	r	1	NAG	C3-C2	2.02	1.56	1.52
7	9	2	NAG	O5-C1	2.02	1.47	1.43
8	o	2	NAG	O4-C4	2.02	1.48	1.43
8	o	3	BMA	C4-C3	2.02	1.57	1.52
8	x	1	NAG	O4-C4	2.02	1.48	1.43
8	f	3	BMA	C4-C3	2.02	1.57	1.52
8	4	1	NAG	C4-C3	2.02	1.57	1.52
9	y	4	MAN	C4-C3	2.02	1.57	1.52
8	5	3	BMA	C4-C3	2.02	1.57	1.52
7	9	1	NAG	C2-N2	2.02	1.49	1.46
8	Y	3	BMA	O5-C1	2.01	1.47	1.43
8	0	1	NAG	O4-C4	2.01	1.47	1.43
8	Y	1	NAG	C4-C3	2.01	1.57	1.52
8	r	3	BMA	O5-C1	2.01	1.47	1.43
8	w	3	BMA	C4-C3	2.01	1.57	1.52
8	Z	3	BMA	C4-C3	2.01	1.57	1.52
8	t	2	NAG	O5-C1	2.01	1.47	1.43
8	n	3	BMA	O5-C1	2.01	1.47	1.43
8	q	3	BMA	O5-C1	2.01	1.47	1.43
8	Z	1	NAG	O5-C1	2.00	1.47	1.43
8	R	3	BMA	C4-C3	2.00	1.57	1.52

All (185) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	V	2	NAG	C8-C7-N2	28.29	163.04	116.12
8	V	2	NAG	C2-N2-C7	28.27	160.79	122.90
8	V	2	NAG	O7-C7-N2	-26.08	75.90	121.98
8	V	2	NAG	O7-C7-C8	-19.61	87.14	122.05
8	3	1	NAG	O4-C4-C3	-4.78	99.10	110.38
9	y	2	NAG	O4-C4-C5	4.26	119.82	109.32
8	e	1	NAG	O4-C4-C3	-4.02	100.89	110.38
8	n	1	NAG	O4-C4-C5	3.94	119.03	109.32
8	1	1	NAG	O4-C4-C5	-3.94	99.62	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	u	1	NAG	O4-C4-C3	-3.84	101.33	110.38
8	R	1	NAG	C8-C7-N2	3.72	122.29	116.12
8	x	1	NAG	O4-C4-C5	3.55	118.07	109.32
8	0	1	NAG	C1-C2-N2	3.36	115.72	110.43
9	y	2	NAG	C8-C7-N2	3.27	121.54	116.12
8	o	1	NAG	C8-C7-N2	3.26	121.52	116.12
8	8	1	NAG	O4-C4-C5	-3.22	101.40	109.32
8	R	1	NAG	O7-C7-C8	-3.17	116.41	122.05
8	f	2	NAG	O4-C4-C3	3.15	117.79	110.38
7	2	2	NAG	C8-C7-N2	3.14	121.33	116.12
8	x	2	NAG	C8-C7-N2	3.12	121.30	116.12
8	a	2	NAG	C8-C7-N2	3.09	121.24	116.12
8	6	2	NAG	O4-C4-C3	3.09	117.66	110.38
8	c	2	NAG	C8-C7-N2	3.04	121.17	116.12
10	d	2	NAG	O4-C4-C5	3.03	116.78	109.32
8	8	1	NAG	O3-C3-C2	-2.99	103.19	109.40
8	6	2	NAG	C8-C7-N2	2.99	121.08	116.12
8	e	1	NAG	C8-C7-N2	2.98	121.06	116.12
8	p	2	NAG	C8-C7-N2	2.95	121.01	116.12
8	r	1	NAG	C8-C7-N2	2.93	120.98	116.12
8	q	1	NAG	C8-C7-N2	2.91	120.95	116.12
8	X	1	NAG	C1-C2-N2	-2.89	105.88	110.43
8	1	1	NAG	C8-C7-N2	2.88	120.90	116.12
7	Q	1	NAG	O4-C4-C3	-2.84	103.68	110.38
7	l	1	NAG	C8-C7-N2	2.82	120.79	116.12
8	3	1	NAG	C1-C2-N2	-2.80	106.03	110.43
8	8	3	BMA	C1-O5-C5	2.79	115.92	112.19
8	8	2	NAG	C1-O5-C5	2.78	115.92	112.19
8	i	1	NAG	O4-C4-C3	-2.78	103.82	110.38
8	e	1	NAG	O5-C5-C6	-2.78	102.26	107.66
8	k	1	NAG	O4-C4-C5	-2.75	102.56	109.32
8	w	2	NAG	C8-C7-N2	2.72	120.62	116.12
8	5	2	NAG	C8-C7-N2	2.71	120.61	116.12
8	h	1	NAG	C8-C7-N2	2.70	120.60	116.12
9	y	2	NAG	C1-O5-C5	2.70	115.80	112.19
8	Y	1	NAG	C8-C7-N2	2.69	120.57	116.12
8	R	2	NAG	C8-C7-N2	2.68	120.56	116.12
8	o	2	NAG	C8-C7-N2	2.68	120.56	116.12
9	y	2	NAG	O7-C7-C8	-2.65	117.33	122.05
7	9	1	NAG	O4-C4-C5	-2.65	102.79	109.32
8	R	1	NAG	O4-C4-C5	-2.64	102.82	109.32
9	y	1	NAG	O4-C4-C5	-2.64	102.83	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AA	1	NAG	C8-C7-N2	2.63	120.48	116.12
8	4	1	NAG	C8-C7-N2	2.61	120.44	116.12
8	U	2	NAG	O4-C4-C3	2.60	116.51	110.38
8	1	2	NAG	C1-O5-C5	2.59	115.66	112.19
8	m	1	NAG	C8-C7-N2	2.58	120.40	116.12
8	c	2	NAG	O7-C7-C8	-2.58	117.46	122.05
8	U	2	NAG	C8-C7-N2	2.56	120.37	116.12
8	t	2	NAG	C1-O5-C5	2.55	115.61	112.19
8	Z	2	NAG	C8-C7-N2	2.54	120.33	116.12
8	n	1	NAG	C1-C2-N2	-2.52	106.46	110.43
8	V	1	NAG	C8-C7-N2	2.52	120.29	116.12
8	8	2	NAG	O4-C4-C5	-2.51	103.14	109.32
8	t	1	NAG	C8-C7-N2	2.50	120.26	116.12
8	6	1	NAG	C8-C7-N2	2.49	120.24	116.12
8	w	1	NAG	O4-C4-C3	-2.49	104.52	110.38
8	0	2	NAG	C8-C7-N2	2.48	120.22	116.12
8	f	1	NAG	C8-C7-N2	2.47	120.22	116.12
8	U	1	NAG	O4-C4-C3	-2.47	104.56	110.38
9	y	1	NAG	C8-C7-N2	2.47	120.21	116.12
8	a	2	NAG	O7-C7-C8	-2.47	117.66	122.05
7	u	2	NAG	C8-C7-N2	2.46	120.20	116.12
8	p	2	NAG	O7-C7-C8	-2.46	117.68	122.05
8	Y	2	NAG	C8-C7-N2	2.44	120.16	116.12
7	9	2	NAG	C8-C7-N2	2.43	120.14	116.12
7	u	1	NAG	O5-C5-C6	-2.42	102.95	107.66
8	T	1	NAG	C8-C7-N2	2.42	120.12	116.12
8	3	2	NAG	C8-C7-N2	2.42	120.12	116.12
8	j	2	NAG	C8-C7-N2	2.40	120.10	116.12
7	AA	2	NAG	C8-C7-N2	2.40	120.09	116.12
8	8	2	NAG	O3-C3-C2	-2.39	104.43	109.40
8	4	2	NAG	C8-C7-N2	2.39	120.08	116.12
7	2	2	NAG	O7-C7-C8	-2.39	117.80	122.05
8	t	2	NAG	O4-C4-C3	2.39	116.00	110.38
8	3	1	NAG	C2-N2-C7	2.38	126.09	122.90
7	2	1	NAG	O7-C7-C8	-2.38	117.82	122.05
8	T	2	NAG	C8-C7-N2	2.36	120.03	116.12
10	d	1	NAG	C1-O5-C5	2.36	115.35	112.19
8	z	2	NAG	C8-C7-N2	2.35	120.02	116.12
8	6	2	NAG	O7-C7-C8	-2.34	117.89	122.05
7	AA	1	NAG	O7-C7-C8	-2.33	117.90	122.05
10	d	2	NAG	C8-C7-N2	2.33	119.98	116.12
9	S	3	BMA	O3-C3-C4	2.32	115.84	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	l	1	NAG	C1-O5-C5	2.32	115.29	112.19
7	v	1	NAG	C8-C7-N2	2.30	119.93	116.12
8	m	1	NAG	C1-O5-C5	2.30	115.27	112.19
8	3	1	NAG	O5-C5-C6	-2.29	103.20	107.66
7	Q	2	NAG	C8-C7-N2	2.29	119.91	116.12
8	U	2	NAG	O7-C7-C8	-2.28	117.99	122.05
8	3	2	NAG	O4-C4-C5	2.28	114.94	109.32
8	x	2	NAG	O7-C7-C8	-2.28	118.00	122.05
8	o	1	NAG	O7-C7-C8	-2.27	118.01	122.05
8	a	1	NAG	C8-C7-N2	2.27	119.88	116.12
8	t	1	NAG	O4-C4-C5	-2.26	103.75	109.32
8	t	2	NAG	O4-C4-C5	2.26	114.89	109.32
9	S	2	NAG	C8-C7-N2	2.26	119.86	116.12
8	r	2	NAG	C8-C7-N2	2.26	119.86	116.12
7	2	1	NAG	C8-C7-N2	2.25	119.85	116.12
8	x	2	NAG	C1-O5-C5	2.23	115.18	112.19
8	X	1	NAG	C8-C7-N2	2.23	119.82	116.12
7	9	2	NAG	O7-C7-C8	-2.23	118.09	122.05
8	a	1	NAG	O7-C7-C8	-2.23	118.09	122.05
8	w	2	NAG	O7-C7-C8	-2.23	118.09	122.05
8	q	1	NAG	O7-C7-C8	-2.23	118.09	122.05
8	k	2	NAG	C8-C7-N2	2.22	119.81	116.12
8	h	2	NAG	C8-C7-N2	2.22	119.80	116.12
8	i	1	NAG	O5-C5-C6	-2.22	103.34	107.66
8	j	1	NAG	O4-C4-C5	2.21	114.77	109.32
8	z	1	NAG	C8-C7-N2	2.21	119.78	116.12
8	j	1	NAG	C1-C2-N2	2.21	113.91	110.43
7	W	2	NAG	C8-C7-N2	2.20	119.77	116.12
8	k	1	NAG	C8-C7-N2	2.20	119.77	116.12
7	u	1	NAG	C8-C7-N2	2.20	119.76	116.12
7	W	1	NAG	C1-C2-N2	-2.20	106.97	110.43
8	o	1	NAG	O5-C5-C6	-2.20	103.39	107.66
8	e	1	NAG	O7-C7-C8	-2.19	118.15	122.05
8	m	2	NAG	C8-C7-N2	2.19	119.75	116.12
8	i	1	NAG	C8-C7-N2	2.18	119.74	116.12
8	i	2	NAG	O4-C4-C5	2.18	114.69	109.32
7	l	2	NAG	C8-C7-N2	2.18	119.73	116.12
8	l	2	NAG	C8-C7-N2	2.17	119.72	116.12
8	i	2	NAG	C8-C7-N2	2.17	119.71	116.12
10	d	1	NAG	O5-C1-C2	-2.16	107.95	111.29
8	e	2	NAG	C8-C7-N2	2.16	119.70	116.12
8	3	2	NAG	O7-C7-C8	-2.16	118.21	122.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	7	2	NAG	C8-C7-N2	2.16	119.69	116.12
8	5	1	NAG	C1-C2-N2	-2.15	107.04	110.43
8	b	2	NAG	C8-C7-N2	2.15	119.68	116.12
8	n	1	NAG	O4-C4-C3	-2.14	105.32	110.38
8	o	2	NAG	O7-C7-C8	-2.14	118.24	122.05
7	g	2	NAG	C1-O5-C5	2.14	115.05	112.19
8	j	1	NAG	C8-C7-N2	2.14	119.66	116.12
8	h	1	NAG	O7-C7-C8	-2.13	118.27	122.05
7	l	1	NAG	O7-C7-C8	-2.12	118.27	122.05
8	n	2	NAG	C8-C7-N2	2.12	119.64	116.12
8	R	2	NAG	O7-C7-C8	-2.12	118.28	122.05
7	v	2	NAG	C8-C7-N2	2.12	119.63	116.12
8	c	1	NAG	O7-C7-C8	-2.12	118.28	122.05
8	1	3	BMA	C1-O5-C5	2.11	115.01	112.19
7	W	1	NAG	C1-O5-C5	2.10	115.01	112.19
8	z	1	NAG	O4-C4-C3	-2.10	105.42	110.38
8	o	2	NAG	O4-C4-C5	2.10	114.50	109.32
8	7	1	NAG	C8-C7-N2	2.10	119.60	116.12
8	6	1	NAG	C1-O5-C5	2.10	115.00	112.19
8	i	2	NAG	O4-C4-C3	2.10	115.32	110.38
8	o	2	NAG	C1-O5-C5	2.09	114.99	112.19
8	Y	2	NAG	O7-C7-C8	-2.09	118.33	122.05
8	6	1	NAG	O7-C7-C8	-2.08	118.34	122.05
7	g	2	NAG	C8-C7-N2	2.08	119.57	116.12
8	j	1	NAG	C2-N2-C7	2.08	125.69	122.90
7	s	1	NAG	O7-C7-C8	-2.08	118.35	122.05
10	d	2	NAG	O7-C7-C8	-2.08	118.36	122.05
8	X	2	NAG	C8-C7-N2	2.08	119.56	116.12
8	0	1	NAG	O4-C4-C3	2.07	115.26	110.38
8	h	1	NAG	O5-C1-C2	-2.07	108.09	111.29
7	s	2	NAG	C8-C7-N2	2.06	119.54	116.12
8	t	2	NAG	C8-C7-N2	2.06	119.54	116.12
8	p	2	NAG	C1-O5-C5	2.06	114.95	112.19
8	5	2	NAG	O7-C7-C8	-2.06	118.39	122.05
8	f	2	NAG	O7-C7-C8	-2.05	118.40	122.05
8	8	2	NAG	C2-N2-C7	2.05	125.65	122.90
8	0	1	NAG	O4-C4-C5	2.05	114.37	109.32
8	0	1	NAG	C2-N2-C7	2.05	125.64	122.90
7	Q	1	NAG	C2-N2-C7	2.05	125.64	122.90
8	1	1	NAG	O7-C7-C8	-2.04	118.41	122.05
8	p	2	NAG	O4-C4-C5	2.04	114.36	109.32
8	r	2	NAG	C1-O5-C5	2.04	114.92	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	b	1	NAG	C8-C7-N2	2.04	119.50	116.12
8	i	2	NAG	C1-O5-C5	2.04	114.92	112.19
8	j	2	NAG	O7-C7-C8	-2.03	118.43	122.05
7	u	2	NAG	O7-C7-C8	-2.03	118.44	122.05
8	r	1	NAG	O7-C7-C8	-2.03	118.44	122.05
10	d	2	NAG	C1-O5-C5	2.03	114.90	112.19
8	k	1	NAG	O5-C1-C2	-2.02	108.16	111.29
8	f	1	NAG	O7-C7-C8	-2.02	118.45	122.05

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	0	1	NAG	C1-C2-N2-C7
8	8	1	NAG	C8-C7-N2-C2
8	8	1	NAG	O7-C7-N2-C2
8	8	2	NAG	C1-C2-N2-C7
8	8	2	NAG	C8-C7-N2-C2
8	8	2	NAG	O7-C7-N2-C2
8	p	1	NAG	O5-C5-C6-O6
10	d	1	NAG	O5-C5-C6-O6
8	n	1	NAG	C4-C5-C6-O6
10	d	1	NAG	C4-C5-C6-O6
8	n	1	NAG	O5-C5-C6-O6
8	V	2	NAG	O7-C7-N2-C2
9	y	3	BMA	O5-C5-C6-O6
7	2	1	NAG	O5-C5-C6-O6
8	c	1	NAG	O5-C5-C6-O6
8	0	1	NAG	C4-C5-C6-O6
8	f	3	BMA	O5-C5-C6-O6
8	t	3	BMA	O5-C5-C6-O6
8	6	3	BMA	O5-C5-C6-O6
8	p	1	NAG	C4-C5-C6-O6
8	V	3	BMA	O5-C5-C6-O6
8	0	1	NAG	O5-C5-C6-O6
8	b	3	BMA	O5-C5-C6-O6
8	p	3	BMA	O5-C5-C6-O6
8	8	3	BMA	O5-C5-C6-O6
8	m	3	BMA	O5-C5-C6-O6
8	q	3	BMA	O5-C5-C6-O6
8	Z	3	BMA	O5-C5-C6-O6
8	Y	3	BMA	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	0	3	BMA	O5-C5-C6-O6
8	7	3	BMA	O5-C5-C6-O6
9	S	4	MAN	O5-C5-C6-O6
8	R	3	BMA	O5-C5-C6-O6
8	k	3	BMA	O5-C5-C6-O6
8	o	3	BMA	O5-C5-C6-O6
8	5	3	BMA	O5-C5-C6-O6
8	x	3	BMA	O5-C5-C6-O6
9	y	3	BMA	C4-C5-C6-O6
9	S	5	MAN	O5-C5-C6-O6
8	j	3	BMA	O5-C5-C6-O6
9	y	2	NAG	O5-C5-C6-O6
7	2	1	NAG	C4-C5-C6-O6
8	j	1	NAG	C1-C2-N2-C7
8	c	1	NAG	C4-C5-C6-O6
7	Q	1	NAG	C3-C2-N2-C7
8	j	1	NAG	C3-C2-N2-C7
7	AA	1	NAG	C4-C5-C6-O6
7	Q	1	NAG	C1-C2-N2-C7
8	Y	1	NAG	C1-C2-N2-C7
8	t	1	NAG	C1-C2-N2-C7
8	0	1	NAG	C3-C2-N2-C7
8	f	3	BMA	C4-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	k	1	NAG	1	0
8	r	1	NAG	1	0
8	m	1	NAG	1	0
8	j	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







































































































5.6 Ligand geometry

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
11	NAG	D	605	1	14,14,15	2.21	5 (35%)	17,19,21	0.96	0
11	NAG	C	601	1	14,14,15	2.19	5 (35%)	17,19,21	0.91	0
11	NAG	A	604	1	14,14,15	2.30	7 (50%)	17,19,21	0.94	0
11	NAG	B	702	2	14,14,15	2.43	6 (42%)	17,19,21	1.50	5 (29%)
11	NAG	A	601	1	14,14,15	2.30	6 (42%)	17,19,21	1.36	4 (23%)
11	NAG	D	603	1	14,14,15	2.10	5 (35%)	17,19,21	1.05	1 (5%)
11	NAG	F	701	2	14,14,15	2.31	6 (42%)	17,19,21	0.93	0
11	NAG	E	701	2	14,14,15	2.33	6 (42%)	17,19,21	0.89	1 (5%)
11	NAG	D	604	1	14,14,15	2.28	7 (50%)	17,19,21	1.22	2 (11%)
11	NAG	A	603	1	14,14,15	2.08	5 (35%)	17,19,21	1.06	2 (11%)
11	NAG	A	602	1	14,14,15	2.20	5 (35%)	17,19,21	0.94	0
11	NAG	C	602	1	14,14,15	2.38	7 (50%)	17,19,21	1.32	3 (17%)
11	NAG	D	606	1	14,14,15	0.34	0	17,19,21	0.67	0
11	NAG	F	702	2	14,14,15	2.35	6 (42%)	17,19,21	1.13	2 (11%)
11	NAG	D	601	1	14,14,15	2.11	5 (35%)	17,19,21	1.10	2 (11%)
11	NAG	E	702	2	14,14,15	2.20	7 (50%)	17,19,21	1.08	1 (5%)
11	NAG	A	605	1	14,14,15	2.51	6 (42%)	17,19,21	1.91	4 (23%)
11	NAG	D	602	1	14,14,15	2.14	4 (28%)	17,19,21	0.98	0
11	NAG	B	701	2	14,14,15	2.24	6 (42%)	17,19,21	0.97	0
11	NAG	B	703	2	14,14,15	2.37	5 (35%)	17,19,21	1.10	2 (11%)
11	NAG	C	603	1	14,14,15	2.03	5 (35%)	17,19,21	1.64	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	D	605	1	-	0/6/23/26	0/1/1/1
11	NAG	C	601	1	-	1/6/23/26	0/1/1/1
11	NAG	A	604	1	-	1/6/23/26	0/1/1/1
11	NAG	B	702	2	-	0/6/23/26	0/1/1/1
11	NAG	A	601	1	-	3/6/23/26	0/1/1/1
11	NAG	D	603	1	-	0/6/23/26	0/1/1/1
11	NAG	F	701	2	-	0/6/23/26	0/1/1/1
11	NAG	E	701	2	-	0/6/23/26	0/1/1/1
11	NAG	D	604	1	-	2/6/23/26	0/1/1/1
11	NAG	A	603	1	-	0/6/23/26	0/1/1/1
11	NAG	A	602	1	-	1/6/23/26	0/1/1/1
11	NAG	C	602	1	-	1/6/23/26	0/1/1/1
11	NAG	D	606	1	-	2/6/23/26	0/1/1/1
11	NAG	F	702	2	-	0/6/23/26	0/1/1/1
11	NAG	D	601	1	-	0/6/23/26	0/1/1/1
11	NAG	E	702	2	-	0/6/23/26	0/1/1/1
11	NAG	A	605	1	-	1/6/23/26	0/1/1/1
11	NAG	D	602	1	-	0/6/23/26	0/1/1/1
11	NAG	B	701	2	-	0/6/23/26	0/1/1/1
11	NAG	B	703	2	-	0/6/23/26	0/1/1/1
11	NAG	C	603	1	-	1/6/23/26	0/1/1/1

All (114) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	A	605	NAG	C1-C2	6.82	1.61	1.52
11	B	703	NAG	C1-C2	6.67	1.61	1.52
11	C	602	NAG	C1-C2	6.19	1.60	1.52
11	F	702	NAG	C1-C2	6.19	1.60	1.52
11	F	701	NAG	C1-C2	6.16	1.60	1.52
11	D	605	NAG	C1-C2	6.11	1.60	1.52
11	E	701	NAG	C1-C2	6.10	1.60	1.52
11	A	601	NAG	C1-C2	6.04	1.60	1.52
11	C	601	NAG	C1-C2	5.82	1.60	1.52
11	B	701	NAG	C1-C2	5.75	1.60	1.52
11	A	602	NAG	C1-C2	5.73	1.60	1.52
11	D	602	NAG	C1-C2	5.70	1.60	1.52
11	B	702	NAG	C1-C2	5.67	1.60	1.52
11	A	604	NAG	C1-C2	5.56	1.59	1.52
11	D	603	NAG	C1-C2	5.29	1.59	1.52
11	D	601	NAG	C1-C2	5.29	1.59	1.52
11	E	702	NAG	C1-C2	5.28	1.59	1.52
11	D	604	NAG	C1-C2	5.23	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	A	603	NAG	C1-C2	4.97	1.59	1.52
11	C	603	NAG	C1-C2	4.26	1.58	1.52
11	B	702	NAG	O5-C5	4.18	1.51	1.43
11	C	603	NAG	O5-C5	3.64	1.50	1.43
11	D	604	NAG	O5-C5	3.60	1.50	1.43
11	A	604	NAG	O5-C5	3.47	1.50	1.43
11	B	701	NAG	O5-C5	3.42	1.50	1.43
11	A	601	NAG	O5-C5	3.42	1.50	1.43
11	D	601	NAG	O5-C5	3.42	1.50	1.43
11	E	702	NAG	O5-C5	3.41	1.50	1.43
11	C	602	NAG	O5-C5	3.40	1.50	1.43
11	D	603	NAG	O5-C5	3.37	1.50	1.43
11	A	605	NAG	C2-N2	3.32	1.51	1.46
11	E	701	NAG	O5-C5	3.30	1.49	1.43
11	A	603	NAG	O5-C5	3.27	1.49	1.43
11	A	602	NAG	O5-C5	3.26	1.49	1.43
11	D	605	NAG	O5-C5	3.18	1.49	1.43
11	F	701	NAG	O5-C5	3.16	1.49	1.43
11	B	703	NAG	O5-C5	3.15	1.49	1.43
11	C	601	NAG	O5-C5	3.14	1.49	1.43
11	F	702	NAG	C3-C2	3.06	1.58	1.52
11	D	602	NAG	O5-C5	3.05	1.49	1.43
11	A	605	NAG	O5-C5	2.99	1.49	1.43
11	B	702	NAG	C4-C5	2.96	1.59	1.53
11	B	702	NAG	O5-C1	2.95	1.48	1.43
11	F	702	NAG	O5-C5	2.84	1.49	1.43
11	A	604	NAG	O5-C1	2.82	1.48	1.43
11	A	605	NAG	O5-C1	2.80	1.48	1.43
11	C	603	NAG	C3-C2	2.80	1.58	1.52
11	E	701	NAG	C3-C2	2.79	1.58	1.52
11	D	604	NAG	C3-C2	2.67	1.58	1.52
11	F	701	NAG	O5-C1	2.67	1.48	1.43
11	E	702	NAG	O5-C1	2.66	1.48	1.43
11	C	601	NAG	O5-C1	2.64	1.48	1.43
11	E	701	NAG	O5-C1	2.63	1.48	1.43
11	A	602	NAG	O5-C1	2.62	1.48	1.43
11	C	602	NAG	C2-N2	2.61	1.50	1.46
11	B	703	NAG	O5-C1	2.61	1.48	1.43
11	D	604	NAG	O5-C1	2.59	1.48	1.43
11	A	603	NAG	O5-C1	2.58	1.48	1.43
11	D	604	NAG	C4-C5	2.57	1.58	1.53
11	A	601	NAG	C4-C5	2.57	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	701	NAG	O5-C1	2.56	1.48	1.43
11	C	602	NAG	O5-C1	2.53	1.47	1.43
11	D	602	NAG	O5-C1	2.52	1.47	1.43
11	A	604	NAG	C2-N2	2.49	1.50	1.46
11	F	702	NAG	O5-C1	2.48	1.47	1.43
11	A	601	NAG	C3-C2	2.47	1.57	1.52
11	F	701	NAG	C3-C2	2.44	1.57	1.52
11	C	603	NAG	C2-N2	2.44	1.50	1.46
11	A	601	NAG	O5-C1	2.41	1.47	1.43
11	A	604	NAG	C3-C2	2.38	1.57	1.52
11	E	702	NAG	C4-C5	2.37	1.58	1.53
11	D	603	NAG	C4-C5	2.36	1.58	1.53
11	A	602	NAG	C3-C2	2.35	1.57	1.52
11	D	604	NAG	C2-N2	2.35	1.50	1.46
11	D	602	NAG	C3-C2	2.34	1.57	1.52
11	F	702	NAG	C2-N2	2.33	1.50	1.46
11	B	701	NAG	C3-C2	2.32	1.57	1.52
11	A	604	NAG	C4-C5	2.32	1.58	1.53
11	C	601	NAG	C3-C2	2.32	1.57	1.52
11	D	603	NAG	C3-C2	2.31	1.57	1.52
11	C	602	NAG	C4-C5	2.30	1.57	1.53
11	D	601	NAG	C4-C5	2.29	1.57	1.53
11	A	603	NAG	C4-C5	2.29	1.57	1.53
11	C	602	NAG	C3-C2	2.27	1.57	1.52
11	B	702	NAG	C4-C3	2.27	1.58	1.52
11	D	604	NAG	C4-C3	2.26	1.58	1.52
11	B	701	NAG	C4-C5	2.24	1.57	1.53
11	D	605	NAG	O5-C1	2.24	1.47	1.43
11	E	702	NAG	C2-N2	2.23	1.50	1.46
11	F	701	NAG	C4-C5	2.23	1.57	1.53
11	D	605	NAG	C3-C2	2.21	1.57	1.52
11	D	601	NAG	C3-C2	2.21	1.57	1.52
11	E	702	NAG	C3-C2	2.19	1.57	1.52
11	B	703	NAG	C3-C2	2.18	1.57	1.52
11	C	602	NAG	C4-C3	2.17	1.58	1.52
11	E	702	NAG	C4-C3	2.16	1.57	1.52
11	A	605	NAG	C3-C2	2.14	1.57	1.52
11	A	603	NAG	C2-N2	2.12	1.49	1.46
11	C	603	NAG	C4-C5	2.11	1.57	1.53
11	D	603	NAG	O5-C1	2.09	1.47	1.43
11	D	601	NAG	O5-C1	2.08	1.47	1.43
11	D	605	NAG	C4-C5	2.08	1.57	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	A	602	NAG	C4-C5	2.08	1.57	1.53
11	E	701	NAG	C2-N2	2.08	1.49	1.46
11	A	605	NAG	C4-C5	2.08	1.57	1.53
11	B	701	NAG	C4-C3	2.07	1.57	1.52
11	B	702	NAG	C3-C2	2.06	1.56	1.52
11	C	601	NAG	C4-C5	2.06	1.57	1.53
11	B	703	NAG	C4-C5	2.05	1.57	1.53
11	E	701	NAG	C4-C5	2.04	1.57	1.53
11	F	702	NAG	C4-C5	2.02	1.57	1.53
11	A	604	NAG	C4-C3	2.02	1.57	1.52
11	A	601	NAG	C4-C3	2.02	1.57	1.52
11	F	701	NAG	C4-C3	2.00	1.57	1.52

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	C	603	NAG	C2-N2-C7	4.88	129.44	122.90
11	A	605	NAG	C2-N2-C7	4.79	129.31	122.90
11	A	605	NAG	C1-C2-N2	4.23	117.09	110.43
11	B	702	NAG	O7-C7-C8	-3.18	116.39	122.05
11	B	702	NAG	C8-C7-N2	3.08	121.23	116.12
11	D	604	NAG	C2-N2-C7	2.99	126.90	122.90
11	A	605	NAG	O7-C7-C8	-2.89	116.91	122.05
11	C	602	NAG	C8-C7-N2	2.83	120.81	116.12
11	E	702	NAG	C8-C7-N2	2.70	120.59	116.12
11	B	703	NAG	C8-C7-N2	2.68	120.56	116.12
11	D	601	NAG	C8-C7-N2	2.63	120.48	116.12
11	A	605	NAG	C8-C7-N2	2.56	120.36	116.12
11	F	702	NAG	C8-C7-N2	2.55	120.35	116.12
11	C	602	NAG	O7-C7-C8	-2.49	117.63	122.05
11	A	603	NAG	C1-C2-N2	-2.49	106.52	110.43
11	C	602	NAG	C2-N2-C7	2.40	126.11	122.90
11	A	603	NAG	C8-C7-N2	2.38	120.06	116.12
11	A	601	NAG	O5-C1-C2	-2.37	107.63	111.29
11	B	702	NAG	C4-C3-C2	-2.35	107.57	111.02
11	F	702	NAG	C1-O5-C5	2.34	115.32	112.19
11	A	601	NAG	C2-N2-C7	2.29	125.97	122.90
11	B	702	NAG	O3-C3-C4	2.27	115.74	110.38
11	E	701	NAG	C8-C7-N2	2.25	119.86	116.12
11	D	604	NAG	C8-C7-N2	2.19	119.76	116.12
11	C	603	NAG	O7-C7-C8	-2.19	118.16	122.05
11	A	601	NAG	C4-C3-C2	-2.18	107.82	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	D	603	NAG	C8-C7-N2	2.09	119.59	116.12
11	A	601	NAG	O5-C5-C6	-2.07	103.63	107.66
11	B	702	NAG	O5-C1-C2	-2.06	108.10	111.29
11	D	601	NAG	C1-C2-N2	-2.05	107.19	110.43
11	B	703	NAG	O7-C7-C8	-2.04	118.43	122.05

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	A	605	NAG	C1-C2-N2-C7
11	C	602	NAG	C1-C2-N2-C7
11	C	603	NAG	C3-C2-N2-C7
11	D	606	NAG	C8-C7-N2-C2
11	D	606	NAG	O7-C7-N2-C2
11	C	601	NAG	O5-C5-C6-O6
11	A	604	NAG	O5-C5-C6-O6
11	D	604	NAG	O5-C5-C6-O6
11	A	602	NAG	O5-C5-C6-O6
11	A	601	NAG	O5-C5-C6-O6
11	D	604	NAG	C3-C2-N2-C7
11	A	601	NAG	C1-C2-N2-C7
11	A	601	NAG	C3-C2-N2-C7



There are no ring outliers.



2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	702	NAG	1	0
11	B	701	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient



equivalents in the CSD to analyse the geometry.


































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14474. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 131



Y Index: 137




Z Index: 153


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_14474_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 197 nm³; this corresponds to an approximate mass of 178 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.253 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.253 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.95	-	-
Author-provided FSC curve	3.95	4.51	3.98
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14474 and PDB model 7Z3A. Per-residue inclusion information can be found in [section 3](#) on [page 12](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7020	 0.3680
0	 0.7440	 0.3360
1	 0.7180	 0.3470
2	 0.4290	 0.2480
3	 0.1540	 0.1290
4	 0.5640	 0.3230
5	 0.5380	 0.3430
6	 0.4360	 0.3370
7	 0.2050	 0.2350
8	 0.2560	 0.3710
9	 0.0360	 0.2780
A	 0.7550	 0.3850
AA	 0.2500	 0.2050
B	 0.7230	 0.3530
C	 0.7550	 0.3840
D	 0.7710	 0.4030
E	 0.7270	 0.3310
F	 0.7100	 0.3310
G	 0.6570	 0.3140
H	 0.8110	 0.4210
I	 0.6300	 0.3110
J	 0.5760	 0.3810
K	 0.7820	 0.4080
L	 0.7610	 0.3670
M	 0.7280	 0.3700
N	 0.4870	 0.3170
O	 0.6960	 0.3660
P	 0.7480	 0.3460
Q	 0.3210	 0.2640
R	 0.2820	 0.3760
S	 0.2620	 0.3050
T	 0.3590	 0.3220
U	 0.6670	 0.3800
V	 0.5380	 0.2810
W	 0.5000	 0.2830



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
X	 0.2820	 0.3460
Y	 0.5900	 0.3680
Z	 0.5380	 0.4100
a	 0.3080	 0.2520
b	 0.3080	 0.3060
c	 0.2310	 0.2950
d	 0.4360	 0.2990
e	 0.2310	 0.2270
f	 0.2820	 0.4110
g	 0.1790	 0.1630
h	 0.4620	 0.3810
i	 0.3590	 0.3830
j	 0.7950	 0.3700
k	 0.6670	 0.3030
l	 0.5710	 0.3060
m	 0.3080	 0.2840
n	 0.2310	 0.2270
o	 0.6150	 0.3090
p	 0.4100	 0.3190
q	 0.3330	 0.2220
r	 0.2310	 0.2940
s	 0.2500	 0.2750
t	 0.3850	 0.3420
u	 0.1070	 0.1460
v	 0.2860	 0.3900
w	 0.3330	 0.3650
x	 0.5640	 0.3660
y	 0.2790	 0.3250
z	 0.3590	 0.3240