



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 02:59 PM UTC

PDB ID : 7Z3J / pdb_00007z3j
Title : Structure of crystallisable rat Phospholipase C gamma 1 in complex with inositol 1,4,5-trisphosphate
Authors : Pinotsis, N.; Bunney, T.D.; Katan, M.
Deposited on : 2022-03-02
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1176	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	1305	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	1306	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9395 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase gamma-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1119	Total	C	N	O	S	0	5	0
			9108	5799	1550	1709	50			

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	18	SER	-	expression tag	UNP P10686
A	19	GLN	-	expression tag	UNP P10686
A	?	-	THR	deletion	UNP P10686
A	?	-	ALA	deletion	UNP P10686
A	?	-	GLU	deletion	UNP P10686
A	?	-	PRO	deletion	UNP P10686
A	?	-	ASP	deletion	UNP P10686
A	?	-	TYR	deletion	UNP P10686
A	?	-	GLY	deletion	UNP P10686
A	?	-	ALA	deletion	UNP P10686
A	?	-	LEU	deletion	UNP P10686
A	?	-	TYR	deletion	UNP P10686
A	?	-	GLU	deletion	UNP P10686
A	?	-	GLY	deletion	UNP P10686
A	?	-	ARG	deletion	UNP P10686
A	?	-	ASN	deletion	UNP P10686
A	?	-	PRO	deletion	UNP P10686
A	?	-	GLY	deletion	UNP P10686
A	?	-	PHE	deletion	UNP P10686
A	?	-	TYR	deletion	UNP P10686
A	?	-	VAL	deletion	UNP P10686
A	?	-	GLU	deletion	UNP P10686
A	?	-	ALA	deletion	UNP P10686
A	?	-	ASN	deletion	UNP P10686
A	?	-	PRO	deletion	UNP P10686
A	?	-	MET	deletion	UNP P10686

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	PRO	deletion	UNP P10686
A	766	SER	-	linker	UNP P10686
A	767	GLY	-	linker	UNP P10686
A	768	SER	-	linker	UNP P10686

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Ca 2 2	0	0

- Molecule 3 is D-MYO-INOSITOL-1,4,5-TRIPHOSPHATE (CCD ID: I3P) (formula: C₆H₁₅O₁₅P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P 24 6 15 3	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	243	Total	O	0	0
			243	243		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase gamma-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.76Å 82.44Å 230.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.29 – 2.00 49.29 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.5 (49.29-2.00) 98.8 (49.29-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.07 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.224 , 0.256 0.224 , 0.257	Depositor DCC
R_{free} test set	4663 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	49.3	Xtriage
Anisotropy	0.336	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 34.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9395	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, GOL, I3P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	2/9328 (0.0%)	0.57	0/12617

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1043	PRO	CA-CB	-12.55	1.45	1.53
1	A	878	VAL	CA-CB	-5.51	1.51	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9108	0	8873	105	0
2	A	2	0	0	0	0
3	A	24	0	8	4	0
4	A	18	0	24	5	0
5	A	243	0	0	6	0
All	All	9395	0	8905	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:696:ARG:HE	4:A:1305:GOL:H2	1.38	0.87
1:A:476:PRO:HD2	1:A:964:PRO:HG3	1.62	0.79
1:A:479:VAL:HG23	1:A:481:TYR:HD2	1.49	0.78
1:A:1052:ALA:HA	1:A:1055:MET:HE3	1.68	0.74
1:A:285:LEU:O	1:A:286:ARG:HG2	1.87	0.73
1:A:709:GLU:O	1:A:711:LYS:NZ	2.21	0.73
1:A:278:LEU:HD22	1:A:287:GLU:HG2	1.74	0.69
1:A:483:GLU:O	1:A:488:ASN:ND2	2.28	0.66
1:A:290:GLU:HG2	1:A:291:PRO:HD2	1.80	0.63
1:A:675:ARG:HH11	4:A:1305:GOL:H12	1.64	0.62
1:A:474:GLU:O	1:A:476:PRO:HD3	1.98	0.62
1:A:979:ASP:OD2	5:A:1401:HOH:O	2.16	0.60
1:A:860:GLU:HG2	1:A:861:HIS:CD2	2.37	0.60
1:A:675:ARG:NH1	4:A:1305:GOL:H12	2.17	0.59
1:A:569:LEU:HD23	1:A:605:VAL:HG13	1.83	0.59
1:A:283:ASP:O	1:A:287:GLU:HG3	2.04	0.58
1:A:563:HIS:NE2	4:A:1306:GOL:H31	2.19	0.58
1:A:792:PHE:CZ	1:A:793:LYS:HE2	2.39	0.57
1:A:62:TRP:CE2	1:A:71:GLY:HA3	2.39	0.57
1:A:679:GLU:HG2	1:A:712:ILE:HG21	1.85	0.57
1:A:284:PRO:O	1:A:287:GLU:HB2	2.05	0.56
1:A:1193:LYS:NZ	1:A:1199:ASP:OD1	2.37	0.56
1:A:233:LEU:HD21	1:A:298:LEU:HD23	1.87	0.56
1:A:51:PHE:CD2	1:A:62:TRP:HB3	2.40	0.56
1:A:247:CYS:HB3	1:A:295:LEU:HD12	1.88	0.55
1:A:696:ARG:NE	4:A:1305:GOL:H2	2.17	0.55
1:A:888:GLU:OE1	1:A:888:GLU:N	2.39	0.55
1:A:48:ARG:O	1:A:49:LYS:HG3	2.07	0.55
1:A:36:THR:HB	1:A:123:GLN:HB3	1.89	0.54
1:A:73:ILE:HD12	1:A:120:LEU:HD22	1.89	0.54
1:A:285:LEU:H	1:A:285:LEU:HD22	1.72	0.54
1:A:128:ASP:HA	1:A:131:ASN:HB2	1.90	0.53
1:A:118:LYS:NZ	5:A:1408:HOH:O	2.38	0.53
1:A:856:GLU:HB3	1:A:859:ARG:HH21	1.74	0.53
1:A:1073:ALA:O	1:A:1081:SER:HB2	2.09	0.53
1:A:620:LYS:HD3	1:A:628:VAL:HG11	1.92	0.52
1:A:152:GLN:OE1	1:A:305:LYS:NZ	2.43	0.52
1:A:566:GLU:OE1	5:A:1402:HOH:O	2.19	0.52
1:A:369:TRP:CZ2	1:A:381:GLY:HA3	2.45	0.51
1:A:860:GLU:HG2	1:A:861:HIS:HD2	1.75	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:497:LEU:HD21	1:A:911:VAL:HG22	1.92	0.50
1:A:824:GLN:H	1:A:829:TRP:CD1	2.30	0.50
1:A:1185:THR:HG22	1:A:1211:ILE:HD12	1.94	0.50
1:A:177:LEU:HD12	1:A:180:MET:HE3	1.93	0.50
1:A:450:PRO:HG2	1:A:455:LEU:HD11	1.93	0.50
1:A:1163:GLU:HB3	1:A:1173:LEU:HD11	1.94	0.50
1:A:45:ARG:HG2	1:A:46:PRO:HD2	1.94	0.49
1:A:49:LYS:HG2	1:A:64:ARG:HA	1.94	0.49
1:A:49:LYS:HE3	1:A:70:GLU:OE2	2.12	0.49
1:A:808:ASP:OD2	5:A:1403:HOH:O	2.20	0.48
1:A:1025:PRO:HD3	1:A:1046:PRO:HB3	1.94	0.48
1:A:639:TYR:CD1	1:A:644:LEU:HB3	2.49	0.48
1:A:476:PRO:CD	1:A:964:PRO:HG3	2.39	0.48
1:A:970:ILE:HB	1:A:999:LYS:HZ1	1.79	0.48
1:A:28:SER:O	1:A:31:VAL:HB	2.14	0.48
1:A:495:LEU:HD11	1:A:922:TRP:CE2	2.49	0.47
1:A:141:MET:O	1:A:145:LEU:HG	2.14	0.47
1:A:791:THR:HG22	1:A:910:ASP:OD2	2.14	0.47
1:A:1012:TYR:CG	3:A:1303:I3P:H3	2.49	0.47
1:A:414:GLU:OE1	3:A:1303:I3P:H6	2.14	0.47
1:A:1071:ASP:OD1	1:A:1072:GLU:N	2.47	0.47
1:A:509:TYR:CE1	1:A:523:THR:HG21	2.50	0.47
1:A:29:LEU:HD22	1:A:133:TRP:CE2	2.50	0.47
1:A:249:VAL:HA	1:A:253:GLU:OE1	2.16	0.46
1:A:612:SER:O	1:A:613:ARG:NH1	2.41	0.46
1:A:29:LEU:HD11	1:A:133:TRP:HA	1.97	0.46
1:A:271:LEU:O	1:A:275[B]:GLU:HG2	2.15	0.46
1:A:232:PHE:CD2	1:A:233:LEU:HG	2.51	0.46
1:A:287:GLU:C	1:A:289:GLU:H	2.24	0.46
1:A:251:LEU:HD11	1:A:273:VAL:HB	1.98	0.46
1:A:157:LEU:HD21	1:A:217:TYR:CG	2.51	0.45
3:A:1303:I3P:P1	3:A:1303:I3P:O2	2.74	0.45
1:A:281:LEU:HG	1:A:293:PHE:HE1	1.81	0.45
1:A:707:ARG:HH12	1:A:856:GLU:CD	2.25	0.45
1:A:99:PHE:C	1:A:101:PRO:HD3	2.41	0.45
1:A:161:PHE:CE2	1:A:210:TYR:HB2	2.52	0.45
1:A:791:THR:OG1	1:A:886:ARG:NH1	2.50	0.45
1:A:661:ASN:HA	1:A:663:HIS:CE1	2.52	0.44
1:A:1012:TYR:CD1	3:A:1303:I3P:H3	2.53	0.44
1:A:33:THR:HB	1:A:35:MET:HE2	2.00	0.44
1:A:1045:LYS:O	1:A:1049:MET:HG2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1102:LYS:HE3	1:A:1106:GLY:O	2.18	0.43
1:A:1010:ARG:HA	1:A:1035:LEU:HB2	1.99	0.43
1:A:154:GLU:HG2	1:A:218[B]:ARG:HH22	1.82	0.43
1:A:285:LEU:C	1:A:287:GLU:H	2.26	0.43
1:A:668:TRP:HB3	1:A:755:PRO:HB3	2.00	0.43
1:A:161:PHE:C	1:A:163:SER:H	2.27	0.43
1:A:1001:LEU:O	1:A:1005:ARG:HG3	2.19	0.43
1:A:249:VAL:HG23	1:A:293:PHE:HB2	2.01	0.42
1:A:39:TYR:C	1:A:41:LYS:H	2.27	0.42
1:A:1055:MET:HE3	1:A:1055:MET:HB2	1.86	0.42
1:A:1181:LYS:HG2	5:A:1450:HOH:O	2.18	0.42
1:A:172:ILE:HG12	1:A:208:ILE:HG13	2.02	0.42
1:A:264:GLU:HB3	1:A:266:TRP:NE1	2.35	0.42
1:A:1090:ILE:HG22	1:A:1092:ILE:HG13	2.01	0.42
1:A:548:GLU:HG3	1:A:550:TRP:CZ2	2.54	0.42
1:A:1087:PRO:HB3	1:A:1150:SER:HA	2.02	0.41
1:A:214:ALA:HB1	1:A:218[B]:ARG:NH1	2.35	0.41
1:A:56:GLU:OE1	1:A:158:ARG:HD3	2.20	0.41
1:A:550:TRP:HB3	1:A:656:PRO:HB3	2.02	0.41
1:A:966:ASP:OD2	1:A:969:LYS:HE3	2.21	0.41
1:A:350:LEU:HD11	1:A:392:ASP:HB3	2.03	0.41
1:A:252:SER:OG	1:A:270:ARG:NH1	2.54	0.40
1:A:704:ILE:O	1:A:714:HIS:HA	2.22	0.40
1:A:376:PRO:HG3	1:A:425:MET:HG3	2.03	0.40
1:A:1184:LYS:NZ	5:A:1438:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1114/1176 (95%)	1061 (95%)	48 (4%)	5 (0%)	30 27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	476	PRO
1	A	1083	ARG
1	A	286	ARG
1	A	164	VAL
1	A	288	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	997/1051 (95%)	975 (98%)	22 (2%)	45 50

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	VAL
1	A	37	LEU
1	A	87	SER
1	A	104	SER
1	A	109	ILE
1	A	151	LEU
1	A	154	GLU
1	A	208	ILE
1	A	209	THR
1	A	285	LEU
1	A	475	VAL
1	A	488	ASN
1	A	544	LEU
1	A	592	VAL
1	A	608	CYS
1	A	698	GLU
1	A	729	SER
1	A	735	VAL
1	A	800	PHE
1	A	822	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	838	GLN
1	A	1153	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN
1	A	324	ASN
1	A	638	HIS
1	A	661	ASN
1	A	663	HIS
1	A	861	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	1304	-	5,5,5	1.09	0	5,5,5	0.98	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	I3P	A	1303	2	24,24,24	1.98	3 (12%)	39,39,39	1.80	8 (20%)
4	GOL	A	1306	-	5,5,5	2.37	2 (40%)	5,5,5	3.01	4 (80%)
4	GOL	A	1305	-	5,5,5	1.09	0	5,5,5	1.34	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	1304	-	-	0/4/4/4	-
3	I3P	A	1303	2	-	6/15/39/39	0/1/1/1
4	GOL	A	1306	-	-	1/4/4/4	-
4	GOL	A	1305	-	-	2/4/4/4	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1303	I3P	P5-O5	5.41	1.69	1.59
3	A	1303	I3P	P4-O4	5.27	1.68	1.59
3	A	1303	I3P	P1-O1	4.02	1.66	1.59
4	A	1306	GOL	O1-C1	3.89	1.58	1.42
4	A	1306	GOL	C3-C2	-3.22	1.39	1.51

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1303	I3P	O1-C1-C6	-6.80	94.34	108.73
4	A	1306	GOL	O3-C3-C2	-4.38	90.66	110.38
3	A	1303	I3P	C5-C6-C1	3.99	117.20	109.11
3	A	1303	I3P	O1-C1-C2	3.44	116.01	108.73
4	A	1306	GOL	O1-C1-C2	-3.37	95.21	110.38
4	A	1306	GOL	C3-C2-C1	-2.73	101.78	111.80
4	A	1305	GOL	C3-C2-C1	-2.43	102.90	111.80
4	A	1306	GOL	O2-C2-C3	-2.37	99.37	109.18
3	A	1303	I3P	C3-C2-C1	2.29	114.88	109.68
3	A	1303	I3P	O4-C4-C5	-2.19	104.09	108.76
3	A	1303	I3P	O4-C4-C3	-2.15	104.18	108.73
3	A	1303	I3P	O6-C6-C1	-2.08	104.60	109.94
3	A	1303	I3P	O52-P5-O5	2.02	113.71	105.85

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1303	I3P	C2-C1-O1-P1
4	A	1305	GOL	C1-C2-C3-O3
4	A	1305	GOL	O2-C2-C3-O3
3	A	1303	I3P	C5-C4-O4-P4
3	A	1303	I3P	C5-O5-P5-O52
3	A	1303	I3P	C4-O4-P4-O41
4	A	1306	GOL	O2-C2-C3-O3
3	A	1303	I3P	C3-C4-O4-P4
3	A	1303	I3P	C4-O4-P4-O42

There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1303	I3P	4	0
4	A	1306	GOL	1	0
4	A	1305	GOL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1119/1176 (95%)	0.57	92 (8%) 17 16	24, 54, 109, 163	5 (0%)

All (92) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	475	VAL	5.8
1	A	476	PRO	5.8
1	A	246	LEU	5.2
1	A	66	ALA	4.8
1	A	479	VAL	4.3
1	A	616	ALA	4.3
1	A	481	TYR	4.1
1	A	546	SER	4.1
1	A	98	ALA	4.0
1	A	615	ASP	4.0
1	A	544	LEU	4.0
1	A	477	THR	3.9
1	A	192	ARG	3.9
1	A	292	TYR	3.7
1	A	934	ASP	3.7
1	A	285	LEU	3.5
1	A	189	PRO	3.4
1	A	933	ALA	3.4
1	A	124	ALA	3.4
1	A	31	VAL	3.1
1	A	480	MET	3.1
1	A	619	PRO	3.1
1	A	233	LEU	3.0
1	A	218[A]	ARG	3.0
1	A	125	THR	3.0
1	A	63	SER	2.9
1	A	478	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	289	GLU	2.8
1	A	177	LEU	2.8
1	A	69	ILE	2.8
1	A	514	SER	2.8
1	A	188	VAL	2.8
1	A	472	TYR	2.7
1	A	19	GLN	2.7
1	A	964	PRO	2.7
1	A	20	ALA	2.6
1	A	963	VAL	2.6
1	A	232	PHE	2.6
1	A	286	ARG	2.6
1	A	34	VAL	2.6
1	A	92	ARG	2.6
1	A	99	PHE	2.5
1	A	617	GLY	2.5
1	A	791	THR	2.5
1	A	1181	LYS	2.5
1	A	64	ARG	2.5
1	A	93	TYR	2.5
1	A	123	GLN	2.5
1	A	1182	GLY	2.5
1	A	824	GLN	2.4
1	A	618	THR	2.4
1	A	473	GLU	2.4
1	A	247	CYS	2.4
1	A	105	HIS	2.4
1	A	649	PHE	2.4
1	A	53	VAL	2.4
1	A	288	ILE	2.3
1	A	1214	ALA	2.3
1	A	168	ARG	2.3
1	A	947	LYS	2.3
1	A	965	PHE	2.3
1	A	284	PRO	2.3
1	A	48	ARG	2.3
1	A	120	LEU	2.3
1	A	834	GLY	2.3
1	A	957	VAL	2.3
1	A	267	ALA	2.3
1	A	133	TRP	2.3
1	A	291	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	62	TRP	2.2
1	A	38	PHE	2.2
1	A	180	MET	2.2
1	A	166	ARG	2.2
1	A	959	TYR	2.2
1	A	169	GLU	2.1
1	A	958	VAL	2.1
1	A	145	LEU	2.1
1	A	974	ARG	2.1
1	A	444	ILE	2.1
1	A	65	GLY	2.1
1	A	40	SER	2.1
1	A	216	LEU	2.1
1	A	172	ILE	2.1
1	A	51	PHE	2.1
1	A	792	PHE	2.1
1	A	29	LEU	2.1
1	A	37	LEU	2.1
1	A	191	MET	2.1
1	A	960	CYS	2.1
1	A	859	ARG	2.1
1	A	23	LEU	2.0
1	A	613	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	1305	6/6	0.74	0.19	67,72,78,84	0
3	I3P	A	1303	24/24	0.82	0.14	41,63,68,70	24
4	GOL	A	1306	6/6	0.85	0.13	61,62,64,64	6
4	GOL	A	1304	6/6	0.87	0.14	47,55,60,65	0
2	CA	A	1302	1/1	0.90	0.20	77,77,77,77	1
2	CA	A	1301	1/1	0.99	0.04	50,50,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CA A 1302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CA A 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.