



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 01:05 PM EDT

PDB ID : 2Z4T / pdb_00002z4t
Title : Crystal Structure of Vibrionaceae Photobacterium sp. JT-ISH-224 2,6-sialyltransferase in a Ternary Complex with Donor Product CMP and Acceptor Substrate Lactose
Authors : Kakuta, Y.; Okino, N.; Kajiwara, H.; Ichikawa, M.; Takakura, Y.; Ito, M.; Yamamoto, T.
Deposited on : 2007-06-25
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	7% 71% 17% 6% • •
2	B	2	100%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4393 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactoside alpha-2,6-sialyltransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	493	Total	C	N	O	S	2	10	0
			4025	2564	664	784	13			

- Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-4)-alpha-D-glucopyranoside.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	B	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 3 is CYTIDINE-5'-MONOPHOSPHATE (CCD ID: C5P) (formula: C₉H₁₄N₃O₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			21	9	3	8	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Mg	0	0
			3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	281	Total	O	0	0
			281	281		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-galactoside alpha-2,6-sialyltransferase



- Molecule 2: beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	90.29Å 90.29Å 204.33Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.31 – 2.50 41.31 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (41.31-2.50) 99.8 (41.31-2.50)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.32 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.192 , 0.243 0.190 , 0.239	Depositor DCC
R_{free} test set	1727 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	37.9	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 39.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4393	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: C5P, MG, GLC, GOL, GAL, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	1/4136 (0.0%)	1.20	34/5622 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	11

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	104	TYR	CD1-CE1	-8.93	1.11	1.38

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	486	MET	N-CA-C	-19.56	89.83	113.88
1	A	206	PHE	N-CA-C	-16.65	88.06	112.04
1	A	104	TYR	CG-CD1-CE1	16.43	145.84	121.20
1	A	350	ASN	N-CA-C	15.35	132.13	113.41
1	A	55	HIS	N-CA-C	12.00	124.06	108.34
1	A	104	TYR	CB-CG-CD1	9.88	135.63	120.80
1	A	33	THR	CA-C-N	9.41	138.91	121.97
1	A	33	THR	C-N-CA	9.41	138.91	121.97
1	A	104	TYR	CD1-CG-CD2	-9.23	104.26	118.10
1	A	54	LYS	N-CA-C	-9.21	95.30	109.95
1	A	350	ASN	CA-C-N	8.87	137.67	121.70
1	A	350	ASN	C-N-CA	8.87	137.67	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	425	ILE	N-CA-C	7.98	126.11	108.88
1	A	420	PRO	CA-C-N	7.95	136.00	121.70
1	A	420	PRO	C-N-CA	7.95	136.00	121.70
1	A	100	LYS	N-CA-C	7.82	122.86	113.16
1	A	34	ILE	N-CA-CB	7.58	123.73	111.23
1	A	48	SER	CA-C-N	6.81	133.96	121.70
1	A	48	SER	C-N-CA	6.81	133.96	121.70
1	A	364	VAL	CB-CA-C	-6.66	101.78	110.84
1	A	404	GLY	N-CA-C	-6.49	97.80	113.18
1	A	104	TYR	CD1-CE1-CZ	-6.38	108.13	119.60
1	A	405	HIS	N-CA-C	6.09	123.28	109.81
1	A	420	PRO	N-CA-C	5.96	124.75	112.47
1	A	49	ASN	N-CA-C	5.82	127.29	111.00
1	A	419	TYR	CA-C-N	5.80	127.08	119.84
1	A	419	TYR	C-N-CA	5.80	127.08	119.84
1	A	424	ASP	CA-C-N	5.63	132.54	122.13
1	A	424	ASP	C-N-CA	5.63	132.54	122.13
1	A	34	ILE	CB-CA-C	5.51	120.33	111.29
1	A	424	ASP	N-CA-C	-5.47	100.89	109.25
1	A	55	HIS	N-CA-CB	-5.40	101.15	110.87
1	A	33	THR	O-C-N	-5.28	116.75	123.24
1	A	210	VAL	N-CA-CB	5.12	113.95	110.52

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	100	LYS	Peptide
1	A	205	SER	Peptide
1	A	33	THR	Peptide
1	A	403	LYS	Peptide
1	A	404	GLY	Peptide
1	A	420	PRO	Peptide
1	A	424	ASP	Peptide
1	A	48	SER	Peptide
1	A	485	VAL	Peptide
1	A	501[A]	ALA	Peptide
1	A	54	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4025	0	3958	103	0
2	B	23	0	21	0	0
3	A	21	0	12	0	0
4	A	30	0	40	4	0
5	A	10	0	0	0	0
6	A	3	0	0	0	0
7	A	281	0	0	20	0
All	All	4393	0	4031	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:499:PHE:O	1:A:502[A]:ASP:HB3	1.48	1.12
1:A:448:ALA:HB1	1:A:486:MET:HE1	1.42	0.97
1:A:339:ASN:HD22	1:A:428:LYS:HE2	1.33	0.93
1:A:49:ASN:HA	1:A:50:ILE:HG22	1.53	0.90
1:A:48:SER:HB2	1:A:49:ASN:O	1.77	0.84
1:A:22:THR:N	1:A:23:GLN:HA	1.93	0.83
1:A:99:ASN:HD22	1:A:99:ASN:H	1.26	0.82
1:A:482:LEU:HG	1:A:486:MET:HE2	1.61	0.82
1:A:465:PHE:HE1	1:A:486:MET:HE3	1.44	0.81
1:A:221:ASN:H	1:A:221:ASN:HD22	1.27	0.81
1:A:32[A]:LYS:HE3	7:A:5161:HOH:O	1.80	0.80
1:A:465:PHE:CE1	1:A:486:MET:HE3	2.16	0.80
1:A:59:GLN:HE22	1:A:66:LEU:H	1.26	0.80
1:A:28:ASN:HB3	1:A:106:THR:HB	1.66	0.77
1:A:339:ASN:HD22	1:A:428:LYS:CE	1.98	0.76
1:A:471:ILE:HG22	1:A:473:ASP:N	2.00	0.76
1:A:482:LEU:CG	1:A:486:MET:HE2	2.19	0.72
1:A:482:LEU:HG	1:A:486:MET:CE	2.19	0.72
1:A:416:MET:SD	1:A:422:MET:HE3	2.32	0.70
1:A:502[B]:ASP:OD2	7:A:5227:HOH:O	2.09	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:403:LYS:NZ	1:A:404:GLY:O	2.26	0.69
1:A:339:ASN:ND2	1:A:428:LYS:HE2	2.06	0.69
1:A:514:VAL:HG12	7:A:5204:HOH:O	1.92	0.69
1:A:63:THR:CG2	1:A:88:GLU:OE1	2.43	0.67
1:A:24:SER:HA	7:A:5267:HOH:O	1.95	0.67
1:A:403:LYS:CE	1:A:429:ILE:O	2.43	0.66
1:A:63:THR:HG23	1:A:88:GLU:OE1	1.95	0.66
1:A:126:LEU:HD21	1:A:293:LEU:HD13	1.77	0.66
1:A:403:LYS:HE2	1:A:429:ILE:O	1.95	0.65
1:A:44:PRO:O	1:A:106:THR:HG21	1.97	0.65
1:A:49:ASN:HA	1:A:50:ILE:CG2	2.24	0.64
1:A:71:ASN:HA	7:A:5186:HOH:O	1.97	0.64
1:A:220:ASN:HB3	7:A:5248:HOH:O	1.99	0.61
1:A:320:TRP:CH2	1:A:432:GLU:HG3	2.36	0.61
1:A:59:GLN:NE2	1:A:66:LEU:H	1.97	0.60
1:A:159[B]:GLU:HG2	7:A:5230:HOH:O	2.01	0.59
1:A:182[B]:GLN:HG2	7:A:5128:HOH:O	2.00	0.59
1:A:371[B]:ARG:NH1	7:A:5241:HOH:O	2.34	0.59
1:A:48:SER:CB	1:A:49:ASN:O	2.51	0.59
1:A:192[B]:HIS:HE1	7:A:5112:HOH:O	1.88	0.57
1:A:45:ILE:HD11	1:A:104:TYR:HB3	1.88	0.56
1:A:347:ASN:O	1:A:351:SER:HB2	2.06	0.56
1:A:47:GLN:O	1:A:48:SER:HB2	2.06	0.55
1:A:291[A]:HIS:HD2	7:A:5010:HOH:O	1.89	0.55
1:A:45:ILE:HG23	1:A:47:GLN:H	1.71	0.55
1:A:99:ASN:HD22	1:A:99:ASN:N	2.00	0.55
1:A:471:ILE:HB	1:A:472:THR:HA	1.89	0.55
1:A:458:GLU:O	7:A:5240:HOH:O	2.18	0.54
1:A:440:LEU:HB3	1:A:459:LYS:HE3	1.90	0.54
1:A:47:GLN:O	1:A:48:SER:CB	2.57	0.52
1:A:221:ASN:HD22	1:A:221:ASN:N	2.03	0.52
1:A:288:ALA:O	4:A:3002:GOL:H11	2.09	0.52
1:A:471:ILE:HG13	7:A:5070:HOH:O	2.09	0.52
1:A:34:ILE:H	1:A:144:THR:HG21	1.76	0.51
1:A:126:LEU:HB3	1:A:127:PRO:HD3	1.92	0.51
1:A:447:ILE:HD12	1:A:500[A]:TRP:HE1	1.77	0.50
1:A:470:THR:CG2	1:A:471:ILE:N	2.75	0.50
1:A:470:THR:O	1:A:471:ILE:C	2.54	0.50
1:A:352:SER:HB3	1:A:399:ASP:OD2	2.13	0.49
1:A:502[B]:ASP:H	1:A:514:VAL:HG11	1.78	0.49
1:A:63:THR:HG22	1:A:88:GLU:OE1	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:PHE:HB2	1:A:422:MET:SD	2.53	0.48
1:A:60:THR:HG22	1:A:91:CYS:HB2	1.94	0.48
1:A:197:LYS:HE3	7:A:5283:HOH:O	2.13	0.47
1:A:41:ASN:HA	1:A:77:LEU:O	2.15	0.47
1:A:467:SER:HB2	1:A:500[B]:TRP:CD1	2.49	0.47
1:A:465:PHE:CE1	1:A:486:MET:CE	2.93	0.47
1:A:482:LEU:CD1	1:A:486:MET:HE2	2.45	0.46
1:A:99:ASN:H	1:A:99:ASN:ND2	2.03	0.46
1:A:505:ASN:HB2	4:A:3003:GOL:H12	1.98	0.46
1:A:180:LEU:HD22	1:A:184:ILE:HD11	1.97	0.46
1:A:458:GLU:HG2	7:A:5096:HOH:O	2.16	0.45
1:A:417:GLN:HG3	7:A:5132:HOH:O	2.15	0.45
1:A:219:PHE:HB3	1:A:222:VAL:HG13	1.98	0.45
1:A:344:LYS:HE3	4:A:3000:GOL:H32	1.98	0.45
1:A:476:THR:O	1:A:479:ARG:HB2	2.16	0.44
1:A:22:THR:N	1:A:23:GLN:CA	2.73	0.44
1:A:416:MET:SD	1:A:422:MET:CE	3.05	0.44
1:A:59:GLN:HE22	1:A:66:LEU:N	2.05	0.44
1:A:425:ILE:O	1:A:426:PRO:C	2.60	0.43
1:A:62:GLY:HA3	1:A:90:TYR:CD2	2.53	0.43
1:A:57:TRP:CH2	1:A:94:PHE:HB2	2.54	0.43
1:A:73:GLU:OE1	1:A:73:GLU:HA	2.19	0.43
1:A:229:LEU:HD13	1:A:290:TYR:CZ	2.54	0.43
1:A:228:ASP:C	1:A:229:LEU:HG	2.42	0.43
1:A:471:ILE:HB	1:A:472:THR:CA	2.49	0.43
1:A:499:PHE:C	1:A:501[A]:ALA:H	2.27	0.42
1:A:46:ASN:HB2	7:A:5166:HOH:O	2.19	0.42
1:A:221:ASN:H	1:A:221:ASN:ND2	2.03	0.42
1:A:440:LEU:HB2	7:A:5012:HOH:O	2.20	0.42
1:A:499:PHE:O	1:A:501[A]:ALA:N	2.52	0.41
1:A:257:LYS:HB2	1:A:281:ASN:ND2	2.35	0.41
1:A:480:SER:HA	1:A:481:PRO:HD3	1.95	0.41
1:A:67:LEU:HB2	7:A:5060:HOH:O	2.20	0.41
1:A:100:LYS:N	1:A:101:GLY:HA2	2.35	0.41
1:A:471:ILE:HG23	7:A:5120:HOH:O	2.19	0.41
1:A:67:LEU:HD12	1:A:67:LEU:HA	1.89	0.40
1:A:228:ASP:OD1	1:A:291[A]:HIS:HE1	2.03	0.40
1:A:371[A]:ARG:HB2	1:A:411:ILE:CG1	2.51	0.40
1:A:32[A]:LYS:HE2	1:A:34:ILE:CG2	2.51	0.40
1:A:229:LEU:HD13	1:A:290:TYR:CE1	2.57	0.40
1:A:426:PRO:HD3	4:A:3000:GOL:H31	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	501/514 (98%)	472 (94%)	14 (3%)	15 (3%)	3 5

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	34	ILE
1	A	48	SER
1	A	351	SER
1	A	421	SER
1	A	471	ILE
1	A	502[A]	ASP
1	A	502[B]	ASP
1	A	501[A]	ALA
1	A	501[B]	ALA
1	A	425	ILE
1	A	473	ASP
1	A	50	ILE
1	A	404	GLY
1	A	405	HIS
1	A	420	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	460/472 (98%)	418 (91%)	42 (9%)	9 19

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	34	ILE
1	A	45	ILE
1	A	60	THR
1	A	63	THR
1	A	67	LEU
1	A	75	ILE
1	A	78	SER
1	A	99	ASN
1	A	102	GLU
1	A	106	THR
1	A	132	LEU
1	A	155	VAL
1	A	165	ASN
1	A	180	LEU
1	A	190	THR
1	A	221	ASN
1	A	222	VAL
1	A	236	GLU
1	A	308	ARG
1	A	345	LEU
1	A	350	ASN
1	A	364	VAL
1	A	371[A]	ARG
1	A	371[B]	ARG
1	A	410	ILE
1	A	413	THR
1	A	425	ILE
1	A	432	GLU
1	A	433	VAL
1	A	434	LEU
1	A	440	LEU
1	A	444	VAL
1	A	458	GLU
1	A	466	THR
1	A	470	THR
1	A	471	ILE
1	A	476	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	479	ARG
1	A	480	SER
1	A	486	MET
1	A	488	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	95	ASN
1	A	99	ASN
1	A	130	GLN
1	A	165	ASN
1	A	187	GLN
1	A	189	GLN
1	A	221	ASN
1	A	252	ASN
1	A	281	ASN
1	A	331	GLN
1	A	339	ASN
1	A	350	ASN
1	A	353	ASN
1	A	377	GLN
1	A	418	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	B	1	2	12,12,12	0.73	0	17,17,17	1.17	1 (5%)
2	GAL	B	2	2	11,11,12	0.65	0	15,15,17	0.72	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2	-	2/2/22/22	0/1/1/1
2	GAL	B	2	2	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	GLC	C6-C5-C4	2.94	120.25	113.02
2	B	2	GAL	C1-O5-C5	2.01	114.89	112.19

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	GLC	C4-C5-C6-O6
2	B	1	GLC	O5-C5-C6-O6
2	B	2	GAL	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	3001	-	5,5,5	0.36	0	5,5,5	0.21	0
4	GOL	A	3000	-	5,5,5	0.64	0	5,5,5	1.02	0
5	PO4	A	4000	-	4,4,4	0.83	0	6,6,6	0.86	0
3	C5P	A	1427	-	22,22,22	0.93	1 (4%)	32,33,33	1.07	3 (9%)
4	GOL	A	3002	-	5,5,5	0.56	0	5,5,5	0.71	0
5	PO4	A	4001	-	4,4,4	0.81	0	6,6,6	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	3003	-	5,5,5	0.34	0	5,5,5	0.58	0
4	GOL	A	3004	-	5,5,5	0.43	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	3001	-	-	2/4/4/4	-
4	GOL	A	3000	-	-	3/4/4/4	-
3	C5P	A	1427	-	-	0/10/26/26	0/2/2/2
4	GOL	A	3002	-	-	2/4/4/4	-
4	GOL	A	3003	-	-	1/4/4/4	-
4	GOL	A	3004	-	-	1/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1427	C5P	C6-C5	2.56	1.41	1.35

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1427	C5P	O2-C2-N3	-2.48	118.41	122.33
3	A	1427	C5P	O2P-P-O1P	2.08	118.93	110.83
3	A	1427	C5P	O2'-C2'-C1'	-2.03	103.11	110.10

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	3000	GOL	O1-C1-C2-C3
4	A	3002	GOL	C1-C2-C3-O3
4	A	3002	GOL	O2-C2-C3-O3
4	A	3001	GOL	C1-C2-C3-O3
4	A	3004	GOL	C1-C2-C3-O3
4	A	3000	GOL	O1-C1-C2-O2
4	A	3003	GOL	O1-C1-C2-O2
4	A	3001	GOL	O2-C2-C3-O3
4	A	3000	GOL	O2-C2-C3-O3

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	3000	GOL	2	0
4	A	3002	GOL	1	0
4	A	3003	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	493/514 (95%)	0.41	34 (6%) 23 20	16, 42, 61, 78	10 (2%)

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	22	THR	6.6
1	A	70	GLN	5.7
1	A	192[A]	HIS	4.7
1	A	472	THR	4.4
1	A	470	THR	4.3
1	A	501[A]	ALA	4.3
1	A	471	ILE	4.0
1	A	47	GLN	3.9
1	A	73	GLU	3.7
1	A	68	THR	3.5
1	A	514	VAL	3.2
1	A	75	ILE	3.0
1	A	49	ASN	3.0
1	A	476	THR	2.8
1	A	23	GLN	2.8
1	A	50	ILE	2.8
1	A	48	SER	2.8
1	A	99	ASN	2.7
1	A	468	THR	2.7
1	A	69	GLU	2.6
1	A	353	ASN	2.5
1	A	369	HIS	2.4
1	A	473	ASP	2.4
1	A	500[A]	TRP	2.4
1	A	74	SER	2.3
1	A	351	SER	2.3
1	A	72	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	54	LYS	2.3
1	A	511	CYS	2.3
1	A	404	GLY	2.2
1	A	51	SER	2.2
1	A	502[A]	ASP	2.1
1	A	25	ILE	2.1
1	A	46	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GLC	B	1	12/12	0.89	0.14	43,48,51,51	0
2	GAL	B	2	11/12	0.93	0.11	32,36,41,42	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	3002	6/6	0.60	0.27	63,68,68,69	0
6	MG	A	5002	1/1	0.78	0.24	54,54,54,54	0
5	PO4	A	4001	5/5	0.82	0.23	89,89,89,90	0
4	GOL	A	3000	6/6	0.84	0.30	57,59,60,60	0
5	PO4	A	4000	5/5	0.87	0.31	67,67,68,70	0
6	MG	A	5000	1/1	0.89	0.11	39,39,39,39	0
4	GOL	A	3003	6/6	0.90	0.19	61,62,64,64	0
4	GOL	A	3001	6/6	0.92	0.21	66,66,67,67	0
3	C5P	A	1427	21/21	0.95	0.10	22,23,26,28	0
6	MG	A	5001	1/1	0.97	0.30	35,35,35,35	0
4	GOL	A	3004	6/6	0.98	0.13	27,27,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.