



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:26 AM UTC

PDB ID : 8Z48 / pdb_00008z48
Title : Beta-galactosidase from Bacteroides xylanisolvens (complex with methyl beta-galactopyranose)
Authors : Nakajima, M.; Motouchi, S.; Kobayashi, K.
Deposited on : 2024-04-16
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	551	3% 84% 6% • 9%
1	B	551	2% 86% 5% • 9%
1	C	551	3% 84% 6% • 8%
1	D	551	2% 85% 7% • 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 17479 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	504	Total	C	N	O	S	0	0	0
			4022	2591	665	749	17			
1	B	504	Total	C	N	O	S	0	0	0
			4022	2591	665	749	17			
1	C	505	Total	C	N	O	S	0	0	0
			4027	2594	666	750	17			
1	D	505	Total	C	N	O	S	0	0	0
			4027	2594	666	750	17			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	8	MET	-	initiating methionine	UNP D6CYU7
A	551	LEU	-	expression tag	UNP D6CYU7
A	552	GLU	-	expression tag	UNP D6CYU7
A	553	HIS	-	expression tag	UNP D6CYU7
A	554	HIS	-	expression tag	UNP D6CYU7
A	555	HIS	-	expression tag	UNP D6CYU7
A	556	HIS	-	expression tag	UNP D6CYU7
A	557	HIS	-	expression tag	UNP D6CYU7
A	558	HIS	-	expression tag	UNP D6CYU7
B	8	MET	-	initiating methionine	UNP D6CYU7
B	551	LEU	-	expression tag	UNP D6CYU7
B	552	GLU	-	expression tag	UNP D6CYU7
B	553	HIS	-	expression tag	UNP D6CYU7
B	554	HIS	-	expression tag	UNP D6CYU7
B	555	HIS	-	expression tag	UNP D6CYU7
B	556	HIS	-	expression tag	UNP D6CYU7
B	557	HIS	-	expression tag	UNP D6CYU7
B	558	HIS	-	expression tag	UNP D6CYU7
C	8	MET	-	initiating methionine	UNP D6CYU7
C	551	LEU	-	expression tag	UNP D6CYU7
C	552	GLU	-	expression tag	UNP D6CYU7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	553	HIS	-	expression tag	UNP D6CYU7
C	554	HIS	-	expression tag	UNP D6CYU7
C	555	HIS	-	expression tag	UNP D6CYU7
C	556	HIS	-	expression tag	UNP D6CYU7
C	557	HIS	-	expression tag	UNP D6CYU7
C	558	HIS	-	expression tag	UNP D6CYU7
D	8	MET	-	initiating methionine	UNP D6CYU7
D	551	LEU	-	expression tag	UNP D6CYU7
D	552	GLU	-	expression tag	UNP D6CYU7
D	553	HIS	-	expression tag	UNP D6CYU7
D	554	HIS	-	expression tag	UNP D6CYU7
D	555	HIS	-	expression tag	UNP D6CYU7
D	556	HIS	-	expression tag	UNP D6CYU7
D	557	HIS	-	expression tag	UNP D6CYU7
D	558	HIS	-	expression tag	UNP D6CYU7

- Molecule 2 is methyl beta-D-galactopyranoside (CCD ID: MBG) (formula: $C_7H_{14}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	C	1	Total	C	O	0	0
			13	7	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			13	7	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	328	Total	O	0	0
			328	328		
3	B	337	Total	O	0	0
			337	337		
3	C	337	Total	O	0	0
			337	337		
3	D	327	Total	O	0	0
			327	327		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-galactosidase




• Molecule 1: Beta-galactosidase





• Molecule 1: Beta-galactosidase





● Molecule 1: Beta-galactosidase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	231.76Å 50.84Å 229.44Å 90.00° 96.10° 90.00°	Depositor
Resolution (Å)	45.63 – 1.94 45.63 – 1.94	Depositor EDS
% Data completeness (in resolution range)	98.1 (45.63-1.94) 98.1 (45.63-1.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 1.94Å)	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.211 , 0.251 0.220 , 0.256	Depositor DCC
R_{free} test set	9831 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17479	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 53.99 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.8955e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MBG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.60	0/4130	1.04	3/5606 (0.1%)
1	B	0.59	0/4130	1.03	6/5606 (0.1%)
1	C	0.61	0/4135	1.06	5/5613 (0.1%)
1	D	0.59	0/4135	1.04	6/5613 (0.1%)
All	All	0.60	0/16530	1.04	20/22438 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	1
All	All	0	5

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	114	PHE	CA-CB-CG	6.64	120.44	113.80
1	B	377	ASP	CA-CB-CG	6.34	118.94	112.60
1	B	476	GLU	CB-CG-CD	6.13	123.02	112.60
1	C	498	HIS	CB-CA-C	5.82	119.99	111.73
1	D	509	THR	CA-CB-OG1	-5.78	100.94	109.60
1	C	480	ASP	CA-CB-CG	5.70	118.30	112.60
1	B	198	ASP	CA-CB-CG	5.62	118.22	112.60
1	D	405	ASP	CA-CB-CG	5.54	118.14	112.60
1	B	331	ASP	CA-CB-CG	5.39	117.99	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	498	HIS	CA-CB-CG	-5.37	108.43	113.80
1	C	420	THR	CA-CB-OG1	-5.37	101.54	109.60
1	D	308	ARG	CB-CA-C	-5.37	101.88	110.79
1	A	118	LYS	CB-CA-C	5.30	117.77	110.34
1	A	482	ASP	CA-CB-CG	5.26	117.86	112.60
1	C	247	THR	CA-CB-OG1	-5.18	101.83	109.60
1	D	198	ASP	CA-CB-CG	5.12	117.72	112.60
1	C	509	THR	CA-CB-OG1	-5.12	101.93	109.60
1	D	299	VAL	N-CA-C	-5.06	105.61	110.72
1	A	176	ASP	CA-CB-CG	5.05	117.65	112.60
1	D	480	ASP	CA-CB-CG	5.03	117.63	112.60

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	223	ARG	Sidechain
1	A	23	ARG	Sidechain
1	B	23	ARG	Sidechain
1	B	406	ARG	Sidechain
1	C	508	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4022	0	3934	19	0
1	B	4022	0	3934	14	0
1	C	4027	0	3939	20	0
1	D	4027	0	3939	13	0
2	A	13	0	14	2	0
2	B	13	0	14	2	0
2	C	13	0	14	1	0
2	D	13	0	14	1	0
3	A	328	0	0	1	0
3	B	337	0	0	1	0
3	C	337	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	327	0	0	0	0
All	All	17479	0	15802	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:508:ARG:HB2	1:D:538:TRP:CZ3	2.29	0.67
1:C:310:MET:HG3	1:C:323:LEU:HD12	1.78	0.64
1:A:357:ASN:OD1	1:A:411:MET:HE1	1.98	0.63
1:B:166:LYS:HE3	1:B:278:ILE:HG21	1.81	0.62
1:A:508:ARG:HB2	1:A:538:TRP:CZ3	2.39	0.57
1:B:310:MET:HG3	1:B:323:LEU:HD12	1.86	0.56
1:A:64:THR:HG23	3:A:906:HOH:O	2.06	0.55
1:B:170:GLU:HG3	1:B:278:ILE:HD12	1.88	0.54
1:C:493:GLY:HA2	1:C:498:HIS:CD2	2.44	0.53
1:A:223:ARG:HA	1:A:226:LEU:HD22	1.92	0.52
1:C:508:ARG:HB2	1:C:538:TRP:CZ3	2.46	0.51
1:A:286:ASN:HA	1:A:324:ALA:O	2.11	0.51
1:B:223:ARG:HA	1:B:226:LEU:HD22	1.93	0.51
1:C:286:ASN:HA	1:C:324:ALA:O	2.11	0.50
1:C:98:MET:HG2	1:C:109:LEU:HD11	1.94	0.50
1:B:508:ARG:HB2	1:B:538:TRP:CZ3	2.47	0.49
1:B:288:TRP:CE2	2:B:601:MBG:H5	2.48	0.49
1:C:262:TRP:CE3	1:C:316:ALA:HB2	2.48	0.49
1:A:170:GLU:HG3	1:A:278:ILE:HD12	1.94	0.48
1:C:509:THR:O	1:C:536:ALA:HA	2.14	0.48
1:A:117:TRP:HA	1:A:121:GLU:O	2.13	0.48
1:A:262:TRP:CZ3	1:A:316:ALA:HB2	2.49	0.48
1:A:324:ALA:HB1	1:A:349:PRO:HD3	1.97	0.47
1:C:508:ARG:HG2	1:C:509:THR:N	2.28	0.47
1:D:288:TRP:CE2	2:D:601:MBG:H5	2.50	0.47
1:A:155:GLU:HG2	1:A:159:LYS:HE2	1.97	0.47
1:B:117:TRP:HA	1:B:121:GLU:O	2.15	0.46
1:D:33:GLN:HG2	1:D:402:GLN:OE1	2.16	0.46
1:C:98:MET:HG2	1:C:109:LEU:CD1	2.45	0.46
1:A:262:TRP:CE3	1:A:316:ALA:HB2	2.52	0.45
1:B:278:ILE:HG12	1:B:279:TYR:N	2.30	0.45
1:A:310:MET:HG3	1:A:323:LEU:HD12	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:117:TRP:HA	1:C:121:GLU:O	2.17	0.44
1:D:155:GLU:HG2	1:D:159:LYS:HE2	1.99	0.44
1:C:262:TRP:CZ3	1:C:316:ALA:HB2	2.51	0.44
1:B:33:GLN:HG2	1:B:402:GLN:OE1	2.18	0.44
1:B:324:ALA:HB1	1:B:349:PRO:HD3	2.00	0.43
1:C:398:ILE:O	1:C:402:GLN:HG3	2.18	0.43
1:D:327:ILE:O	1:D:351:ALA:HA	2.17	0.43
1:D:186:GLN:HA	1:D:284:PHE:O	2.19	0.43
1:A:288:TRP:CE2	2:A:601:MBG:H5	2.54	0.43
1:C:117:TRP:HB2	1:C:191:VAL:HG12	2.00	0.43
1:A:170:GLU:HG3	1:A:278:ILE:CD1	2.49	0.43
1:D:452:ALA:HA	1:D:541:GLY:O	2.19	0.43
1:B:288:TRP:CZ2	2:B:601:MBG:H5	2.54	0.42
1:A:412:LYS:NZ	1:A:416:GLU:O	2.52	0.42
1:C:166:LYS:HE3	1:C:278:ILE:HG21	2.01	0.42
1:D:505:LYS:HD3	1:D:538:TRP:CZ3	2.54	0.42
1:D:172:ILE:O	1:D:176:ASP:HB3	2.19	0.42
1:C:440:LEU:C	1:C:440:LEU:HD12	2.45	0.42
1:C:425:ASP:OD2	1:C:446:LYS:HE3	2.20	0.42
1:B:292:LYS:HB3	3:B:871:HOH:O	2.19	0.42
1:A:85:PRO:HD2	1:A:89:ILE:O	2.19	0.41
1:A:288:TRP:CZ2	2:A:601:MBG:H5	2.55	0.41
1:B:475:TRP:HZ3	1:B:546:THR:HG23	1.84	0.41
1:B:77:PRO:HA	1:B:112:LEU:O	2.21	0.41
1:C:206:ALA:HA	1:C:209:GLN:HG2	2.02	0.41
1:D:509:THR:HB	1:D:537:VAL:HG13	2.03	0.41
1:C:439:GLY:HA3	1:C:452:ALA:O	2.20	0.41
1:D:310:MET:HG3	1:D:323:LEU:HD12	2.03	0.41
1:A:223:ARG:HG3	1:A:234:TRP:HZ3	1.86	0.40
1:C:360:TRP:CZ2	1:C:364:GLU:HG2	2.56	0.40
1:D:67:LYS:HD2	1:D:105:ASN:HB3	2.03	0.40
1:D:352:VAL:HG23	1:D:354:LYS:CG	2.52	0.40
1:A:20:VAL:HG11	1:A:280:PRO:O	2.22	0.40
1:C:288:TRP:CE2	2:C:601:MBG:H5	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	500/551 (91%)	485 (97%)	15 (3%)	0	100	100
1	B	500/551 (91%)	489 (98%)	11 (2%)	0	100	100
1	C	501/551 (91%)	489 (98%)	12 (2%)	0	100	100
1	D	501/551 (91%)	489 (98%)	12 (2%)	0	100	100
All	All	2002/2204 (91%)	1952 (98%)	50 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	427/472 (90%)	415 (97%)	12 (3%)	38	25
1	B	427/472 (90%)	422 (99%)	5 (1%)	63	57
1	C	427/472 (90%)	419 (98%)	8 (2%)	50	40
1	D	427/472 (90%)	415 (97%)	12 (3%)	38	25
All	All	1708/1888 (90%)	1671 (98%)	37 (2%)	45	35

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	VAL
1	A	23	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	145	LYS
1	A	223	ARG
1	A	226	LEU
1	A	278	ILE
1	A	423	MET
1	A	446	LYS
1	A	465	LYS
1	A	466	LYS
1	A	537	VAL
1	A	550	ARG
1	B	226	LEU
1	B	228	LYS
1	B	278	ILE
1	B	288	TRP
1	B	465	LYS
1	C	67	LYS
1	C	143	GLU
1	C	145	LYS
1	C	226	LEU
1	C	278	ILE
1	C	288	TRP
1	C	423	MET
1	C	465	LYS
1	D	145	LYS
1	D	201	LYS
1	D	224	LYS
1	D	226	LEU
1	D	228	LYS
1	D	278	ILE
1	D	288	TRP
1	D	404	SER
1	D	406	ARG
1	D	423	MET
1	D	465	LYS
1	D	537	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	ASN
1	A	222	ASN
1	A	291	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	82	GLN
1	B	96	ASN
1	B	195	GLN
1	B	217	GLN
1	B	222	ASN
1	B	291	GLN
1	B	427	GLN
1	C	82	GLN
1	C	86	GLN
1	C	96	ASN
1	C	195	GLN
1	C	222	ASN
1	C	291	GLN
1	C	392	ASN
1	D	29	HIS
1	D	96	ASN
1	D	217	GLN
1	D	222	ASN
1	D	334	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MBG	A	601	-	13,13,13	0.44	0	18,18,18	1.01	2 (11%)
2	MBG	B	601	-	13,13,13	0.49	0	18,18,18	0.74	0
2	MBG	D	601	-	13,13,13	0.54	0	18,18,18	0.99	1 (5%)
2	MBG	C	601	-	13,13,13	0.65	0	18,18,18	1.03	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MBG	A	601	-	-	0/4/24/24	0/1/1/1
2	MBG	B	601	-	-	0/4/24/24	0/1/1/1
2	MBG	D	601	-	-	0/4/24/24	0/1/1/1
2	MBG	C	601	-	-	0/4/24/24	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	MBG	O1-C1-C2	2.77	111.33	108.14
2	D	601	MBG	O1-C1-C2	2.67	111.22	108.14
2	A	601	MBG	C1-O5-C5	-2.02	109.78	113.72

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.



4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	MBG	2	0
2	B	601	MBG	2	0
2	D	601	MBG	1	0
2	C	601	MBG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	504/551 (91%)	0.06	15 (2%) 52 58	14, 24, 44, 70	0
1	B	504/551 (91%)	0.02	12 (2%) 59 67	15, 23, 43, 59	0
1	C	505/551 (91%)	0.19	15 (2%) 52 58	16, 24, 48, 68	0
1	D	505/551 (91%)	0.13	13 (2%) 57 64	15, 24, 44, 65	0
All	All	2018/2204 (91%)	0.10	55 (2%) 56 63	14, 24, 45, 70	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	537	VAL	6.1
1	A	417	SER	5.1
1	D	536	ALA	5.1
1	A	537	VAL	4.8
1	C	509	THR	4.5
1	A	380	ASP	4.4
1	D	380	ASP	4.3
1	C	536	ALA	4.3
1	C	417	SER	4.3
1	B	509	THR	4.0
1	D	417	SER	3.8
1	B	417	SER	3.7
1	D	537	VAL	3.6
1	B	20	VAL	3.3
1	A	465	LYS	3.3
1	D	224	LYS	3.2
1	B	537	VAL	3.2
1	A	20	VAL	3.0
1	C	20	VAL	2.9
1	B	240	ARG	2.9
1	D	465	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	538	TRP	2.7
1	A	236	GLU	2.7
1	B	224	LYS	2.7
1	A	509	THR	2.6
1	A	538	TRP	2.6
1	D	223	ARG	2.6
1	B	28	GLU	2.5
1	C	406	ARG	2.5
1	A	29	HIS	2.5
1	A	220	LYS	2.5
1	B	217	GLN	2.4
1	C	465	LYS	2.4
1	C	481	THR	2.4
1	B	380	ASP	2.4
1	B	406	ARG	2.4
1	D	538	TRP	2.4
1	D	145	LYS	2.3
1	C	380	ASP	2.3
1	C	86	GLN	2.3
1	A	228	LYS	2.3
1	D	20	VAL	2.3
1	A	224	LYS	2.3
1	D	406	ARG	2.2
1	C	239	ALA	2.2
1	A	240	ARG	2.1
1	B	21	PRO	2.1
1	C	224	LYS	2.1
1	C	205	ALA	2.1
1	D	23	ARG	2.1
1	A	379	ALA	2.1
1	C	242	SER	2.1
1	D	201	LYS	2.1
1	B	39	LYS	2.0
1	A	174	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MBG	A	601	13/13	0.88	0.11	24,28,31,33	0
2	MBG	C	601	13/13	0.91	0.10	25,31,34,36	0
2	MBG	B	601	13/13	0.92	0.10	23,29,34,40	0
2	MBG	D	601	13/13	0.92	0.09	24,28,32,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MBG A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MBG C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MBG B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MBG D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.