



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:59 AM UTC

PDB ID : 2Z5X / pdb_00002z5x
Title : Crystal Structure of Human Monoamine Oxidase A with Harmine
Authors : Son, S.Y.; Ma, J.; Yoshimura, M.; Tsukihara, T.
Deposited on : 2007-07-20
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	513	5% 66% 29% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	3	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	701	-	-	X	-
5	GOL	A	702	-	-	X	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 4397 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amine oxidase [flavin-containing] A.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	513	Total	C	N	O	S	0	0	0
			4100	2634	699	746	21			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is 7-METHOXY-1-METHYL-9H-BETA-CARBOLINE (CCD ID: HRM) (formula: $C_{13}H_{12}N_2O$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			16	13	2	1		

- Molecule 4 is DECYL(DIMETHYL)PHOSPHINE OXIDE (CCD ID: DCX) (formula: $C_{12}H_{27}OP$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	P	0	0
			14	12	1	1		
4	A	1	Total	C	O	P	0	0
			14	12	1	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	182	Total	O	0	0
			182	182		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Amine oxidase [flavin-containing] A



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	135.26Å 218.71Å 54.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	57.54 – 2.20 57.54 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.7 (57.54-2.20) 99.7 (57.54-2.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.201 , 0.255 0.203 , 0.260	Depositor DCC
R_{free} test set	2091 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	28.0	Xtriage
Anisotropy	0.039	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 38.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4397	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HRM, FAD, DCX, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.33	9/4202 (0.2%)	1.35	34/5696 (0.6%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	346	LEU	C-O	-10.23	1.18	1.23
1	A	433	ALA	CA-CB	-7.17	1.41	1.53
1	A	246	HIS	CA-C	-6.49	1.44	1.52
1	A	125	ASN	N-CA	-5.94	1.39	1.46
1	A	131	ILE	CA-CB	-5.43	1.48	1.54
1	A	256	ILE	CA-C	-5.29	1.46	1.52
1	A	45	ARG	N-CA	5.25	1.52	1.45
1	A	404	GLY	C-O	-5.10	1.16	1.24
1	A	198	VAL	CA-CB	-5.05	1.48	1.54

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	17	VAL	N-CA-C	8.11	119.53	108.17
1	A	509	THR	N-CA-C	-8.05	101.79	111.69
1	A	274	PRO	CA-C-N	7.14	126.67	119.24
1	A	274	PRO	C-N-CA	7.14	126.67	119.24
1	A	66	GLY	N-CA-C	-7.07	101.37	111.20
1	A	230	ILE	N-CA-C	-7.03	103.61	110.72
1	A	112	PHE	CA-C-N	-7.00	113.17	120.38
1	A	112	PHE	C-N-CA	-7.00	113.17	120.38
1	A	328	ASP	N-CA-CB	-6.97	98.71	110.49
1	A	28	ALA	N-CA-C	-6.90	103.69	111.14
1	A	273	ILE	CA-C-N	-6.62	113.56	120.38
1	A	273	ILE	C-N-CA	-6.62	113.56	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	353	ILE	N-CA-C	-6.50	99.07	108.17
1	A	511	VAL	CB-CA-C	6.39	121.04	112.22
1	A	481	VAL	CA-C-N	-6.02	114.41	120.31
1	A	481	VAL	C-N-CA	-6.02	114.41	120.31
1	A	284	ARG	N-CA-C	5.91	119.83	109.48
1	A	287	LEU	CA-C-N	-5.85	113.93	119.89
1	A	287	LEU	C-N-CA	-5.85	113.93	119.89
1	A	420	GLY	N-CA-C	5.81	121.43	113.99
1	A	408	THR	N-CA-C	5.77	116.17	108.38
1	A	449	VAL	CB-CA-C	-5.70	104.67	111.97
1	A	174	ALA	N-CA-C	-5.64	105.28	111.82
1	A	201	CYS	CA-C-N	-5.64	113.66	122.51
1	A	201	CYS	C-N-CA	-5.64	113.66	122.51
1	A	123	ASP	CA-C-N	5.61	128.05	120.65
1	A	123	ASP	C-N-CA	5.61	128.05	120.65
1	A	137	GLU	CA-C-N	-5.39	118.71	122.59
1	A	137	GLU	C-N-CA	-5.39	118.71	122.59
1	A	113	PRO	CA-C-N	5.38	125.39	119.90
1	A	113	PRO	C-N-CA	5.38	125.39	119.90
1	A	204	THR	N-CA-C	5.18	116.92	111.28
1	A	519	TYR	N-CA-C	5.10	116.92	111.36
1	A	375	GLU	CB-CG-CD	-5.01	104.08	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4100	0	4095	127	0
2	A	53	0	29	1	0
3	A	16	0	12	1	0
4	A	28	0	54	1	0
5	A	18	0	24	18	0
6	A	182	0	0	14	0
All	All	4397	0	4214	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:MET:CE	1:A:350:MET:HG2	1.50	1.36
1:A:218:LYS:CE	5:A:702:GOL:H32	1.61	1.29
1:A:218:LYS:HE3	5:A:702:GOL:C3	1.68	1.21
1:A:307:MET:HE3	1:A:350:MET:HG2	1.24	1.13
1:A:218:LYS:HE3	5:A:702:GOL:H32	1.07	1.07
1:A:307:MET:CE	1:A:350:MET:CG	2.38	1.01
1:A:307:MET:HE3	1:A:350:MET:CG	1.94	0.97
1:A:307:MET:HE1	1:A:350:MET:HG2	1.46	0.96
1:A:352:PHE:HB3	1:A:354:LEU:HD13	1.50	0.94
1:A:218:LYS:CE	5:A:702:GOL:C3	2.35	0.94
1:A:47:ARG:HE	5:A:701:GOL:H12	1.33	0.93
1:A:218:LYS:HE2	5:A:702:GOL:H32	1.52	0.92
1:A:14:PHE:O	1:A:266:CYS:HA	1.74	0.87
1:A:454:ARG:HD2	1:A:472:TRP:CH2	2.11	0.86
1:A:79:ARG:N	5:A:3:GOL:H12	1.94	0.82
1:A:137:GLU:HB2	6:A:860:HOH:O	1.81	0.79
1:A:284:ARG:HA	1:A:285:PRO:C	2.07	0.79
1:A:126:ASN:HD22	1:A:129:ARG:HH21	1.32	0.77
1:A:307:MET:HE3	1:A:350:MET:CB	2.14	0.77
1:A:157:MET:HE2	1:A:191:ALA:HA	1.67	0.77
1:A:15:ASP:OD1	1:A:267:LYS:HE2	1.85	0.76
1:A:218:LYS:HE3	5:A:702:GOL:H31	1.69	0.75
1:A:307:MET:SD	6:A:868:HOH:O	2.45	0.73
1:A:352:PHE:HB3	1:A:354:LEU:CD1	2.22	0.69
1:A:454:ARG:HD2	1:A:472:TRP:CZ2	2.28	0.68
1:A:137:GLU:CB	6:A:860:HOH:O	2.40	0.67
1:A:218:LYS:NZ	6:A:729:HOH:O	2.27	0.67
1:A:240:LEU:O	1:A:242:HIS:HD2	1.77	0.66
1:A:82:LYS:HD3	5:A:3:GOL:H32	1.77	0.66
1:A:157:MET:HE2	1:A:191:ALA:CA	2.26	0.66
1:A:305:LYS:HG3	1:A:352:PHE:HE2	1.61	0.66
1:A:395:LYS:HG2	1:A:397:TRP:CE2	2.32	0.65
1:A:168:LYS:O	1:A:172:ARG:HD3	1.97	0.65
1:A:157:MET:HE2	1:A:191:ALA:CB	2.26	0.64
1:A:457:ARG:NH1	6:A:761:HOH:O	2.18	0.64
1:A:441:TRP:O	1:A:444:TYR:HB2	1.97	0.64
1:A:104:LYS:HE2	6:A:882:HOH:O	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:MET:CE	1:A:191:ALA:HA	2.29	0.62
1:A:332:PRO:HA	1:A:361:LEU:HD11	1.82	0.61
1:A:384:GLN:HG3	6:A:806:HOH:O	2.00	0.61
1:A:47:ARG:NE	5:A:701:GOL:H12	2.10	0.59
1:A:305:LYS:HG3	1:A:352:PHE:CE2	2.36	0.59
1:A:133:ASN:HA	1:A:136:LYS:HD2	1.84	0.58
1:A:292:ASN:O	1:A:296:GLN:HG3	2.04	0.58
1:A:307:MET:HE3	1:A:350:MET:CA	2.33	0.58
1:A:307:MET:HE3	1:A:350:MET:HA	1.85	0.58
1:A:126:ASN:HD22	1:A:129:ARG:NH2	2.01	0.57
1:A:78:LEU:HB2	5:A:3:GOL:H11	1.86	0.56
1:A:297:ARG:O	1:A:299:PRO:HD3	2.06	0.55
1:A:165:CYS:HB2	1:A:171:ARG:HG3	1.88	0.55
1:A:353:ILE:HG22	1:A:358:ALA:HA	1.89	0.55
1:A:218:LYS:CE	5:A:702:GOL:H31	2.30	0.55
1:A:332:PRO:HA	1:A:361:LEU:CD1	2.37	0.55
1:A:397:TRP:CE3	1:A:400:GLU:HG3	2.41	0.55
1:A:469:LYS:HZ2	1:A:469:LYS:H	1.53	0.55
1:A:467:THR:HB	1:A:469:LYS:HZ2	1.71	0.54
1:A:143:PRO:HB2	1:A:416:MET:HE3	1.89	0.53
1:A:263:HIS:HD2	6:A:851:HOH:O	1.90	0.53
1:A:391:HIS:HE1	1:A:393:GLU:OE2	1.92	0.53
1:A:157:MET:HE3	1:A:194:PHE:HB3	1.90	0.53
1:A:79:ARG:CA	5:A:3:GOL:H12	2.39	0.53
1:A:449:VAL:O	1:A:450:GLU:C	2.51	0.52
1:A:113:PRO:HD2	1:A:124:TYR:OH	2.10	0.52
1:A:307:MET:HE2	6:A:875:HOH:O	2.10	0.52
1:A:69:TYR:OH	1:A:350:MET:HE2	2.09	0.52
1:A:424:ARG:HB3	1:A:437:THR:HB	1.91	0.52
1:A:478:SER:HB2	5:A:3:GOL:H11	1.91	0.52
1:A:412:PRO:HB3	6:A:829:HOH:O	2.11	0.50
1:A:258:THR:OG1	1:A:260:ASN:ND2	2.45	0.50
1:A:395:LYS:HG2	1:A:397:TRP:NE1	2.26	0.49
1:A:16:VAL:HG21	1:A:459:VAL:HG11	1.94	0.49
1:A:116:TRP:CE3	4:A:1:DCX:H31	2.47	0.49
1:A:182:VAL:HG11	1:A:193:TRP:CH2	2.47	0.49
1:A:193:TRP:CG	1:A:411:PHE:HB2	2.48	0.48
1:A:361:LEU:HD22	1:A:364:LEU:HD22	1.95	0.48
1:A:454:ARG:HD3	6:A:721:HOH:O	2.12	0.48
1:A:357:LYS:NZ	6:A:821:HOH:O	2.45	0.48
1:A:521:TYR:C	1:A:522:LYS:HG2	2.39	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:ARG:HB3	1:A:449:VAL:HG11	1.95	0.47
1:A:308:MET:O	1:A:348:ALA:HA	2.14	0.47
1:A:185:GLU:OE2	1:A:356:ARG:HB2	2.15	0.47
1:A:67:GLY:HA2	2:A:600:FAD:C4X	2.45	0.47
1:A:137:GLU:O	1:A:139:PRO:HD3	2.15	0.47
1:A:70:VAL:HA	1:A:74:GLN:OE1	2.14	0.46
1:A:331:ALA:O	1:A:357:LYS:NZ	2.43	0.46
1:A:72:PRO:HB3	1:A:483:ALA:HA	1.97	0.46
1:A:126:ASN:ND2	1:A:129:ARG:HH21	2.09	0.46
1:A:457:ARG:HB3	1:A:471:ILE:HA	1.97	0.46
1:A:176:LEU:HG	1:A:180:ILE:HD12	1.97	0.46
1:A:361:LEU:HD23	1:A:361:LEU:HA	1.64	0.46
1:A:254:ILE:O	1:A:265:GLU:HA	2.15	0.45
1:A:72:PRO:HG2	1:A:212:ASN:HA	1.98	0.45
1:A:126:ASN:O	1:A:130:THR:OG1	2.32	0.45
1:A:395:LYS:NZ	5:A:701:GOL:H32	2.31	0.45
1:A:162:ASP:HA	1:A:171:ARG:HE	1.81	0.45
1:A:16:VAL:HB	1:A:39:VAL:HG13	1.99	0.45
1:A:246:HIS:HB2	1:A:257:GLU:HB3	1.97	0.45
1:A:361:LEU:CD2	1:A:364:LEU:HD22	2.47	0.45
1:A:510:SER:O	1:A:513:ALA:HB3	2.17	0.45
1:A:307:MET:HE2	1:A:350:MET:CG	2.41	0.45
1:A:469:LYS:H	1:A:469:LYS:NZ	2.15	0.45
1:A:363:LYS:HE2	1:A:363:LYS:HB2	1.59	0.44
1:A:318:LYS:HB3	1:A:318:LYS:HE2	1.59	0.44
1:A:69:TYR:CE2	1:A:218:LYS:HD2	2.53	0.44
1:A:400:GLU:OE1	5:A:701:GOL:H31	2.17	0.44
1:A:157:MET:HE1	1:A:160:LEU:HD23	2.00	0.43
1:A:157:MET:HE2	1:A:191:ALA:HB1	1.99	0.43
1:A:334:SER:HB2	1:A:354:LEU:HD22	2.00	0.43
1:A:76:ARG:HB3	1:A:449:VAL:CG1	2.49	0.43
1:A:16:VAL:CG2	1:A:459:VAL:HG11	2.48	0.43
1:A:335:ILE:HD11	3:A:700:HRM:OAJ	2.19	0.43
1:A:387:LEU:C	1:A:389:PRO:HD2	2.44	0.43
1:A:30:LYS:HD2	1:A:230:ILE:HG12	2.01	0.43
1:A:257:GLU:OE2	1:A:261:HIS:HD2	2.02	0.42
1:A:305:LYS:NZ	6:A:729:HOH:O	2.49	0.42
1:A:163:LYS:O	1:A:163:LYS:HG3	2.15	0.42
1:A:321:CYS:O	1:A:338:ASP:HB2	2.20	0.42
1:A:478:SER:HA	5:A:3:GOL:H2	2.01	0.42
1:A:68:ALA:HB1	1:A:218:LYS:NZ	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:701:GOL:H11	6:A:790:HOH:O	2.19	0.41
1:A:305:LYS:HG2	1:A:307:MET:HE1	2.02	0.41
1:A:166:TRP:CE3	1:A:167:THR:HG22	2.56	0.41
1:A:191:ALA:O	1:A:195:LEU:HG	2.20	0.41
1:A:146:ALA:HB3	1:A:149:ALA:HB2	2.02	0.41
1:A:80:LEU:HD21	1:A:230:ILE:HD11	2.03	0.41
1:A:457:ARG:HD3	1:A:470:ASP:O	2.21	0.41
1:A:19:ILE:HG12	1:A:244:VAL:HG21	2.02	0.40
1:A:336:THR:HA	1:A:350:MET:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	511/513 (100%)	486 (95%)	24 (5%)	1 (0%)	43	51

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	61	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	439/439 (100%)	400 (91%)	39 (9%)	9 10

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	MET
1	A	17	VAL
1	A	31	LEU
1	A	39	VAL
1	A	55	ILE
1	A	58	GLU
1	A	101	VAL
1	A	105	THR
1	A	140	THR
1	A	147	GLN
1	A	154	LYS
1	A	163	LYS
1	A	169	THR
1	A	251	SER
1	A	260	ASN
1	A	267	LYS
1	A	307	MET
1	A	317	LYS
1	A	318	LYS
1	A	335	ILE
1	A	354	LEU
1	A	356	ARG
1	A	367	GLU
1	A	384	GLN
1	A	385	GLU
1	A	406	CYS
1	A	421	ARG
1	A	454	ARG
1	A	466	VAL
1	A	467	THR
1	A	468	GLU
1	A	469	LYS
1	A	505	ILE
1	A	509	THR
1	A	510	SER
1	A	514	LEU
1	A	518	LEU
1	A	522	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	524	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	126	ASN
1	A	242	HIS
1	A	246	HIS
1	A	253	ASN
1	A	260	ASN
1	A	261	HIS
1	A	263	HIS
1	A	271	ASN
1	A	296	GLN
1	A	391	HIS
1	A	418	GLN
1	A	425	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GOL	A	3	-	5,5,5	0.78	0	5,5,5	1.72	2 (40%)
4	DCX	A	1	-	12,13,13	1.19	1 (8%)	12,15,15	1.57	2 (16%)
4	DCX	A	2	-	12,13,13	1.20	1 (8%)	12,15,15	2.04	3 (25%)
2	FAD	A	600	-	58,58,58	1.40	9 (15%)	85,89,89	1.81	21 (24%)
5	GOL	A	701	-	5,5,5	0.22	0	5,5,5	0.96	0
3	HRM	A	700	-	17,18,18	1.62	6 (35%)	22,26,26	1.96	8 (36%)
5	GOL	A	702	-	5,5,5	0.72	0	5,5,5	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	3	-	-	2/4/4/4	-
4	DCX	A	1	-	-	9/11/11/11	-
4	DCX	A	2	-	-	8/11/11/11	-
2	FAD	A	600	-	-	2/34/50/50	0/6/6/6
5	GOL	A	701	-	-	0/4/4/4	-
3	HRM	A	700	-	-	0/2/2/2	0/3/3/3
5	GOL	A	702	-	-	2/4/4/4	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	FAD	C8A-N7A	3.75	1.38	1.31
4	A	1	DCX	P1-O4	3.65	1.59	1.50
2	A	600	FAD	C9-C9A	3.29	1.45	1.39
4	A	2	DCX	P1-O4	3.27	1.58	1.50
2	A	600	FAD	C4X-N5	3.22	1.37	1.30
3	A	700	HRM	CAN-CAO	-3.15	1.38	1.46
2	A	600	FAD	C2A-N3A	2.94	1.39	1.33
2	A	600	FAD	C4A-N3A	2.64	1.39	1.34
3	A	700	HRM	CAP-NAI	-2.54	1.34	1.38
3	A	700	HRM	CAN-CAM	-2.53	1.37	1.41
2	A	600	FAD	O2-C2	-2.50	1.19	1.24
3	A	700	HRM	CAF-CAN	2.39	1.43	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	700	HRM	CAD-CAK	2.16	1.42	1.38
2	A	600	FAD	O4-C4	2.15	1.27	1.23
2	A	600	FAD	P-O3P	-2.15	1.57	1.59
3	A	700	HRM	CAM-NAI	-2.09	1.34	1.38
2	A	600	FAD	C9-C8	2.00	1.42	1.39

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600	FAD	N3A-C2A-N1A	-5.85	119.73	128.58
4	A	2	DCX	O4-P1-C2	-5.00	105.34	113.32
2	A	600	FAD	O2-C2-N1	-4.47	114.37	121.80
3	A	700	HRM	CAC-NAH-CAL	4.36	123.33	118.35
3	A	700	HRM	CAF-CAN-CAM	4.20	123.71	119.07
4	A	2	DCX	C2-P1-C3	4.09	112.09	106.47
2	A	600	FAD	C4-N3-C2	-3.78	118.94	125.64
2	A	600	FAD	N9A-C8A-N7A	-3.53	108.93	113.94
3	A	700	HRM	CAE-CAC-NAH	-3.47	119.72	123.97
4	A	1	DCX	O4-P1-C2	-3.47	107.78	113.32
4	A	1	DCX	O4-P1-C3	-3.33	108.01	113.32
2	A	600	FAD	C4A-N9A-C1B	-3.21	119.12	126.63
2	A	600	FAD	C4X-C10-N10	3.18	121.03	116.48
2	A	600	FAD	C10-C4X-N5	-3.08	118.53	124.81
2	A	600	FAD	C5'-C4'-C3'	-3.07	106.43	112.22
2	A	600	FAD	C2A-N1A-C6A	3.03	123.71	118.73
2	A	600	FAD	O3P-P-O1P	2.98	119.67	110.70
2	A	600	FAD	O4-C4-C4X	-2.92	118.83	126.53
2	A	600	FAD	O2A-PA-O1A	2.87	125.80	112.44
2	A	600	FAD	C5A-C4A-N3A	-2.86	122.78	126.72
5	A	3	GOL	O1-C1-C2	2.77	122.85	110.38
3	A	700	HRM	CAG-CAM-CAN	-2.67	119.13	122.07
2	A	600	FAD	C4-C4X-C10	2.58	121.36	116.93
3	A	700	HRM	CAO-CAP-NAI	-2.55	106.73	109.29
2	A	600	FAD	C1B-N9A-C8A	2.54	132.73	127.09
2	A	600	FAD	O2'-C2'-C3'	2.48	115.06	109.25
2	A	600	FAD	O2-C2-N3	2.46	123.30	118.58
3	A	700	HRM	CAN-CAO-CAP	2.38	108.42	106.45
2	A	600	FAD	C9A-C5X-N5	-2.36	119.94	122.45
3	A	700	HRM	CAD-CAK-CAG	2.30	123.59	120.50
3	A	700	HRM	CAF-CAD-CAK	-2.27	117.14	119.73
2	A	600	FAD	C4A-N9A-C8A	2.21	108.06	105.74
2	A	600	FAD	C2A-N3A-C4A	2.20	117.20	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600	FAD	C1'-C2'-C3'	-2.20	103.70	109.66
4	A	2	DCX	O4-P1-C3	-2.10	109.97	113.32
5	A	3	GOL	O3-C3-C2	2.05	119.61	110.38

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	600	FAD	C5B-O5B-PA-O1A
4	A	1	DCX	C6-C4-P1-C3
4	A	1	DCX	C6-C4-P1-O4
4	A	2	DCX	C6-C4-P1-C3
4	A	2	DCX	C6-C4-P1-O4
4	A	2	DCX	C6-C4-P1-C2
4	A	1	DCX	P1-C4-C6-C7
5	A	702	GOL	O2-C2-C3-O3
5	A	702	GOL	C1-C2-C3-O3
5	A	3	GOL	C1-C2-C3-O3
5	A	3	GOL	O2-C2-C3-O3
4	A	1	DCX	C9-C10-C11-C12
4	A	2	DCX	C9-C10-C11-C12
4	A	2	DCX	C11-C10-C9-C8
4	A	1	DCX	C11-C12-C13-C14
4	A	1	DCX	C6-C7-C8-C9
4	A	2	DCX	C11-C12-C13-C14
4	A	1	DCX	C10-C11-C12-C13
4	A	1	DCX	C6-C4-P1-C2
4	A	2	DCX	C4-C6-C7-C8
4	A	1	DCX	C11-C10-C9-C8
2	A	600	FAD	C2B-C1B-N9A-C8A
4	A	2	DCX	P1-C4-C6-C7

There are no ring outliers.

6 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	3	GOL	6	0
4	A	1	DCX	1	0
2	A	600	FAD	1	0
5	A	701	GOL	5	0
3	A	700	HRM	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	702	GOL	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	513/513 (100%)	0.03	25 (4%)	35 31	21, 35, 55, 93	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	524	LEU	6.2
1	A	523	LEU	6.0
1	A	521	TYR	5.6
1	A	517	VAL	4.4
1	A	516	PHE	4.0
1	A	514	LEU	3.9
1	A	511	VAL	3.8
1	A	518	LEU	3.3
1	A	515	GLY	2.8
1	A	519	TYR	2.6
1	A	513	ALA	2.6
1	A	166	TRP	2.6
1	A	512	THR	2.6
1	A	520	LYS	2.5
1	A	164	ILE	2.5
1	A	328	ASP	2.3
1	A	506	GLY	2.3
1	A	12	HIS	2.3
1	A	13	MET	2.3
1	A	507	PHE	2.2
1	A	469	LYS	2.2
1	A	363	LYS	2.1
1	A	505	ILE	2.1
1	A	522	LYS	2.1
1	A	399	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DCX	A	2	14/14	0.86	0.28	83,85,89,90	0
4	DCX	A	1	14/14	0.88	0.24	64,74,88,88	0
5	GOL	A	701	6/6	0.88	0.17	45,52,54,57	0
5	GOL	A	3	6/6	0.91	0.24	38,42,45,46	0
5	GOL	A	702	6/6	0.94	0.13	43,47,48,48	0
3	HRM	A	700	16/16	0.97	0.07	26,29,33,36	0
2	FAD	A	600	53/53	0.99	0.04	16,22,28,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.