



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:53 PM UTC

PDB ID : 1Z62 / pdb_00001z62
Title : Indirubin-3'-aminooxy-acetate inhibits glycogen phosphorylase by binding at the inhibitor and the allosteric site. Broad specificities of the two sites
Authors : Kosmopoulou, M.N.; Leonidas, D.D.; Chrysina, E.D.; Eisenbrand, G.; Oikonomakos, N.G.
Deposited on : 2005-03-21
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	842	 74% 19% . .

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 7003 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycogen phosphorylase, muscle form.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	809	Total	C	N	O	S	0	0	0
			6573	4189	1158	1197	29			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is ({[(3E)-2'-OXO-2',7'-DIHYDRO-2,3'-BIINDOL-3(7H)-YLIDENE]AMINO}OXY)ACETIC ACID (CCD ID: IAA) (formula: $C_{18}H_{13}N_3O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			25	18	3	4		
3	A	1	Total	C	N	O	0	0
			25	18	3	4		
3	A	1	Total	C	N	O	0	0
			25	18	3	4		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	340	Total	O	0	0
			340	340		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Glycogen phosphorylase, muscle form



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	128.49Å 128.49Å 116.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.49 – 1.90	Depositor
% Data completeness (in resolution range)	99.5 (29.49-1.90)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.191 , 0.206	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7003	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, IAA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/6720	0.92	22/9095 (0.2%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	675	GLY	N-CA-C	-7.28	103.67	112.48
1	A	507	ILE	N-CA-C	6.59	118.49	112.43
1	A	91	MET	N-CA-C	6.59	119.46	111.82
1	A	430	LEU	N-CA-C	-6.37	104.99	112.89
1	A	565	VAL	N-CA-C	6.27	117.80	108.46
1	A	454	GLY	N-CA-C	-6.01	103.40	112.89
1	A	751	SER	CA-C-N	5.94	125.42	119.24
1	A	751	SER	C-N-CA	5.94	125.42	119.24
1	A	593	GLU	CA-C-N	5.85	125.99	119.32
1	A	593	GLU	C-N-CA	5.85	125.99	119.32
1	A	455	VAL	N-CA-C	5.83	117.71	112.17
1	A	278	VAL	N-CA-C	5.72	116.60	108.42
1	A	777	TYR	N-CA-C	5.63	117.09	111.07
1	A	576	GLN	N-CA-C	-5.61	105.25	111.71
1	A	105	GLU	N-CA-C	5.47	116.92	111.07
1	A	688	THR	N-CA-C	5.46	117.86	109.07
1	A	714	ARG	N-CA-C	-5.33	102.56	110.46
1	A	575	ARG	N-CA-C	5.24	118.81	111.74
1	A	479	PHE	N-CA-C	5.13	117.92	109.76
1	A	216	VAL	N-CA-C	5.13	116.24	108.96
1	A	656	VAL	N-CA-C	5.06	115.83	110.72
1	A	515	LEU	N-CA-C	5.02	118.17	111.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6573	0	6517	120	0
2	A	15	0	7	0	0
3	A	75	0	36	7	0
4	A	340	0	0	9	0
All	All	7003	0	6560	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:555:VAL:HG12	1:A:556:HIS:H	1.23	0.99
3:A:992:IAA:H5	3:A:992:IAA:N3	1.86	0.91
1:A:474:LEU:HD13	1:A:475:GLU:HG3	1.52	0.91
1:A:546:ALA:HA	1:A:557:ILE:HD11	1.56	0.86
1:A:555:VAL:HG12	1:A:556:HIS:N	1.91	0.84
3:A:991:IAA:N3	3:A:991:IAA:H5	1.95	0.82
3:A:990:IAA:N3	3:A:990:IAA:H5	1.95	0.81
1:A:138:ARG:O	1:A:138:ARG:HD3	1.83	0.79
1:A:555:VAL:CG1	1:A:556:HIS:H	1.94	0.79
1:A:455:VAL:H	1:A:459:HIS:HD2	1.34	0.74
1:A:423:ASP:HB2	4:A:1222:HOH:O	1.87	0.74
1:A:12:GLN:HG2	1:A:13:ILE:HG23	1.71	0.72
1:A:355:ASP:OD1	1:A:398:ARG:HD3	1.90	0.70
1:A:678:ASN:HD22	1:A:679:MET:H	1.37	0.70
1:A:424:ARG:NH1	1:A:473:GLU:OE1	2.25	0.70
1:A:601:ARG:HD2	4:A:1031:HOH:O	1.95	0.66
1:A:34:HIS:HE1	1:A:61:ASP:OD1	1.79	0.65
1:A:181:ASP:HB3	1:A:184:ARG:NH2	2.11	0.64
1:A:552:GLU:O	1:A:553:TYR:HB2	1.95	0.64
1:A:592:LYS:HG3	1:A:593:GLU:HG3	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ASP:O	1:A:64:VAL:HG22	2.00	0.61
1:A:360:ASP:OD1	1:A:363:LYS:HB2	2.00	0.61
1:A:329:PHE:HB3	1:A:330:PRO:HD3	1.83	0.60
1:A:34:HIS:HD2	1:A:38:THR:OG1	1.84	0.60
1:A:235:ASN:H	1:A:235:ASN:HD22	1.48	0.60
1:A:836:ALA:HB1	1:A:837:PRO:HD2	1.83	0.59
1:A:636:VAL:O	1:A:639:ARG:HD3	2.01	0.59
1:A:450:HIS:HD2	4:A:1298:HOH:O	1.84	0.59
1:A:510:GLU:HB2	4:A:1052:HOH:O	2.04	0.58
1:A:493:VAL:CG2	1:A:512:ILE:HD12	2.34	0.58
1:A:575:ARG:HD3	1:A:666:ILE:O	2.03	0.58
1:A:739:ARG:O	1:A:743:GLU:HG3	2.04	0.57
1:A:60:ARG:HD2	1:A:188:PRO:O	2.04	0.57
1:A:571:HIS:HB2	1:A:574:LYS:CG	2.35	0.57
1:A:550:GLU:O	1:A:554:LYS:HD3	2.05	0.56
1:A:571:HIS:HB2	1:A:574:LYS:HG3	1.86	0.56
1:A:568:LYS:HE2	4:A:1198:HOH:O	2.04	0.56
1:A:95:LEU:HD11	1:A:99:MET:HE3	1.88	0.56
1:A:555:VAL:CG1	1:A:556:HIS:N	2.59	0.55
1:A:260:GLY:N	4:A:1339:HOH:O	2.38	0.55
1:A:506:ARG:NH1	1:A:533:ASP:OD2	2.36	0.54
1:A:648:TYR:HA	1:A:652:LEU:HD23	1.88	0.54
1:A:78:ASP:OD1	1:A:314:SER:HB2	2.07	0.54
1:A:834:LEU:HG	1:A:835:PRO:HD2	1.89	0.54
1:A:81:ARG:HG3	1:A:155:TYR:HE2	1.73	0.54
1:A:65:GLY:O	1:A:69:ARG:HG2	2.07	0.53
1:A:678:ASN:HD22	1:A:679:MET:N	2.05	0.53
1:A:250:ASN:HD22	1:A:269:ARG:HH22	1.56	0.53
1:A:138:ARG:HD3	1:A:138:ARG:C	2.33	0.53
1:A:160:ARG:HB2	1:A:243:LEU:HB3	1.89	0.53
1:A:181:ASP:HB3	1:A:184:ARG:HH22	1.73	0.53
1:A:678:ASN:HD22	1:A:678:ASN:N	2.07	0.53
1:A:730:GLU:O	1:A:734:ARG:HG3	2.10	0.53
1:A:678:ASN:ND2	1:A:679:MET:H	2.06	0.52
1:A:450:HIS:HE1	4:A:1063:HOH:O	1.93	0.51
1:A:515:LEU:HD12	1:A:812:SER:HB2	1.92	0.51
1:A:699:MET:HE2	1:A:708:PHE:HZ	1.75	0.51
1:A:423:ASP:O	1:A:426:ARG:HG3	2.11	0.50
3:A:992:IAA:H5	3:A:992:IAA:C17	2.42	0.50
1:A:642:VAL:C	1:A:643:ILE:HD12	2.36	0.50
1:A:536:LYS:HB3	1:A:536:LYS:NZ	2.28	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:763:ASN:ND2	1:A:767:HIS:HD2	2.10	0.49
1:A:834:LEU:O	1:A:836:ALA:N	2.46	0.49
1:A:308:ILE:CD1	1:A:352:VAL:HG11	2.42	0.48
1:A:474:LEU:CD1	1:A:475:GLU:HG3	2.35	0.48
1:A:552:GLU:O	1:A:553:TYR:CB	2.61	0.48
1:A:433:GLU:OE1	1:A:437:LYS:HE2	2.13	0.47
1:A:434:GLY:O	1:A:435:ALA:C	2.57	0.47
1:A:467:ILE:HG23	1:A:468:PHE:CG	2.49	0.47
1:A:706:GLU:H	1:A:706:GLU:CD	2.22	0.47
1:A:457:ARG:HH12	1:A:701:GLU:CD	2.22	0.47
1:A:713:MET:HB3	1:A:717:ASP:HB2	1.96	0.47
1:A:763:ASN:HD22	1:A:763:ASN:C	2.23	0.47
1:A:515:LEU:HB3	1:A:809:GLY:HA2	1.96	0.47
1:A:550:GLU:O	1:A:551:ARG:C	2.58	0.47
1:A:732:TYR:CZ	1:A:739:ARG:HG3	2.50	0.47
3:A:992:IAA:N3	3:A:992:IAA:C5	2.69	0.46
1:A:834:LEU:CG	1:A:835:PRO:HD2	2.45	0.46
1:A:456:ALA:C	1:A:481:ASN:HD21	2.24	0.46
1:A:727:ASN:OD1	1:A:729:GLN:HB3	2.16	0.46
1:A:162:GLU:HG3	1:A:163:PHE:CD1	2.50	0.46
1:A:831:ARG:O	1:A:833:ARG:NH1	2.49	0.46
1:A:136:LEU:C	1:A:136:LEU:HD23	2.41	0.45
1:A:463:LEU:HA	1:A:467:ILE:HG22	1.98	0.45
1:A:162:GLU:HG3	1:A:163:PHE:CE1	2.52	0.45
1:A:433:GLU:OE1	1:A:437:LYS:HG2	2.16	0.45
1:A:325:ASN:HD22	1:A:325:ASN:HA	1.56	0.45
1:A:341:HIS:HB2	1:A:342:PRO:HD3	1.99	0.45
1:A:835:PRO:O	1:A:836:ALA:O	2.34	0.45
1:A:99:MET:HE2	1:A:108:CYS:SG	2.56	0.45
1:A:119:MET:O	1:A:123:GLU:HG3	2.17	0.45
1:A:781:VAL:O	1:A:785:GLU:HG3	2.17	0.45
1:A:49:ARG:NH2	4:A:1283:HOH:O	2.35	0.45
1:A:515:LEU:HD22	1:A:518:LEU:CD1	2.47	0.44
1:A:193:ARG:HB3	1:A:196:PHE:CD1	2.52	0.44
1:A:413:ARG:NH2	1:A:413:ARG:HG2	2.31	0.44
1:A:67:TRP:HA	1:A:238:VAL:HB	1.99	0.44
1:A:519:ARG:O	1:A:522:LEU:HB2	2.17	0.44
1:A:421:ASP:CG	1:A:424:ARG:HB2	2.43	0.43
1:A:449:SER:O	1:A:478:LYS:HE2	2.18	0.43
1:A:613:TYR:CZ	3:A:992:IAA:H161	2.53	0.43
1:A:795:ARG:O	1:A:799:ARG:HG3	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:568:LYS:HE3	1:A:574:LYS:HD2	2.01	0.43
1:A:138:ARG:HB3	4:A:1192:HOH:O	2.17	0.43
1:A:313:SER:O	1:A:314:SER:C	2.61	0.43
1:A:42:ASP:OD2	1:A:42:ASP:C	2.60	0.43
1:A:170:ILE:HG12	1:A:646:GLU:HG3	2.01	0.43
1:A:127:GLU:HG2	1:A:182:TRP:HA	2.01	0.42
1:A:433:GLU:CD	1:A:437:LYS:HE2	2.44	0.42
1:A:548:TYR:CD1	1:A:548:TYR:C	2.97	0.42
1:A:678:ASN:N	1:A:678:ASN:ND2	2.65	0.42
1:A:209:THR:O	1:A:210:SER:C	2.62	0.42
1:A:562:LEU:HB3	1:A:601:ARG:HG2	2.01	0.42
1:A:78:ASP:CG	1:A:314:SER:HB2	2.45	0.41
1:A:91:MET:HB2	1:A:129:ALA:HB3	2.02	0.41
3:A:990:IAA:C11	3:A:991:IAA:H15	2.50	0.41
1:A:493:VAL:HG21	1:A:512:ILE:HD12	2.01	0.41
1:A:494:LEU:C	1:A:494:LEU:HD23	2.45	0.41
1:A:205:ARG:NE	1:A:217:ASP:OD2	2.54	0.41
1:A:287:GLU:HG2	1:A:289:LYS:HG2	2.02	0.41
1:A:413:ARG:HG2	1:A:413:ARG:HH21	1.86	0.41
1:A:36:HIS:O	1:A:40:VAL:HA	2.21	0.41
1:A:193:ARG:HB3	1:A:196:PHE:HD1	1.86	0.41
1:A:235:ASN:HD22	1:A:235:ASN:N	2.09	0.40
1:A:34:HIS:CE1	1:A:61:ASP:OD1	2.67	0.40
1:A:657:ILE:HB	1:A:658:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	803/842 (95%)	765 (95%)	35 (4%)	3 (0%)	30 22

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	836	ALA
1	A	835	PRO
1	A	554	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	699/731 (96%)	659 (94%)	40 (6%)	18	11

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	GLU
1	A	23	ASN
1	A	27	LEU
1	A	39	LEU
1	A	102	LEU
1	A	104	LEU
1	A	115	LEU
1	A	138	ARG
1	A	144	LEU
1	A	198	LEU
1	A	211	GLN
1	A	235	ASN
1	A	243	LEU
1	A	264	GLN
1	A	325	ASN
1	A	358	ARG
1	A	363	LYS
1	A	398	ARG
1	A	433	GLU
1	A	444	LEU
1	A	474	LEU
1	A	510	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	515	LEU
1	A	522	LEU
1	A	536	LYS
1	A	552	GLU
1	A	556	HIS
1	A	558	ASN
1	A	565	VAL
1	A	568	LYS
1	A	622	LEU
1	A	645	LEU
1	A	678	ASN
1	A	706	GLU
1	A	708	PHE
1	A	721	LEU
1	A	734	ARG
1	A	765	LEU
1	A	790	LEU
1	A	833	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	HIS
1	A	72	GLN
1	A	73	HIS
1	A	96	GLN
1	A	208	HIS
1	A	211	GLN
1	A	235	ASN
1	A	250	ASN
1	A	282	ASN
1	A	325	ASN
1	A	390	HIS
1	A	412	ASN
1	A	450	HIS
1	A	459	HIS
1	A	481	ASN
1	A	484	ASN
1	A	560	ASN
1	A	566	GLN
1	A	579	ASN
1	A	595	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	678	ASN
1	A	763	ASN
1	A	767	HIS
1	A	768	HIS
1	A	832	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	IAA	A	990	-	25,28,28	1.76	7 (28%)	28,40,40	2.30	9 (32%)
3	IAA	A	991	-	25,28,28	1.75	7 (28%)	28,40,40	2.99	10 (35%)
2	PLP	A	999	1	15,15,16	1.46	2 (13%)	21,22,23	1.08	2 (9%)
3	IAA	A	992	-	25,28,28	1.91	7 (28%)	28,40,40	3.04	9 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IAA	A	990	-	-	0/9/56/56	0/4/4/4
3	IAA	A	991	-	-	0/9/56/56	0/4/4/4
2	PLP	A	999	1	-	1/6/6/8	0/1/1/1
3	IAA	A	992	-	-	0/9/56/56	0/4/4/4

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	992	IAA	O3-C18	4.49	1.36	1.22
3	A	991	IAA	O3-C18	4.08	1.35	1.22
3	A	992	IAA	C1-N1	-3.89	1.28	1.35
3	A	990	IAA	O3-C18	3.86	1.34	1.22
2	A	999	PLP	C4A-C4	3.61	1.58	1.51
3	A	991	IAA	C1-N1	-3.56	1.28	1.35
3	A	991	IAA	C16-C15	-3.40	1.40	1.49
3	A	992	IAA	C16-C15	-3.37	1.40	1.49
3	A	990	IAA	C16-C15	-3.22	1.40	1.49
3	A	990	IAA	C1-N1	-3.09	1.29	1.35
3	A	990	IAA	C5-C6	2.65	1.43	1.38
3	A	992	IAA	O4-C18	-2.61	1.22	1.30
3	A	991	IAA	C5-C6	2.55	1.43	1.38
3	A	990	IAA	O4-C18	-2.49	1.22	1.30
3	A	990	IAA	C13-C12	2.45	1.42	1.38
3	A	990	IAA	C9-C10	2.37	1.49	1.43
3	A	992	IAA	O2-C17	2.23	1.45	1.42
3	A	991	IAA	O4-C18	-2.20	1.23	1.30
3	A	991	IAA	C9-C10	2.11	1.48	1.43
3	A	992	IAA	C5-C6	2.11	1.42	1.38
3	A	992	IAA	C13-C12	2.06	1.42	1.38
3	A	991	IAA	C2-C3	-2.05	1.43	1.49
2	A	999	PLP	C3-C2	-2.04	1.38	1.41

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	992	IAA	O2-N3-C10	11.71	127.92	111.59
3	A	991	IAA	O2-N3-C10	9.81	125.27	111.59
3	A	991	IAA	C17-O2-N3	-6.56	100.84	107.92
3	A	991	IAA	C2-C1-N1	6.33	131.29	125.35
3	A	992	IAA	C2-C1-N1	6.26	131.22	125.35
3	A	990	IAA	C2-C1-N1	6.20	131.16	125.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	990	IAA	O2-N3-C10	5.84	119.74	111.59
3	A	990	IAA	C16-C11-N2	4.51	129.58	125.35
3	A	991	IAA	C16-C11-N2	4.21	129.30	125.35
3	A	992	IAA	C16-C11-N2	3.96	129.06	125.35
3	A	992	IAA	C17-O2-N3	-3.79	103.83	107.92
3	A	991	IAA	C2-C1-C6	-3.23	118.35	123.10
3	A	990	IAA	C2-C1-C6	-3.20	118.39	123.10
3	A	992	IAA	C2-C1-C6	-3.14	118.49	123.10
3	A	991	IAA	C3-C2-C1	3.02	120.06	112.64
3	A	992	IAA	C3-C2-C1	3.01	120.05	112.64
3	A	990	IAA	C3-C2-C1	2.88	119.73	112.64
3	A	992	IAA	C6-C8-C7	-2.81	103.16	107.90
3	A	992	IAA	C15-C16-C11	2.65	119.17	112.64
2	A	999	PLP	O3P-P-O1P	2.60	120.96	110.83
3	A	990	IAA	C15-C16-C11	2.51	118.82	112.64
3	A	991	IAA	C6-C8-C7	-2.46	103.75	107.90
3	A	992	IAA	C9-C8-C6	2.43	132.05	126.94
2	A	999	PLP	C6-C5-C4	2.38	120.05	118.10
3	A	991	IAA	C16-C11-C12	-2.36	119.63	123.10
3	A	990	IAA	C6-C8-C7	-2.32	103.99	107.90
3	A	991	IAA	C9-C8-C6	2.29	131.76	126.94
3	A	990	IAA	O2-C17-C18	-2.17	108.47	111.75
3	A	991	IAA	C15-C16-C11	2.16	117.96	112.64
3	A	990	IAA	C9-C8-C6	2.15	131.45	126.94

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	999	PLP	C6-C5-C5A-O4P


There are no ring outliers.

3 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	990	IAA	2	0
3	A	991	IAA	2	0
3	A	992	IAA	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand IAA A 991





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.