



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:10 AM UTC

PDB ID : 1Z6T / pdb_00001z6t
Title : Structure of the apoptotic protease-activating factor 1 bound to ADP
Authors : Riedl, S.J.; Li, W.; Chao, Y.; Schwarzenbacher, R.; Shi, Y.
Deposited on : 2005-03-23
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	591	
1	B	591	
1	C	591	
1	D	591	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 19663 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Apoptotic protease activating factor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	576	Total	C	N	O	S	0	0	0
			4656	2968	795	862	31			
1	B	586	Total	C	N	O	S	0	0	0
			4720	3003	806	880	31			
1	C	586	Total	C	N	O	S	0	0	0
			4720	3003	806	880	31			
1	D	576	Total	C	N	O	S	0	0	0
			4656	2968	795	862	31			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	204	Total	O	0	0
			204	204		
3	B	220	Total	O	0	0
			220	220		
3	C	193	Total	O	0	0
			193	193		
3	D	186	Total	O	0	0
			186	186		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Apoptotic protease activating factor 1




- Molecule 1: Apoptotic protease activating factor 1






- Molecule 1: Apoptotic protease activating factor 1





● Molecule 1: Apoptotic protease activating factor 1



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	75.95Å 92.88Å 94.99Å 62.96° 89.99° 90.05°	Depositor
Resolution (Å)	15.00 – 2.21	Depositor
% Data completeness (in resolution range)	89.2 (15.00-2.21)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.189 , 0.244	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	19663	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.80	1/4749 (0.0%)	0.96	5/6405 (0.1%)
1	B	0.82	0/4814	0.95	3/6493 (0.0%)
1	C	0.81	0/4814	0.96	4/6493 (0.1%)
1	D	0.80	1/4749 (0.0%)	0.95	4/6405 (0.1%)
All	All	0.81	2/19126 (0.0%)	0.96	16/25796 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	124	VAL	CA-CB	5.37	1.60	1.54
1	D	124	VAL	CA-CB	5.07	1.60	1.54

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	334	PHE	CA-C-N	9.76	129.52	119.56
1	A	334	PHE	C-N-CA	9.76	129.52	119.56
1	D	334	PHE	CA-C-N	8.00	127.72	119.56
1	D	334	PHE	C-N-CA	8.00	127.72	119.56
1	B	335	PRO	N-CA-C	6.92	122.83	113.84
1	C	335	PRO	N-CA-C	6.59	122.41	113.84
1	A	335	PRO	N-CA-C	5.92	121.54	113.84
1	C	334	PHE	CA-C-N	5.71	125.39	119.56
1	C	334	PHE	C-N-CA	5.71	125.39	119.56
1	D	335	PRO	N-CA-C	5.66	121.19	113.84
1	D	356	SER	N-CA-C	5.47	118.53	109.94
1	A	405	ASP	CB-CA-C	-5.39	103.93	111.80
1	B	334	PHE	CA-C-N	5.39	125.05	119.56
1	B	334	PHE	C-N-CA	5.39	125.05	119.56
1	C	20	ILE	N-CA-C	5.38	116.52	109.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	288	LYS	CB-CA-C	-5.23	102.06	110.74

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4656	0	4696	53	1
1	B	4720	0	4756	53	1
1	C	4720	0	4756	62	0
1	D	4656	0	4696	55	2
2	A	27	0	12	1	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
3	A	204	0	0	13	0
3	B	220	0	0	10	0
3	C	193	0	0	8	2
3	D	186	0	0	12	0
All	All	19663	0	18952	216	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:26:MET:SD	1:C:35:LEU:HD21	1.72	1.29
1:A:157:GLY:HA2	3:A:1076:HOH:O	1.33	1.22
1:B:55:MET:HB2	3:B:1008:HOH:O	1.40	1.16
1:D:335:PRO:O	3:D:1050:HOH:O	1.82	0.96
1:D:121:GLN:OE1	3:D:912:HOH:O	1.84	0.94
1:C:26:MET:SD	1:C:35:LEU:CD2	2.55	0.93
1:A:450:CYS:SG	3:A:993:HOH:O	2.25	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:270:THR:HG21	3:C:1068:HOH:O	1.69	0.91
1:C:347:ASN:O	1:C:347:ASN:ND2	2.05	0.89
1:B:46:GLU:HG3	3:B:1008:HOH:O	1.73	0.86
1:C:472:THR:HG21	3:C:1047:HOH:O	1.78	0.84
1:D:270:THR:HG21	3:D:1000:HOH:O	1.81	0.80
1:B:55:MET:CB	3:B:1008:HOH:O	2.13	0.78
1:D:473:LEU:HD23	1:D:484:TYR:CE2	2.17	0.78
1:B:51:GLN:O	3:B:1008:HOH:O	1.99	0.78
1:C:579:GLN:OE1	3:C:945:HOH:O	2.03	0.76
1:B:579:GLN:OE1	3:B:930:HOH:O	2.03	0.76
1:B:13:ARG:NE	3:B:1009:HOH:O	2.06	0.75
1:A:44:ARG:NH2	3:A:1034:HOH:O	2.19	0.75
1:C:272:SER:OG	3:C:969:HOH:O	2.06	0.74
1:D:270:THR:HG23	3:D:1001:HOH:O	1.86	0.74
1:A:473:LEU:HD23	1:A:484:TYR:CE2	2.22	0.74
1:B:474:SER:O	1:B:477:GLN:HG3	1.88	0.74
1:B:347:ASN:O	1:B:347:ASN:ND2	2.22	0.73
1:D:474:SER:O	1:D:477:GLN:HG2	1.89	0.73
1:B:472:THR:CG2	3:B:947:HOH:O	2.37	0.72
1:A:270:THR:HG21	3:A:1071:HOH:O	1.89	0.71
1:D:347:ASN:O	1:D:347:ASN:CG	2.34	0.71
1:A:270:THR:HG23	3:A:950:HOH:O	1.91	0.71
1:D:353:ILE:HB	1:D:447:GLU:OE2	1.91	0.71
1:A:438:HIS:NE2	3:A:1076:HOH:O	2.23	0.70
1:D:9:LEU:HD23	1:D:61:LEU:HD23	1.73	0.69
1:C:474:SER:O	1:C:477:GLN:HG2	1.94	0.68
1:A:536:LYS:H	1:A:536:LYS:HD2	1.57	0.68
1:A:321:PRO:O	3:A:970:HOH:O	2.11	0.67
1:C:357:SER:O	1:D:469:GLN:NE2	2.28	0.67
1:A:389:LEU:HD22	1:A:395:VAL:HG21	1.77	0.66
1:B:22:THR:HG23	3:B:1007:HOH:O	1.94	0.66
1:A:9:LEU:HD23	1:A:61:LEU:HD23	1.77	0.66
1:D:222:GLU:OE2	1:D:557:ARG:NH2	2.29	0.65
1:A:536:LYS:H	1:A:536:LYS:CD	2.11	0.64
1:B:472:THR:HG22	3:B:947:HOH:O	2.00	0.62
1:B:22:THR:O	1:B:26:MET:HG3	2.00	0.62
1:A:299:VAL:HG23	1:A:301:MET:HG3	1.81	0.61
1:C:79:GLY:HA2	1:C:115:CYS:SG	2.40	0.61
1:A:215:ARG:HA	3:A:996:HOH:O	1.99	0.61
1:A:357:SER:OG	1:A:358:SER:N	2.34	0.61
1:A:76:LEU:HD22	1:A:112:THR:HG22	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:406:MET:HE1	1:B:414:ILE:HD12	1.84	0.59
1:C:406:MET:HE1	1:C:414:ILE:HD12	1.84	0.59
1:A:364:LEU:CD2	1:A:440:LEU:HB3	2.32	0.59
1:D:28:HIS:NE2	1:D:78:GLU:OE2	2.30	0.59
1:C:364:LEU:CD2	1:C:440:LEU:HB3	2.34	0.58
1:A:406:MET:HE1	1:A:414:ILE:HD12	1.84	0.58
1:C:472:THR:CG2	3:C:931:HOH:O	2.51	0.58
1:C:209:ASP:C	1:C:209:ASP:OD1	2.46	0.58
1:D:357:SER:O	1:D:359:TYR:N	2.38	0.57
1:A:13:ARG:NH2	1:A:58:LYS:HG2	2.18	0.57
1:D:43:VAL:O	1:D:52:ARG:HG2	2.05	0.57
1:A:21:LYS:NZ	1:A:412:GLU:OE2	2.27	0.57
1:B:364:LEU:CD2	1:B:440:LEU:HB3	2.36	0.56
1:A:325:SER:OG	3:A:970:HOH:O	2.17	0.56
1:C:527:VAL:CG2	1:C:545:GLN:HE22	2.19	0.56
1:B:347:ASN:O	1:B:347:ASN:CG	2.49	0.55
1:D:13:ARG:HG3	1:D:57:ILE:HG21	1.86	0.55
1:B:481:MET:HA	1:B:481:MET:HE2	1.89	0.55
1:D:573:THR:OG1	3:D:934:HOH:O	2.18	0.54
1:A:13:ARG:HH22	1:A:58:LYS:HG2	1.73	0.54
1:D:79:GLY:CA	1:D:115:CYS:SG	2.96	0.54
1:B:299:VAL:HG23	1:B:301:MET:HG2	1.90	0.53
1:B:24:TYR:CZ	1:B:416:GLN:OE1	2.62	0.53
1:C:20:ILE:HG22	1:C:83:LEU:CD1	2.39	0.53
1:D:215:ARG:HB3	3:D:1084:HOH:O	2.07	0.53
1:A:474:SER:N	1:A:477:GLN:OE1	2.36	0.53
2:A:900:ADP:H5'1	3:A:1076:HOH:O	2.09	0.53
1:A:76:LEU:HD22	1:A:112:THR:CG2	2.39	0.52
1:B:19:ASP:HB2	1:B:83:LEU:HD11	1.91	0.52
1:C:299:VAL:HG23	1:C:301:MET:CG	2.39	0.52
1:D:364:LEU:CD2	1:D:440:LEU:HB3	2.39	0.52
1:B:288:LYS:NZ	1:B:311:HIS:O	2.42	0.52
1:C:288:LYS:NZ	1:C:311:HIS:O	2.42	0.52
1:A:415:LEU:O	1:A:419:VAL:HG23	2.10	0.51
1:C:521:HIS:HB2	3:C:927:HOH:O	2.09	0.51
1:B:55:MET:O	1:B:59:MET:HG3	2.10	0.51
1:C:22:THR:HG21	1:C:43:VAL:HG11	1.93	0.51
1:D:88:HIS:O	1:D:89:ASP:C	2.53	0.51
1:D:156:ALA:HB2	1:D:265:ARG:CZ	2.41	0.51
1:C:207:ASP:HA	1:C:234:LYS:NZ	2.25	0.51
1:C:17:GLU:O	1:C:50:GLN:HA	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:357:SER:C	1:D:469:GLN:HE22	2.19	0.50
1:C:527:VAL:CG2	1:C:545:GLN:NE2	2.75	0.50
1:B:79:GLY:HA2	1:B:115:CYS:SG	2.51	0.50
1:D:415:LEU:O	1:D:419:VAL:HG23	2.12	0.50
1:B:463:GLN:NE2	3:B:948:HOH:O	2.44	0.50
1:D:473:LEU:HD23	1:D:484:TYR:CD2	2.47	0.49
1:B:299:VAL:HG23	1:B:301:MET:CG	2.42	0.49
1:B:385:ASP:OD2	1:B:459:LYS:NZ	2.46	0.49
1:C:24:TYR:CZ	1:C:416:GLN:OE1	2.65	0.49
1:D:572:GLU:HG3	1:D:577:TYR:CE1	2.47	0.49
1:D:34:PHE:CZ	1:D:66:ASP:HB3	2.48	0.49
1:D:553:HIS:O	1:D:557:ARG:HD2	2.13	0.49
1:D:577:TYR:C	1:D:577:TYR:CD1	2.90	0.49
1:C:26:MET:HG2	1:C:40:GLU:HG3	1.94	0.49
1:C:483:TRP:O	1:C:487:LEU:HB2	2.12	0.49
1:A:357:SER:O	1:B:471:HIS:NE2	2.45	0.49
1:A:553:HIS:O	1:A:557:ARG:HD2	2.12	0.49
1:B:28:HIS:CE1	1:B:77:HIS:CE1	3.01	0.49
1:C:48:THR:O	1:C:52:ARG:HG3	2.13	0.49
1:D:8:CYS:O	1:D:12:HIS:ND1	2.45	0.49
1:B:483:TRP:O	1:B:487:LEU:HB2	2.13	0.48
1:A:536:LYS:HD2	1:A:536:LYS:N	2.28	0.48
1:B:209:ASP:OD1	1:B:209:ASP:C	2.56	0.48
1:B:249:TRP:HA	1:B:252:LYS:HE2	1.94	0.48
1:B:22:THR:HB	1:B:26:MET:HE2	1.96	0.48
1:A:39:GLU:HA	1:A:59:MET:HE1	1.96	0.48
1:D:389:LEU:HD22	1:D:395:VAL:HG21	1.96	0.48
1:A:288:LYS:NZ	1:B:408:THR:HB	2.29	0.47
1:D:359:TYR:CZ	1:D:440:LEU:HD22	2.49	0.47
1:C:13:ARG:HG3	1:C:57:ILE:HG21	1.97	0.47
1:B:553:HIS:H	1:B:553:HIS:CD2	2.32	0.47
1:C:55:MET:O	1:C:59:MET:HG3	2.15	0.47
1:B:235:HIS:N	1:B:236:PRO:CD	2.77	0.47
1:B:527:VAL:CG2	1:B:545:GLN:HE22	2.28	0.47
1:D:299:VAL:HG23	1:D:301:MET:CG	2.45	0.47
1:A:364:LEU:HD21	1:A:440:LEU:HB3	1.96	0.47
1:D:428:ARG:N	1:D:428:ARG:HD3	2.30	0.47
1:A:13:ARG:HG3	1:A:57:ILE:HG21	1.97	0.47
1:A:43:VAL:O	1:A:52:ARG:HG2	2.14	0.47
1:D:477:GLN:HG3	3:D:909:HOH:O	2.15	0.46
1:B:527:VAL:CG2	1:B:545:GLN:NE2	2.79	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:299:VAL:HG23	1:C:301:MET:HG2	1.97	0.46
1:D:299:VAL:HG23	1:D:301:MET:HG3	1.97	0.46
1:C:22:THR:O	1:C:22:THR:HG22	2.14	0.46
1:A:124:VAL:CG2	3:A:1019:HOH:O	2.62	0.46
1:C:170:ASP:O	1:C:174:LEU:HB2	2.16	0.46
1:D:283:GLU:HG3	1:D:285:SER:O	2.15	0.46
1:D:79:GLY:HA2	1:D:115:CYS:SG	2.56	0.46
1:D:39:GLU:HA	1:D:59:MET:HE1	1.98	0.45
1:C:20:ILE:CG2	1:C:83:LEU:HD13	2.46	0.45
1:C:364:LEU:HD22	1:C:440:LEU:HB3	1.99	0.45
1:A:288:LYS:NZ	1:B:409:GLU:OE1	2.50	0.45
1:A:315:LYS:NZ	1:B:405:ASP:OD1	2.49	0.45
1:A:473:LEU:HD23	1:A:484:TYR:CD2	2.51	0.45
1:C:481:MET:HE1	1:C:516:LEU:HD13	1.98	0.45
1:A:13:ARG:NH2	1:A:58:LYS:CG	2.80	0.45
1:C:241:ILE:HA	1:C:261:LEU:O	2.17	0.45
1:C:499:GLU:OE1	3:C:1004:HOH:O	2.21	0.45
1:D:480:CYS:HA	3:D:909:HOH:O	2.17	0.45
1:D:296:SER:HB2	1:D:301:MET:O	2.17	0.44
1:B:296:SER:HB2	1:B:301:MET:O	2.17	0.44
1:A:553:HIS:CD2	1:A:553:HIS:H	2.35	0.44
1:D:320:SER:O	1:D:324:VAL:HG23	2.17	0.44
1:D:22:THR:O	1:D:26:MET:HG3	2.17	0.44
1:A:135:ALA:O	1:A:139:LYS:HG2	2.17	0.43
1:B:397:THR:HG21	1:B:408:THR:HG23	1.99	0.43
1:C:577:TYR:CD1	1:C:577:TYR:C	2.96	0.43
1:A:227:LEU:O	1:A:231:MET:HG2	2.18	0.43
1:A:457:HIS:O	1:A:460:ILE:HG22	2.18	0.43
1:C:218:LEU:HD12	1:C:557:ARG:HE	1.83	0.43
1:D:359:TYR:CE2	1:D:440:LEU:HD22	2.53	0.43
1:C:296:SER:HB2	1:C:301:MET:O	2.19	0.43
1:B:138:GLN:HA	1:B:138:GLN:OE1	2.17	0.43
1:D:364:LEU:HD22	1:D:440:LEU:HB3	2.00	0.43
1:A:311:HIS:CD2	1:B:48:THR:CG2	3.02	0.43
1:B:330:LEU:HD21	1:B:371:SER:HA	2.00	0.43
1:A:406:MET:CE	1:A:411:VAL:HG22	2.48	0.43
1:C:20:ILE:CG2	1:C:83:LEU:CD1	2.96	0.43
1:C:330:LEU:HD21	1:C:371:SER:HA	2.00	0.43
1:C:375:LEU:O	1:C:380:LYS:HE3	2.18	0.43
1:A:34:PHE:CZ	1:A:66:ASP:HB3	2.54	0.42
1:A:483:TRP:O	1:A:487:LEU:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:550:LEU:C	1:B:550:LEU:HD23	2.43	0.42
1:B:572:GLU:O	1:B:578:GLN:NE2	2.42	0.42
1:A:296:SER:HB2	1:A:301:MET:O	2.18	0.42
1:A:28:HIS:NE2	1:A:78:GLU:OE2	2.35	0.42
1:A:289:GLU:HG3	1:B:50:GLN:HG3	2.01	0.42
1:C:156:ALA:HB2	1:C:265:ARG:CZ	2.49	0.42
1:A:406:MET:HE2	1:A:411:VAL:HG22	2.01	0.42
1:C:17:GLU:HA	1:C:53:ALA:HB3	2.02	0.42
1:C:480:CYS:SG	1:C:481:MET:CE	3.08	0.42
1:D:78:GLU:O	1:D:430:GLY:N	2.42	0.42
1:A:124:VAL:HG22	3:A:1019:HOH:O	2.19	0.42
1:B:285:SER:OG	1:B:286:LEU:O	2.36	0.42
1:B:484:TYR:O	1:B:513:LYS:NZ	2.53	0.42
1:C:513:LYS:NZ	1:C:521:HIS:HD2	2.18	0.42
1:C:135:ALA:O	1:C:139:LYS:HG2	2.19	0.41
1:C:299:VAL:HG23	1:C:301:MET:HG3	2.01	0.41
1:C:207:ASP:HA	1:C:234:LYS:HZ3	1.85	0.41
1:D:378:ASP:CG	3:D:994:HOH:O	2.63	0.41
1:B:481:MET:HE1	1:B:516:LEU:HD13	2.02	0.41
1:B:16:LEU:HB3	1:B:57:ILE:HD11	2.01	0.41
1:C:198:LYS:NZ	1:C:392:ASP:O	2.47	0.41
1:C:511:LYS:O	1:C:515:GLU:HG3	2.21	0.41
1:D:428:ARG:N	3:D:912:HOH:O	2.50	0.41
1:D:473:LEU:CD1	3:D:909:HOH:O	2.69	0.41
1:C:496:MET:HE2	1:C:499:GLU:CD	2.46	0.41
1:C:235:HIS:N	1:C:236:PRO:CD	2.84	0.41
1:D:531:HIS:NE2	3:D:969:HOH:O	2.37	0.41
1:B:79:GLY:CA	1:B:115:CYS:SG	3.09	0.41
1:C:35:LEU:HG	1:C:36:THR:N	2.36	0.41
1:C:472:THR:HG22	3:C:931:HOH:O	2.20	0.41
1:D:7:ASN:O	1:D:11:GLN:HB2	2.21	0.41
1:D:21:LYS:NZ	1:D:412:GLU:OE2	2.44	0.41
1:D:472:THR:O	1:D:472:THR:CG2	2.69	0.41
1:C:16:LEU:HB3	1:C:57:ILE:HD11	2.03	0.41
1:D:135:ALA:O	1:D:139:LYS:HG2	2.21	0.41
1:B:241:ILE:HA	1:B:261:LEU:O	2.22	0.40
1:B:361:TYR:O	1:B:362:GLU:C	2.63	0.40
1:D:16:LEU:HB3	1:D:57:ILE:HD11	2.03	0.40
1:A:7:ASN:O	1:A:11:GLN:HB2	2.21	0.40
1:A:77:HIS:CE1	3:A:1020:HOH:O	2.73	0.40
1:C:26:MET:HE2	1:C:26:MET:HB2	2.00	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:46:GLU:HA	1:C:47:PRO:HD3	1.95	0.40
1:C:251:LEU:HD12	1:C:251:LEU:HA	1.80	0.40
1:D:483:TRP:O	1:D:487:LEU:HB2	2.22	0.40
1:C:323:VAL:HG22	1:C:364:LEU:HA	2.04	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:360:ASP:OD1	3:C:1047:HOH:O[1_546]	1.97	0.23
1:D:360:ASP:OD2	3:C:1061:HOH:O[1_546]	2.10	0.10
1:A:469:GLN:NE2	1:B:357:SER:O[1_546]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	572/591 (97%)	560 (98%)	11 (2%)	1 (0%)	43	50
1	B	584/591 (99%)	576 (99%)	8 (1%)	0	100	100
1	C	584/591 (99%)	571 (98%)	12 (2%)	1 (0%)	43	50
1	D	572/591 (97%)	558 (98%)	12 (2%)	2 (0%)	36	41
All	All	2312/2364 (98%)	2265 (98%)	43 (2%)	4 (0%)	43	50

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	355	LYS
1	D	358	SER
1	D	89	ASP
1	C	18	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	521/534 (98%)	498 (96%)	23 (4%)	25	32
1	B	530/534 (99%)	510 (96%)	20 (4%)	29	38
1	C	530/534 (99%)	507 (96%)	23 (4%)	26	33
1	D	521/534 (98%)	500 (96%)	21 (4%)	28	36
All	All	2102/2136 (98%)	2015 (96%)	87 (4%)	27	35

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	GLU
1	A	138	GLN
1	A	174	LEU
1	A	215	ARG
1	A	226	ARG
1	A	227	LEU
1	A	262	LEU
1	A	270	THR
1	A	273	VAL
1	A	274	MET
1	A	283	GLU
1	A	286	LEU
1	A	301	MET
1	A	378	ASP
1	A	403	LEU
1	A	446	THR
1	A	472	THR
1	A	478	GLU
1	A	487	LEU
1	A	497	HIS
1	A	572	GLU
1	A	575	GLU
1	A	586	GLN
1	B	144	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	174	LEU
1	B	209	ASP
1	B	215	ARG
1	B	226	ARG
1	B	262	LEU
1	B	273	VAL
1	B	283	GLU
1	B	284	SER
1	B	286	LEU
1	B	301	MET
1	B	347	ASN
1	B	472	THR
1	B	477	GLN
1	B	478	GLU
1	B	487	LEU
1	B	558	GLN
1	B	572	GLU
1	B	575	GLU
1	B	586	GLN
1	C	20	ILE
1	C	31	SER
1	C	95	SER
1	C	100	LYS
1	C	115	CYS
1	C	161	SER
1	C	215	ARG
1	C	226	ARG
1	C	227	LEU
1	C	251	LEU
1	C	262	LEU
1	C	270	THR
1	C	273	VAL
1	C	274	MET
1	C	283	GLU
1	C	301	MET
1	C	347	ASN
1	C	403	LEU
1	C	472	THR
1	C	477	GLN
1	C	478	GLU
1	C	487	LEU
1	C	586	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	94	VAL
1	D	138	GLN
1	D	215	ARG
1	D	226	ARG
1	D	262	LEU
1	D	273	VAL
1	D	283	GLU
1	D	284	SER
1	D	286	LEU
1	D	301	MET
1	D	344	GLN
1	D	347	ASN
1	D	356	SER
1	D	360	ASP
1	D	403	LEU
1	D	410	GLU
1	D	472	THR
1	D	478	GLU
1	D	487	LEU
1	D	545	GLN
1	D	575	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (54) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	49	GLN
1	A	51	GLN
1	A	134	ASN
1	A	153	HIS
1	A	344	GLN
1	A	420	ASN
1	A	429	ASN
1	A	452	GLN
1	A	454	GLN
1	A	463	GLN
1	A	531	HIS
1	A	553	HIS
1	A	558	GLN
1	A	565	GLN
1	A	586	GLN
1	B	11	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	134	ASN
1	B	153	HIS
1	B	201	ASN
1	B	259	GLN
1	B	347	ASN
1	B	416	GLN
1	B	449	ASN
1	B	521	HIS
1	B	524	HIS
1	B	543	ASN
1	B	553	HIS
1	B	558	GLN
1	B	586	GLN
1	C	11	GLN
1	C	12	HIS
1	C	51	GLN
1	C	134	ASN
1	C	153	HIS
1	C	259	GLN
1	C	416	GLN
1	C	449	ASN
1	C	477	GLN
1	C	521	HIS
1	C	543	ASN
1	C	586	GLN
1	D	7	ASN
1	D	11	GLN
1	D	73	ASN
1	D	134	ASN
1	D	137	GLN
1	D	153	HIS
1	D	259	GLN
1	D	347	ASN
1	D	449	ASN
1	D	468	HIS
1	D	521	HIS
1	D	531	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ADP	D	903	-	28,29,29	1.52	6 (21%)	43,45,45	1.76	8 (18%)
2	ADP	C	902	-	28,29,29	1.46	4 (14%)	43,45,45	1.70	9 (20%)
2	ADP	A	900	-	28,29,29	1.48	5 (17%)	43,45,45	1.80	9 (20%)
2	ADP	B	901	-	28,29,29	1.41	4 (14%)	43,45,45	1.82	11 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	D	903	-	-	1/16/32/32	0/3/3/3
2	ADP	C	902	-	-	1/16/32/32	0/3/3/3
2	ADP	A	900	-	-	1/16/32/32	0/3/3/3
2	ADP	B	901	-	-	1/16/32/32	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	903	ADP	C5-C4	4.65	1.47	1.39
2	A	900	ADP	C5-C4	4.29	1.46	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	902	ADP	C5-C4	4.28	1.46	1.39
2	B	901	ADP	C5-C4	3.45	1.45	1.39
2	C	902	ADP	C5-C6	3.20	1.49	1.41
2	C	902	ADP	PA-O3A	3.17	1.62	1.59
2	B	901	ADP	PA-O3A	3.12	1.62	1.59
2	B	901	ADP	C5-C6	3.09	1.49	1.41
2	B	901	ADP	C4-N9	-3.03	1.31	1.37
2	A	900	ADP	C5-C6	2.82	1.48	1.41
2	D	903	ADP	C5-N7	-2.80	1.34	1.39
2	D	903	ADP	C5-C6	2.75	1.48	1.41
2	C	902	ADP	C4-N9	-2.74	1.32	1.37
2	A	900	ADP	PA-O3A	2.52	1.62	1.59
2	D	903	ADP	PA-O3A	2.29	1.62	1.59
2	D	903	ADP	C4-N9	-2.27	1.33	1.37
2	A	900	ADP	C8-N7	2.16	1.35	1.31
2	A	900	ADP	C4-N9	-2.11	1.33	1.37
2	D	903	ADP	C8-N7	2.03	1.35	1.31

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	903	ADP	C5-C4-N3	-5.94	118.53	126.72
2	A	900	ADP	C5-C4-N3	-5.56	119.06	126.72
2	B	901	ADP	C5-C4-N3	-4.85	120.05	126.72
2	C	902	ADP	C5-C4-N3	-4.40	120.65	126.72
2	D	903	ADP	N3-C4-N9	4.31	134.50	127.17
2	B	901	ADP	N3-C4-N9	4.20	134.30	127.17
2	C	902	ADP	N3-C2-N1	-4.09	122.39	128.58
2	B	901	ADP	C4-N9-C8	4.04	109.98	105.74
2	A	900	ADP	N3-C4-N9	3.98	133.93	127.17
2	C	902	ADP	N3-C4-N9	3.91	133.82	127.17
2	B	901	ADP	N3-C2-N1	-3.90	122.67	128.58
2	D	903	ADP	C2-N3-C4	3.81	121.14	111.83
2	A	900	ADP	N3-C2-N1	-3.77	122.87	128.58
2	C	902	ADP	C2-N3-C4	3.73	120.94	111.83
2	B	901	ADP	C2-N3-C4	3.62	120.67	111.83
2	A	900	ADP	C2-N3-C4	3.60	120.63	111.83
2	C	902	ADP	C4-N9-C8	3.50	109.41	105.74
2	D	903	ADP	N3-C2-N1	-3.29	123.61	128.58
2	A	900	ADP	O3B-PB-O2B	3.23	119.93	107.80
2	B	901	ADP	O3B-PB-O2B	3.19	119.75	107.80
2	D	903	ADP	C4-C5-N7	-3.02	107.13	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	ADP	C4-C5-N7	-3.00	107.16	110.58
2	B	901	ADP	N9-C8-N7	-2.73	110.07	113.94
2	C	902	ADP	C6-C5-N7	2.66	137.21	132.09
2	B	901	ADP	C4-C5-N7	-2.64	107.56	110.58
2	A	900	ADP	C2-N1-C6	2.55	122.91	118.73
2	D	903	ADP	C2'-C1'-N9	2.43	119.33	113.30
2	B	901	ADP	O2A-PA-O1A	2.41	123.67	112.44
2	C	902	ADP	C4-C5-N7	-2.35	107.90	110.58
2	D	903	ADP	O3B-PB-O2B	2.26	116.27	107.80
2	B	901	ADP	C6-C5-N7	2.24	136.41	132.09
2	A	900	ADP	O2A-PA-O3A	2.23	113.31	107.27
2	A	900	ADP	C3'-C2'-C1'	2.21	105.65	101.46
2	D	903	ADP	C6-C5-N7	2.18	136.28	132.09
2	C	902	ADP	O3B-PB-O2B	2.10	115.68	107.80
2	B	901	ADP	C5-N7-C8	2.09	106.74	103.45
2	C	902	ADP	C2-N1-C6	2.07	122.12	118.73

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	900	ADP	PA-O3A-PB-O2B
2	C	902	ADP	PA-O3A-PB-O2B
2	B	901	ADP	PA-O3A-PB-O2B
2	D	903	ADP	PA-O3A-PB-O2B


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	900	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.