



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:31 AM UTC

PDB ID : 2Z6H / pdb_00002z6h
Title : Crystal Structure of Beta-Catenin Armadillo Repeat Region and Its C-Terminal domain
Authors : Xing, Y.; Takemaru, K.; Liu, J.; Zheng, J.; Moon, R.; Xu, W.
Deposited on : 2007-08-01
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	644	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4058 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catenin beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	533	Total	C	N	O	S	0	0	0
			4030	2537	728	739	26			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	28	Total	O	0	0
			28	28		

4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	104.23Å 104.23Å 259.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.69 – 2.20 48.69 – 2.20	Depositor EDS
% Data completeness (in resolution range)	80.9 (48.69-2.20) 88.3 (48.69-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.46 (at 2.20Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.213 , 0.249 0.224 , 0.261	Depositor DCC
R_{free} test set	2854 reflections (8.01%)	wwPDB-VP
Wilson B-factor (Å ²)	30.8	Xtriage
Anisotropy	0.285	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 32.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4058	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/4089	0.86	5/5556 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	474	ARG	N-CA-C	6.52	120.64	111.52
1	A	389	SER	N-CA-C	6.41	119.96	111.75
1	A	249	ASP	N-CA-C	5.89	118.18	111.11
1	A	686	GLU	CA-C-N	-5.47	113.94	120.13
1	A	686	GLU	C-N-CA	-5.47	113.94	120.13

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4030	0	4140	82	0
2	A	28	0	0	0	0
All	All	4058	0	4140	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:MET:HE3	1:A:226:GLU:HB2	1.44	0.97
1:A:161:ASN:HD21	1:A:200:ARG:HH21	1.16	0.88
1:A:161:ASN:ND2	1:A:200:ARG:HH21	1.72	0.88
1:A:189:MET:HB3	1:A:221:LEU:HD22	1.54	0.87
1:A:229:LEU:HG	1:A:233:LYS:HE3	1.55	0.87
1:A:185:ARG:HH11	1:A:224:HIS:HE1	1.25	0.81
1:A:161:ASN:HD21	1:A:200:ARG:NH2	1.82	0.78
1:A:169:ASN:HD22	1:A:170:LYS:HE3	1.53	0.74
1:A:354:LYS:HB3	1:A:355:PRO:HD3	1.70	0.73
1:A:687:PRO:HG2	1:A:690:TRP:HB2	1.72	0.72
1:A:364:GLN:HE22	1:A:395:GLN:HE21	1.38	0.71
1:A:503:HIS:HB3	1:A:562:GLU:OE1	1.93	0.69
1:A:151:ARG:O	1:A:151:ARG:HD3	1.94	0.68
1:A:237:ILE:HB	1:A:238:PRO:HD3	1.77	0.66
1:A:328:MET:O	1:A:369:HIS:HE1	1.78	0.66
1:A:666:LYS:HB3	1:A:667:PRO:HD2	1.78	0.66
1:A:260:HIS:HE1	1:A:299:ASP:OD1	1.81	0.64
1:A:566:MET:HE2	1:A:566:MET:HA	1.81	0.62
1:A:169:ASN:HD22	1:A:170:LYS:CE	2.16	0.59
1:A:156:LEU:HD23	1:A:159:LEU:HD12	1.84	0.58
1:A:525:ALA:HB3	1:A:526:PRO:HD3	1.86	0.58
1:A:185:ARG:HH11	1:A:224:HIS:CE1	2.13	0.57
1:A:625:LYS:HE2	1:A:629:GLU:HG3	1.87	0.57
1:A:625:LYS:HE2	1:A:629:GLU:CG	2.35	0.57
1:A:504:TRP:HB3	1:A:564:VAL:HG21	1.85	0.56
1:A:328:MET:O	1:A:369:HIS:CE1	2.57	0.56
1:A:169:ASN:ND2	1:A:170:LYS:HE3	2.20	0.56
1:A:153:ILE:N	1:A:154:PRO:HD2	2.20	0.55
1:A:287:ASN:HD22	1:A:288:LYS:N	2.05	0.55
1:A:684:ARG:N	1:A:684:ARG:HD2	2.22	0.54
1:A:156:LEU:HA	1:A:159:LEU:HD12	1.89	0.54
1:A:212:ARG:HD3	1:A:250:SER:OG	2.07	0.54
1:A:229:LEU:CG	1:A:233:LYS:HE3	2.33	0.54
1:A:221:LEU:O	1:A:227:GLY:HA3	2.09	0.53
1:A:257:THR:HG22	1:A:296:ILE:HD13	1.89	0.53
1:A:462:GLU:HB3	1:A:463:PRO:HD3	1.91	0.53
1:A:188:ILE:C	1:A:190:ARG:H	2.17	0.53
1:A:460:ILE:O	1:A:463:PRO:HD2	2.09	0.52
1:A:625:LYS:O	1:A:629:GLU:HG3	2.10	0.52
1:A:533:ILE:HB	1:A:534:PRO:HD3	1.92	0.51
1:A:185:ARG:NH1	1:A:224:HIS:HE1	2.02	0.51
1:A:436:MET:SD	1:A:477:GLU:HG2	2.51	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:436:MET:O	1:A:440:GLN:HG3	2.10	0.51
1:A:547:THR:HG22	1:A:548:GLN:HE21	1.76	0.50
1:A:679:THR:HG23	1:A:683:PHE:CE2	2.46	0.50
1:A:504:TRP:HB3	1:A:564:VAL:CG2	2.42	0.50
1:A:287:ASN:HD22	1:A:287:ASN:C	2.19	0.49
1:A:571:GLU:OE1	1:A:609:ASN:HB3	2.13	0.49
1:A:271:MET:O	1:A:275:LEU:HG	2.13	0.48
1:A:515:ARG:HD3	1:A:515:ARG:C	2.39	0.47
1:A:338:TRP:CZ2	1:A:342:ARG:HD2	2.49	0.47
1:A:364:GLN:O	1:A:368:LEU:HD13	2.16	0.47
1:A:169:ASN:O	1:A:173:VAL:HG23	2.15	0.46
1:A:364:GLN:HE22	1:A:395:GLN:NE2	2.12	0.46
1:A:458:GLU:HA	1:A:461:THR:OG1	2.16	0.46
1:A:518:ALA:O	1:A:524:HIS:HE1	1.99	0.46
1:A:491:LEU:HB2	1:A:492:PRO:HD3	1.98	0.45
1:A:335:LYS:O	1:A:339:THR:HG23	2.16	0.45
1:A:458:GLU:HG2	1:A:506:LEU:HD22	1.98	0.45
1:A:171:ALA:O	1:A:175:VAL:HG23	2.18	0.44
1:A:625:LYS:HE3	1:A:625:LYS:HA	1.98	0.44
1:A:585:HIS:O	1:A:588:ILE:HG22	2.18	0.44
1:A:181:LYS:HE3	1:A:181:LYS:HB3	1.83	0.44
1:A:243:MET:HE3	1:A:251:VAL:HG11	2.00	0.43
1:A:393:THR:O	1:A:393:THR:HG22	2.19	0.43
1:A:640:LEU:HD22	1:A:655:ALA:HA	2.01	0.43
1:A:153:ILE:HG23	1:A:194:MET:HE2	2.01	0.42
1:A:155:GLU:O	1:A:159:LEU:HG	2.18	0.42
1:A:203:GLN:NE2	1:A:239:ALA:HA	2.34	0.42
1:A:287:ASN:C	1:A:287:ASN:ND2	2.78	0.42
1:A:260:HIS:CE1	1:A:299:ASP:OD1	2.67	0.42
1:A:498:LEU:HD11	1:A:514:ILE:CD1	2.50	0.41
1:A:248:VAL:HG13	1:A:251:VAL:HB	2.02	0.41
1:A:310:GLU:O	1:A:314:ILE:HG13	2.20	0.41
1:A:581:ALA:O	1:A:587:ARG:CG	2.68	0.41
1:A:617:VAL:O	1:A:621:LEU:HG	2.21	0.41
1:A:168:VAL:HG13	1:A:169:ASN:N	2.36	0.41
1:A:638:ALA:HB3	1:A:639:PRO:CD	2.50	0.41
1:A:338:TRP:O	1:A:342:ARG:HG3	2.20	0.41
1:A:246:SER:HA	1:A:247:PRO:HD3	1.82	0.40
1:A:531:GLY:O	1:A:534:PRO:HD2	2.20	0.40
1:A:253:PHE:O	1:A:257:THR:HG23	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	529/644 (82%)	508 (96%)	19 (4%)	2 (0%)	30	34

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	686	GLU
1	A	162	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	432/532 (81%)	420 (97%)	12 (3%)	38	52

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	170	LYS
1	A	248	VAL
1	A	252	LEU
1	A	287	ASN
1	A	309	GLN
1	A	313	LEU
1	A	335	LYS
1	A	350	CYS
1	A	598	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	625	LYS
1	A	647	ARG
1	A	668	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	ASN
1	A	169	ASN
1	A	186	HIS
1	A	193	GLN
1	A	203	GLN
1	A	219	HIS
1	A	224	HIS
1	A	260	HIS
1	A	265	HIS
1	A	287	ASN
1	A	326	ASN
1	A	369	HIS
1	A	395	GLN
1	A	407	GLN
1	A	440	GLN
1	A	524	HIS
1	A	530	GLN
1	A	538	GLN
1	A	548	GLN
1	A	594	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	533/644 (82%)	0.63	68 (12%) 7 5	17, 37, 71, 85	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	150	THR	8.1
1	A	183	ALA	7.2
1	A	686	GLU	6.5
1	A	561	VAL	6.4
1	A	691	ASN	6.2
1	A	689	ALA	6.2
1	A	152	ALA	6.0
1	A	550	ARG	5.3
1	A	688	MET	5.3
1	A	687	PRO	5.1
1	A	182	GLU	4.7
1	A	563	GLY	4.5
1	A	151	ARG	4.3
1	A	690	TRP	4.3
1	A	685	THR	3.9
1	A	204	ASN	3.8
1	A	271	MET	3.8
1	A	233	LYS	3.6
1	A	154	PRO	3.5
1	A	149	ALA	3.5
1	A	549	ARG	3.3
1	A	548	GLN	3.3
1	A	459	ASP	3.2
1	A	184	SER	3.2
1	A	166	VAL	3.1
1	A	565	ARG	3.0
1	A	564	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	163	GLU	3.0
1	A	159	LEU	2.9
1	A	168	VAL	2.9
1	A	170	LYS	2.8
1	A	165	GLN	2.8
1	A	232	PHE	2.8
1	A	181	LYS	2.7
1	A	414	ILE	2.7
1	A	375	GLN	2.7
1	A	200	ARG	2.7
1	A	156	LEU	2.7
1	A	195	VAL	2.6
1	A	155	GLU	2.6
1	A	546	ASP	2.6
1	A	186	HIS	2.6
1	A	287	ASN	2.5
1	A	185	ARG	2.5
1	A	668	GLN	2.5
1	A	684	ARG	2.4
1	A	224	HIS	2.3
1	A	680	SER	2.3
1	A	226	GLU	2.3
1	A	187	ALA	2.3
1	A	456	ASP	2.2
1	A	177	GLN	2.2
1	A	196	SER	2.2
1	A	178	LEU	2.2
1	A	275	LEU	2.2
1	A	192	PRO	2.2
1	A	332	THR	2.2
1	A	174	MET	2.1
1	A	253	PHE	2.1
1	A	193	GLN	2.1
1	A	190	ARG	2.1
1	A	545	GLN	2.1
1	A	480	MET	2.1
1	A	499	HIS	2.1
1	A	393	THR	2.0
1	A	164	ASP	2.0
1	A	167	VAL	2.0
1	A	647	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.