



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:13 AM UTC

PDB ID : 5Z68 / pdb_00005z68
Title : Structure of the recombination mediator protein RecF-ATP in RecFOR pathway
Authors : Tang, Q.; Liu, Y.-P.; Yan, X.-X.
Deposited on : 2018-01-22
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	 67% 28% ..
1	B	373	 70% 26% ..
1	C	373	 62% 36% .
1	D	373	 62% 31% ...

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IMD	A	403	-	-	X	-
3	IMD	B	403	-	-	X	-
3	IMD	B	404	-	-	X	-
3	IMD	C	402	-	-	X	-
3	IMD	D	405	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA replication and repair protein RecF.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	368	Total	C	N	O	S	5	1	0
			2915	1866	480	558	11			
1	B	368	Total	C	N	O	S	4	2	0
			2921	1870	488	552	11			
1	C	373	Total	C	N	O	S	2	0	0
			2922	1867	490	554	11			
1	D	363	Total	C	N	O	S	3	1	0
			2828	1814	471	533	10			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	HIS	-	expression tag	UNP Q8RDL3
A	-6	HIS	-	expression tag	UNP Q8RDL3
A	-5	HIS	-	expression tag	UNP Q8RDL3
A	-4	HIS	-	expression tag	UNP Q8RDL3
A	-3	ALA	-	expression tag	UNP Q8RDL3
A	-2	TYR	-	expression tag	UNP Q8RDL3
A	-1	TYR	-	expression tag	UNP Q8RDL3
A	0	SER	-	expression tag	UNP Q8RDL3
A	362	ASP	-	expression tag	UNP Q8RDL3
A	363	LYS	-	expression tag	UNP Q8RDL3
A	364	LEU	-	expression tag	UNP Q8RDL3
A	365	ALA	-	expression tag	UNP Q8RDL3
B	-7	HIS	-	expression tag	UNP Q8RDL3
B	-6	HIS	-	expression tag	UNP Q8RDL3
B	-5	HIS	-	expression tag	UNP Q8RDL3
B	-4	HIS	-	expression tag	UNP Q8RDL3
B	-3	ALA	-	expression tag	UNP Q8RDL3
B	-2	TYR	-	expression tag	UNP Q8RDL3
B	-1	TYR	-	expression tag	UNP Q8RDL3
B	0	SER	-	expression tag	UNP Q8RDL3
B	362	ASP	-	expression tag	UNP Q8RDL3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	363	LYS	-	expression tag	UNP Q8RDL3
B	364	LEU	-	expression tag	UNP Q8RDL3
B	365	ALA	-	expression tag	UNP Q8RDL3
C	-7	HIS	-	expression tag	UNP Q8RDL3
C	-6	HIS	-	expression tag	UNP Q8RDL3
C	-5	HIS	-	expression tag	UNP Q8RDL3
C	-4	HIS	-	expression tag	UNP Q8RDL3
C	-3	ALA	-	expression tag	UNP Q8RDL3
C	-2	TYR	-	expression tag	UNP Q8RDL3
C	-1	TYR	-	expression tag	UNP Q8RDL3
C	0	SER	-	expression tag	UNP Q8RDL3
C	362	ASP	-	expression tag	UNP Q8RDL3
C	363	LYS	-	expression tag	UNP Q8RDL3
C	364	LEU	-	expression tag	UNP Q8RDL3
C	365	ALA	-	expression tag	UNP Q8RDL3
D	-7	HIS	-	expression tag	UNP Q8RDL3
D	-6	HIS	-	expression tag	UNP Q8RDL3
D	-5	HIS	-	expression tag	UNP Q8RDL3
D	-4	HIS	-	expression tag	UNP Q8RDL3
D	-3	ALA	-	expression tag	UNP Q8RDL3
D	-2	TYR	-	expression tag	UNP Q8RDL3
D	-1	TYR	-	expression tag	UNP Q8RDL3
D	0	SER	-	expression tag	UNP Q8RDL3
D	362	ASP	-	expression tag	UNP Q8RDL3
D	363	LYS	-	expression tag	UNP Q8RDL3
D	364	LEU	-	expression tag	UNP Q8RDL3
D	365	ALA	-	expression tag	UNP Q8RDL3

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	B	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	C	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	D	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 3 is IMIDAZOLE (CCD ID: IMD) (formula: $\text{C}_3\text{H}_5\text{N}_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N 5 3 2	0	0
3	A	1	Total C N 5 3 2	0	0
3	A	1	Total C N 5 3 2	0	0
3	A	1	Total C N 5 3 2	0	0
3	A	1	Total C N 5 3 2	0	0
3	A	1	Total C N 5 3 2	0	0
3	B	1	Total C N 5 3 2	0	0
3	B	1	Total C N 5 3 2	0	0
3	B	1	Total C N 5 3 2	0	0
3	B	1	Total C N 5 3 2	0	0
3	B	1	Total C N 5 3 2	0	0
3	C	1	Total C N 5 3 2	0	0
3	C	1	Total C N 5 3 2	0	0
3	C	1	Total C N 5 3 2	0	0
3	C	1	Total C N 5 3 2	0	0
3	D	1	Total C N 5 3 2	0	0
3	D	1	Total C N 5 3 2	0	0
3	D	1	Total C N 5 3 2	0	0
3	D	1	Total C N 5 3 2	0	0
3	D	1	Total C N 5 3 2	0	0
3	D	1	Total C N 5 3 2	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Mg 1	0	0
4	B	1	Total 1	Mg 1	0	0
4	C	1	Total 1	Mg 1	0	0
4	D	1	Total 1	Mg 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	40	Total 40	O 40	0	0
5	B	34	Total 34	O 34	0	0
5	C	16	Total 16	O 16	0	0
5	D	14	Total 14	O 14	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA replication and repair protein RecF




- Molecule 1: DNA replication and repair protein RecF




- Molecule 1: DNA replication and repair protein RecF





• Molecule 1: DNA replication and repair protein RecF



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	108.12Å 138.82Å 179.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.86 – 3.00 19.86 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.7 (19.86-3.00) 99.5 (19.86-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 2.98Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.195 , 0.255 0.205 , 0.256	Depositor DCC
R_{free} test set	2646 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	74.5	Xtriage
Anisotropy	0.759	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 60.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11923	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IMD, ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/2958	1.12	16/3977 (0.4%)
1	B	0.68	0/2966	1.07	13/3983 (0.3%)
1	C	0.51	0/2967	0.99	9/3992 (0.2%)
1	D	0.61	0/2871	1.10	20/3863 (0.5%)
All	All	0.61	0/11762	1.07	58/15815 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

There are no bond length outliers.

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	127	LYS	CB-CA-C	-22.39	75.90	111.28
1	D	231	LYS	N-CA-C	11.95	125.60	111.02
1	C	232	GLU	N-CA-C	10.36	123.97	111.02
1	D	229	GLY	N-CA-C	9.62	135.98	113.18
1	C	231	LYS	CB-CA-C	-9.40	94.19	110.45
1	A	263	GLY	N-CA-C	9.10	123.24	112.23
1	A	-3	ALA	N-CA-C	-9.05	85.65	111.00
1	B	57	MET	CB-CA-C	-8.75	91.86	110.32
1	C	120	PRO	CB-CA-C	-8.16	99.77	111.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	57	MET	N-CA-C	8.04	122.19	112.38
1	B	57	MET	CA-C-N	8.02	133.94	121.19
1	B	57	MET	C-N-CA	8.02	133.94	121.19
1	D	106	THR	N-CA-C	-8.00	103.00	114.12
1	D	43	ILE	CB-CA-C	-7.68	98.70	111.29
1	A	127	LYS	N-CA-C	7.68	122.69	111.87
1	D	231	LYS	CA-C-N	7.62	134.51	122.62
1	D	231	LYS	C-N-CA	7.62	134.51	122.62
1	A	90	VAL	CB-CA-C	-7.26	99.38	111.29
1	C	324	ASN	CB-CA-C	-7.23	96.43	110.46
1	D	231	LYS	CB-CA-C	-7.22	99.44	110.92
1	B	234	HIS	CB-CA-C	-7.06	107.63	117.23
1	D	110	LEU	CA-CB-CG	6.50	139.03	116.30
1	D	263	GLY	CA-C-N	6.45	126.14	119.56
1	D	263	GLY	C-N-CA	6.45	126.14	119.56
1	A	-3	ALA	CB-CA-C	6.42	120.13	110.50
1	C	324	ASN	N-CA-C	6.40	119.94	111.75
1	D	228	ALA	CB-CA-C	-6.16	98.94	109.65
1	B	263	GLY	CA-C-N	6.06	125.76	119.82
1	B	263	GLY	C-N-CA	6.06	125.76	119.82
1	A	-3	ALA	CA-C-N	6.04	129.87	120.75
1	A	-3	ALA	C-N-CA	6.04	129.87	120.75
1	C	231	LYS	CA-C-N	5.96	131.84	122.78
1	C	231	LYS	C-N-CA	5.96	131.84	122.78
1	D	230	VAL	N-CA-C	5.67	116.65	108.48
1	B	232	GLU	CA-C-N	-5.60	117.23	122.66
1	B	232	GLU	C-N-CA	-5.60	117.23	122.66
1	B	177	ASP	N-CA-C	-5.59	105.96	112.89
1	D	216	SER	N-CA-C	5.47	116.86	110.41
1	B	306	THR	N-CA-C	-5.43	100.39	109.24
1	A	309	LYS	CA-C-N	5.38	125.68	119.92
1	A	309	LYS	C-N-CA	5.38	125.68	119.92
1	A	-2	TYR	N-CA-C	5.38	117.66	110.35
1	C	185	LYS	N-CA-C	-5.34	105.53	111.36
1	B	89	LYS	CB-CA-C	5.31	119.97	109.66
1	D	29	TYR	N-CA-C	5.26	115.48	108.38
1	B	234	HIS	N-CA-C	5.25	117.43	108.67
1	D	50	ARG	N-CA-C	5.22	117.01	109.07
1	A	174	LYS	CB-CA-C	-5.21	110.55	116.54
1	A	325	ARG	N-CA-C	-5.19	107.97	114.56
1	A	129	GLY	CA-C-N	-5.12	114.39	119.56
1	A	129	GLY	C-N-CA	-5.12	114.39	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	347	ASP	N-CA-C	5.12	118.30	111.24
1	D	321	LEU	N-CA-C	5.09	115.06	107.88
1	D	53	ARG	N-CA-C	-5.09	106.82	112.57
1	D	105	SER	CB-CA-C	-5.09	101.05	113.15
1	C	168	LYS	N-CA-C	-5.07	106.11	113.21
1	D	359	GLY	N-CA-C	-5.07	103.04	112.37
1	D	48	MET	N-CA-C	5.00	121.75	113.50

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	347	ASP	Peptide
1	B	57	MET	Peptide
1	D	231	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2915	0	2864	69	1
1	B	2921	0	2897	78	1
1	C	2922	0	2856	95	0
1	D	2828	0	2778	88	0
2	A	31	0	12	3	0
2	B	31	0	12	4	0
2	C	31	0	12	2	0
2	D	31	0	12	2	0
3	A	30	0	30	9	0
3	B	25	0	25	11	0
3	C	20	0	20	11	0
3	D	30	0	30	8	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	40	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	34	0	0	3	0
5	C	16	0	0	1	0
5	D	14	0	0	0	0
All	All	11923	0	11548	332	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (332) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:MET:H	3:B:403:IMD:H2	1.27	0.97
1:A:50:ARG:HE	3:A:403:IMD:H4	1.31	0.94
1:C:323:ASP:OD1	1:C:324:ASN:N	2.05	0.89
1:D:13:ASN:ND2	1:D:34:GLN:O	2.07	0.88
1:C:50:ARG:HE	3:C:402:IMD:H5	1.41	0.84
1:D:363:LYS:HG2	1:D:364:LEU:HG	1.61	0.80
1:A:52:PHE:HA	3:A:403:IMD:H5	1.64	0.78
1:C:283:SER:HB3	1:C:286:GLN:HB2	1.67	0.77
1:C:29:TYR:OH	1:C:365:ALA:O	2.02	0.76
1:D:128:GLU:O	1:D:133:ARG:NH2	2.20	0.74
1:A:212:LEU:HD23	1:A:220:LEU:HB2	1.67	0.74
1:C:30:GLY:O	1:C:36:LYS:NZ	2.18	0.73
1:C:98:VAL:HG23	1:C:103:LEU:HD11	1.68	0.73
1:A:268:ASP:OD1	1:A:269:PHE:N	2.20	0.73
1:C:3:LEU:HD12	1:C:74:VAL:HG12	1.71	0.72
1:A:71:ARG:HD3	1:A:83:LYS:HE2	1.70	0.72
1:B:128:GLU:O	1:B:133:ARG:NH2	2.22	0.72
1:B:1:MET:HE1	1:B:113:PHE:HA	1.71	0.72
1:D:3:LEU:HA	1:D:74:VAL:HG12	1.71	0.70
1:D:360:ILE:HG22	1:D:360:ILE:O	1.91	0.70
1:C:330:LEU:HD11	1:C:348:VAL:HG13	1.73	0.70
1:A:323:ASP:HA	1:A:326:LYS:HB3	1.74	0.69
1:B:264:PRO:HA	1:B:267:GLU:HG3	1.74	0.69
1:A:32:ASN:HA	2:A:401:ATP:O1G	1.93	0.68
1:B:50:ARG:NH1	3:B:404:IMD:HN3	1.92	0.67
1:B:184:GLU:HG3	1:B:240[B]:ARG:HH22	1.59	0.67
1:D:44:ARG:HH21	3:D:402:IMD:C4	2.08	0.67
1:D:2:TYR:CE1	1:D:23:GLU:HG2	2.29	0.66
1:C:15:LYS:HB3	3:C:403:IMD:HN1	1.60	0.66
1:C:76:SER:HB3	1:C:79:PHE:HB2	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:342:HIS:CG	1:D:343:THR:H	2.15	0.65
1:A:190:GLY:O	1:A:194:ILE:HG12	1.95	0.65
1:C:50:ARG:HH21	3:C:402:IMD:H5	1.61	0.65
1:A:158:THR:HA	1:A:161:ASN:HB2	1.79	0.64
1:D:49:GLY:HA2	1:D:86:PHE:HE2	1.63	0.64
1:C:50:ARG:NE	3:C:402:IMD:H5	2.12	0.64
1:D:354:PHE:HB3	1:D:361:VAL:HG12	1.80	0.63
1:A:283:SER:OG	1:A:284:GLN:N	2.30	0.63
1:C:34:GLN:N	2:C:401:ATP:O1B	2.29	0.62
1:A:197:ARG:NH1	1:A:267:GLU:OE1	2.31	0.62
1:C:17:GLN:HE22	1:C:361:VAL:HG23	1.63	0.62
1:D:131:SER:HB3	3:D:405:IMD:H5	1.80	0.62
1:D:264:PRO:HA	1:D:267:GLU:CD	2.24	0.62
1:D:268:ASP:OD1	1:D:269:PHE:N	2.33	0.62
1:D:330:LEU:HD11	1:D:348:VAL:HG23	1.81	0.62
1:D:110:LEU:O	1:D:146:LYS:NZ	2.33	0.61
1:D:41:GLU:OE1	1:D:60:LEU:HD21	2.00	0.61
1:B:124:GLU:HB3	1:B:128:GLU:HG3	1.82	0.61
1:B:176:GLU:HB3	1:B:178:LEU:HG	1.83	0.61
1:B:261:GLN:O	1:B:266:ARG:HD2	2.00	0.61
1:B:363:LYS:HG3	1:B:364:LEU:N	2.15	0.61
1:A:205:LYS:HD2	3:A:405:IMD:HN3	1.66	0.61
1:A:325:ARG:HA	1:A:328:TYR:HB3	1.83	0.60
1:B:19:LEU:HD21	1:B:361:VAL:HG21	1.82	0.60
1:C:41:GLU:OE2	1:C:53:ARG:NH1	2.31	0.60
1:C:205:LYS:HG2	1:C:222:ILE:HB	1.83	0.60
1:D:36:LYS:NZ	1:D:342:HIS:O	2.31	0.60
1:C:115:THR:HG22	1:C:311:VAL:HB	1.84	0.60
1:A:29:TYR:CE1	1:A:355:LYS:HB2	2.38	0.59
1:C:136:TYR:OH	1:C:298:GLU:OE2	2.20	0.59
1:B:194:ILE:HD12	1:B:243:LEU:HD11	1.85	0.59
1:B:220:LEU:HD22	1:B:221:GLU:H	1.66	0.59
1:D:130:PRO:HG2	3:D:406:IMD:H4	1.83	0.59
1:A:36:LYS:NZ	2:A:401:ATP:O1G	2.25	0.59
1:B:169:ILE:HG12	1:B:176:GLU:HG2	1.84	0.59
1:D:41:GLU:OE2	1:D:53:ARG:NH2	2.35	0.59
1:A:227:SER:HB3	1:A:262:VAL:O	2.03	0.58
1:C:68:PHE:CE2	1:C:88:TYR:HB3	2.38	0.58
1:A:126:ILE:HG21	1:A:287:LYS:HG2	1.86	0.58
1:A:130:PRO:HD2	5:A:527:HOH:O	2.03	0.58
1:B:29:TYR:OH	1:B:365:ALA:O	2.13	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:53:ARG:NH2	2:C:401:ATP:O1A	2.34	0.58
1:C:56:LYS:HD2	1:C:57:MET:H	1.68	0.58
1:C:328:TYR:O	1:C:330:LEU:N	2.36	0.58
1:D:17:GLN:HE22	1:D:360:ILE:H	1.51	0.58
1:B:106:THR:O	1:B:109:ILE:HG22	2.04	0.57
1:B:283:SER:HB3	1:B:286:GLN:HG2	1.86	0.57
1:A:50:ARG:HH11	3:A:403:IMD:C4	2.17	0.57
1:A:133:ARG:NH1	1:A:268:ASP:OD2	2.37	0.57
1:B:76:SER:HB2	1:B:79:PHE:HB2	1.86	0.57
1:D:50:ARG:HH11	3:D:402:IMD:HN1	1.52	0.57
1:C:180:GLU:HA	1:C:183:ASP:HB2	1.87	0.57
1:A:57:MET:HE3	1:A:94:LYS:HD3	1.86	0.57
1:C:50:ARG:HE	3:C:402:IMD:C5	2.16	0.57
1:C:302:LEU:HD23	1:C:310:PRO:HG3	1.85	0.56
1:A:29:TYR:CZ	1:A:355:LYS:HB2	2.40	0.56
1:C:198:ASN:HD22	1:C:224:TYR:HD2	1.54	0.56
1:C:323:ASP:CG	1:C:324:ASN:H	2.10	0.56
1:D:212:LEU:HD23	1:D:220:LEU:HB2	1.88	0.56
1:C:47:SER:HA	1:C:113:PHE:HB3	1.86	0.56
1:B:279:ARG:NH2	5:B:503:HOH:O	2.38	0.56
1:A:283:SER:OG	2:B:401:ATP:O2G	2.24	0.55
1:A:288:ARG:NH1	5:A:504:HOH:O	2.38	0.55
1:B:224:TYR:OH	1:B:267:GLU:OE1	2.24	0.55
1:C:41:GLU:OE1	1:C:51:SER:HB2	2.06	0.55
1:D:15:LYS:O	1:D:17:GLN:HG2	2.06	0.55
1:A:261:GLN:HG3	1:A:266:ARG:NH2	2.21	0.55
1:A:50:ARG:HH11	3:A:403:IMD:HN3	1.54	0.55
1:B:133:ARG:HG2	1:B:269:PHE:CE1	2.41	0.55
1:B:6:ILE:HG22	1:B:21:PHE:CE2	2.41	0.54
1:B:11:PHE:CE2	1:B:42:ALA:HB2	2.42	0.54
1:A:33:ALA:HA	2:A:401:ATP:H5'2	1.89	0.54
1:B:1:MET:CE	1:B:113:PHE:HD1	2.21	0.54
1:B:342:HIS:CG	1:B:343:THR:H	2.24	0.54
1:A:159:LEU:HD21	1:A:265:HIS:CD2	2.43	0.53
1:A:61:VAL:HG12	1:A:62:LYS:O	2.08	0.53
1:B:1:MET:HE2	1:B:114:LEU:H	1.73	0.53
1:D:28:ILE:HD13	1:D:39:LEU:HD23	1.89	0.53
1:A:128:GLU:O	1:A:133:ARG:NH2	2.41	0.53
1:B:50:ARG:NH1	3:B:404:IMD:N3	2.56	0.53
1:B:202:GLU:HA	1:B:205:LYS:HD2	1.91	0.53
1:D:155:TYR:OH	1:D:264:PRO:HD2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:192:ARG:O	1:C:196:VAL:HG23	2.08	0.53
1:B:273:ILE:HD11	1:B:290:ALA:HB2	1.91	0.53
2:B:401:ATP:O3G	5:B:501:HOH:O	2.19	0.53
1:D:96:ILE:HD13	1:D:109:ILE:HD12	1.90	0.53
1:A:71:ARG:HG3	1:A:85:GLU:HG2	1.91	0.53
1:B:57:MET:HB2	3:B:403:IMD:H2	1.90	0.53
1:C:110:LEU:HB2	1:C:146:LYS:NZ	2.24	0.53
1:D:145:ASP:OD1	1:D:147:ASN:HB2	2.09	0.53
1:A:1:MET:HE1	1:A:113:PHE:HA	1.91	0.53
1:A:52:PHE:HA	3:A:403:IMD:C5	2.36	0.52
1:A:50:ARG:NE	3:A:403:IMD:H4	2.11	0.52
1:B:205:LYS:HG2	1:B:222:ILE:HB	1.92	0.52
1:D:107:GLY:O	1:D:110:LEU:HD13	2.09	0.52
1:D:8:VAL:HG21	1:D:14:LEU:HB3	1.91	0.52
1:A:27:LEU:HD23	1:A:353:CYS:HB2	1.91	0.52
1:C:315:ASP:HA	1:C:341:THR:HG1	1.74	0.52
1:C:76:SER:OG	1:C:77:ALA:N	2.40	0.52
1:A:243:LEU:O	1:A:247:LEU:HB2	2.10	0.52
1:B:120:PRO:HD3	1:B:315:ASP:O	2.10	0.52
1:A:278:SER:O	1:A:282:SER:OG	2.27	0.51
1:D:131:SER:HB3	3:D:405:IMD:C5	2.40	0.51
1:C:110:LEU:HB2	1:C:146:LYS:HZ2	1.76	0.51
1:B:218:GLU:HG2	1:B:274:ASN:OD1	2.09	0.51
1:A:12:ARG:O	1:A:62:LYS:HG3	2.11	0.51
1:B:192:ARG:O	1:B:196:VAL:HG23	2.11	0.51
1:B:130:PRO:HD2	3:B:406:IMD:HN3	1.76	0.51
1:B:315:ASP:HA	1:B:341:THR:OG1	2.11	0.51
1:C:201:LEU:O	1:C:205:LYS:HG3	2.12	0.51
1:D:354:PHE:HB3	1:D:361:VAL:CG1	2.41	0.51
1:B:227:SER:HB2	1:B:243:LEU:HD21	1.93	0.50
1:C:118:PHE:CE2	1:C:295:LYS:HB3	2.46	0.50
1:B:220:LEU:HD22	1:B:221:GLU:N	2.26	0.50
1:D:49:GLY:HA2	1:D:86:PHE:CE2	2.46	0.50
1:D:62:LYS:HB3	1:D:65:GLU:HG3	1.94	0.50
1:A:44:ARG:HH21	3:A:403:IMD:C2	2.24	0.50
1:C:50:ARG:NH2	3:C:402:IMD:H5	2.24	0.50
1:C:97:LYS:HG2	1:C:102:LYS:HA	1.93	0.50
1:D:251:LEU:O	1:D:255:LEU:HG	2.12	0.50
1:C:23:GLU:HA	1:C:337:GLN:HG3	1.92	0.50
1:C:239:ILE:HA	1:C:242:LYS:HB2	1.94	0.50
1:D:13:ASN:HB3	1:D:38:ASN:HD22	1.77	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:117:ILE:HD12	1:C:313:LEU:HB2	1.95	0.49
1:A:237:ASN:HA	1:A:240:ARG:NH1	2.27	0.49
1:B:133:ARG:HG2	1:B:269:PHE:CZ	2.48	0.49
1:C:42:ALA:O	1:C:45:LEU:HB3	2.12	0.49
1:A:205:LYS:HA	1:A:222:ILE:HD12	1.95	0.49
1:C:295:LYS:HA	1:C:295:LYS:HD2	1.62	0.49
1:D:129:GLY:HA3	3:D:405:IMD:C4	2.42	0.49
1:B:57:MET:H	3:B:403:IMD:C2	2.13	0.49
1:C:131:SER:HB3	3:C:404:IMD:N1	2.28	0.48
1:D:321:LEU:HG	1:D:322:ASP:H	1.79	0.48
1:C:148:TYR:CE2	1:C:193:ILE:HG23	2.48	0.48
1:C:325:ARG:H	1:C:325:ARG:HG2	1.50	0.48
1:D:12:ARG:NH1	1:D:59:GLU:O	2.47	0.48
1:A:354:PHE:CE2	1:A:363:LYS:HG3	2.49	0.48
1:B:282:SER:HB2	1:B:286:GLN:HG3	1.96	0.48
1:C:155:TYR:CE2	1:C:186:LEU:HD22	2.49	0.48
1:B:149:PHE:CE2	1:B:153:LEU:HD11	2.49	0.47
1:B:145:ASP:OD1	1:B:147:ASN:HB2	2.14	0.47
1:B:167:LYS:HG3	1:B:258:LEU:HD13	1.96	0.47
1:A:11:PHE:O	1:A:14:LEU:HB2	2.15	0.47
1:B:16:LYS:H	3:B:402:IMD:C4	2.27	0.47
1:D:25:VAL:HG21	1:D:330:LEU:HD22	1.96	0.47
1:B:144:ILE:HD13	1:B:305:GLU:HB2	1.97	0.47
1:B:68:PHE:CE2	1:B:88:TYR:HB3	2.50	0.47
1:B:78:ASP:OD1	1:B:78:ASP:N	2.41	0.47
1:C:128:GLU:O	1:C:133:ARG:NH2	2.48	0.47
1:C:190:GLY:O	1:C:194:ILE:HG13	2.15	0.47
1:D:110:LEU:HD23	1:D:143:VAL:HA	1.96	0.47
1:D:342:HIS:CG	1:D:343:THR:N	2.82	0.47
1:A:68:PHE:CE2	1:A:88:TYR:HB3	2.49	0.47
1:B:52:PHE:HA	3:B:404:IMD:C5	2.45	0.47
1:D:12:ARG:HD3	2:D:401:ATP:N7	2.30	0.47
1:C:11:PHE:HD1	1:C:68:PHE:CD1	2.33	0.47
1:C:120:PRO:HD3	1:C:315:ASP:O	2.14	0.47
1:A:1:MET:HE2	1:A:1:MET:HB3	1.70	0.47
1:A:25:VAL:HG22	1:A:338:SER:OG	2.15	0.47
1:D:250:SER:HB2	1:D:262:VAL:HG23	1.96	0.47
1:B:57:MET:N	3:B:403:IMD:H2	2.12	0.46
1:D:17:GLN:HE22	1:D:360:ILE:N	2.13	0.46
1:B:50:ARG:NE	3:B:404:IMD:H4	2.31	0.46
1:D:237:ASN:OD1	1:D:238:LEU:HD22	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:166:LEU:HD12	1:D:255:LEU:HB3	1.97	0.46
1:D:207:SER:HB3	1:D:297:SER:OG	2.14	0.46
1:C:5:GLU:OE1	1:C:73:LEU:HD12	2.16	0.46
1:A:176:GLU:HG3	1:A:177:ASP:H	1.80	0.46
1:C:120:PRO:O	1:C:123:ILE:HG12	2.15	0.46
1:D:32:ASN:ND2	2:D:401:ATP:O3G	2.48	0.46
1:A:322:ASP:C	1:A:324:ASN:H	2.23	0.46
1:C:184:GLU:OE1	1:C:244:LYS:NZ	2.31	0.46
1:D:226:ASN:HD21	1:D:230:VAL:HG12	1.81	0.46
1:D:342:HIS:CD2	1:D:343:THR:H	2.34	0.46
1:A:155:TYR:OH	1:A:264:PRO:HD2	2.16	0.46
1:C:296:LEU:HD23	1:C:296:LEU:HA	1.76	0.46
1:D:339:PHE:CD2	1:D:339:PHE:N	2.84	0.46
1:B:197:ARG:NH2	5:B:504:HOH:O	2.47	0.45
1:B:134:ARG:NH2	1:B:266:ARG:HA	2.31	0.45
1:C:363:LYS:HG2	1:C:364:LEU:HG	1.98	0.45
1:A:56:LYS:HG2	1:A:59:GLU:OE2	2.16	0.45
1:A:281:TYR:O	2:B:401:ATP:H2'	2.17	0.45
1:B:188:GLU:HA	1:B:240[A]:ARG:HG3	1.97	0.45
1:C:34:GLN:OE1	1:C:358:ASP:N	2.41	0.45
1:D:5:GLU:HG2	1:D:73:LEU:HD12	1.99	0.45
1:B:212:LEU:HD12	1:B:212:LEU:HA	1.68	0.45
1:D:133:ARG:HG2	1:D:269:PHE:CZ	2.51	0.45
1:D:168:LYS:C	1:D:170:LYS:H	2.24	0.45
1:D:198:ASN:O	1:D:202:GLU:HG3	2.16	0.45
1:C:29:TYR:HE2	1:C:365:ALA:HA	1.82	0.45
1:C:18:LYS:HE2	1:C:71:ARG:HH22	1.82	0.45
1:C:12:ARG:HD3	1:C:38:ASN:OD1	2.16	0.45
1:A:115:THR:HG22	1:A:311:VAL:HB	1.99	0.44
1:C:25:VAL:HG13	1:C:340:ILE:HD12	1.98	0.44
1:D:30:GLY:O	1:D:31:LEU:HD23	2.17	0.44
1:D:313:LEU:C	1:D:314:LEU:HD12	2.42	0.44
1:C:264:PRO:HA	1:C:267:GLU:HG3	1.99	0.44
1:A:192:ARG:O	1:A:196:VAL:HG23	2.17	0.44
1:B:32:ASN:HA	2:B:401:ATP:O3B	2.18	0.44
1:D:339:PHE:N	1:D:339:PHE:HD2	2.15	0.44
1:D:60:LEU:HD23	1:D:60:LEU:HA	1.82	0.44
1:D:6:ILE:HG22	1:D:21:PHE:CE2	2.53	0.44
1:C:162:ARG:NH1	1:C:260:THR:OG1	2.51	0.44
1:B:334:GLU:C	1:B:336:PHE:H	2.26	0.44
1:C:236:GLU:HA	1:C:239:ILE:CG2	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MET:CE	1:B:114:LEU:H	2.31	0.44
1:C:237:ASN:HB2	1:C:238:LEU:HD12	2.00	0.44
1:D:27:LEU:HD22	1:D:349:GLU:O	2.17	0.44
1:D:71:ARG:HA	1:D:84:ILE:O	2.18	0.44
1:D:157:LYS:HB2	1:D:157:LYS:HE3	1.89	0.44
1:C:154:GLN:HG3	1:C:189:TYR:CZ	2.53	0.44
3:D:405:IMD:C2	3:D:406:IMD:H5	2.48	0.44
1:A:295:LYS:HD2	1:A:295:LYS:HA	1.65	0.43
1:C:297:SER:O	1:C:301:ILE:HG13	2.18	0.43
1:C:323:ASP:O	1:C:326:LYS:N	2.48	0.43
1:D:309:LYS:HA	1:D:310:PRO:HD3	1.78	0.43
1:C:52:PHE:CE1	1:C:53:ARG:HG3	2.53	0.43
1:B:36:LYS:HB3	1:B:341:THR:CG2	2.49	0.43
1:D:323:ASP:OD1	1:D:324:ASN:N	2.38	0.43
1:A:354:PHE:CD2	1:A:363:LYS:HG3	2.54	0.43
1:A:250:SER:HA	1:A:253:LEU:HD23	1.99	0.43
1:C:129:GLY:HA3	3:C:404:IMD:N3	2.34	0.43
1:D:280:VAL:HG23	1:D:281:TYR:CD1	2.53	0.43
1:D:356:ILE:HD12	1:D:361:VAL:HG22	2.00	0.43
1:A:31:LEU:HD12	1:A:31:LEU:HA	1.74	0.43
1:C:160:SER:HA	1:C:163:ASN:HB2	2.00	0.43
1:D:29:TYR:O	1:D:356:ILE:HG22	2.19	0.43
1:B:283:SER:N	1:B:286:GLN:HG2	2.34	0.43
1:C:133:ARG:HB3	1:C:269:PHE:CE1	2.54	0.43
1:D:9:ASP:OD2	1:D:67:TYR:OH	2.09	0.43
1:D:141:ILE:HG21	1:D:148:TYR:CD2	2.54	0.43
1:A:272:LEU:HD23	1:A:277:ASP:HA	2.01	0.43
1:C:44:ARG:HH21	3:C:402:IMD:C2	2.31	0.43
1:C:113:PHE:O	1:C:114:LEU:HD23	2.18	0.43
1:C:194:ILE:HD12	1:C:239:ILE:HD11	2.01	0.43
1:C:220:LEU:HD21	1:C:271:ILE:CG2	2.49	0.42
1:B:277:ASP:OD1	1:B:279:ARG:HB3	2.18	0.42
1:C:141:ILE:HD11	1:C:197:ARG:HA	2.01	0.42
1:D:116:VAL:HG11	1:D:299:LEU:HD13	2.01	0.42
1:D:148:TYR:CE1	1:D:152:LEU:HD22	2.54	0.42
1:C:130:PRO:HB2	1:C:134:ARG:HH12	1.85	0.42
1:C:220:LEU:HD22	1:C:221:GLU:H	1.84	0.42
1:C:315:ASP:HA	1:C:341:THR:OG1	2.19	0.42
1:D:12:ARG:HD2	1:D:38:ASN:CG	2.44	0.42
1:D:272:LEU:HD23	1:D:277:ASP:HA	2.01	0.42
1:A:133:ARG:HG2	1:A:269:PHE:CZ	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:-7:HIS:HB3	5:C:509:HOH:O	2.20	0.42
1:A:241:GLU:O	1:A:245:ASN:N	2.49	0.42
1:A:311:VAL:C	1:A:312:LEU:HD23	2.45	0.42
1:B:168:LYS:HA	1:B:168:LYS:HD3	1.88	0.42
1:C:299:LEU:HD12	1:C:312:LEU:HD21	2.02	0.42
1:C:357:TYR:CD2	1:C:358:ASP:HB2	2.55	0.42
1:B:130:PRO:HG2	3:B:406:IMD:H2	2.02	0.41
1:C:52:PHE:CD1	1:C:53:ARG:HG3	2.55	0.41
1:D:12:ARG:HB3	1:D:38:ASN:ND2	2.35	0.41
1:B:221:GLU:HB3	1:B:272:LEU:HB2	2.01	0.41
1:A:52:PHE:CA	3:A:403:IMD:H5	2.44	0.41
1:B:295:LYS:HA	1:B:295:LYS:HD2	1.79	0.41
1:A:161:ASN:HB3	1:A:182:PHE:HE1	1.85	0.41
1:B:201:LEU:O	1:B:205:LYS:HG3	2.20	0.41
1:B:342:HIS:CG	1:B:343:THR:N	2.89	0.41
1:C:16:LYS:H	3:C:403:IMD:HN1	1.66	0.41
1:D:21:PHE:HB3	1:D:26:ASN:ND2	2.34	0.41
1:D:27:LEU:HD11	1:D:348:VAL:HG11	2.02	0.41
1:D:123:ILE:HD11	1:D:287:LYS:C	2.45	0.41
1:D:130:PRO:O	1:D:134:ARG:HB2	2.21	0.41
1:A:27:LEU:HB3	1:A:353:CYS:HB3	2.03	0.41
1:A:228:ALA:HB3	1:A:230:VAL:HG22	2.03	0.41
1:B:44:ARG:HD2	1:B:117:ILE:CG2	2.51	0.41
1:D:68:PHE:CE2	1:D:88:TYR:HB3	2.56	0.41
1:D:109:ILE:O	1:D:109:ILE:HG12	2.19	0.41
1:D:231:LYS:HB3	1:D:232:GLU:H	1.60	0.41
1:D:313:LEU:HD12	1:D:313:LEU:N	2.34	0.41
1:C:137:LEU:HD12	1:C:137:LEU:HA	1.88	0.41
1:C:235:GLU:C	1:C:237:ASN:H	2.29	0.41
1:A:12:ARG:HD3	1:A:38:ASN:OD1	2.21	0.41
1:A:204:LEU:HD11	1:A:294:LEU:HD12	2.03	0.41
1:B:353:CYS:O	1:B:364:LEU:N	2.54	0.41
1:A:174:LYS:C	1:A:176:GLU:H	2.29	0.41
1:C:50:ARG:CZ	3:C:402:IMD:H5	2.51	0.41
1:C:207:SER:O	1:C:211:PHE:HD2	2.03	0.41
1:C:318:MET:HE3	1:C:348:VAL:HG21	2.02	0.41
1:C:352:CYS:HB2	1:C:363:LYS:HE3	2.03	0.41
1:B:6:ILE:HG22	1:B:21:PHE:HE2	1.82	0.40
1:B:253:LEU:HD12	1:B:253:LEU:H	1.86	0.40
1:C:11:PHE:O	1:C:14:LEU:HD12	2.21	0.40
1:D:226:ASN:ND2	1:D:230:VAL:HG12	2.35	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:11:PHE:O	1:B:14:LEU:HB2	2.21	0.40
1:B:303:GLU:O	1:B:306:THR:O	2.39	0.40
1:D:19:LEU:HD21	1:D:361:VAL:HB	2.02	0.40
1:B:12:ARG:HG2	1:B:38:ASN:CG	2.46	0.40
1:B:282:SER:HA	1:B:286:GLN:HE21	1.86	0.40
1:C:5:GLU:OE2	1:C:18:LYS:HD3	2.21	0.40
1:C:98:VAL:HG23	1:C:103:LEU:CD1	2.45	0.40
1:C:155:TYR:OH	1:C:264:PRO:HD2	2.21	0.40
1:A:96:ILE:HD11	1:A:106:THR:HG23	2.04	0.40
1:B:45:LEU:HD21	1:B:86:PHE:CD1	2.57	0.40
1:B:302:LEU:HD23	1:B:310:PRO:CG	2.51	0.40
1:B:331:LYS:O	1:B:334:GLU:HG2	2.21	0.40
1:D:17:GLN:OE1	1:D:19:LEU:HD11	2.22	0.40
1:D:130:PRO:HD2	3:D:405:IMD:C2	2.52	0.40
1:D:237:ASN:HB3	1:D:240:ARG:NH1	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:-3:ALA:O	1:B:246:ARG:NH2[4_455]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	367/373 (98%)	326 (89%)	41 (11%)	0	100	100
1	B	368/373 (99%)	334 (91%)	34 (9%)	0	100	100
1	C	371/373 (100%)	316 (85%)	55 (15%)	0	100	100
1	D	360/373 (96%)	311 (86%)	49 (14%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1466/1492 (98%)	1287 (88%)	179 (12%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/339 (91%)	285 (92%)	23 (8%)	12	41
1	B	309/339 (91%)	295 (96%)	14 (4%)	24	59
1	C	307/339 (91%)	291 (95%)	16 (5%)	21	55
1	D	295/339 (87%)	279 (95%)	16 (5%)	20	53
All	All	1219/1356 (90%)	1150 (94%)	69 (6%)	18	52

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	TYR
1	A	0	SER
1	A	1	MET
1	A	6	ILE
1	A	14	LEU
1	A	27	LEU
1	A	31	LEU
1	A	46	LEU
1	A	108	GLU
1	A	123	ILE
1	A	152	LEU
1	A	154	GLN
1	A	166	LEU
1	A	181	ILE
1	A	193	ILE
1	A	227	SER
1	A	238	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	242	LYS
1	A	258	LEU
1	A	261	GLN
1	A	283	SER
1	A	326	LYS
1	A	338	SER
1	B	1	MET
1	B	12	ARG
1	B	14	LEU
1	B	46	LEU
1	B	98	VAL
1	B	133	ARG
1	B	143	VAL
1	B	166	LEU
1	B	188	GLU
1	B	220	LEU
1	B	227	SER
1	B	283	SER
1	B	338	SER
1	B	343	THR
1	C	-6	HIS
1	C	6	ILE
1	C	46	LEU
1	C	55	SER
1	C	74	VAL
1	C	90	VAL
1	C	117	ILE
1	C	179	LEU
1	C	181	ILE
1	C	220	LEU
1	C	227	SER
1	C	272	LEU
1	C	297	SER
1	C	322	ASP
1	C	325	ARG
1	C	360	ILE
1	D	14	LEU
1	D	48	MET
1	D	55	SER
1	D	76	SER
1	D	110	LEU
1	D	123	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	133	ARG
1	D	143	VAL
1	D	166	LEU
1	D	181	ILE
1	D	221	GLU
1	D	239	ILE
1	D	302	LEU
1	D	332	LYS
1	D	334	GLU
1	D	343	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	GLN
1	B	93	ASN
1	B	234	HIS
1	B	342	HIS
1	C	101	ASN
1	D	198	ASN
1	D	342	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 29 ligands modelled in this entry, 4 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	IMD	A	405	-	5,5,5	0.69	0	5,5,5	0.27	0
3	IMD	B	405	-	5,5,5	0.66	0	5,5,5	0.54	0
2	ATP	D	401	4	32,33,33	1.44	6 (18%)	48,52,52	1.79	11 (22%)
3	IMD	A	406	-	5,5,5	0.75	0	5,5,5	0.25	0
3	IMD	D	407	-	5,5,5	0.83	0	5,5,5	0.42	0
2	ATP	A	401	4	32,33,33	1.40	6 (18%)	48,52,52	1.74	14 (29%)
3	IMD	C	402	-	5,5,5	0.65	0	5,5,5	0.50	0
3	IMD	C	405	-	5,5,5	0.66	0	5,5,5	0.51	0
3	IMD	D	406	-	5,5,5	0.81	0	5,5,5	0.32	0
3	IMD	B	406	-	5,5,5	0.69	0	5,5,5	0.31	0
3	IMD	D	402	-	5,5,5	0.67	0	5,5,5	0.35	0
3	IMD	D	405	-	5,5,5	0.68	0	5,5,5	0.39	0
3	IMD	A	404	-	5,5,5	0.69	0	5,5,5	0.39	0
3	IMD	D	403	-	5,5,5	0.73	0	5,5,5	0.57	0
2	ATP	B	401	4	32,33,33	1.79	8 (25%)	48,52,52	1.87	12 (25%)
3	IMD	B	403	-	5,5,5	0.63	0	5,5,5	0.32	0
3	IMD	B	402	-	5,5,5	0.70	0	5,5,5	0.46	0
3	IMD	A	402	-	5,5,5	0.79	0	5,5,5	0.43	0
3	IMD	D	404	-	5,5,5	0.64	0	5,5,5	0.54	0
3	IMD	B	404	-	5,5,5	0.66	0	5,5,5	1.01	0
3	IMD	A	407	-	5,5,5	0.73	0	5,5,5	0.54	0
2	ATP	C	401	4	32,33,33	1.48	6 (18%)	48,52,52	1.75	12 (25%)
3	IMD	A	403	-	5,5,5	0.68	0	5,5,5	0.71	0
3	IMD	C	404	-	5,5,5	0.65	0	5,5,5	0.47	0
3	IMD	C	403	-	5,5,5	0.68	0	5,5,5	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IMD	A	405	-	-	-	0/1/1/1
3	IMD	B	405	-	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	D	401	4	-	5/22/38/38	0/3/3/3
3	IMD	A	406	-	-	-	0/1/1/1
3	IMD	D	407	-	-	-	0/1/1/1
2	ATP	A	401	4	-	5/22/38/38	0/3/3/3
3	IMD	C	402	-	-	-	0/1/1/1
3	IMD	C	405	-	-	-	0/1/1/1
3	IMD	D	406	-	-	-	0/1/1/1
3	IMD	B	406	-	-	-	0/1/1/1
3	IMD	D	402	-	-	-	0/1/1/1
3	IMD	D	405	-	-	-	0/1/1/1
3	IMD	A	404	-	-	-	0/1/1/1
3	IMD	D	403	-	-	-	0/1/1/1
2	ATP	B	401	4	-	7/22/38/38	0/3/3/3
3	IMD	B	403	-	-	-	0/1/1/1
3	IMD	B	402	-	-	-	0/1/1/1
3	IMD	A	402	-	-	-	0/1/1/1
3	IMD	D	404	-	-	-	0/1/1/1
3	IMD	B	404	-	-	-	0/1/1/1
3	IMD	A	407	-	-	-	0/1/1/1
2	ATP	C	401	4	-	9/22/38/38	0/3/3/3
3	IMD	A	403	-	-	-	0/1/1/1
3	IMD	C	404	-	-	-	0/1/1/1
3	IMD	C	403	-	-	-	0/1/1/1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	ATP	C5-C4	4.73	1.47	1.39
2	B	401	ATP	PA-O3A	4.64	1.64	1.59
2	C	401	ATP	C5-C4	4.53	1.47	1.39
2	D	401	ATP	C5-C4	4.43	1.47	1.39
2	B	401	ATP	PB-O3A	4.31	1.64	1.59
2	A	401	ATP	C5-C4	4.25	1.46	1.39
2	C	401	ATP	C4-N9	-3.13	1.31	1.37
2	C	401	ATP	C5-C6	2.92	1.49	1.41
2	B	401	ATP	C5-C6	2.75	1.48	1.41
2	A	401	ATP	PB-O3B	-2.74	1.56	1.59
2	B	401	ATP	C8-N7	2.73	1.36	1.31
2	A	401	ATP	C4-N9	-2.67	1.32	1.37
2	C	401	ATP	PB-O3B	2.63	1.62	1.59
2	A	401	ATP	C5-N7	-2.61	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	ATP	C8-N7	2.60	1.36	1.31
2	D	401	ATP	C5-N7	-2.54	1.34	1.39
2	D	401	ATP	C8-N7	2.52	1.36	1.31
2	C	401	ATP	C5-N7	-2.50	1.34	1.39
2	D	401	ATP	C5-C6	2.47	1.47	1.41
2	B	401	ATP	C4-N9	-2.45	1.32	1.37
2	D	401	ATP	PB-O3B	2.44	1.62	1.59
2	D	401	ATP	C4-N9	-2.33	1.32	1.37
2	B	401	ATP	C5-N7	-2.32	1.34	1.39
2	A	401	ATP	C5-C6	2.20	1.47	1.41
2	B	401	ATP	PB-O3B	2.20	1.61	1.59
2	C	401	ATP	C8-N9	-2.11	1.34	1.37

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	ATP	C5-C4-N3	-5.24	119.50	126.72
2	C	401	ATP	C5-C4-N3	-4.99	119.84	126.72
2	B	401	ATP	C5-C4-N3	-4.96	119.89	126.72
2	A	401	ATP	C5-C4-N3	-4.93	119.93	126.72
2	B	401	ATP	O4'-C1'-N9	4.31	116.36	108.09
2	D	401	ATP	C4-C5-N7	-3.89	106.13	110.58
2	B	401	ATP	O2B-PB-O3B	-3.83	96.91	107.27
2	C	401	ATP	N3-C4-N9	3.80	133.62	127.17
2	D	401	ATP	N3-C4-N9	3.78	133.60	127.17
2	A	401	ATP	N3-C4-N9	3.56	133.23	127.17
2	A	401	ATP	N3-C2-N1	-3.42	123.40	128.58
2	B	401	ATP	N3-C4-N9	3.41	132.96	127.17
2	B	401	ATP	C4-C5-N7	-3.36	106.74	110.58
2	A	401	ATP	C2-N3-C4	3.32	119.95	111.83
2	C	401	ATP	C4-C5-N7	-3.30	106.81	110.58
2	C	401	ATP	C2-N3-C4	3.29	119.88	111.83
2	D	401	ATP	C2-N3-C4	3.22	119.69	111.83
2	B	401	ATP	C2-N3-C4	3.18	119.61	111.83
2	B	401	ATP	O3G-PG-O2G	3.16	119.67	107.80
2	B	401	ATP	O2A-PA-O3A	3.14	115.75	107.27
2	C	401	ATP	N3-C2-N1	-3.04	123.97	128.58
2	C	401	ATP	O4'-C1'-N9	3.01	113.87	108.09
2	D	401	ATP	O4'-C1'-N9	2.92	113.70	108.09
2	D	401	ATP	N3-C2-N1	-2.87	124.23	128.58
2	A	401	ATP	C4-C5-N7	-2.87	107.30	110.58
2	B	401	ATP	N3-C2-N1	-2.73	124.45	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	ATP	C4-N9-C8	2.68	108.55	105.74
2	D	401	ATP	C5-N7-C8	2.67	107.64	103.45
2	D	401	ATP	C4'-O4'-C1'	-2.61	103.71	109.47
2	C	401	ATP	C4-N9-C8	2.58	108.44	105.74
2	A	401	ATP	O3G-PG-O1G	2.56	120.80	110.83
2	A	401	ATP	O4'-C1'-C2'	-2.51	101.24	106.62
2	B	401	ATP	C4'-O4'-C1'	-2.48	103.98	109.47
2	C	401	ATP	O2B-PB-O1B	2.39	123.58	112.44
2	C	401	ATP	C5'-C4'-C3'	-2.33	106.81	115.21
2	B	401	ATP	C6-C5-N7	2.25	136.44	132.09
2	D	401	ATP	N9-C8-N7	-2.22	110.78	113.94
2	C	401	ATP	C6-C5-N7	2.21	136.34	132.09
2	A	401	ATP	C6-C5-N7	2.15	136.24	132.09
2	A	401	ATP	O3B-PB-O1B	-2.15	104.23	110.70
2	D	401	ATP	C6-C5-N7	2.15	136.23	132.09
2	C	401	ATP	O3B-PG-O1G	-2.13	99.82	111.04
2	A	401	ATP	C4-N9-C8	2.13	107.97	105.74
2	A	401	ATP	O3G-PG-O2G	2.12	115.76	107.80
2	C	401	ATP	O3G-PG-O2G	2.12	115.74	107.80
2	A	401	ATP	O2B-PB-O1B	2.11	122.26	112.44
2	A	401	ATP	C2-N1-C6	2.02	122.04	118.73
2	B	401	ATP	O2G-PG-O3B	-2.01	97.91	104.64
2	A	401	ATP	O3B-PG-O1G	-2.00	100.50	111.04

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	ATP	C5'-O5'-PA-O2A
2	B	401	ATP	PB-O3B-PG-O3G
2	B	401	ATP	C5'-O5'-PA-O2A
2	B	401	ATP	C5'-O5'-PA-O3A
2	B	401	ATP	O4'-C4'-C5'-O5'
2	B	401	ATP	C3'-C4'-C5'-O5'
2	C	401	ATP	C5'-O5'-PA-O1A
2	C	401	ATP	C5'-O5'-PA-O2A
2	C	401	ATP	C5'-O5'-PA-O3A
2	D	401	ATP	C5'-O5'-PA-O2A
2	D	401	ATP	C5'-O5'-PA-O3A
2	D	401	ATP	O4'-C4'-C5'-O5'
2	A	401	ATP	O4'-C4'-C5'-O5'
2	C	401	ATP	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	401	ATP	O4'-C4'-C5'-O5'
2	D	401	ATP	C3'-C4'-C5'-O5'
2	A	401	ATP	C3'-C4'-C5'-O5'
2	C	401	ATP	C2'-C1'-N9-C8
2	B	401	ATP	PB-O3B-PG-O2G
2	A	401	ATP	C5'-O5'-PA-O1A
2	A	401	ATP	C5'-O5'-PA-O3A
2	D	401	ATP	C5'-O5'-PA-O1A
2	C	401	ATP	PB-O3B-PG-O1G
2	C	401	ATP	PG-O3B-PB-O2B
2	B	401	ATP	PB-O3B-PG-O1G
2	C	401	ATP	O4'-C1'-N9-C8


There are no ring outliers.


16 monomers are involved in 50 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	405	IMD	1	0
2	D	401	ATP	2	0
2	A	401	ATP	3	0
3	C	402	IMD	7	0
3	D	406	IMD	2	0
3	B	406	IMD	2	0
3	D	402	IMD	2	0
3	D	405	IMD	5	0
2	B	401	ATP	4	0
3	B	403	IMD	4	0
3	B	402	IMD	1	0
3	B	404	IMD	4	0
2	C	401	ATP	2	0
3	A	403	IMD	8	0
3	C	404	IMD	2	0
3	C	403	IMD	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	368/373 (98%)	-0.31	3 (0%) 82 64	33, 70, 123, 149	18 (4%)
1	B	368/373 (98%)	-0.25	3 (0%) 82 64	33, 69, 117, 145	24 (6%)
1	C	373/373 (100%)	0.07	7 (1%) 66 43	25, 100, 154, 189	6 (1%)
1	D	363/373 (97%)	-0.08	4 (1%) 78 57	52, 81, 136, 158	15 (4%)
All	All	1472/1492 (98%)	-0.14	17 (1%) 76 55	25, 80, 139, 189	63 (4%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	323	ASP	6.5
1	D	34	GLN	4.4
1	B	33	ALA	3.0
1	B	34	GLN	2.9
1	C	-5	HIS	2.7
1	D	360	ILE	2.5
1	A	364	LEU	2.4
1	C	365	ALA	2.4
1	D	33	ALA	2.4
1	A	-3	ALA	2.3
1	A	348	VAL	2.3
1	C	183	ASP	2.2
1	C	-1	TYR	2.1
1	D	342	HIS	2.1
1	C	233	VAL	2.1
1	C	240	ARG	2.1
1	B	177	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	IMD	D	407	5/5	0.44	0.25	79,82,85,88	0
3	IMD	D	403	5/5	0.51	0.18	90,99,104,106	0
3	IMD	A	407	5/5	0.61	0.23	80,82,86,88	0
3	IMD	A	404	5/5	0.63	0.12	91,95,101,101	0
3	IMD	B	405	5/5	0.63	0.16	94,97,98,102	0
3	IMD	C	405	5/5	0.66	0.34	111,113,113,114	0
3	IMD	D	405	5/5	0.71	0.10	82,86,96,99	0
3	IMD	B	402	5/5	0.74	0.11	93,95,97,100	0
3	IMD	A	402	5/5	0.75	0.21	78,81,86,87	0
3	IMD	C	404	5/5	0.76	0.24	96,97,101,102	0
3	IMD	D	404	5/5	0.79	0.21	100,102,103,109	0
3	IMD	D	406	5/5	0.80	0.12	89,89,96,97	0
3	IMD	B	403	5/5	0.84	0.17	82,85,89,94	0
3	IMD	C	403	5/5	0.86	0.10	90,91,95,96	0
3	IMD	B	406	5/5	0.86	0.12	65,70,79,81	0
4	MG	D	408	1/1	0.86	0.08	77,77,77,77	0
3	IMD	C	402	5/5	0.87	0.16	79,80,84,88	0
3	IMD	A	405	5/5	0.88	0.15	82,84,87,91	0
3	IMD	A	403	5/5	0.91	0.14	59,62,66,72	0
2	ATP	D	401	31/31	0.91	0.10	73,86,107,109	1
3	IMD	D	402	5/5	0.91	0.13	66,67,76,82	0
3	IMD	B	404	5/5	0.93	0.09	62,65,69,71	0
4	MG	B	407	1/1	0.94	0.09	77,77,77,77	0
4	MG	A	408	1/1	0.95	0.07	81,81,81,81	0
2	ATP	B	401	31/31	0.96	0.07	59,73,82,89	0
3	IMD	A	406	5/5	0.96	0.10	81,88,93,96	0
4	MG	C	406	1/1	0.96	0.11	69,69,69,69	0
2	ATP	C	401	31/31	0.96	0.08	53,66,84,108	0
2	ATP	A	401	31/31	0.97	0.07	44,53,89,104	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ATP D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.