



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 04:49 PM UTC

PDB ID : 1Z7G / pdb_00001z7g
Title : Free human HGPRT
Authors : Keough, D.T.; Brereton, I.M.; de Jersey, J.; Guddat, L.W.
Deposited on : 2005-03-24
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	217	14% 73% 17% • 8%
1	B	217	14% 76% 15% 8%
1	C	217	6% 78% 14% • 6%
1	D	217	12% 78% 13% • 7%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6777 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypoxanthine-guanine phosphoribosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	199	Total	C	N	O	S	0	0	0
			1558	1002	259	290	7			
1	B	199	Total	C	N	O	S	0	0	0
			1560	1005	260	288	7			
1	C	204	Total	C	N	O	S	0	0	0
			1590	1023	263	297	7			
1	D	202	Total	C	N	O	S	0	0	0
			1565	1008	259	291	7			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	105	Total	O	0	0
			105	105		
2	B	133	Total	O	0	0
			133	133		
2	C	137	Total	O	0	0
			137	137		
2	D	129	Total	O	0	0
			129	129		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase




- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase




- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.57Å 51.80Å 117.52Å 90.00° 105.80° 90.00°	Depositor
Resolution (Å)	46.30 – 1.90 46.30 – 1.90	Depositor EDS
% Data completeness (in resolution range)	95.3 (46.30-1.90) 93.2 (46.30-1.90)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 1.89Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.213 , 0.254 0.213 , 0.253	Depositor DCC
R_{free} test set	6666 reflections (10.13%)	wwPDB-VP
Wilson B-factor (Å ²)	27.2	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6777	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/1587	0.79	0/2148
1	B	0.38	0/1590	0.83	2/2152 (0.1%)
1	C	0.38	0/1621	0.82	2/2195 (0.1%)
1	D	0.38	0/1594	0.80	1/2158 (0.0%)
All	All	0.38	0/6392	0.81	5/8653 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	182	ILE	N-CA-C	8.80	117.61	107.84
1	C	182	ILE	N-CA-C	6.50	115.06	107.84
1	D	92	ILE	N-CA-C	5.52	113.50	107.60
1	B	92	ILE	N-CA-C	5.22	112.72	107.55
1	C	72	LYS	N-CA-C	5.08	117.47	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1558	0	1536	34	0
1	B	1560	0	1552	19	0
1	C	1590	0	1578	30	0
1	D	1565	0	1540	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	105	0	0	1	0
2	B	133	0	0	1	0
2	C	137	0	0	6	0
2	D	129	0	0	1	0
All	All	6777	0	6206	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:HIS:H	1:B:203:HIS:HD2	1.09	0.95
1:A:38:HIS:H	1:A:203:HIS:HD2	1.19	0.91
1:C:38:HIS:H	1:C:203:HIS:HD2	1.13	0.89
1:D:38:HIS:H	1:D:203:HIS:HD2	1.16	0.87
1:D:38:HIS:H	1:D:203:HIS:CD2	2.03	0.76
1:B:38:HIS:H	1:B:203:HIS:CD2	2.01	0.75
1:A:38:HIS:H	1:A:203:HIS:CD2	2.05	0.74
1:C:38:HIS:H	1:C:203:HIS:CD2	2.03	0.72
1:A:50:ARG:HH11	1:A:50:ARG:HG3	1.53	0.72
1:C:142:MET:HE1	1:C:145:LEU:HD23	1.73	0.71
1:C:135:ILE:HD13	1:C:136:ILE:N	2.06	0.70
1:A:182:ILE:HD13	1:A:182:ILE:H	1.57	0.69
1:A:35:PHE:O	1:A:36:ILE:HD13	1.97	0.65
1:D:4:SER:HB2	2:D:2547:HOH:O	1.98	0.63
1:B:8:VAL:HG13	1:B:166:ARG:HH21	1.64	0.61
1:C:135:ILE:HD13	1:C:135:ILE:C	2.27	0.60
1:A:50:ARG:HG3	1:A:50:ARG:NH1	2.20	0.57
1:A:182:ILE:HB	1:A:183:PRO:HD2	1.86	0.57
1:C:131:ILE:HG21	1:C:142:MET:HE1	1.85	0.56
1:C:29:GLU:HG3	2:C:2024:HOH:O	2.05	0.55
1:D:142:MET:HE1	1:D:145:LEU:HD23	1.88	0.55
1:A:72:LYS:HA	1:A:72:LYS:HE2	1.89	0.55
1:D:128:ASN:OD1	1:D:156:MET:HG2	2.06	0.55
1:A:32:GLU:HG2	1:A:33:ARG:HG2	1.89	0.54
1:D:11:ASP:OD1	1:D:183:PRO:HB3	2.08	0.54
1:A:22:CYS:CB	1:B:50:ARG:HE	2.21	0.54
1:B:128:ASN:OD1	1:B:156:MET:HG2	2.07	0.53
1:D:136:ILE:HG13	1:D:175:PRO:HG3	1.91	0.53
1:D:182:ILE:HB	1:D:183:PRO:HD2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:182:ILE:H	1:D:182:ILE:HD13	1.72	0.53
1:D:135:ILE:HD13	1:D:136:ILE:N	2.24	0.53
1:C:68:LYS:HE3	1:C:133:GLU:OE1	2.09	0.52
1:D:49:ALA:HA	1:D:81:ILE:HD11	1.92	0.52
1:D:49:ALA:HB1	1:D:81:ILE:HD13	1.91	0.51
1:A:116:ILE:N	1:A:116:ILE:HD12	2.26	0.51
1:D:131:ILE:HB	1:D:159:VAL:HG22	1.93	0.51
1:A:72:LYS:HD2	2:A:2447:HOH:O	2.10	0.51
1:D:139:GLY:HA2	1:D:173:TYR:HB2	1.93	0.51
1:A:147:SER:O	1:A:151:GLN:HG3	2.12	0.51
1:D:50:ARG:HH11	1:D:50:ARG:CB	2.24	0.51
1:C:144:THR:HG21	2:C:2536:HOH:O	2.11	0.50
1:D:136:ILE:HD13	1:D:137:ASP:N	2.27	0.50
1:A:120:ASP:OD2	1:A:122:SER:HB2	2.10	0.50
1:C:29:GLU:HA	2:C:2451:HOH:O	2.11	0.50
1:A:153:ASN:N	1:A:154:PRO:HD3	2.27	0.49
1:A:35:PHE:HE2	1:A:183:PRO:HD2	1.77	0.49
1:B:78:LEU:O	1:B:82:LYS:HG3	2.12	0.49
1:C:32:GLU:C	1:C:33:ARG:HG2	2.38	0.49
1:A:16:TYR:O	1:A:33:ARG:HB2	2.13	0.49
1:C:62:VAL:HG12	1:C:64:LEU:HD13	1.95	0.48
1:A:207:ILE:HD13	1:A:212:LYS:HG2	1.95	0.48
1:C:212:LYS:HB2	1:C:212:LYS:NZ	2.28	0.48
1:A:136:ILE:HD12	1:A:175:PRO:HG3	1.94	0.48
1:B:41:ILE:HD11	1:B:204:VAL:HG23	1.94	0.48
1:C:142:MET:CE	1:C:145:LEU:HD23	2.42	0.48
1:A:149:VAL:HG12	1:A:154:PRO:HG2	1.96	0.47
1:B:124:LEU:HD13	1:B:154:PRO:HB3	1.97	0.47
1:B:124:LEU:HD11	1:B:152:TYR:HB2	1.97	0.47
1:A:142:MET:HE1	1:A:145:LEU:HD23	1.96	0.46
1:A:197:TYR:O	1:A:198:PHE:HB2	2.15	0.46
1:C:9:ILE:HD12	1:C:182:ILE:HG22	1.96	0.46
1:C:135:ILE:HD13	1:C:136:ILE:C	2.40	0.46
1:A:65:CYS:O	1:A:99:ILE:HD13	2.16	0.45
1:B:214:LYS:HD2	1:B:215:TYR:CZ	2.51	0.45
1:D:18:LEU:HD22	1:D:23:ILE:HD13	1.98	0.45
1:C:82:LYS:HG3	1:C:94:MET:HE1	1.97	0.45
1:D:173:TYR:O	1:D:175:PRO:HD3	2.17	0.45
1:A:35:PHE:CE2	1:A:183:PRO:HD2	2.52	0.45
1:C:167:THR:C	1:C:169:ARG:H	2.24	0.45
1:B:173:TYR:O	1:B:175:PRO:HD3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:50:ARG:HG3	2:C:2294:HOH:O	2.17	0.45
1:A:121:LEU:HD22	1:A:121:LEU:H	1.82	0.45
1:D:135:ILE:HD13	1:D:135:ILE:C	2.42	0.45
1:C:197:TYR:O	1:C:198:PHE:HB2	2.17	0.44
1:D:32:GLU:C	1:D:33:ARG:HG2	2.42	0.44
1:B:50:ARG:HG3	2:B:2426:HOH:O	2.16	0.44
1:C:131:ILE:HD13	1:C:142:MET:HE1	1.99	0.44
1:A:173:TYR:O	1:A:175:PRO:HD3	2.18	0.44
1:B:197:TYR:O	1:B:198:PHE:HB2	2.17	0.44
1:C:136:ILE:HD13	1:C:161:SER:OG	2.18	0.44
1:A:121:LEU:HD22	1:A:121:LEU:N	2.33	0.43
1:C:41:ILE:HD13	1:C:180:PHE:CE1	2.53	0.43
1:C:171:VAL:HG12	1:C:171:VAL:O	2.17	0.43
1:A:135:ILE:HD12	1:A:163:LEU:O	2.18	0.43
1:B:146:LEU:O	1:B:150:ARG:HG3	2.18	0.43
1:A:121:LEU:HD12	1:A:124:LEU:HD11	2.00	0.43
1:C:102:LYS:CB	1:C:114:LYS:HE2	2.49	0.43
1:A:62:VAL:HG12	1:A:64:LEU:HD13	2.01	0.43
1:B:133:GLU:O	1:B:161:SER:HA	2.18	0.43
1:C:72:LYS:HA	1:C:72:LYS:HD2	1.81	0.43
1:D:136:ILE:HD13	1:D:137:ASP:H	1.84	0.42
1:D:128:ASN:CG	1:D:156:MET:HG2	2.43	0.42
1:C:50:ARG:NH1	2:C:2294:HOH:O	2.52	0.42
1:D:197:TYR:O	1:D:198:PHE:HB2	2.19	0.42
1:D:121:LEU:HD22	1:D:121:LEU:N	2.33	0.42
1:B:50:ARG:NH1	1:B:84:LEU:HD11	2.34	0.42
1:C:114:LYS:HE2	1:C:114:LYS:HB2	1.85	0.42
1:B:11:ASP:OD2	1:B:183:PRO:HB3	2.19	0.42
1:D:135:ILE:O	1:D:135:ILE:HG23	2.19	0.42
1:A:99:ILE:HD13	1:A:99:ILE:H	1.85	0.41
1:A:38:HIS:N	1:A:203:HIS:HD2	2.01	0.41
1:C:72:LYS:NZ	2:C:2567:HOH:O	2.50	0.41
1:C:191:ALA:C	1:C:192:LEU:HD22	2.45	0.41
1:A:41:ILE:HD11	1:A:204:VAL:HG23	2.03	0.41
1:A:46:GLU:HG3	1:A:50:ARG:HH12	1.86	0.40
1:B:150:ARG:HG2	1:B:150:ARG:HH11	1.87	0.40
1:B:123:THR:C	1:B:125:THR:H	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	193/217 (89%)	188 (97%)	5 (3%)	0	100	100
1	B	193/217 (89%)	184 (95%)	8 (4%)	1 (0%)	24	16
1	C	200/217 (92%)	191 (96%)	9 (4%)	0	100	100
1	D	194/217 (89%)	189 (97%)	5 (3%)	0	100	100
All	All	780/868 (90%)	752 (96%)	27 (4%)	1 (0%)	48	40

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	169	ARG

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/191 (87%)	163 (98%)	4 (2%)	43	38
1	B	169/191 (88%)	168 (99%)	1 (1%)	78	81
1	C	172/191 (90%)	168 (98%)	4 (2%)	44	40
1	D	167/191 (87%)	160 (96%)	7 (4%)	26	19
All	All	675/764 (88%)	659 (98%)	16 (2%)	43	38

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	LEU
1	A	72	LYS
1	A	99	ILE
1	A	182	ILE
1	B	64	LEU
1	C	64	LEU
1	C	135	ILE
1	C	157	VAL
1	C	212	LYS
1	D	13	GLU
1	D	35	PHE
1	D	48	LEU
1	D	50	ARG
1	D	135	ILE
1	D	136	ILE
1	D	182	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	HIS
1	A	60	HIS
1	A	128	ASN
1	A	153	ASN
1	A	203	HIS
1	B	26	HIS
1	B	153	ASN
1	B	202	ASN
1	B	203	HIS
1	C	143	GLN
1	C	151	GLN
1	C	153	ASN
1	C	195	ASN
1	C	203	HIS
1	D	25	ASN
1	D	26	HIS
1	D	59	HIS
1	D	153	ASN
1	D	203	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	199/217 (91%)	0.87	31 (15%) 5 5	19, 33, 59, 70	0
1	B	199/217 (91%)	0.73	31 (15%) 5 5	17, 30, 59, 72	0
1	C	204/217 (94%)	0.40	14 (6%) 23 24	17, 27, 53, 62	0
1	D	202/217 (93%)	0.65	25 (12%) 8 8	18, 29, 58, 83	0
All	All	804/868 (92%)	0.66	101 (12%) 8 8	17, 30, 58, 83	0

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	ILE	8.5
1	C	116	ILE	5.9
1	A	118	GLY	5.3
1	B	124	LEU	5.2
1	A	139	GLY	4.9
1	D	111	GLY	4.9
1	A	141	THR	4.4
1	D	113	ILE	4.4
1	C	137	ASP	4.3
1	B	168	PRO	4.3
1	B	122	SER	4.1
1	A	5	PRO	4.0
1	D	112	ASP	4.0
1	A	57	GLY	3.9
1	D	121	LEU	3.9
1	C	144	THR	3.9
1	B	139	GLY	3.9
1	B	123	THR	3.9
1	C	117	GLY	3.9
1	D	172	GLY	3.8
1	C	138	THR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	12	ASP	3.7
1	B	172	GLY	3.7
1	B	167	THR	3.7
1	B	171	VAL	3.6
1	C	168	PRO	3.6
1	D	4	SER	3.5
1	B	152	TYR	3.5
1	D	117	GLY	3.4
1	D	139	GLY	3.3
1	C	113	ILE	3.3
1	A	120	ASP	3.3
1	B	116	ILE	3.3
1	A	9	ILE	3.2
1	A	173	TYR	3.2
1	C	136	ILE	3.2
1	D	5	PRO	3.2
1	D	152	TYR	3.1
1	D	168	PRO	3.1
1	B	166	ARG	3.1
1	B	138	THR	3.1
1	B	169	ARG	3.1
1	A	4	SER	3.0
1	A	138	THR	3.0
1	B	137	ASP	3.0
1	A	116	ILE	3.0
1	B	170	SER	2.9
1	B	115	VAL	2.9
1	B	141	THR	2.9
1	C	217	ALA	2.9
1	B	113	ILE	2.9
1	D	122	SER	2.8
1	B	114	LYS	2.8
1	B	90	ARG	2.8
1	D	143	GLN	2.8
1	D	169	ARG	2.7
1	D	116	ILE	2.7
1	A	213	ALA	2.7
1	B	121	LEU	2.7
1	A	136	ILE	2.7
1	D	136	ILE	2.7
1	B	153	ASN	2.7
1	C	118	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	123	THR	2.7
1	A	117	GLY	2.6
1	D	141	THR	2.6
1	A	119	ASP	2.6
1	A	99	ILE	2.5
1	B	143	GLN	2.5
1	A	140	LYS	2.5
1	A	137	ASP	2.5
1	A	15	GLY	2.4
1	B	59	HIS	2.4
1	D	84	LEU	2.4
1	B	4	SER	2.4
1	A	14	PRO	2.4
1	C	171	VAL	2.4
1	D	115	VAL	2.4
1	A	186	PHE	2.4
1	A	101	LEU	2.3
1	B	136	ILE	2.3
1	A	212	LYS	2.3
1	D	124	LEU	2.3
1	C	119	ASP	2.2
1	D	19	ASP	2.2
1	A	54	LYS	2.2
1	A	167	THR	2.2
1	A	217	ALA	2.2
1	D	217	ALA	2.2
1	D	167	THR	2.2
1	C	114	LYS	2.2
1	B	173	TYR	2.1
1	A	36	ILE	2.1
1	A	115	VAL	2.1
1	D	137	ASP	2.1
1	B	126	GLY	2.1
1	B	12	ASP	2.1
1	B	85	ASN	2.1
1	A	86	ARG	2.1
1	B	88	SER	2.0
1	C	141	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.