



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:43 PM UTC

PDB ID : 4Z88 / pdb_00004z88
Title : SH3-II of Drosophila Rim-binding protein with Aplip1 peptide
Authors : Driller, J.H.; Holton, N.; Siebert, M.; Boehme, M.A.; Wahl, M.C.; Sigrist, S.J.; Loll, B.
Deposited on : 2015-04-08
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	73	18% 74% 14% • 11%
1	B	73	8% 77% 8% • 10%
1	C	73	4% 84% 5% 11%
1	D	73	7% 90% 5% •
1	E	73	16% 77% 10% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	73	
1	G	73	
1	H	73	
1	I	73	
1	J	73	
1	K	73	
1	L	73	
2	M	17	
2	N	17	
2	O	17	
2	P	17	
2	Q	17	
2	R	17	
2	S	17	
2	T	17	
2	U	17	
2	V	17	
2	W	17	
2	X	17	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7564 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RIM-binding protein, isoform F.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	65	Total	C	N	O	S	0	1	0
			532	335	85	108	4			
1	B	66	Total	C	N	O	S	0	0	0
			538	341	86	107	4			
1	C	65	Total	C	N	O	S	0	0	0
			528	336	85	103	4			
1	D	70	Total	C	N	O	S	0	0	0
			564	356	90	114	4			
1	E	63	Total	C	N	O	S	0	0	0
			506	321	80	101	4			
1	F	67	Total	C	N	O	S	0	0	0
			543	344	87	108	4			
1	G	67	Total	C	N	O	S	0	0	0
			537	340	87	106	4			
1	H	70	Total	C	N	O	S	0	0	0
			564	356	90	114	4			
1	I	66	Total	C	N	O	S	0	0	0
			538	341	86	107	4			
1	J	68	Total	C	N	O	S	0	0	0
			550	349	88	109	4			
1	K	66	Total	C	N	O	S	0	0	0
			537	341	86	106	4			
1	L	68	Total	C	N	O	S	0	0	0
			550	349	88	109	4			

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1310	GLY	-	expression tag	UNP A0A0B4JDC9
A	1311	PRO	-	expression tag	UNP A0A0B4JDC9
A	1312	LEU	-	expression tag	UNP A0A0B4JDC9
A	1313	GLY	-	expression tag	UNP A0A0B4JDC9
A	1314	SER	-	expression tag	UNP A0A0B4JDC9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1315	PRO	-	expression tag	UNP A0A0B4JDC9
A	1316	GLU	-	expression tag	UNP A0A0B4JDC9
A	1317	PHE	-	expression tag	UNP A0A0B4JDC9
B	1310	GLY	-	expression tag	UNP A0A0B4JDC9
B	1311	PRO	-	expression tag	UNP A0A0B4JDC9
B	1312	LEU	-	expression tag	UNP A0A0B4JDC9
B	1313	GLY	-	expression tag	UNP A0A0B4JDC9
B	1314	SER	-	expression tag	UNP A0A0B4JDC9
B	1315	PRO	-	expression tag	UNP A0A0B4JDC9
B	1316	GLU	-	expression tag	UNP A0A0B4JDC9
B	1317	PHE	-	expression tag	UNP A0A0B4JDC9
C	1310	GLY	-	expression tag	UNP A0A0B4JDC9
C	1311	PRO	-	expression tag	UNP A0A0B4JDC9
C	1312	LEU	-	expression tag	UNP A0A0B4JDC9
C	1313	GLY	-	expression tag	UNP A0A0B4JDC9
C	1314	SER	-	expression tag	UNP A0A0B4JDC9
C	1315	PRO	-	expression tag	UNP A0A0B4JDC9
C	1316	GLU	-	expression tag	UNP A0A0B4JDC9
C	1317	PHE	-	expression tag	UNP A0A0B4JDC9
D	1310	GLY	-	expression tag	UNP A0A0B4JDC9
D	1311	PRO	-	expression tag	UNP A0A0B4JDC9
D	1312	LEU	-	expression tag	UNP A0A0B4JDC9
D	1313	GLY	-	expression tag	UNP A0A0B4JDC9
D	1314	SER	-	expression tag	UNP A0A0B4JDC9
D	1315	PRO	-	expression tag	UNP A0A0B4JDC9
D	1316	GLU	-	expression tag	UNP A0A0B4JDC9
D	1317	PHE	-	expression tag	UNP A0A0B4JDC9
E	1310	GLY	-	expression tag	UNP A0A0B4JDC9
E	1311	PRO	-	expression tag	UNP A0A0B4JDC9
E	1312	LEU	-	expression tag	UNP A0A0B4JDC9
E	1313	GLY	-	expression tag	UNP A0A0B4JDC9
E	1314	SER	-	expression tag	UNP A0A0B4JDC9
E	1315	PRO	-	expression tag	UNP A0A0B4JDC9
E	1316	GLU	-	expression tag	UNP A0A0B4JDC9
E	1317	PHE	-	expression tag	UNP A0A0B4JDC9
F	1310	GLY	-	expression tag	UNP A0A0B4JDC9
F	1311	PRO	-	expression tag	UNP A0A0B4JDC9
F	1312	LEU	-	expression tag	UNP A0A0B4JDC9
F	1313	GLY	-	expression tag	UNP A0A0B4JDC9
F	1314	SER	-	expression tag	UNP A0A0B4JDC9
F	1315	PRO	-	expression tag	UNP A0A0B4JDC9
F	1316	GLU	-	expression tag	UNP A0A0B4JDC9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	1317	PHE	-	expression tag	UNP A0A0B4JDC9
G	1310	GLY	-	expression tag	UNP A0A0B4JDC9
G	1311	PRO	-	expression tag	UNP A0A0B4JDC9
G	1312	LEU	-	expression tag	UNP A0A0B4JDC9
G	1313	GLY	-	expression tag	UNP A0A0B4JDC9
G	1314	SER	-	expression tag	UNP A0A0B4JDC9
G	1315	PRO	-	expression tag	UNP A0A0B4JDC9
G	1316	GLU	-	expression tag	UNP A0A0B4JDC9
G	1317	PHE	-	expression tag	UNP A0A0B4JDC9
H	1310	GLY	-	expression tag	UNP A0A0B4JDC9
H	1311	PRO	-	expression tag	UNP A0A0B4JDC9
H	1312	LEU	-	expression tag	UNP A0A0B4JDC9
H	1313	GLY	-	expression tag	UNP A0A0B4JDC9
H	1314	SER	-	expression tag	UNP A0A0B4JDC9
H	1315	PRO	-	expression tag	UNP A0A0B4JDC9
H	1316	GLU	-	expression tag	UNP A0A0B4JDC9
H	1317	PHE	-	expression tag	UNP A0A0B4JDC9
I	1310	GLY	-	expression tag	UNP A0A0B4JDC9
I	1311	PRO	-	expression tag	UNP A0A0B4JDC9
I	1312	LEU	-	expression tag	UNP A0A0B4JDC9
I	1313	GLY	-	expression tag	UNP A0A0B4JDC9
I	1314	SER	-	expression tag	UNP A0A0B4JDC9
I	1315	PRO	-	expression tag	UNP A0A0B4JDC9
I	1316	GLU	-	expression tag	UNP A0A0B4JDC9
I	1317	PHE	-	expression tag	UNP A0A0B4JDC9
J	1310	GLY	-	expression tag	UNP A0A0B4JDC9
J	1311	PRO	-	expression tag	UNP A0A0B4JDC9
J	1312	LEU	-	expression tag	UNP A0A0B4JDC9
J	1313	GLY	-	expression tag	UNP A0A0B4JDC9
J	1314	SER	-	expression tag	UNP A0A0B4JDC9
J	1315	PRO	-	expression tag	UNP A0A0B4JDC9
J	1316	GLU	-	expression tag	UNP A0A0B4JDC9
J	1317	PHE	-	expression tag	UNP A0A0B4JDC9
K	1310	GLY	-	expression tag	UNP A0A0B4JDC9
K	1311	PRO	-	expression tag	UNP A0A0B4JDC9
K	1312	LEU	-	expression tag	UNP A0A0B4JDC9
K	1313	GLY	-	expression tag	UNP A0A0B4JDC9
K	1314	SER	-	expression tag	UNP A0A0B4JDC9
K	1315	PRO	-	expression tag	UNP A0A0B4JDC9
K	1316	GLU	-	expression tag	UNP A0A0B4JDC9
K	1317	PHE	-	expression tag	UNP A0A0B4JDC9
L	1310	GLY	-	expression tag	UNP A0A0B4JDC9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	1311	PRO	-	expression tag	UNP A0A0B4JDC9
L	1312	LEU	-	expression tag	UNP A0A0B4JDC9
L	1313	GLY	-	expression tag	UNP A0A0B4JDC9
L	1314	SER	-	expression tag	UNP A0A0B4JDC9
L	1315	PRO	-	expression tag	UNP A0A0B4JDC9
L	1316	GLU	-	expression tag	UNP A0A0B4JDC9
L	1317	PHE	-	expression tag	UNP A0A0B4JDC9

- Molecule 2 is a protein called JNK-interacting protein 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	M	12	Total	C	N	O	0	0	1
			95	61	20	14			
2	N	5	Total	C	N	O	0	0	0
			39	27	5	7			
2	O	11	Total	C	N	O	0	0	1
			84	55	16	13			
2	P	8	Total	C	N	O	0	0	0
			70	45	15	10			
2	Q	14	Total	C	N	O	0	0	1
			117	73	28	16			
2	R	7	Total	C	N	O	0	0	0
			59	39	11	9			
2	S	14	Total	C	N	O	0	0	1
			117	73	28	16			
2	T	5	Total	C	N	O	0	0	0
			46	29	12	5			
2	U	13	Total	C	N	O	0	0	1
			106	67	24	15			
2	V	7	Total	C	N	O	0	0	0
			63	40	14	9			
2	W	13	Total	C	N	O	0	0	1
			106	67	24	15			
2	X	7	Total	C	N	O	0	0	0
			63	40	14	9			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	148	ACE	-	acetylation	UNP Q9W0K0
M	164	NH2	-	amidation	UNP Q9W0K0
N	148	ACE	-	acetylation	UNP Q9W0K0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	164	NH2	-	amidation	UNP Q9W0K0
O	148	ACE	-	acetylation	UNP Q9W0K0
O	164	NH2	-	amidation	UNP Q9W0K0
P	148	ACE	-	acetylation	UNP Q9W0K0
P	164	NH2	-	amidation	UNP Q9W0K0
Q	148	ACE	-	acetylation	UNP Q9W0K0
Q	164	NH2	-	amidation	UNP Q9W0K0
R	148	ACE	-	acetylation	UNP Q9W0K0
R	164	NH2	-	amidation	UNP Q9W0K0
S	148	ACE	-	acetylation	UNP Q9W0K0
S	164	NH2	-	amidation	UNP Q9W0K0
T	148	ACE	-	acetylation	UNP Q9W0K0
T	164	NH2	-	amidation	UNP Q9W0K0
U	148	ACE	-	acetylation	UNP Q9W0K0
U	164	NH2	-	amidation	UNP Q9W0K0
V	148	ACE	-	acetylation	UNP Q9W0K0
V	164	NH2	-	amidation	UNP Q9W0K0
W	148	ACE	-	acetylation	UNP Q9W0K0
W	164	NH2	-	amidation	UNP Q9W0K0
X	148	ACE	-	acetylation	UNP Q9W0K0
X	164	NH2	-	amidation	UNP Q9W0K0

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	P	0	0
			5	4	1		
3	C	1	Total	O	P	0	0
			5	4	1		
3	E	1	Total	O	P	0	0
			5	4	1		
3	F	1	Total	O	P	0	0
			5	4	1		
3	G	1	Total	O	P	0	0
			5	4	1		
3	H	1	Total	O	P	0	0
			5	4	1		
3	I	1	Total	O	P	0	0
			5	4	1		
3	J	1	Total	O	P	0	0
			5	4	1		
3	K	1	Total	O	P	0	0
			5	4	1		
3	L	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total	O	0	0
			5	5		
4	B	5	Total	O	0	0
			5	5		
4	C	3	Total	O	0	0
			3	3		
4	D	3	Total	O	0	0
			3	3		
4	E	5	Total	O	0	0
			5	5		
4	F	6	Total	O	0	0
			6	6		
4	G	3	Total	O	0	0
			3	3		
4	H	2	Total	O	0	0
			2	2		
4	I	5	Total	O	0	0
			5	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	J	4	Total 4	O 4	0	0
4	K	4	Total 4	O 4	0	0
4	L	1	Total 1	O 1	0	0
4	M	2	Total 2	O 2	0	0
4	O	1	Total 1	O 1	0	0
4	Q	5	Total 5	O 5	0	0
4	W	1	Total 1	O 1	0	0
4	X	2	Total 2	O 2	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: RIM-binding protein, isoform F





- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F







- Molecule 2: JNK-interacting protein 1




- Molecule 2: JNK-interacting protein 1





- Molecule 2: JNK-interacting protein 1





- Molecule 2: JNK-interacting protein 1




- Molecule 2: JNK-interacting protein 1





- Molecule 2: JNK-interacting protein 1





- Molecule 2: JNK-interacting protein 1





- Chain T: 





- Chain U: 





- Chain V: 



- Chain W:  59% 18% 24%



- Chain X: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	108.28Å 62.42Å 163.64Å 90.00° 90.27° 90.00°	Depositor
Resolution (Å)	45.25 – 2.09 45.25 – 2.09	Depositor EDS
% Data completeness (in resolution range)	98.5 (45.25-2.09) 99.4 (45.25-2.09)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.209 , 0.236 0.220 , 0.245	Depositor DCC
R_{free} test set	3042 reflections (4.66%)	wwPDB-VP
Wilson B-factor (Å ²)	35.1	Xtriage
Anisotropy	0.333	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.178 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.187 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.099 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.115 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.078 for -h,-k,l	Xtriage
Reported twinning fraction	0.135 for H, K, L 0.126 for -1/2H-3/2K, -1/2H+1/2K, -L 0.146 for -1/2H+3/2K, 1/2H+1/2K, -L 0.193 for 1/2H-3/2K, -1/2H-1/2K, -L 0.182 for 1/2H+3/2K, 1/2H-1/2K, -L 0.218 for -h,-k,l	Depositor
Outliers	1 of 64777 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7564	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NH2, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/551	0.70	0/744
1	B	0.64	1/555 (0.2%)	0.99	5/749 (0.7%)
1	C	0.53	0/545	0.72	0/737
1	D	0.46	0/582	0.70	0/786
1	E	0.49	0/522	0.70	0/707
1	F	0.53	0/561	0.78	0/759
1	G	0.55	0/554	0.85	2/749 (0.3%)
1	H	0.58	1/582 (0.2%)	0.94	6/786 (0.8%)
1	I	0.48	0/555	0.68	0/749
1	J	0.48	0/568	0.71	0/769
1	K	0.48	0/554	0.72	0/749
1	L	0.46	0/568	0.72	2/769 (0.3%)
2	M	0.56	0/95	0.86	0/124
2	N	0.45	0/40	0.50	0/55
2	O	0.57	0/84	0.62	0/110
2	P	0.54	0/71	0.90	0/94
2	Q	0.47	0/117	0.65	0/152
2	R	0.48	0/60	0.55	0/80
2	S	0.55	0/117	0.69	0/152
2	T	0.43	0/46	0.68	0/59
2	U	0.67	0/106	0.85	0/138
2	V	0.53	0/63	0.89	0/82
2	W	0.53	0/106	0.73	0/138
2	X	0.42	0/63	0.46	0/82
All	All	0.52	2/7665 (0.0%)	0.77	15/10319 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	J	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1356	LYS	CA-CB	5.70	1.62	1.53
1	H	1380	GLU	CA-CB	5.15	1.61	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1380	GLU	N-CA-C	10.87	128.36	113.37
1	B	1369	ARG	NE-CZ-NH2	9.22	127.50	119.20
1	G	1317	PHE	N-CA-CB	7.83	122.60	110.46
1	G	1317	PHE	N-CA-C	-7.46	99.42	110.46
1	H	1369	ARG	NE-CZ-NH2	7.36	125.83	119.20
1	H	1369	ARG	CG-CD-NE	6.55	126.40	112.00
1	B	1369	ARG	NE-CZ-NH1	-6.23	115.27	121.50
1	B	1356	LYS	N-CA-CB	6.10	118.94	109.97
1	H	1314	SER	CA-C-N	-5.95	114.63	120.52
1	H	1314	SER	C-N-CA	-5.95	114.63	120.52
1	H	1369	ARG	NE-CZ-NH1	-5.71	115.79	121.50
1	L	1314	SER	CA-C-N	-5.20	115.37	120.52
1	L	1314	SER	C-N-CA	-5.20	115.37	120.52
1	H	1369	ARG	CD-NE-CZ	5.14	131.59	124.40
1	B	1369	ARG	CD-NE-CZ	5.00	131.40	124.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1381	VAL	Peptide
1	J	1380	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	532	0	471	8	0
1	B	538	0	476	13	0
1	C	528	0	470	2	0
1	D	564	0	497	4	0
1	E	506	0	448	6	0
1	F	543	0	479	5	0
1	G	537	0	477	6	0
1	H	564	0	497	6	0
1	I	538	0	476	2	0
1	J	550	0	488	10	0
1	K	537	0	476	7	0
1	L	550	0	488	0	0
2	M	95	0	112	1	0
2	N	39	0	41	1	0
2	O	84	0	99	0	0
2	P	70	0	80	10	0
2	Q	117	0	138	2	0
2	R	59	0	67	3	0
2	S	117	0	138	3	0
2	T	46	0	56	2	0
2	U	106	0	125	0	0
2	V	63	0	73	2	0
2	W	106	0	125	1	0
2	X	63	0	73	0	0
3	A	5	0	0	1	0
3	B	5	0	0	1	0
3	C	5	0	0	0	0
3	E	5	0	0	0	0
3	F	5	0	0	1	0
3	G	5	0	0	0	0
3	H	5	0	0	1	0
3	I	5	0	0	1	0
3	J	5	0	0	0	0
3	K	5	0	0	0	0
3	L	5	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	3	0	0	0	0
4	D	3	0	0	0	0
4	E	5	0	0	0	0
4	F	6	0	0	0	0
4	G	3	0	0	0	0
4	H	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	I	5	0	0	0	0
4	J	4	0	0	0	0
4	K	4	0	0	0	0
4	L	1	0	0	0	0
4	M	2	0	0	0	0
4	O	1	0	0	0	0
4	Q	5	0	0	0	0
4	W	1	0	0	0	0
4	X	2	0	0	0	0
All	All	7564	0	6870	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1380:GLU:O	1:B:1380:GLU:HG2	1.66	0.93
1:G:1361:PHE:CE1	2:S:153:ARG:HG2	2.11	0.85
1:J:1380:GLU:O	1:J:1381:VAL:HG23	1.79	0.81
1:J:1317:PHE:HE1	1:J:1319:TYR:CE1	2.00	0.79
2:P:158:ILE:HG22	2:P:159:PRO:CD	2.13	0.78
2:P:158:ILE:HG22	2:P:159:PRO:HD3	1.65	0.78
1:B:1380:GLU:O	1:B:1380:GLU:CG	2.34	0.74
1:A:1320:PHE:CZ	1:A:1380:GLU:HG3	2.21	0.74
1:A:1318:ARG:HB3	1:A:1352:VAL:O	1.89	0.73
2:P:152:ARG:HB2	2:P:153:ARG:HA	1.72	0.72
1:J:1318:ARG:NH2	1:J:1354:GLY:O	2.25	0.69
1:K:1317:PHE:CE1	1:K:1353:PHE:CE1	2.81	0.68
1:A:1362:TYR:OH	3:A:1401:PO4:O3	2.12	0.66
1:H:1323:MET:HE2	1:H:1379:SER:CB	2.27	0.65
1:D:1376:ASN:ND2	2:P:158:ILE:HD11	2.12	0.64
1:B:1356:LYS:HG2	1:B:1362:TYR:CZ	2.33	0.64
1:G:1320:PHE:CZ	1:G:1380:GLU:HG3	2.35	0.62
1:E:1320:PHE:CZ	1:E:1380:GLU:HG3	2.35	0.62
1:K:1317:PHE:CE1	1:K:1353:PHE:HE1	2.18	0.61
1:B:1374:PRO:HG2	1:B:1377:MET:HG3	1.83	0.61
1:E:1336:ASP:OD2	2:Q:153:ARG:NH2	2.35	0.59
1:H:1323:MET:HE2	1:H:1379:SER:HB2	1.83	0.59
1:B:1318:ARG:NH2	3:B:1401:PO4:O2	2.36	0.58
1:K:1361:PHE:CE1	2:W:153:ARG:HG2	2.40	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:1380:GLU:HG2	1:J:1381:VAL:N	2.20	0.56
1:J:1317:PHE:CE1	1:J:1319:TYR:CE1	2.90	0.55
1:K:1317:PHE:CE1	1:K:1353:PHE:CD1	2.95	0.55
1:J:1340:GLU:HG3	2:V:153:ARG:HH11	1.71	0.53
1:H:1318:ARG:NH1	3:H:1401:PO4:O1	2.41	0.53
1:G:1316:GLU:HB2	2:R:159:PRO:HG3	1.90	0.52
2:M:163:LYS:HG2	2:M:164:NH2:N	2.25	0.52
2:P:152:ARG:CB	2:P:153:ARG:HA	2.39	0.52
1:J:1334:ASN:OD1	2:V:153:ARG:HA	2.11	0.51
1:B:1356:LYS:HG2	1:B:1362:TYR:CE1	2.45	0.50
1:G:1361:PHE:CZ	2:S:153:ARG:HG2	2.46	0.50
1:E:1320:PHE:CE2	1:E:1380:GLU:HG3	2.47	0.50
1:F:1336:ASP:OD2	2:R:153:ARG:NH2	2.44	0.50
1:E:1338:CYS:SG	1:F:1338:CYS:C	2.95	0.50
1:F:1324:PHE:CD1	2:R:159:PRO:HG2	2.47	0.50
1:I:1345:GLN:HE22	1:J:1367:ARG:HG2	1.78	0.49
1:G:1320:PHE:CE2	1:G:1380:GLU:HG3	2.48	0.49
1:A:1327:ASP:CG	1:B:1369:ARG:HD3	2.39	0.48
1:A:1338:CYS:SG	1:B:1338:CYS:C	2.96	0.48
1:C:1338:CYS:SG	1:D:1338:CYS:C	2.96	0.48
1:K:1317:PHE:CD1	1:K:1353:PHE:CE1	3.02	0.48
1:G:1325:ASP:OD1	1:G:1345:GLN:HG2	2.15	0.47
1:A:1345:GLN:OE1	1:B:1367:ARG:HG2	2.15	0.46
1:I:1318:ARG:NH2	3:I:1401:PO4:O1	2.35	0.46
1:K:1317:PHE:CD1	1:K:1353:PHE:CD1	3.03	0.45
1:E:1334:ASN:ND2	2:Q:153:ARG:HG3	2.32	0.45
2:P:158:ILE:HG22	2:P:159:PRO:HD2	1.96	0.45
1:B:1377:MET:HE3	2:N:156:PRO:CG	2.47	0.44
1:J:1380:GLU:O	1:J:1381:VAL:CG2	2.59	0.44
2:P:152:ARG:HB2	2:P:153:ARG:CA	2.45	0.44
1:B:1356:LYS:HE3	1:B:1362:TYR:OH	2.17	0.44
1:J:1317:PHE:HE1	1:J:1319:TYR:HE1	1.58	0.44
2:P:152:ARG:CB	2:P:153:ARG:CA	2.95	0.44
1:A:1345:GLN:OE1	1:B:1367:ARG:CG	2.66	0.43
1:F:1318:ARG:NH1	3:F:1401:PO4:O3	2.50	0.43
1:D:1376:ASN:CG	2:P:158:ILE:HD11	2.44	0.42
2:P:158:ILE:O	2:P:159:PRO:C	2.63	0.42
1:A:1320:PHE:CE1	1:A:1380:GLU:HG3	2.53	0.41
1:H:1333:PRO:HG2	2:T:154:LYS:HB2	2.02	0.41
1:H:1381:VAL:O	1:K:1380:GLU:O	2.39	0.41
1:H:1359:ASP:OD2	2:T:152:ARG:HA	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1356:LYS:CG	1:B:1362:TYR:CE1	3.04	0.41
1:C:1338:CYS:C	1:D:1338:CYS:SG	3.04	0.41
1:E:1338:CYS:C	1:F:1338:CYS:SG	3.04	0.40
2:S:158:ILE:N	2:S:158:ILE:HD12	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	64/73 (88%)	64 (100%)	0	0	100	100
1	B	64/73 (88%)	62 (97%)	2 (3%)	0	100	100
1	C	63/73 (86%)	63 (100%)	0	0	100	100
1	D	68/73 (93%)	67 (98%)	1 (2%)	0	100	100
1	E	61/73 (84%)	61 (100%)	0	0	100	100
1	F	65/73 (89%)	64 (98%)	1 (2%)	0	100	100
1	G	65/73 (89%)	65 (100%)	0	0	100	100
1	H	68/73 (93%)	66 (97%)	1 (2%)	1 (2%)	8	4
1	I	64/73 (88%)	64 (100%)	0	0	100	100
1	J	66/73 (90%)	65 (98%)	1 (2%)	0	100	100
1	K	64/73 (88%)	63 (98%)	1 (2%)	0	100	100
1	L	66/73 (90%)	65 (98%)	1 (2%)	0	100	100
2	M	10/17 (59%)	9 (90%)	1 (10%)	0	100	100
2	N	3/17 (18%)	3 (100%)	0	0	100	100
2	O	9/17 (53%)	8 (89%)	1 (11%)	0	100	100
2	P	6/17 (35%)	6 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	Q	12/17 (71%)	12 (100%)	0	0	100	100
2	R	5/17 (29%)	5 (100%)	0	0	100	100
2	S	12/17 (71%)	12 (100%)	0	0	100	100
2	T	3/17 (18%)	3 (100%)	0	0	100	100
2	U	11/17 (65%)	11 (100%)	0	0	100	100
2	V	5/17 (29%)	5 (100%)	0	0	100	100
2	W	11/17 (65%)	11 (100%)	0	0	100	100
2	X	5/17 (29%)	5 (100%)	0	0	100	100
All	All	870/1080 (81%)	859 (99%)	10 (1%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	1314	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	57/62 (92%)	54 (95%)	3 (5%)	20	19
1	B	57/62 (92%)	53 (93%)	4 (7%)	14	11
1	C	56/62 (90%)	53 (95%)	3 (5%)	20	18
1	D	60/62 (97%)	58 (97%)	2 (3%)	33	37
1	E	54/62 (87%)	52 (96%)	2 (4%)	30	33
1	F	58/62 (94%)	55 (95%)	3 (5%)	21	20
1	G	57/62 (92%)	54 (95%)	3 (5%)	20	19
1	H	60/62 (97%)	57 (95%)	3 (5%)	22	22
1	I	57/62 (92%)	55 (96%)	2 (4%)	32	35
1	J	59/62 (95%)	56 (95%)	3 (5%)	21	21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	57/62 (92%)	54 (95%)	3 (5%)	20	19
1	L	59/62 (95%)	56 (95%)	3 (5%)	21	21
2	M	11/15 (73%)	9 (82%)	2 (18%)	2	1
2	N	5/15 (33%)	5 (100%)	0	100	100
2	O	10/15 (67%)	10 (100%)	0	100	100
2	P	8/15 (53%)	7 (88%)	1 (12%)	4	2
2	Q	13/15 (87%)	13 (100%)	0	100	100
2	R	7/15 (47%)	6 (86%)	1 (14%)	3	1
2	S	13/15 (87%)	10 (77%)	3 (23%)	1	0
2	T	5/15 (33%)	5 (100%)	0	100	100
2	U	12/15 (80%)	10 (83%)	2 (17%)	2	1
2	V	7/15 (47%)	7 (100%)	0	100	100
2	W	12/15 (80%)	10 (83%)	2 (17%)	2	1
2	X	7/15 (47%)	7 (100%)	0	100	100
All	All	801/924 (87%)	756 (94%)	45 (6%)	19	18

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1318	ARG
1	A	1356	LYS
1	A	1379	SER
1	B	1318	ARG
1	B	1356	LYS
1	B	1369	ARG
1	B	1379	SER
1	C	1317	PHE
1	C	1356	LYS
1	C	1379	SER
1	D	1356	LYS
1	D	1379	SER
1	E	1356	LYS
1	E	1379	SER
1	F	1314	SER
1	F	1356	LYS
1	F	1379	SER
1	G	1316	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	1356	LYS
1	G	1379	SER
1	H	1356	LYS
1	H	1369	ARG
1	H	1379	SER
1	I	1356	LYS
1	I	1379	SER
1	J	1314	SER
1	J	1356	LYS
1	J	1379	SER
1	K	1316	GLU
1	K	1356	LYS
1	K	1379	SER
1	L	1314	SER
1	L	1356	LYS
1	L	1379	SER
2	M	153	ARG
2	M	160	LYS
2	P	152	ARG
2	R	153	ARG
2	S	154	LYS
2	S	158	ILE
2	S	160	LYS
2	U	153	ARG
2	U	162	LYS
2	W	154	LYS
2	W	160	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	1334	ASN
1	F	1375	HIS
1	I	1345	GLN
1	K	1345	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	F	1401	-	4,4,4	1.04	0	6,6,6	0.50	0
3	PO4	A	1401	-	4,4,4	1.07	0	6,6,6	0.50	0
3	PO4	J	1401	-	4,4,4	1.00	0	6,6,6	0.56	0
3	PO4	E	1401	-	4,4,4	0.94	0	6,6,6	0.45	0
3	PO4	B	1401	-	4,4,4	0.99	0	6,6,6	0.37	0
3	PO4	C	1401	-	4,4,4	0.90	0	6,6,6	0.52	0
3	PO4	K	1401	-	4,4,4	0.90	0	6,6,6	0.46	0
3	PO4	L	1401	-	4,4,4	0.99	0	6,6,6	0.51	0
3	PO4	G	1401	-	4,4,4	0.90	0	6,6,6	0.42	0
3	PO4	H	1401	-	4,4,4	0.96	0	6,6,6	0.76	0
3	PO4	I	1401	-	4,4,4	0.95	0	6,6,6	0.50	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	1401	PO4	1	0
3	A	1401	PO4	1	0
3	B	1401	PO4	1	0
3	H	1401	PO4	1	0
3	I	1401	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	65/73 (89%)	1.36	13 (20%) 3 3	30, 44, 63, 68	1 (1%)
1	B	66/73 (90%)	0.84	6 (9%) 15 15	26, 36, 53, 61	0
1	C	65/73 (89%)	0.68	3 (4%) 37 39	25, 35, 46, 50	0
1	D	70/73 (95%)	0.84	5 (7%) 22 23	26, 34, 43, 46	0
1	E	63/73 (86%)	1.20	12 (19%) 3 3	32, 44, 60, 64	0
1	F	67/73 (91%)	1.66	20 (29%) 1 1	37, 49, 60, 72	0
1	G	67/73 (91%)	1.53	18 (26%) 1 1	27, 47, 64, 70	0
1	H	70/73 (95%)	0.98	4 (5%) 29 31	30, 40, 51, 58	0
1	I	66/73 (90%)	0.77	2 (3%) 52 55	24, 34, 43, 48	0
1	J	68/73 (93%)	0.89	7 (10%) 12 12	26, 36, 44, 52	0
1	K	66/73 (90%)	0.91	8 (12%) 8 9	26, 38, 57, 61	0
1	L	68/73 (93%)	1.28	12 (17%) 4 4	32, 40, 56, 67	0
2	M	11/17 (64%)	0.86	0 100 100	36, 39, 41, 42	0
2	N	5/17 (29%)	1.24	1 (20%) 3 3	42, 43, 44, 45	0
2	O	10/17 (58%)	0.63	0 100 100	37, 38, 40, 41	0
2	P	8/17 (47%)	1.09	0 100 100	37, 39, 48, 50	0
2	Q	13/17 (76%)	1.08	2 (15%) 5 5	37, 43, 48, 48	0
2	R	7/17 (41%)	1.25	2 (28%) 1 1	44, 47, 50, 54	0
2	S	13/17 (76%)	0.86	0 100 100	40, 42, 45, 46	0
2	T	5/17 (29%)	1.56	1 (20%) 3 3	46, 47, 52, 54	0
2	U	12/17 (70%)	1.13	1 (8%) 17 18	39, 45, 52, 63	0
2	V	7/17 (41%)	0.78	1 (14%) 6 6	30, 31, 37, 40	0
2	W	12/17 (70%)	0.73	0 100 100	32, 40, 43, 48	0
2	X	7/17 (41%)	0.93	2 (28%) 1 1	37, 46, 47, 51	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	911/1080 (84%)	1.06	120 (13%) 7 7	24, 40, 58, 72	1 (0%)

All (120) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	1358	ALA	5.3
1	G	1335	PRO	4.9
1	A	1353	PHE	4.7
1	G	1317	PHE	4.2
1	L	1317	PHE	4.1
1	L	1377	MET	4.0
1	A	1319	TYR	3.9
1	G	1315	PRO	3.9
1	F	1314	SER	3.8
1	F	1317	PHE	3.8
1	G	1359	ASP	3.6
1	E	1353	PHE	3.5
1	E	1355	ASP	3.5
1	B	1379	SER	3.5
1	G	1339	ASP	3.5
1	K	1319	TYR	3.4
1	L	1358	ALA	3.4
1	E	1356	LYS	3.4
1	F	1377	MET	3.3
1	A	1320	PHE	3.3
1	I	1319	TYR	3.2
1	G	1353	PHE	3.2
1	A	1354	GLY	3.2
1	G	1337	GLY	3.2
1	J	1339	ASP	3.1
1	F	1330	THR	3.1
1	F	1339	ASP	3.1
1	A	1358	ALA	3.1
1	G	1362	TYR	3.1
2	U	152	ARG	3.1
1	G	1358	ALA	3.0
1	K	1358	ALA	3.0
1	J	1381	VAL	3.0
1	F	1319	TYR	3.0
1	D	1329	SER	3.0
1	E	1339	ASP	3.0
1	A	1352	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	1329	SER	2.9
1	E	1338	CYS	2.9
1	G	1356	LYS	2.8
1	A	1335	PRO	2.8
1	E	1342	LEU	2.7
1	J	1319	TYR	2.7
1	H	1381	VAL	2.7
1	A	1351	LYS	2.7
1	F	1369	ARG	2.7
1	F	1323	MET	2.6
1	B	1358	ALA	2.6
1	D	1358	ALA	2.6
1	F	1362	TYR	2.6
1	H	1337	GLY	2.6
1	A	1369	ARG	2.6
1	F	1335	PRO	2.6
1	F	1342	LEU	2.6
1	J	1317	PHE	2.5
1	A	1355	ASP	2.5
1	F	1363	TRP	2.5
1	J	1323	MET	2.5
1	K	1353	PHE	2.5
1	C	1381	VAL	2.5
1	G	1352	VAL	2.5
1	E	1359	ASP	2.5
1	B	1353	PHE	2.5
1	F	1320	PHE	2.4
1	K	1354	GLY	2.4
2	Q	159	PRO	2.4
2	R	159	PRO	2.4
2	T	152	ARG	2.4
1	L	1354	GLY	2.4
1	F	1336	ASP	2.4
1	J	1338	CYS	2.4
1	G	1350	ILE	2.3
1	L	1381	VAL	2.3
1	G	1349	THR	2.3
1	C	1368	GLY	2.3
1	F	1324	PHE	2.3
1	L	1314	SER	2.3
1	L	1378	VAL	2.3
1	E	1319	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	1370	ARG	2.3
1	E	1351	LYS	2.3
1	F	1321	VAL	2.3
1	B	1362	TYR	2.3
1	G	1372	TYR	2.3
1	L	1320	PHE	2.2
1	A	1349	THR	2.2
1	G	1381	VAL	2.2
1	A	1333	PRO	2.2
2	V	158	ILE	2.2
2	X	158	ILE	2.2
1	F	1357	ASP	2.2
1	E	1358	ALA	2.2
1	K	1356	LYS	2.2
1	B	1381	VAL	2.2
1	K	1360	GLY	2.2
1	G	1361	PHE	2.1
2	X	155	LEU	2.1
1	B	1319	TYR	2.1
1	D	1325	ASP	2.1
1	F	1354	GLY	2.1
1	G	1368	GLY	2.1
1	G	1371	GLY	2.1
1	D	1377	MET	2.1
1	C	1353	PHE	2.1
1	L	1319	TYR	2.1
2	Q	158	ILE	2.1
2	R	158	ILE	2.1
1	H	1324	PHE	2.1
1	I	1317	PHE	2.1
1	D	1323	MET	2.0
1	H	1346	GLU	2.0
1	J	1314	SER	2.1
1	K	1316	GLU	2.0
1	A	1318	ARG	2.0
1	L	1369	ARG	2.0
1	K	1372	TYR	2.0
1	L	1342	LEU	2.0
2	N	155	LEU	2.0
1	L	1339	ASP	2.0
1	E	1354	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PO4	E	1401	5/5	0.85	0.15	46,47,49,50	0
3	PO4	J	1401	5/5	0.90	0.12	43,44,45,45	0
3	PO4	I	1401	5/5	0.93	0.10	34,34,35,36	0
3	PO4	A	1401	5/5	0.93	0.15	40,40,42,42	0
3	PO4	C	1401	5/5	0.94	0.13	36,37,38,39	0
3	PO4	K	1401	5/5	0.94	0.09	39,40,42,42	0
3	PO4	G	1401	5/5	0.95	0.09	39,41,41,43	0
3	PO4	F	1401	5/5	0.95	0.07	35,36,36,38	0
3	PO4	H	1401	5/5	0.97	0.09	31,32,33,33	0
3	PO4	B	1401	5/5	0.97	0.05	36,36,37,38	0
3	PO4	L	1401	5/5	0.97	0.07	42,44,45,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.