



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:36 AM UTC

PDB ID : 5Z8X / pdb_00005z8x
Title : Crystal structure of human LRRTM2
Authors : Yamagata, A.; Fukai, S.
Deposited on : 2018-02-01
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2361 (3.20-3.12)
Clashscore	190562	2486 (3.20-3.12)
Ramachandran outliers	187476	2405 (3.20-3.12)
Sidechain outliers	187428	2404 (3.20-3.12)
RSRZ outliers	180081	2361 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	346	75% 19% • 5%
1	B	346	% 77% 17% • 5%
1	C	346	76% 17% • 5%
1	D	346	% 79% 15% • 5%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Leucine-rich repeat transmembrane neuronal protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	328	Total	C	N	O	S	0	0	0
			2661	1701	467	480	13			
1	B	328	Total	C	N	O	S	0	0	0
			2661	1701	467	480	13			
1	C	328	Total	C	N	O	S	0	0	0
			2661	1701	467	480	13			
1	D	328	Total	C	N	O	S	0	0	0
			2661	1701	467	480	13			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	59	LEU	THR	engineered mutation	UNP O43300
A	374	HIS	-	expression tag	UNP O43300
A	375	HIS	-	expression tag	UNP O43300
A	376	HIS	-	expression tag	UNP O43300
A	377	HIS	-	expression tag	UNP O43300
A	378	HIS	-	expression tag	UNP O43300
A	379	HIS	-	expression tag	UNP O43300
B	59	LEU	THR	engineered mutation	UNP O43300
B	374	HIS	-	expression tag	UNP O43300
B	375	HIS	-	expression tag	UNP O43300
B	376	HIS	-	expression tag	UNP O43300
B	377	HIS	-	expression tag	UNP O43300
B	378	HIS	-	expression tag	UNP O43300
B	379	HIS	-	expression tag	UNP O43300
C	59	LEU	THR	engineered mutation	UNP O43300
C	374	HIS	-	expression tag	UNP O43300
C	375	HIS	-	expression tag	UNP O43300
C	376	HIS	-	expression tag	UNP O43300
C	377	HIS	-	expression tag	UNP O43300
C	378	HIS	-	expression tag	UNP O43300
C	379	HIS	-	expression tag	UNP O43300

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	59	LEU	THR	engineered mutation	UNP O43300
D	374	HIS	-	expression tag	UNP O43300
D	375	HIS	-	expression tag	UNP O43300
D	376	HIS	-	expression tag	UNP O43300
D	377	HIS	-	expression tag	UNP O43300
D	378	HIS	-	expression tag	UNP O43300
D	379	HIS	-	expression tag	UNP O43300

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Leucine-rich repeat transmembrane neuronal protein 2

Chain A: 




- Molecule 1: Leucine-rich repeat transmembrane neuronal protein 2

Chain B: 




- Molecule 1: Leucine-rich repeat transmembrane neuronal protein 2

Chain C: 



W361
ASN
LEU
SER
THR
THR
VAL
THR
VAL
MET
ALA
THR
THR
HIS
HIS
HIS
HIS
HIS
HIS

● Molecule 1: Leucine-rich repeat transmembrane neuronal protein 2



C34	P35	C47	L59	L68	E77	R78	D79	O80	F81	A82	S83	L92	K101	Q106	K110	L111	K112	L116	N119	P125	N126	T127	T128	Q131	L132	I133	N134	L135	L140	N143	H149	P150	E151	Y154	R157	T161	I172	P173	V174
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

C180	R181	S182	L183	E184	F185	G200	L207	E213	H214	N215	Q216	Q237	W238	N239	K240	I241	E249	G253	N263	L270	N278	D285	D293	I296	T304	R332	W361	ASN	LEU	SER	THR	THR	VAL	MET	ALA	THR	THR	HIS	HIS	HIS	HIS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

HIS

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	90.69Å 240.96Å 259.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.43 – 3.15 49.43 – 3.15	Depositor EDS
% Data completeness (in resolution range)	96.3 (49.43-3.15) 96.3 (49.43-3.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 3.12Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.203 , 0.231 (Not available) , 0.215	Depositor DCC
R_{free} test set	2413 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	50.9	Xtriage
Anisotropy	0.285	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 5.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	10756	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/2723	0.89	5/3688 (0.1%)
1	B	0.72	0/2723	0.89	3/3688 (0.1%)
1	C	0.65	0/2723	0.87	3/3688 (0.1%)
1	D	0.61	0/2723	0.88	5/3688 (0.1%)
All	All	0.69	0/10892	0.88	16/14752 (0.1%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	34	CYS	CA-C-N	8.19	128.82	120.38
1	A	34	CYS	C-N-CA	8.19	128.82	120.38
1	B	276	MET	CA-C-N	5.95	125.50	119.19
1	B	276	MET	C-N-CA	5.95	125.50	119.19
1	D	172	ILE	CA-C-N	5.95	125.97	119.90
1	D	172	ILE	C-N-CA	5.95	125.97	119.90
1	A	43	LEU	N-CA-C	-5.77	105.90	113.17
1	D	304	THR	N-CA-C	-5.55	106.86	113.97
1	B	200	GLY	N-CA-C	5.47	126.16	113.18
1	A	200	GLY	N-CA-C	5.19	125.47	113.18
1	C	35	PRO	O-C-N	5.12	123.67	121.31
1	A	198	ARG	N-CA-C	5.10	116.65	111.14
1	C	35	PRO	CA-C-N	5.04	124.94	119.85
1	C	35	PRO	C-N-CA	5.04	124.94	119.85
1	D	35	PRO	CA-C-N	5.04	124.94	119.85
1	D	35	PRO	C-N-CA	5.04	124.94	119.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2661	0	2647	42	0
1	B	2661	0	2647	37	0
1	C	2661	0	2647	42	1
1	D	2661	0	2647	34	1
2	A	28	0	26	0	0
2	B	28	0	26	0	0
2	C	28	0	26	0	0
2	D	28	0	26	0	0
All	All	10756	0	10692	152	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:332:ARG:NH2	1:C:334:GLU:OE2	2.15	0.78
1:B:79:ASP:OD1	1:B:106:GLN:NE2	2.23	0.72
1:D:239:ASN:HB2	1:D:263:ASN:HD21	1.56	0.70
1:B:184:GLU:HA	1:B:207:LEU:HA	1.73	0.70
1:B:119:ASN:HB2	1:B:143:ASN:HD21	1.57	0.69
1:A:126:ASN:OD1	1:A:126:ASN:N	2.27	0.67
1:B:125:PRO:HG2	1:B:128:THR:HB	1.76	0.67
1:C:184:GLU:HA	1:C:207:LEU:HA	1.76	0.66
1:D:184:GLU:HA	1:D:207:LEU:HA	1.77	0.66
1:A:79:ASP:HB3	1:A:82:ALA:HB2	1.78	0.66
1:A:77:GLU:N	1:A:80:GLN:OE1	2.22	0.65
1:A:184:GLU:HA	1:A:207:LEU:HA	1.80	0.64
1:B:157:ARG:O	1:B:182:SER:OG	2.14	0.64
1:A:332:ARG:HH21	1:A:334:GLU:HG2	1.63	0.63
1:B:332:ARG:HH21	1:B:334:GLU:HG2	1.63	0.63
1:D:157:ARG:O	1:D:182:SER:OG	2.13	0.63
1:D:126:ASN:HB3	1:D:149:HIS:CD2	2.33	0.63
1:B:79:ASP:CG	1:B:106:GLN:HE21	2.07	0.62
1:C:57:ASN:OD1	1:C:57:ASN:N	2.32	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:CYS:HB2	1:A:68:LEU:HD23	1.81	0.61
1:A:119:ASN:HB2	1:A:143:ASN:HD21	1.65	0.61
1:D:112:LYS:HA	1:D:135:LEU:HA	1.83	0.61
1:B:157:ARG:HG3	1:B:158:LYS:HG3	1.83	0.61
1:B:77:GLU:N	1:B:80:GLN:OE1	2.28	0.60
1:A:157:ARG:O	1:A:182:SER:OG	2.19	0.60
1:C:47:CYS:HB2	1:C:68:LEU:HD23	1.83	0.60
1:B:71:ASN:HB2	1:B:95:ASN:HD21	1.65	0.60
1:B:151:GLU:HG2	1:B:154:TYR:CE2	2.37	0.59
1:B:143:ASN:HB2	1:B:167:ASN:HD21	1.69	0.58
1:D:174:VAL:O	1:D:200:GLY:HA2	2.03	0.57
1:C:167:ASN:HB2	1:C:191:ASN:HD21	1.69	0.57
1:B:167:ASN:HB2	1:B:191:ASN:HD21	1.70	0.57
1:C:126:ASN:N	1:C:126:ASN:OD1	2.38	0.57
1:B:126:ASN:OD1	1:B:126:ASN:N	2.36	0.57
1:C:45:PHE:CD2	1:C:59:LEU:HD22	2.40	0.56
1:C:119:ASN:HB2	1:C:143:ASN:HD21	1.71	0.56
1:A:112:LYS:HA	1:A:135:LEU:HA	1.87	0.55
1:D:161:THR:HG22	1:D:185:PHE:HB3	1.87	0.55
1:A:213:GLU:HB2	1:A:237:GLN:HG2	1.89	0.55
1:C:97:ILE:HB	1:C:119:ASN:HD22	1.72	0.55
1:A:79:ASP:OD1	1:A:79:ASP:N	2.40	0.55
1:D:79:ASP:N	1:D:79:ASP:OD1	2.41	0.54
1:D:79:ASP:HB3	1:D:82:ALA:HB2	1.91	0.53
1:D:241:ILE:H	1:D:263:ASN:HD22	1.56	0.53
1:C:223:ALA:O	1:C:226:LEU:HB2	2.07	0.53
1:A:167:ASN:HB2	1:A:191:ASN:HD21	1.74	0.53
1:A:240:LYS:HD2	1:B:198:ARG:CZ	2.39	0.53
1:C:298:ASN:OD1	1:C:301:ARG:NH2	2.43	0.52
1:C:35:PRO:HB3	1:C:58:ALA:HB3	1.91	0.52
1:A:319:ILE:HD11	1:A:350:ILE:HD13	1.92	0.52
1:D:157:ARG:HH12	1:D:181:ARG:HG3	1.74	0.51
1:D:119:ASN:HB2	1:D:143:ASN:HD21	1.75	0.51
1:D:77:GLU:N	1:D:80:GLN:OE1	2.26	0.51
1:B:126:ASN:HB3	1:B:149:HIS:CD2	2.46	0.50
1:A:169:LEU:H	1:A:191:ASN:HD22	1.59	0.50
1:A:285:ASP:OD2	1:A:309:SER:OG	2.30	0.50
1:D:213:GLU:HB2	1:D:237:GLN:HG2	1.93	0.50
1:A:332:ARG:HD2	1:C:358:GLN:NE2	2.26	0.50
1:B:213:GLU:HB2	1:B:237:GLN:HG2	1.93	0.49
1:D:47:CYS:HB2	1:D:68:LEU:HD23	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:207:LEU:HD23	1:C:228:LEU:HD22	1.94	0.49
1:C:79:ASP:CG	1:C:106:GLN:HE21	2.19	0.49
1:A:71:ASN:HB2	1:A:95:ASN:HD21	1.78	0.48
1:D:180:CYS:HB3	1:D:183:LEU:HB2	1.95	0.48
1:B:161:THR:HG22	1:B:185:PHE:HB3	1.95	0.48
1:A:349:ASP:HB2	1:A:352:ASP:HB2	1.95	0.48
1:B:55:VAL:HG23	1:B:80:GLN:HE21	1.79	0.48
1:A:125:PRO:HG2	1:A:128:THR:HB	1.96	0.48
1:C:140:LEU:HB2	1:C:164:LEU:HD23	1.95	0.48
1:B:169:LEU:H	1:B:191:ASN:HD22	1.61	0.48
1:B:204:LEU:HD13	1:B:207:LEU:HD22	1.95	0.48
1:D:253:GLY:O	1:D:278:ASN:ND2	2.33	0.48
1:D:79:ASP:CG	1:D:106:GLN:HE21	2.22	0.47
1:A:137:ASN:OD1	1:A:161:THR:OG1	2.28	0.47
1:D:126:ASN:OD1	1:D:126:ASN:N	2.47	0.47
1:A:39:ARG:O	1:A:39:ARG:HG3	2.15	0.47
1:A:143:ASN:HB2	1:A:167:ASN:HD21	1.78	0.47
1:B:345:THR:HG22	1:B:357:PHE:CE1	2.49	0.47
1:C:71:ASN:HB2	1:C:95:ASN:HD21	1.78	0.47
1:A:219:LYS:HG3	1:A:243:ASN:HB2	1.97	0.47
1:C:79:ASP:N	1:C:79:ASP:OD1	2.48	0.46
1:C:145:LEU:H	1:C:167:ASN:ND2	2.12	0.46
1:A:133:ILE:HD11	1:A:157:ARG:NH2	2.30	0.46
1:C:213:GLU:HB2	1:C:237:GLN:HG2	1.97	0.46
1:B:233:THR:HG23	1:B:257:LYS:HB3	1.98	0.46
1:A:181:ARG:HG3	1:A:181:ARG:HH11	1.80	0.46
1:C:43:LEU:HD23	1:C:43:LEU:HA	1.80	0.46
1:D:126:ASN:HB3	1:D:149:HIS:CG	2.51	0.46
1:D:92:LEU:HB2	1:D:116:LEU:HD23	1.96	0.46
1:A:297:LEU:HB3	1:A:325:TRP:CD1	2.51	0.46
1:C:141:SER:HA	1:C:165:ARG:O	2.15	0.46
1:D:151:GLU:HG2	1:D:154:TYR:CZ	2.51	0.46
1:B:187:ASP:HA	1:B:211:HIS:HB2	1.98	0.46
1:A:308:LEU:HB2	1:A:337:ILE:HD13	1.99	0.45
1:A:262:GLY:HA2	1:A:286:ASN:HB3	1.98	0.45
1:D:270:LEU:HA	1:D:296:ILE:HD11	1.97	0.45
1:C:120:LYS:HE2	1:C:144:GLN:HE22	1.81	0.45
1:C:319:ILE:HD11	1:C:350:ILE:HD13	1.99	0.45
1:C:145:LEU:H	1:C:167:ASN:HD22	1.64	0.45
1:D:125:PRO:HG2	1:D:128:THR:HB	1.98	0.45
1:B:344:HIS:N	1:B:346:GLN:OE1	2.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:ASP:OD2	1:A:106:GLN:NE2	2.48	0.45
1:B:47:CYS:HB2	1:B:68:LEU:HD23	1.98	0.45
1:B:207:LEU:HD23	1:B:228:LEU:HD22	1.98	0.45
1:A:172:ILE:HD11	1:A:177:PHE:CE2	2.52	0.44
1:B:215:ASN:HB3	1:B:216:GLN:H	1.66	0.44
1:D:110:LYS:HA	1:D:134:ASN:HD22	1.83	0.44
1:C:50:GLN:HB2	1:C:52:PHE:CD2	2.53	0.44
1:D:77:GLU:HA	1:D:101:LYS:HG3	1.99	0.44
1:D:249:GLU:O	1:D:249:GLU:HG3	2.17	0.44
1:B:332:ARG:NH2	1:B:334:GLU:HG2	2.32	0.44
1:D:285:ASP:OD1	1:D:285:ASP:N	2.51	0.44
1:C:78:ARG:HG2	1:C:102:GLU:O	2.18	0.43
1:A:55:VAL:HA	1:A:56:PRO:HD3	1.78	0.43
1:B:139:ASP:OD1	1:B:141:SER:OG	2.33	0.43
1:A:332:ARG:NH2	1:A:334:GLU:OE2	2.51	0.43
1:C:187:ASP:HA	1:C:211:HIS:HB2	2.00	0.43
1:C:61:LYS:HD2	1:C:83:SER:HB2	2.01	0.43
1:C:337:ILE:O	1:C:350:ILE:HG13	2.19	0.43
1:C:196:LEU:HD23	1:C:196:LEU:HA	1.90	0.43
1:C:338:LEU:HD23	1:C:347:GLY:HA2	2.01	0.43
1:A:187:ASP:HA	1:A:211:HIS:HB2	2.01	0.42
1:C:52:PHE:HB2	1:C:71:ASN:ND2	2.33	0.42
1:D:215:ASN:HB3	1:D:216:GLN:H	1.61	0.42
1:A:79:ASP:CG	1:A:106:GLN:HE21	2.27	0.42
1:B:216:GLN:HB3	1:B:240:LYS:NZ	2.34	0.42
1:D:79:ASP:OD2	1:D:106:GLN:NE2	2.48	0.42
1:A:126:ASN:HB3	1:A:149:HIS:CG	2.54	0.42
1:C:126:ASN:HB3	1:C:149:HIS:CD2	2.54	0.42
1:C:68:LEU:HB2	1:C:92:LEU:HD23	2.01	0.42
1:C:275:THR:O	1:C:277:PRO:HD3	2.20	0.42
1:D:116:LEU:HB2	1:D:140:LEU:HD23	2.02	0.42
1:D:241:ILE:H	1:D:263:ASN:ND2	2.16	0.42
1:A:180:CYS:HB3	1:A:183:LEU:HB2	2.01	0.42
1:B:126:ASN:HB3	1:B:149:HIS:CG	2.55	0.42
1:C:189:SER:HB2	1:C:213:GLU:HG2	2.02	0.42
1:C:204:LEU:HD23	1:C:204:LEU:HA	1.83	0.42
1:D:131:GLN:O	1:D:133:ILE:N	2.53	0.42
1:A:151:GLU:HG2	1:A:154:TYR:CE2	2.55	0.41
1:A:238:TRP:CZ3	1:A:262:GLY:HA3	2.55	0.41
1:C:143:ASN:O	1:C:167:ASN:ND2	2.53	0.41
1:B:35:PRO:HA	1:B:36:PRO:HD3	1.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:GLN:OE1	1:C:332:ARG:HD2	2.21	0.41
1:C:285:ASP:OD2	1:C:309:SER:OG	2.35	0.41
1:A:73:ILE:H	1:A:95:ASN:ND2	2.17	0.41
1:B:145:LEU:H	1:B:167:ASN:HD22	1.68	0.41
1:B:189:SER:HB2	1:B:213:GLU:HG2	2.03	0.41
1:A:172:ILE:HA	1:A:173:PRO:HD3	1.87	0.40
1:D:172:ILE:HA	1:D:173:PRO:HD3	1.86	0.40
1:B:197:ALA:HB3	1:B:200:GLY:HA3	2.03	0.40
1:C:295:LYS:HE2	1:C:295:LYS:HB2	1.98	0.40
1:B:285:ASP:O	1:B:287:ASN:ND2	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:192:ARG:NH1	1:D:249:GLU:OE2[4_565]	2.10	0.10

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/346 (94%)	306 (94%)	20 (6%)	0	100	100
1	B	326/346 (94%)	309 (95%)	17 (5%)	0	100	100
1	C	326/346 (94%)	306 (94%)	20 (6%)	0	100	100
1	D	326/346 (94%)	308 (94%)	18 (6%)	0	100	100
All	All	1304/1384 (94%)	1229 (94%)	75 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/318 (95%)	296 (98%)	5 (2%)	53	70
1	B	301/318 (95%)	295 (98%)	6 (2%)	48	68
1	C	301/318 (95%)	295 (98%)	6 (2%)	48	68
1	D	301/318 (95%)	297 (99%)	4 (1%)	61	73
All	All	1204/1272 (95%)	1183 (98%)	21 (2%)	53	70

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	79	ASP
1	A	126	ASN
1	A	158	LYS
1	A	293	ASP
1	A	358	GLN
1	B	126	ASN
1	B	172	ILE
1	B	174	VAL
1	B	181	ARG
1	B	293	ASP
1	B	358	GLN
1	C	57	ASN
1	C	79	ASP
1	C	118	SER
1	C	126	ASN
1	C	198	ARG
1	C	293	ASP
1	D	79	ASP
1	D	285	ASP
1	D	293	ASP
1	D	332	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	GLN
1	A	95	ASN
1	A	143	ASN
1	A	144	GLN
1	A	163	HIS
1	A	167	ASN
1	A	191	ASN
1	A	216	GLN
1	A	224	HIS
1	A	330	GLN
1	B	86	GLN
1	B	95	ASN
1	B	143	ASN
1	B	163	HIS
1	B	167	ASN
1	B	191	ASN
1	B	216	GLN
1	B	224	HIS
1	B	290	ASN
1	B	330	GLN
1	B	335	HIS
1	B	358	GLN
1	C	86	GLN
1	C	95	ASN
1	C	143	ASN
1	C	144	GLN
1	C	167	ASN
1	C	191	ASN
1	C	216	GLN
1	C	330	GLN
1	C	335	HIS
1	D	86	GLN
1	D	95	ASN
1	D	131	GLN
1	D	134	ASN
1	D	143	ASN
1	D	216	GLN
1	D	263	ASN
1	D	330	GLN
1	D	344	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	D	1001	1	14,14,15	0.42	0	17,19,21	0.72	1 (5%)
2	NAG	B	1000	1	14,14,15	0.48	0	17,19,21	0.74	1 (5%)
2	NAG	B	1001	1	14,14,15	0.24	0	17,19,21	0.76	1 (5%)
2	NAG	C	1000	1	14,14,15	0.28	0	17,19,21	0.40	0
2	NAG	C	1001	1	14,14,15	0.19	0	17,19,21	0.45	0
2	NAG	D	1000	1	14,14,15	0.48	0	17,19,21	0.47	0
2	NAG	A	1001	1	14,14,15	0.41	0	17,19,21	0.52	0
2	NAG	A	1000	1	14,14,15	0.64	1 (7%)	17,19,21	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1001	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1000	1	-	2/6/23/26	0/1/1/1
2	NAG	B	1001	1	-	3/6/23/26	0/1/1/1
2	NAG	C	1000	1	-	2/6/23/26	0/1/1/1
2	NAG	C	1001	1	-	2/6/23/26	0/1/1/1
2	NAG	D	1000	1	-	2/6/23/26	0/1/1/1
2	NAG	A	1001	1	-	2/6/23/26	0/1/1/1
2	NAG	A	1000	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1000	NAG	O5-C1	-2.07	1.40	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1001	NAG	C1-O5-C5	2.06	114.95	112.19
2	B	1000	NAG	C1-O5-C5	2.03	114.91	112.19
2	B	1001	NAG	C1-O5-C5	2.03	114.90	112.19

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1000	NAG	O5-C5-C6-O6
2	B	1000	NAG	O5-C5-C6-O6
2	C	1001	NAG	O5-C5-C6-O6
2	D	1000	NAG	O5-C5-C6-O6
2	A	1001	NAG	O5-C5-C6-O6
2	C	1000	NAG	O5-C5-C6-O6
2	C	1001	NAG	C4-C5-C6-O6
2	A	1001	NAG	C4-C5-C6-O6
2	C	1000	NAG	C4-C5-C6-O6
2	A	1000	NAG	C4-C5-C6-O6
2	B	1001	NAG	C4-C5-C6-O6
2	B	1000	NAG	C4-C5-C6-O6
2	D	1000	NAG	C4-C5-C6-O6
2	B	1001	NAG	O5-C5-C6-O6
2	D	1001	NAG	C4-C5-C6-O6
2	D	1001	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	1001	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/346 (94%)	-0.34	1 (0%) 90 81	31, 39, 70, 107	0
1	B	328/346 (94%)	-0.31	2 (0%) 85 72	31, 38, 81, 120	0
1	C	328/346 (94%)	-0.24	1 (0%) 90 81	37, 51, 72, 104	0
1	D	328/346 (94%)	-0.16	2 (0%) 85 72	35, 50, 81, 105	0
All	All	1312/1384 (94%)	-0.26	6 (0%) 87 75	31, 45, 78, 120	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	181	ARG	3.4
1	B	59	LEU	3.0
1	D	59	LEU	2.5
1	A	59	LEU	2.4
1	B	200	GLY	2.1
1	D	83	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	1000	14/15	0.65	0.15	60,95,114,117	0
2	NAG	D	1001	14/15	0.70	0.16	74,90,103,108	0
2	NAG	A	1001	14/15	0.71	0.15	61,87,105,107	0
2	NAG	C	1000	14/15	0.74	0.17	55,86,113,113	0
2	NAG	B	1001	14/15	0.76	0.13	56,75,84,85	0
2	NAG	C	1001	14/15	0.81	0.13	76,81,100,111	0
2	NAG	B	1000	14/15	0.81	0.14	33,43,61,63	0
2	NAG	D	1000	14/15	0.82	0.12	45,67,82,86	0

6.5 Other polymers ⓘ

There are no such residues in this entry.