



wwPDB EM Validation Summary Report ⓘ

Mar 10, 2026 – 03:41 AM UTC

PDB ID : 7Z87 / pdb_00007z87
EMDB ID : EMD-14545
Title : DNA-PK in the active state
Authors : Liang, S.; Blundell, T.L.
Deposited on : 2022-03-16
Resolution : 2.91 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12972 (2.41 - 3.41)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	4128	8% 60% 29% 11%
2	B	609	6% 49% 31% 20%
3	C	732	32% 49% 41% 10%
4	D	26	42% 58%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	26	 54% 46%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 39708 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-dependent protein kinase catalytic subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	3689	Total	C	N	O	S	1	0
			29194	18729	4950	5323	192		

- Molecule 2 is a protein called X-ray repair cross-complementing protein 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	490	Total	C	N	O	S	2	0
			3953	2533	669	733	18		

- Molecule 3 is a protein called X-ray repair cross-complementing protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	661	Total	C	N	O	S	0	0
			5267	3370	879	993	25		


- Molecule 4 is a DNA chain called DNA (26-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	26	Total	C	N	O	P	0	0
			526	250	92	158	26		

- Molecule 5 is a DNA chain called DNA (26-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	26	Total	C	N	O	P	0	0
			540	254	106	154	26		

- Molecule 6 is ({S})-[2-chloranyl-4-fluoranyl-5-(7-morpholin-4-ylquinazolin-4-yl)phenyl]-(6-methoxypyridazin-3-yl)methanol (CCD ID: 1IX) (formula: C₂₄H₂₁ClFN₅O₃) (labeled as "Ligand of Interest" by depositor).




- | Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|--------------------|---------|
| 7 | A | 154 | Total O
154 154 | 0 |
| 7 | B | 25 | Total O
25 25 | 0 |
| 7 | C | 9 | Total O
9 9 | 0 |
| 7 | D | 4 | Total O
4 4 | 0 |
| 7 | E | 2 | Total O
2 2 | 0 |

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA-dependent protein kinase catalytic subunit





Tyr	Leu	Ala	Asp	S2034	G1964	R1883	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035	Tyr	Ser	G2050	K1971	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Leu	Ala	Asp	S2034	G2050	F1965	L1884	K1807	R1711	Q1611	Q1499	T1375	HIS	I1221	R1151	F1036	Ser	Ser	K2050	A1991	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Ala	Asp	S2034	G2050	K1971	F1966	L1884	K1807	R1721	Q1612	C1499	T1375	ASP	N1222	R1152	P1046	Leu	Leu	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Asp	S2034	G2050	K1971	K1970	F1967	L1884	K1807	R1722	K1612	C1499	T1375	ASP	N1222	R1152	P1046	Leu	Leu	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Pro	Pro	Pro	G2050	K1971	L1976	L1824	L1824	F1729	E1640	A1541	M1402	THR	GLY	C1164	L1066	Pro	Pro	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	L1977	L1825	L1825	P1730	K1642	GLY	Y1411	ALA	ALA	L1166	L1067	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Pro	Pro	Pro	G2050	K1971	L1984	L1828	L1828	P1731	A1644	SER	I1414	ASN	THR	L1241	P1070	Pro	Pro	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Ala	Ala	Ala	G2050	K1971	R1987	L1833	L1833	P1734	L1645	SER	I1414	ARG	THR	L1241	P1070	Pro	Pro	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Thr	Thr	Thr	G2050	K1971	Y1988	L1833	L1833	P1735	V1645	GLY	I1414	ARG	THR	L1241	P1070	Pro	Pro	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	F1990	L1834	L1834	P1736	S1657	SER	H1418	S1323	THR	L1242	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	P1991	L1835	L1835	P1737	S1658	GLY	H1419	E1328	THR	L1242	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1992	L1836	L1836	P1738	S1658	V1550	R1420	E1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1993	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302	L1220	K1150	E1035
Arg	Arg	Arg	G2050	K1971	V1994	L1837	L1837	K1744	H1552	I1551	E1421	R1329	THR	L1243	L1071	Arg	Arg	L2050	E1972	K1970	E1969	S1968	D1887	P1810	D1809	K1886	F1885	L1884	R1884	R1883	R1807	K1808	R1806	E1708	N1610	Q1498	V1373	A1302			







• Molecule 2: X-ray repair cross-complementing protein 6






• Molecule 3: X-ray repair cross-complementing protein 5





● Molecule 4: DNA (26-MER)



● Molecule 5: DNA (26-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	275300	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47.22	Depositor
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	2300	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.034	Depositor
Minimum map value	-2.002	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.037	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	456.4, 456.4, 456.4	wwPDB
Map dimensions	350, 350, 350	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.304, 1.304, 1.304	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1IX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/29781	0.51	12/40270 (0.0%)
2	B	0.31	0/4036	0.54	1/5438 (0.0%)
3	C	0.22	0/5368	0.46	1/7240 (0.0%)
4	D	0.37	0/587	0.45	0/902
5	E	0.33	0/607	0.38	0/936
All	All	0.28	0/40379	0.50	14/54786 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	169	THR	N-CA-C	-12.68	97.24	113.72
1	A	948	MET	CA-C-N	7.21	128.86	119.84
1	A	948	MET	C-N-CA	7.21	128.86	119.84
1	A	2137	ILE	N-CA-C	-6.50	107.53	113.71
1	A	165	LYS	N-CA-C	6.31	119.80	111.28

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1020	PRO	Peptide
1	A	1960	LYS	Peptide
1	A	2122	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	29194	0	29449	903	0
2	B	3953	0	4031	171	0
3	C	5267	0	5261	246	0
4	D	526	0	293	24	0
5	E	540	0	291	9	0
6	A	34	0	0	1	0
7	A	154	0	0	17	0
7	B	25	0	0	4	0
7	C	9	0	0	0	0
7	D	4	0	0	1	0
7	E	2	0	0	0	0
All	All	39708	0	39325	1293	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 1293 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:THR:HG23	4:D:12:DT:OP1	1.42	1.18
3:C:409:PHE:HB2	3:C:420:VAL:HG13	1.31	1.07
3:C:409:PHE:HB2	3:C:420:VAL:CG1	1.85	1.07
2:B:371:GLU:OE1	2:B:374:LEU:HD13	1.56	1.05
1:A:948:MET:HE2	1:A:948:MET:HA	1.41	1.03

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	2131/4128 (52%)	1915 (90%)	215 (10%)	1 (0%)	100	100
2	B	488/609 (80%)	423 (87%)	65 (13%)	0	100	100
3	C	653/732 (89%)	580 (89%)	71 (11%)	2 (0%)	36	64
All	All	3272/5469 (60%)	2918 (89%)	351 (11%)	3 (0%)	49	76

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	949	PRO
3	C	322	PRO
3	C	410	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	3211/3671 (88%)	3202 (100%)	9 (0%)	86	95
2	B	443/548 (81%)	440 (99%)	3 (1%)	76	91
3	C	583/649 (90%)	581 (100%)	2 (0%)	86	95
All	All	4237/4868 (87%)	4223 (100%)	14 (0%)	84	95

5 of 14 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2427	ARG
1	A	3577	GLN
3	C	411	HIS
2	B	371	GLU
3	C	302	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 47 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3339	ASN
2	B	110	ASN
1	A	3510	GLN
1	A	3951	GLN
2	B	163	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	1IX	A	4201	-	38,38,38	2.23	11 (28%)	53,54,54	2.18	18 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	1IX	A	4201	-	-	2/18/26/26	0/5/5/5

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	4201	1IX	C14-C16	6.09	1.56	1.49
6	A	4201	1IX	C12-C13	5.44	1.47	1.37
6	A	4201	1IX	C11-CL1	4.36	1.83	1.73
6	A	4201	1IX	C21-C20	-3.90	1.36	1.42
6	A	4201	1IX	C24-N26	3.19	1.47	1.38

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	4201	1IX	C10-C09-C06	-6.03	105.48	111.20
6	A	4201	1IX	C18-N19-C20	5.13	121.27	115.43
6	A	4201	1IX	C21-C16-N17	-5.08	119.69	123.04
6	A	4201	1IX	N19-C18-N17	-4.56	122.48	128.67
6	A	4201	1IX	C21-C20-N19	-4.14	118.43	122.82

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	A	4201	1IX	N04-C03-O02-C01
6	A	4201	1IX	C08-C03-O02-C01

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	4201	1IX	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14545. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 175




Y Index: 175




Z Index: 175


6.2.2 Raw map



X Index: 175



Y Index: 175




Z Index: 175

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 180




Y Index: 156




Z Index: 194


6.3.2 Raw map



X Index: 180



Y Index: 156




Z Index: 192


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 280 nm³; this corresponds to an approximate mass of 253 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.344 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.344 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.91	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.66	6.81	3.77

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.66 differs from the reported value 2.91 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14545 and PDB model 7Z87. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7650	0.4260
A	0.7980	0.4450
B	0.7830	0.4200
C	0.5500	0.3080
D	0.9070	0.5050
E	0.8810	0.5250

