



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:42 PM UTC

PDB ID : 6Z9W / pdb_00006z9w
Title : Human Class I Major Histocompatibility Complex, A02 allele, presenting LL-GWVFAQV
Authors : Rizkallah, P.J.; Man, S.; Redman, J.E.
Deposited on : 2020-06-04
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	59% 36% .
1	D	275	63% 31% 6% .
2	B	100	62% 32% 5% .
2	E	100	61% 36% ..
3	C	9	22% 78%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	9	 A horizontal bar chart showing the quality of chain F. The bar is divided into three segments: green (22%), yellow (44%), and orange (33%).

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6408 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC class I antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2247	1403	409	426	9			
1	D	275	Total	C	N	O	S	0	0	0
			2247	1403	409	426	9			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			
2	E	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769
E	0	MET	-	initiating methionine	UNP P61769

- Molecule 3 is a protein called LEU-LEU-GLY-TRP-VAL-PHE-ALA-GLN-VAL.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	0	0	0
			74	52	11	11			
3	F	9	Total	C	N	O	0	0	0
			74	52	11	11			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	33	Total	O	0	0
			33	33		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	14	Total 14	O 14	0	0
4	C	2	Total 2	O 2	0	0
4	D	26	Total 26	O 26	0	0
4	E	17	Total 17	O 17	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MHC class I antigen




- Molecule 1: MHC class I antigen



- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin



• Molecule 3: LEU-LEU-GLY-TRP-VAL-PHE-ALA-GLN-VAL



• Molecule 3: LEU-LEU-GLY-TRP-VAL-PHE-ALA-GLN-VAL



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.73Å 69.21Å 88.62Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.94 – 2.70 29.94 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.5 (29.94-2.70) 98.6 (29.94-2.70)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 2.68Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.200 , 0.281 0.204 , 0.282	Depositor DCC
R_{free} test set	971 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	46.3	Xtriage
Anisotropy	0.281	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 10.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.399 for h,-k,-l	Xtriage
Reported twinning fraction	0.649 for H, K, L 0.351 for -h,-k,l	Depositor
Outliers	0 of 19773 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6408	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.26	5/2312 (0.2%)	1.40	2/3137 (0.1%)
1	D	1.25	6/2312 (0.3%)	1.42	3/3137 (0.1%)
2	B	1.22	2/860 (0.2%)	1.34	4/1162 (0.3%)
2	E	1.27	3/860 (0.3%)	1.38	2/1162 (0.2%)
3	C	1.33	1/76 (1.3%)	1.07	0/102
3	F	1.11	0/76	1.03	0/102
All	All	1.25	17/6496 (0.3%)	1.39	11/8802 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2
2	E	0	1
3	C	0	1
3	F	0	1
All	All	0	5

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	6	ARG	C-O	7.58	1.33	1.24
1	D	236	ALA	C-O	6.91	1.32	1.24
2	E	83	ASN	C-O	6.69	1.32	1.23
1	A	242	GLN	C-O	6.41	1.32	1.24
1	D	118	TYR	C-O	6.38	1.31	1.24
1	D	156	LEU	C-O	5.92	1.30	1.24
1	D	23	ILE	C-O	5.90	1.30	1.24
2	B	35	ILE	C-O	-5.90	1.16	1.23
2	E	35	ILE	C-O	-5.87	1.18	1.23
3	C	2	LEU	C-O	5.83	1.30	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	232	GLU	C-O	5.71	1.31	1.23
2	B	85	VAL	C-O	-5.65	1.17	1.24
1	D	242	GLN	C-O	5.65	1.30	1.23
2	E	95	TRP	C-O	-5.43	1.17	1.23
1	A	206	LEU	C-O	5.26	1.30	1.23
1	A	186	LYS	C-O	5.13	1.30	1.24
1	D	113	TYR	C-O	5.08	1.30	1.23

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	15	PRO	N-CA-CB	-5.71	97.25	103.25
1	D	117	ALA	CA-C-O	-5.32	114.96	120.70
1	D	263	HIS	CA-C-O	-5.25	115.66	121.33
2	E	26	TYR	CA-C-O	-5.22	115.49	120.92
2	B	32	PRO	CA-C-N	5.20	127.25	120.28
2	B	32	PRO	C-N-CA	5.20	127.25	120.28
2	B	90	PRO	CA-C-O	-5.16	115.38	121.67
1	D	32	GLN	CA-C-O	-5.07	116.03	121.56
2	B	6	LYS	CA-C-O	-5.06	115.65	121.47
1	A	162	GLY	O-C-N	5.06	124.68	121.85
2	E	55	SER	CA-C-O	-5.01	115.84	121.40

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	5	PRO	Peptide
2	B	98	ASP	Peptide
3	C	7	ALA	Peptide
2	E	5	PRO	Peptide
3	F	7	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2247	0	2096	71	1
1	D	2247	0	2096	78	0
2	B	837	0	803	23	0
2	E	837	0	803	22	0
3	C	74	0	77	9	0
3	F	74	0	77	14	0
4	A	33	0	0	2	0
4	B	14	0	0	1	0
4	C	2	0	0	0	0
4	D	26	0	0	2	0
4	E	17	0	0	2	0
All	All	6408	0	5952	181	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:226:GLN:HE21	1:D:226:GLN:HA	1.36	0.89
1:D:192:HIS:NE2	2:E:98:ASP:OD2	2.07	0.87
1:A:126:LEU:HD22	1:A:156:LEU:HD23	1.60	0.83
1:D:135:ALA:HB3	1:D:141:GLN:HE21	1.47	0.79
1:A:10:THR:HG21	2:B:54:LEU:HD23	1.67	0.77
1:A:233:THR:OG1	1:A:243:LYS:HD2	1.84	0.76
2:B:97:ARG:HG2	2:B:99:MET:HG3	1.67	0.75
1:D:230:LEU:HD12	1:D:245:ALA:HB2	1.69	0.74
1:A:34:VAL:HB	1:A:45:MET:HE3	1.70	0.71
2:E:17:ASN:OD1	2:E:97:ARG:NH1	2.23	0.71
1:A:80:THR:HG21	3:C:9:VAL:OXT	1.90	0.71
1:D:22:PHE:HB2	4:D:317:HOH:O	1.89	0.71
1:D:70:HIS:CE1	3:F:6:PHE:HE1	2.07	0.71
1:D:34:VAL:HB	1:D:45:MET:HE3	1.72	0.71
2:B:97:ARG:CG	2:B:99:MET:HG3	2.20	0.71
1:A:85:TYR:OH	1:A:137:ASP:OD2	2.09	0.70
1:D:232:GLU:OE1	2:E:6:LYS:NZ	2.24	0.69
1:A:228:THR:HG22	1:A:247:VAL:HG12	1.75	0.68
1:A:53:GLU:OE1	4:A:301:HOH:O	2.09	0.68
1:D:81:LEU:HD13	1:D:118:TYR:CD1	2.28	0.68
1:D:85:TYR:OH	1:D:137:ASP:OD2	2.06	0.67
1:A:81:LEU:HD13	1:A:118:TYR:CD1	2.31	0.66
1:A:74:HIS:HE1	1:A:97:ARG:HE	1.44	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:ALA:CB	1:A:141:GLN:HE21	2.10	0.65
1:A:148:GLU:OE1	4:A:302:HOH:O	2.15	0.64
1:A:156:LEU:CD1	3:C:5:VAL:HG11	2.28	0.64
2:E:27:VAL:HG23	2:E:27:VAL:O	1.97	0.64
1:D:135:ALA:HB3	1:D:141:GLN:NE2	2.13	0.63
1:D:196:ASP:OD1	1:D:196:ASP:C	2.42	0.62
1:D:15:PRO:HG2	1:D:90:ALA:O	1.99	0.62
1:D:54:GLN:OE1	1:D:174:ASN:HB3	1.98	0.62
1:D:70:HIS:CE1	3:F:2:LEU:HD22	2.35	0.62
1:A:196:ASP:OD1	1:A:196:ASP:C	2.42	0.61
1:D:59:TYR:O	1:D:63:GLU:HG2	2.00	0.61
1:A:59:TYR:O	1:A:63:GLU:HG2	2.00	0.61
1:A:54:GLN:OE1	1:A:174:ASN:HB3	2.01	0.61
1:D:181:ARG:NE	1:D:183:ASP:OD2	2.33	0.61
1:D:273:ARG:HG2	1:D:274:TRP:N	2.16	0.60
1:D:103:VAL:HG13	1:D:168:LEU:HD23	1.83	0.60
1:D:135:ALA:CB	1:D:141:GLN:HE21	2.14	0.59
1:D:99:TYR:OH	3:F:2:LEU:HD23	2.02	0.59
1:D:111:ARG:NE	4:D:302:HOH:O	2.27	0.59
1:D:230:LEU:CD1	1:D:245:ALA:HB2	2.32	0.59
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.37	0.59
1:A:66:LYS:O	1:A:69:ALA:HB3	2.03	0.58
1:A:77:ASP:OD1	3:C:9:VAL:HG22	2.03	0.58
2:E:39:LEU:HD13	2:E:68:THR:HG22	1.86	0.58
1:D:273:ARG:HD2	1:D:275:GLU:HG2	1.86	0.57
2:E:48:LYS:NZ	4:E:101:HOH:O	2.32	0.57
1:D:74:HIS:HE1	1:D:97:ARG:HE	1.50	0.57
1:A:113:TYR:CD1	1:A:113:TYR:N	2.73	0.57
1:D:66:LYS:O	1:D:69:ALA:HB3	2.05	0.56
2:B:19:LYS:O	2:B:72:PRO:HD2	2.06	0.56
1:D:78:LEU:CD2	1:D:95:VAL:HG13	2.36	0.56
1:A:11:SER:HB2	1:A:74:HIS:HD2	1.70	0.56
1:A:100:GLY:O	1:A:160:LEU:HD22	2.06	0.55
1:D:70:HIS:CE1	3:F:6:PHE:CE1	2.93	0.55
1:D:135:ALA:HB1	1:D:140:ALA:HB3	1.89	0.55
1:A:201:LEU:O	1:A:246:ALA:HA	2.08	0.53
1:D:76:VAL:HG11	3:F:8:GLN:HE22	1.72	0.53
1:A:230:LEU:CD1	1:A:245:ALA:HB2	2.38	0.53
2:E:19:LYS:O	2:E:72:PRO:HD2	2.09	0.53
1:D:189:MET:HE3	1:D:273:ARG:C	2.34	0.53
1:A:181:ARG:NE	1:A:183:ASP:OD2	2.31	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:SER:HB2	1:D:74:HIS:HD2	1.75	0.52
1:A:189:MET:SD	1:A:201:LEU:HD13	2.48	0.52
1:D:102:ASP:OD1	1:D:113:TYR:OH	2.22	0.52
1:A:3:HIS:HA	1:A:29:ASP:OD1	2.10	0.52
1:D:21:ARG:NH2	1:D:37:ASP:OD2	2.41	0.52
1:A:112:GLY:C	1:A:113:TYR:CD1	2.88	0.52
1:D:167:TRP:CD2	3:F:1:LEU:HD13	2.45	0.52
1:D:167:TRP:CE2	3:F:1:LEU:HD13	2.45	0.51
1:A:5:MET:HE2	1:A:164:CYS:SG	2.50	0.51
1:A:11:SER:HB2	1:A:74:HIS:CD2	2.45	0.51
2:B:24:ASN:HB3	2:B:65:LEU:HD11	1.93	0.51
1:A:197:HIS:ND1	1:A:198:GLU:HG3	2.26	0.51
1:A:23:ILE:HG12	1:A:37:ASP:OD2	2.11	0.50
1:A:10:THR:HG21	2:B:54:LEU:CD2	2.41	0.50
1:A:66:LYS:NZ	3:C:1:LEU:HG	2.26	0.50
1:A:73:THR:HG23	3:C:8:GLN:HG2	1.93	0.50
1:A:242:GLN:O	1:A:243:LYS:HB2	2.10	0.50
1:D:218:GLN:HG3	1:D:260:HIS:CD2	2.47	0.50
1:D:11:SER:HB2	1:D:74:HIS:CD2	2.47	0.49
1:D:77:ASP:OD1	3:F:9:VAL:HG22	2.12	0.49
1:D:5:MET:O	1:D:100:GLY:HA3	2.13	0.49
2:B:39:LEU:CD1	2:B:68:THR:HG22	2.42	0.49
1:D:9:PHE:CZ	3:F:2:LEU:HD21	2.47	0.49
1:A:135:ALA:HB1	1:A:140:ALA:HB3	1.95	0.49
1:D:273:ARG:HD2	1:D:275:GLU:CG	2.42	0.49
2:B:39:LEU:HD13	2:B:68:THR:HG22	1.95	0.49
1:D:152:VAL:HG12	1:D:156:LEU:HD23	1.94	0.49
1:A:33:PHE:CD2	1:A:34:VAL:HG13	2.48	0.49
1:A:72:GLN:OE1	1:A:75:ARG:HD3	2.12	0.49
1:D:163:THR:OG1	3:F:4:TRP:HH2	1.96	0.48
1:A:237:GLY:C	2:B:12:ARG:NH2	2.71	0.48
1:D:216:THR:HB	1:D:260:HIS:HB2	1.94	0.48
1:A:236:ALA:HB1	2:B:12:ARG:HG3	1.95	0.48
1:D:70:HIS:ND1	3:F:6:PHE:HE1	2.11	0.48
1:D:201:LEU:O	1:D:246:ALA:HA	2.13	0.48
1:A:103:VAL:HB	1:A:107:TRP:C	2.38	0.48
1:A:204:TRP:HZ2	2:B:98:ASP:CB	2.26	0.48
2:E:48:LYS:HE2	2:E:68:THR:OG1	2.14	0.48
1:D:55:GLU:OE1	1:D:170:ARG:NH2	2.43	0.47
1:A:49:ALA:O	1:A:52:ILE:HG22	2.15	0.47
1:A:75:ARG:HH21	1:A:75:ARG:CG	2.28	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:229:GLU:OE2	1:D:244:TRP:HH2	1.97	0.47
1:A:237:GLY:HA3	2:B:12:ARG:HH21	1.77	0.47
1:A:69:ALA:HB3	3:C:6:PHE:CZ	2.50	0.47
1:A:156:LEU:HD13	3:C:5:VAL:HG11	1.95	0.47
1:D:274:TRP:O	1:D:275:GLU:C	2.57	0.47
2:E:39:LEU:CD1	2:E:68:THR:HG22	2.44	0.47
1:D:78:LEU:HD21	1:D:95:VAL:HG13	1.97	0.47
1:A:19:GLU:HG3	1:A:75:ARG:NH2	2.30	0.46
2:B:51:HIS:HA	2:B:65:LEU:O	2.15	0.46
1:D:19:GLU:HG3	1:D:75:ARG:NH2	2.29	0.46
2:B:2:GLN:HB3	2:B:86:THR:HG22	1.97	0.46
1:D:99:TYR:CD1	1:D:99:TYR:C	2.93	0.46
1:A:228:THR:HG22	1:A:247:VAL:CG1	2.45	0.46
1:D:168:LEU:C	1:D:168:LEU:HD12	2.40	0.46
1:D:189:MET:SD	1:D:201:LEU:HD13	2.55	0.46
2:E:63:TYR:CD1	2:E:63:TYR:C	2.93	0.46
2:B:27:VAL:HG23	2:B:30:PHE:HE2	1.80	0.46
2:B:63:TYR:C	2:B:63:TYR:CD1	2.94	0.46
1:D:218:GLN:HE22	1:D:221:GLY:HA2	1.80	0.46
1:A:274:TRP:O	1:A:275:GLU:HB2	2.16	0.46
1:A:122:ASP:OD1	2:B:60:TRP:NE1	2.44	0.45
1:D:215:LEU:HD23	1:D:245:ALA:N	2.31	0.45
1:A:143:THR:HG23	3:C:9:VAL:HA	1.99	0.45
1:D:225:THR:O	1:D:226:GLN:C	2.59	0.45
2:E:81:ARG:CG	2:E:90:PRO:HB3	2.46	0.45
1:A:103:VAL:HB	1:A:107:TRP:HA	1.99	0.45
1:A:107:TRP:CZ2	1:A:172:LEU:HD13	2.52	0.45
1:D:8:PHE:CD1	1:D:98:MET:HG2	2.52	0.45
1:D:98:MET:C	1:D:98:MET:SD	3.00	0.45
1:A:11:SER:HB3	1:A:95:VAL:HG22	1.99	0.45
2:E:24:ASN:HB3	2:E:65:LEU:HD11	1.99	0.45
1:D:228:THR:HG22	1:D:247:VAL:HG12	1.99	0.44
1:A:83:GLY:O	1:A:86:ASN:N	2.45	0.44
1:A:78:LEU:CD2	1:A:95:VAL:HG13	2.48	0.44
1:D:78:LEU:HD23	1:D:95:VAL:HG13	2.00	0.44
1:A:107:TRP:CH2	1:A:172:LEU:HB3	2.53	0.44
2:E:81:ARG:HG2	2:E:90:PRO:HB3	1.99	0.44
1:D:202:ARG:NH1	2:E:98:ASP:O	2.51	0.43
2:B:37:VAL:HG11	2:B:66:TYR:CD1	2.53	0.43
1:A:63:GLU:CD	1:A:66:LYS:HZ3	2.26	0.43
1:D:83:GLY:O	1:D:84:TYR:C	2.62	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:83:GLY:O	1:D:86:ASN:N	2.46	0.43
1:D:152:VAL:HG12	1:D:156:LEU:CD2	2.49	0.43
1:D:168:LEU:HD12	1:D:168:LEU:O	2.18	0.43
1:A:135:ALA:HB3	1:A:141:GLN:HE21	1.82	0.43
2:B:45:ARG:NH1	4:B:108:HOH:O	2.52	0.43
2:E:27:VAL:O	2:E:27:VAL:CG2	2.65	0.43
2:B:27:VAL:HG23	2:B:30:PHE:CE2	2.53	0.42
2:E:37:VAL:HG11	2:E:66:TYR:CD1	2.54	0.42
1:A:83:GLY:O	1:A:84:TYR:C	2.63	0.42
1:D:72:GLN:O	1:D:76:VAL:HG23	2.18	0.42
1:D:218:GLN:NE2	1:D:221:GLY:HA2	2.34	0.42
1:D:117:ALA:HB2	2:E:60:TRP:CE2	2.54	0.42
1:D:236:ALA:O	2:E:24:ASN:ND2	2.51	0.42
2:B:48:LYS:HE2	2:B:68:THR:OG1	2.19	0.42
1:A:211:ALA:O	1:A:212:GLU:C	2.63	0.42
1:A:216:THR:O	1:A:260:HIS:N	2.48	0.42
2:E:51:HIS:HA	2:E:65:LEU:O	2.19	0.42
1:A:144:LYS:HG2	1:A:145:HIS:CD2	2.55	0.41
1:A:184:ALA:HB2	1:A:265:GLY:O	2.21	0.41
2:B:97:ARG:HG3	2:B:99:MET:HG3	2.00	0.41
1:A:55:GLU:OE1	1:A:170:ARG:NH2	2.42	0.41
1:D:126:LEU:HD12	1:D:126:LEU:HA	1.92	0.41
1:D:255:GLN:NE2	1:D:275:GLU:OE1	2.53	0.41
2:E:85:VAL:HG12	4:E:109:HOH:O	2.19	0.41
1:D:226:GLN:HA	1:D:226:GLN:NE2	2.17	0.41
1:D:144:LYS:HG2	1:D:145:HIS:CD2	2.56	0.41
1:D:232:GLU:CD	2:E:6:LYS:HZ1	2.24	0.41
1:A:99:TYR:CD1	1:A:99:TYR:C	2.98	0.40
1:D:76:VAL:HG11	3:F:8:GLN:NE2	2.36	0.40
3:F:4:TRP:HA	3:F:6:PHE:CZ	2.56	0.40
1:A:63:GLU:OE2	1:A:66:LYS:NZ	2.53	0.40
2:E:13:HIS:HB2	2:E:21:ASN:ND2	2.36	0.40
1:D:9:PHE:HZ	3:F:2:LEU:HD21	1.84	0.40
1:A:70:HIS:CE1	3:C:6:PHE:HE1	2.39	0.40
1:A:274:TRP:O	1:A:275:GLU:CB	2.69	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:LYS:NZ	1:A:222:GLU:OE2[2_546]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/275 (99%)	252 (92%)	19 (7%)	2 (1%)	18	41
1	D	273/275 (99%)	251 (92%)	20 (7%)	2 (1%)	18	41
2	B	98/100 (98%)	89 (91%)	7 (7%)	2 (2%)	6	16
2	E	98/100 (98%)	90 (92%)	5 (5%)	3 (3%)	3	8
3	C	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	F	7/9 (78%)	4 (57%)	2 (29%)	1 (14%)	0	0
All	All	756/768 (98%)	692 (92%)	54 (7%)	10 (1%)	9	25

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	243	LYS
2	E	42	ASN
2	E	48	LYS
1	A	15	PRO
1	D	15	PRO
2	E	34	ASP
3	F	7	ALA
2	B	42	ASN
2	B	48	LYS
1	D	29	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/231 (100%)	201 (87%)	30 (13%)	4	10
1	D	231/231 (100%)	202 (87%)	29 (13%)	4	11
2	B	95/95 (100%)	81 (85%)	14 (15%)	3	8
2	E	95/95 (100%)	83 (87%)	12 (13%)	4	11
3	C	7/7 (100%)	7 (100%)	0	100	100
3	F	7/7 (100%)	5 (71%)	2 (29%)	0	1
All	All	666/666 (100%)	579 (87%)	87 (13%)	4	10

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	SER
1	A	10	THR
1	A	11	SER
1	A	14	ARG
1	A	15	PRO
1	A	17	ARG
1	A	19	GLU
1	A	32	GLN
1	A	35	ARG
1	A	54	GLN
1	A	63	GLU
1	A	75	ARG
1	A	102	ASP
1	A	105	SER
1	A	113	TYR
1	A	121	LYS
1	A	127	LYS
1	A	144	LYS
1	A	154	GLU
1	A	189	MET
1	A	195	SER
1	A	196	ASP
1	A	207	SER
1	A	214	THR
1	A	215	LEU
1	A	224	GLN
1	A	226	GLN
1	A	254	GLU
1	A	264	GLU
1	A	273	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	0	MET
2	B	2	GLN
2	B	3	ARG
2	B	4	THR
2	B	6	LYS
2	B	19	LYS
2	B	20	SER
2	B	47	GLU
2	B	48	LYS
2	B	77	GLU
2	B	88	SER
2	B	91	LYS
2	B	96	ASP
2	B	99	MET
1	D	11	SER
1	D	14	ARG
1	D	15	PRO
1	D	17	ARG
1	D	19	GLU
1	D	29	ASP
1	D	35	ARG
1	D	54	GLN
1	D	89	GLU
1	D	105	SER
1	D	144	LYS
1	D	154	GLU
1	D	156	LEU
1	D	186	LYS
1	D	189	MET
1	D	195	SER
1	D	196	ASP
1	D	207	SER
1	D	214	THR
1	D	215	LEU
1	D	216	THR
1	D	218	GLN
1	D	222	GLU
1	D	224	GLN
1	D	225	THR
1	D	226	GLN
1	D	227	ASP
1	D	254	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	264	GLU
2	E	3	ARG
2	E	4	THR
2	E	19	LYS
2	E	48	LYS
2	E	50	GLU
2	E	57	SER
2	E	69	GLU
2	E	75	LYS
2	E	77	GLU
2	E	81	ARG
2	E	88	SER
2	E	91	LYS
3	F	1	LEU
3	F	2	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	HIS
1	A	96	GLN
1	A	115	GLN
1	A	141	GLN
1	A	145	HIS
1	A	192	HIS
1	A	253	GLN
1	A	260	HIS
2	B	13	HIS
1	D	74	HIS
1	D	86	ASN
1	D	87	GLN
1	D	141	GLN
1	D	145	HIS
1	D	218	GLN
1	D	226	GLN
1	D	253	GLN
1	D	260	HIS
3	F	8	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/275 (100%)	-1.61	0 100 100	24, 46, 68, 97	0
1	D	275/275 (100%)	-1.61	0 100 100	26, 47, 68, 97	0
2	B	100/100 (100%)	-1.62	0 100 100	25, 42, 60, 90	0
2	E	100/100 (100%)	-1.66	0 100 100	27, 41, 61, 70	0
3	C	9/9 (100%)	-1.55	0 100 100	32, 39, 45, 52	0
3	F	9/9 (100%)	-1.62	0 100 100	30, 32, 41, 46	0
All	All	768/768 (100%)	-1.61	0 100 100	24, 45, 67, 97	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.