



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 12:40 PM UTC

PDB ID : 1ZAI / pdb_00001zai
Title : Fructose-1,6-bisphosphate Schiff base intermediate in FBP aldolase from rabbit muscle
Authors : St-Jean, M.; Lafrance-Vanasse, J.; Liotard, B.; Sygusch, J.
Deposited on : 2005-04-06
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	6% 83% 17%
1	B	363	6% 83% 16%
1	C	363	6% 82% 17%
1	D	363	8% 83% 16%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	2FP	A	3001	X	-	-	-
2	2FP	B	3002	X	-	-	-
2	2FP	C	3003	X	-	-	-
2	2FP	D	3004	X	-	-	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 13516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fructose-bisphosphate aldolase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	363	Total	C	N	O	S	0	0	0
			2758	1733	489	525	11			
1	B	363	Total	C	N	O	S	0	0	0
			2758	1733	489	525	11			
1	C	363	Total	C	N	O	S	0	0	0
			2758	1733	489	525	11			
1	D	363	Total	C	N	O	S	0	0	0
			2758	1733	489	525	11			

- Molecule 2 is 1,6-FRUCTOSE DIPHOSPHATE (LINEAR FORM) (CCD ID: 2FP) (formula: $C_6H_{14}O_{12}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			19	6	11	2		
2	B	1	Total	C	O	P	0	0
			19	6	11	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	O	P	0	0
			19	6	11	2		
2	D	1	Total	C	O	P	0	0
			19	6	11	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	602	Total	O	0	0
			602	602		
3	B	610	Total	O	0	0
			610	610		
3	C	606	Total	O	0	0
			606	606		
3	D	590	Total	O	0	0
			590	590		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fructose-bisphosphate aldolase A




• Molecule 1: Fructose-bisphosphate aldolase A





• Molecule 1: Fructose-bisphosphate aldolase A





● Molecule 1: Fructose-bisphosphate aldolase A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.00Å 103.23Å 84.31Å 90.00° 98.77° 90.00°	Depositor
Resolution (Å)	50.00 – 1.76 50.00 – 1.76	Depositor EDS
% Data completeness (in resolution range)	85.9 (50.00-1.76) 92.7 (50.00-1.76)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.50 (at 1.63Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.155 , 0.190 0.164 , 0.198	Depositor DCC
R_{free} test set	15431 reflections (9.99%)	wwPDB-VP
Wilson B-factor (Å ²)	16.4	Xtriage
Anisotropy	0.444	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 74.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.015 for l,-k,h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13516	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2FP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.35	0/2812	0.90	5/3810 (0.1%)
1	B	0.38	1/2812 (0.0%)	0.91	7/3810 (0.2%)
1	C	0.35	0/2812	0.92	11/3810 (0.3%)
1	D	0.34	0/2812	0.88	8/3810 (0.2%)
All	All	0.35	1/11248 (0.0%)	0.90	31/15240 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	41	LYS	C-N	-7.11	1.24	1.33

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	343	THR	CA-C-N	-9.84	109.41	120.04
1	C	343	THR	C-N-CA	-9.84	109.41	120.04
1	A	260	VAL	N-CA-C	8.70	115.47	107.56
1	D	260	VAL	N-CA-C	8.32	115.14	107.56
1	B	260	VAL	N-CA-C	7.87	114.72	107.56
1	B	232	MET	N-CA-C	-7.66	100.21	110.55
1	C	232	MET	N-CA-C	-7.45	100.50	110.55
1	A	232	MET	N-CA-C	-7.19	101.26	110.53
1	D	232	MET	N-CA-C	-7.14	100.90	110.55
1	C	123	THR	N-CA-C	-7.09	99.12	109.18
1	A	123	THR	N-CA-C	-6.70	99.67	109.18
1	D	123	THR	N-CA-C	-6.66	99.73	109.18
1	C	260	VAL	N-CA-C	6.59	113.56	107.56
1	B	123	THR	N-CA-C	-6.29	100.24	109.18
1	B	73	ILE	N-CA-C	6.26	115.73	106.85
1	C	141	GLY	N-CA-C	6.01	122.73	114.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	41	LYS	O-C-N	5.62	128.08	122.12
1	A	270	LEU	N-CA-C	-5.60	102.20	110.48
1	D	73	ILE	N-CA-C	5.54	115.57	107.37
1	D	148	ARG	N-CA-C	5.50	117.49	108.52
1	D	289	CYS	CA-C-N	5.50	125.59	119.32
1	D	289	CYS	C-N-CA	5.50	125.59	119.32
1	C	299	PHE	N-CA-C	5.24	118.12	109.85
1	D	270	LEU	N-CA-C	-5.23	102.01	110.32
1	C	344	PRO	N-CA-C	-5.21	107.24	114.27
1	A	141	GLY	N-CA-C	5.19	121.90	114.64
1	C	4	HIS	CA-C-N	5.14	126.27	119.84
1	C	4	HIS	C-N-CA	5.14	126.27	119.84
1	B	141	GLY	N-CA-C	5.13	121.83	114.64
1	C	108	VAL	N-CA-C	5.02	117.97	113.10
1	B	189	GLU	N-CA-C	5.00	116.91	109.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2758	0	2774	40	0
1	B	2758	0	2773	38	0
1	C	2758	0	2774	40	0
1	D	2758	0	2774	47	0
2	A	19	0	10	0	0
2	B	19	0	10	0	0
2	C	19	0	10	0	0
2	D	19	0	10	0	0
3	A	602	0	0	7	0
3	B	610	0	0	10	0
3	C	606	0	0	7	0
3	D	590	0	0	9	0
All	All	13516	0	11135	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:344:PRO:HG3	3:D:3347:HOH:O	1.82	0.78
1:C:42:ARG:HH11	1:C:42:ARG:HG2	1.53	0.72
1:D:42:ARG:HG2	1:D:42:ARG:HH11	1.56	0.71
1:C:49:GLU:HG2	1:C:51:THR:HG23	1.73	0.70
1:D:284:ASN:ND2	1:D:342:TYR:H	1.92	0.67
1:B:92:PRO:HD2	1:B:95:GLN:HE21	1.60	0.67
1:C:344:PRO:HD3	3:C:3398:HOH:O	1.97	0.64
1:B:200:ARG:HD2	3:C:3409:HOH:O	1.97	0.64
1:A:49:GLU:HG2	1:A:51:THR:HG23	1.80	0.63
1:C:199:LYS:HG3	3:C:3164:HOH:O	1.97	0.63
1:D:228:LEU:HG	1:D:230:PRO:HD3	1.81	0.62
1:B:228:LEU:HG	1:B:230:PRO:HD3	1.81	0.62
1:A:200:ARG:HD2	3:D:3387:HOH:O	2.03	0.59
1:D:70:ASN:HB2	1:D:71:PRO:HD3	1.85	0.58
1:A:50:ASN:ND2	1:A:55:ARG:HH11	2.02	0.57
1:A:361:HIS:HB2	3:A:3132:HOH:O	2.05	0.57
1:B:92:PRO:HD2	1:B:95:GLN:NE2	2.19	0.57
1:C:350:ALA:HA	3:C:3208:HOH:O	2.04	0.56
1:C:150:VAL:C	1:C:151:LEU:HD12	2.31	0.56
1:A:293:LYS:HG2	1:A:297:LEU:HD11	1.87	0.55
1:B:42:ARG:NH2	3:B:3312:HOH:O	2.36	0.55
1:D:276:GLU:CD	1:D:307:ALA:HB3	2.32	0.55
1:B:257:ARG:HA	1:C:262:PRO:HG2	1.89	0.54
3:A:3140:HOH:O	1:D:200:ARG:HD2	2.08	0.53
1:B:344:PRO:HG2	1:B:345:SER:H	1.74	0.53
1:B:152:LYS:HE2	3:B:3253:HOH:O	2.06	0.53
1:D:192:PRO:HG2	1:D:357:PHE:HE2	1.74	0.53
1:B:220:HIS:HD2	1:C:207:LYS:NZ	2.07	0.53
1:C:10:GLU:HG2	3:C:3273:HOH:O	2.09	0.53
1:B:291:LEU:O	1:B:293:LYS:HE2	2.10	0.52
1:D:61:LEU:HD11	1:D:323:ALA:HB3	1.91	0.52
1:D:325:GLU:O	1:D:329:LYS:HG3	2.08	0.52
1:C:151:LEU:HD12	1:C:151:LEU:N	2.25	0.52
1:C:316:LYS:HB3	1:C:318:GLU:OE1	2.10	0.52
1:B:42:ARG:NH1	3:B:3428:HOH:O	2.43	0.52
1:D:29:ILE:HB	1:D:300:SER:HA	1.91	0.52
1:D:28:GLY:HA3	1:D:299:PHE:CZ	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:HIS:HD2	1:D:207:LYS:HZ1	1.57	0.51
1:A:220:HIS:HD2	1:D:207:LYS:NZ	2.08	0.51
1:A:360:ASN:HB2	3:A:3439:HOH:O	2.10	0.51
1:A:291:LEU:O	1:A:293:LYS:HD3	2.11	0.51
1:C:28:GLY:HA3	1:C:299:PHE:CZ	2.46	0.50
1:C:324:GLN:O	1:C:328:VAL:HG23	2.11	0.50
1:A:28:GLY:HA3	1:A:299:PHE:CZ	2.46	0.50
1:A:3:SER:HB2	1:D:203:TYR:CG	2.46	0.50
1:D:343:THR:O	1:D:344:PRO:C	2.55	0.49
1:A:347:GLN:HG3	3:A:3337:HOH:O	2.12	0.49
1:B:324:GLN:O	1:B:328:VAL:HG23	2.13	0.49
1:D:356:LEU:HD22	3:D:3433:HOH:O	2.11	0.49
1:D:92:PRO:HB3	3:D:3483:HOH:O	2.12	0.49
1:C:228:LEU:HG	1:C:230:PRO:HD3	1.94	0.49
1:C:288:LYS:HB3	1:C:288:LYS:NZ	2.28	0.49
1:D:28:GLY:HA3	1:D:299:PHE:CE1	2.48	0.49
1:B:42:ARG:NE	3:B:3312:HOH:O	2.43	0.48
1:B:28:GLY:HA3	1:B:299:PHE:CZ	2.48	0.48
1:B:83:LEU:HD12	1:B:94:PRO:HG3	1.95	0.48
1:C:155:GLU:HG2	1:C:156:HIS:CD2	2.49	0.48
1:A:81:GLU:O	1:A:85:GLN:HG3	2.13	0.48
1:C:325:GLU:HG2	3:C:3383:HOH:O	2.14	0.48
1:A:228:LEU:HG	1:A:230:PRO:HD3	1.95	0.48
1:D:61:LEU:C	1:D:61:LEU:HD23	2.38	0.48
1:D:344:PRO:CG	3:D:3347:HOH:O	2.51	0.47
1:B:197:ASP:HB2	1:B:243:TYR:OH	2.14	0.47
1:C:28:GLY:HA3	1:C:299:PHE:CE1	2.50	0.47
1:B:344:PRO:HD3	3:B:3010:HOH:O	2.15	0.47
1:B:262:PRO:CG	1:C:294:PRO:HG3	2.45	0.47
1:C:39:ILE:O	1:C:43:LEU:HG	2.15	0.47
1:A:202:GLN:O	1:A:206:GLU:HG3	2.15	0.47
1:A:324:GLN:O	1:A:328:VAL:HG23	2.15	0.47
1:C:42:ARG:HG2	1:C:42:ARG:NH1	2.25	0.47
1:D:42:ARG:HG2	1:D:42:ARG:NH1	2.27	0.47
1:A:276:GLU:CD	1:A:307:ALA:HB3	2.39	0.47
1:A:262:PRO:HD2	1:D:257:ARG:O	2.15	0.47
1:D:58:TYR:OH	1:D:306:GLN:HB3	2.15	0.46
1:C:197:ASP:HB2	1:C:243:TYR:OH	2.15	0.46
1:D:42:ARG:HH11	1:D:42:ARG:CG	2.26	0.46
1:D:348:ALA:HB3	3:D:3316:HOH:O	2.14	0.46
1:C:83:LEU:HD12	1:C:94:PRO:HG3	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:197:ASP:HB2	1:D:243:TYR:OH	2.15	0.46
1:A:245:HIS:HD2	1:A:282:ASN:OD1	1.98	0.46
1:B:229:LYS:HE2	1:B:270:LEU:HB3	1.98	0.46
1:D:42:ARG:HD3	3:D:3235:HOH:O	2.16	0.46
1:D:196:HIS:HB2	1:D:200:ARG:HG2	1.98	0.45
1:D:229:LYS:HE2	1:D:270:LEU:HB3	1.98	0.45
1:D:268:THR:HB	1:D:300:SER:HB2	1.99	0.45
1:A:29:ILE:HB	1:A:300:SER:HA	1.97	0.45
1:C:234:THR:HB	1:C:235:PRO:HD2	1.97	0.45
1:D:301:TYR:HB2	1:D:305:LEU:HG	1.98	0.45
1:C:316:LYS:HB2	1:C:319:ASN:ND2	2.31	0.45
1:A:234:THR:HB	1:A:235:PRO:HD2	1.99	0.44
1:C:61:LEU:C	1:C:61:LEU:HD23	2.42	0.44
1:A:318:GLU:H	1:A:318:GLU:CD	2.25	0.44
1:A:335:SER:O	1:A:339:GLN:HG3	2.18	0.44
1:C:164:MET:SD	1:C:164:MET:C	3.01	0.44
1:C:276:GLU:CD	1:C:307:ALA:HB3	2.42	0.44
1:A:164:MET:C	1:A:164:MET:SD	3.01	0.44
1:B:311:LYS:HD3	3:B:3335:HOH:O	2.17	0.44
1:D:277:GLU:HG2	3:D:3249:HOH:O	2.17	0.44
1:B:234:THR:HB	1:B:235:PRO:HD2	2.00	0.43
1:B:237:HIS:HB3	3:B:3217:HOH:O	2.18	0.43
1:D:61:LEU:HD11	1:D:323:ALA:CB	2.49	0.43
1:B:28:GLY:HA3	1:B:299:PHE:CE1	2.53	0.43
1:B:276:GLU:CD	1:B:307:ALA:HB3	2.44	0.43
1:C:318:GLU:H	1:C:318:GLU:CD	2.27	0.43
1:A:268:THR:HB	1:A:300:SER:HB2	2.01	0.43
1:C:58:TYR:OH	1:C:306:GLN:HB3	2.19	0.43
1:B:244:SER:OG	1:B:247:GLU:HG3	2.19	0.43
1:A:313:TRP:CE2	1:A:315:GLY:HA2	2.54	0.42
1:D:152:LYS:HE2	3:D:3455:HOH:O	2.18	0.42
1:A:294:PRO:HG3	1:D:262:PRO:HG3	2.01	0.42
1:A:83:LEU:HD12	1:A:94:PRO:HG3	2.01	0.42
1:B:267:VAL:HB	1:B:297:LEU:HD23	2.00	0.42
1:B:164:MET:C	1:B:164:MET:SD	3.02	0.42
1:D:42:ARG:NH1	1:D:42:ARG:CG	2.82	0.42
1:D:164:MET:C	1:D:164:MET:SD	3.02	0.42
1:A:257:ARG:O	1:D:262:PRO:HD2	2.19	0.42
1:A:267:VAL:HB	1:A:297:LEU:HD23	2.02	0.42
1:B:203:TYR:CG	1:C:3:SER:HB2	2.54	0.42
1:B:360:ASN:HB2	3:B:3439:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:244:SER:OG	1:C:247:GLU:HG3	2.19	0.42
1:D:170:LEU:HD22	1:D:186:VAL:HG13	2.01	0.42
1:D:261:PRO:HA	1:D:262:PRO:HD3	1.94	0.42
3:A:3087:HOH:O	1:B:220:HIS:HE1	2.02	0.42
1:C:92:PRO:HB3	3:C:3435:HOH:O	2.19	0.42
1:B:3:SER:HB3	3:B:3058:HOH:O	2.20	0.42
1:C:291:LEU:O	1:C:293:LYS:HE2	2.19	0.41
1:B:61:LEU:C	1:B:61:LEU:HD23	2.44	0.41
1:B:272:GLY:HA2	1:B:303:ARG:NH2	2.35	0.41
1:C:33:ASP:HB3	1:C:77:ILE:HG22	2.02	0.41
1:C:293:LYS:HD2	1:C:297:LEU:HD12	2.00	0.41
1:D:229:LYS:HG3	1:D:268:THR:O	2.21	0.41
1:A:347:GLN:HG2	3:A:3547:HOH:O	2.20	0.41
1:C:29:ILE:HB	1:C:300:SER:HA	2.01	0.41
1:A:41:LYS:HA	1:A:44:GLN:HG2	2.01	0.41
1:A:196:HIS:HB2	1:A:200:ARG:HG2	2.03	0.41
1:D:277:GLU:OE2	1:D:344:PRO:HB3	2.20	0.41
1:D:298:THR:OG1	1:D:299:PHE:N	2.54	0.41
1:B:93:PHE:N	1:B:94:PRO:CD	2.84	0.41
1:C:212:VAL:O	1:C:216:LEU:HG	2.21	0.41
1:D:291:LEU:O	1:D:293:LYS:HE2	2.20	0.41
1:A:28:GLY:HA3	1:A:299:PHE:CE1	2.55	0.41
1:A:50:ASN:HD21	1:A:55:ARG:HD3	1.86	0.41
1:A:229:LYS:HG3	1:A:268:THR:O	2.20	0.41
1:A:362:ALA:HB2	3:A:3455:HOH:O	2.19	0.41
1:B:29:ILE:HB	1:B:300:SER:HA	2.02	0.41
1:C:14:GLU:O	1:C:18:ILE:HG13	2.21	0.41
1:C:313:TRP:CE2	1:C:315:GLY:HA2	2.56	0.41
1:A:170:LEU:HD22	1:A:186:VAL:HG13	2.03	0.40
1:B:301:TYR:HB2	1:B:305:LEU:HG	2.03	0.40
1:B:199:LYS:HG3	3:B:3105:HOH:O	2.20	0.40
1:D:284:ASN:HD21	1:D:342:TYR:H	1.68	0.40
1:D:293:LYS:HD2	1:D:297:LEU:HD12	2.03	0.40
1:B:58:TYR:OH	1:B:306:GLN:HB3	2.21	0.40
1:A:50:ASN:HD21	1:A:55:ARG:HH11	1.68	0.40
1:A:313:TRP:CZ2	1:A:315:GLY:HA2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	361/363 (99%)	342 (95%)	16 (4%)	3 (1%)	16	5
1	B	361/363 (99%)	341 (94%)	15 (4%)	5 (1%)	9	2
1	C	361/363 (99%)	343 (95%)	16 (4%)	2 (1%)	21	8
1	D	361/363 (99%)	346 (96%)	11 (3%)	4 (1%)	11	2
All	All	1444/1452 (99%)	1372 (95%)	58 (4%)	14 (1%)	12	3

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	344	PRO
1	D	362	ALA
1	A	67	ASP
1	B	5	PRO
1	B	353	SER
1	C	5	PRO
1	D	5	PRO
1	A	5	PRO
1	A	188	PRO
1	B	188	PRO
1	B	346	GLY
1	C	188	PRO
1	D	188	PRO
1	D	344	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/291 (100%)	288 (99%)	3 (1%)	68	56
1	B	291/291 (100%)	287 (99%)	4 (1%)	59	44
1	C	291/291 (100%)	287 (99%)	4 (1%)	59	44
1	D	291/291 (100%)	289 (99%)	2 (1%)	76	67
All	All	1164/1164 (100%)	1151 (99%)	13 (1%)	65	52

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	107	LYS
1	A	295	TRP
1	A	347	GLN
1	B	5	PRO
1	B	107	LYS
1	B	230	PRO
1	B	295	TRP
1	C	5	PRO
1	C	107	LYS
1	C	230	PRO
1	C	295	TRP
1	D	107	LYS
1	D	295	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	119	ASN
1	A	220	HIS
1	A	241	GLN
1	A	245	HIS
1	A	319	ASN
1	A	347	GLN
1	B	95	GLN
1	B	119	ASN
1	B	220	HIS
1	B	324	GLN
1	C	136	GLN
1	C	241	GLN
1	C	245	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	319	ASN
1	C	324	GLN
1	C	339	GLN
1	C	347	GLN
1	C	361	HIS
1	D	85	GLN
1	D	241	GLN
1	D	284	ASN
1	D	319	ASN
1	D	324	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	2FP	A	3001	1	18,18,19	1.25	1 (5%)	23,26,28	0.92	2 (8%)
2	2FP	D	3004	1	18,18,19	1.25	1 (5%)	23,26,28	0.96	2 (8%)
2	2FP	B	3002	1	18,18,19	1.26	1 (5%)	23,26,28	0.94	2 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	2FP	C	3003	1	18,18,19	1.25	1 (5%)	23,26,28	0.93	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2FP	A	3001	1	2/2/5/6	2/21/21/24	-
2	2FP	D	3004	1	2/2/5/6	1/21/21/24	-
2	2FP	B	3002	1	2/2/5/6	5/21/21/24	-
2	2FP	C	3003	1	2/2/5/6	2/21/21/24	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	3003	2FP	P6-O63	3.53	1.61	1.50
2	D	3004	2FP	P6-O63	3.52	1.61	1.50
2	B	3002	2FP	P6-O63	3.52	1.61	1.50
2	A	3001	2FP	P6-O63	3.51	1.61	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3002	2FP	O61-P6-O6	2.43	113.01	106.67
2	C	3003	2FP	O61-P6-O6	2.34	112.77	106.67
2	D	3004	2FP	O61-P6-O6	2.30	112.66	106.67
2	D	3004	2FP	O1-P1-O11	2.21	112.42	106.44
2	A	3001	2FP	O61-P6-O6	2.20	112.41	106.67
2	B	3002	2FP	O1-P1-O11	2.19	112.35	106.44
2	A	3001	2FP	O1-P1-O11	2.16	112.27	106.44
2	C	3003	2FP	O1-P1-O11	2.02	111.90	106.44

All (8) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	3001	2FP	C4
2	A	3001	2FP	C3
2	B	3002	2FP	C4
2	B	3002	2FP	C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
2	C	3003	2FP	C4
2	C	3003	2FP	C3
2	D	3004	2FP	C4
2	D	3004	2FP	C3


All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	3001	2FP	O1-C1-C2-C3
2	B	3002	2FP	O1-C1-C2-C3
2	C	3003	2FP	O1-C1-C2-C3
2	D	3004	2FP	O1-C1-C2-C3
2	B	3002	2FP	O4-C4-C5-C6
2	B	3002	2FP	O4-C4-C5-O5
2	C	3003	2FP	O4-C4-C5-C6
2	B	3002	2FP	C3-C4-C5-O5
2	A	3001	2FP	O4-C4-C5-C6
2	B	3002	2FP	C3-C4-C5-C6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	363/363 (100%)	0.05	20 (5%)	30 35	11, 18, 36, 50	15 (4%)
1	B	363/363 (100%)	0.05	20 (5%)	30 35	10, 18, 40, 52	15 (4%)
1	C	363/363 (100%)	0.08	22 (6%)	27 31	11, 19, 38, 51	15 (4%)
1	D	363/363 (100%)	0.25	28 (7%)	19 23	11, 21, 53, 106	3 (0%)
All	All	1452/1452 (100%)	0.11	90 (6%)	26 30	10, 19, 41, 106	48 (3%)

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	352	ALA	7.4
1	B	358	ILE	7.3
1	B	352	ALA	7.1
1	C	348	ALA	7.1
1	C	345	SER	6.9
1	B	348	ALA	6.6
1	D	358	ILE	6.6
1	D	356	LEU	6.6
1	A	358	ILE	6.5
1	C	358	ILE	6.2
1	A	348	ALA	6.2
1	A	357	PHE	6.2
1	D	357	PHE	6.0
1	A	351	ALA	5.8
1	D	353	SER	5.7
1	C	357	PHE	5.7
1	D	363	TYR	5.6
1	A	350	ALA	5.5
1	B	350	ALA	5.4
1	C	347	GLN	5.4
1	A	356	LEU	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	351	ALA	5.3
1	B	359	SER	5.3
1	D	362	ALA	5.2
1	A	359	SER	5.0
1	A	352	ALA	4.9
1	C	350	ALA	4.9
1	C	356	LEU	4.9
1	A	346	GLY	4.8
1	C	346	GLY	4.8
1	A	345	SER	4.7
1	B	357	PHE	4.7
1	B	356	LEU	4.6
1	C	351	ALA	4.5
1	C	344	PRO	4.3
1	D	348	ALA	4.3
1	D	351	ALA	4.3
1	D	346	GLY	4.3
1	D	361	HIS	4.2
1	B	349	GLY	4.1
1	B	344	PRO	4.1
1	A	349	GLY	3.9
1	A	353	SER	3.8
1	A	347	GLN	3.7
1	B	353	SER	3.7
1	B	346	GLY	3.6
1	A	355	SER	3.6
1	C	359	SER	3.6
1	B	1	PRO	3.5
1	D	355	SER	3.5
1	B	354	GLU	3.5
1	D	350	ALA	3.4
1	B	355	SER	3.4
1	A	354	GLU	3.4
1	A	2	HIS	3.3
1	D	360	ASN	3.3
1	D	359	SER	3.3
1	D	2	HIS	3.2
1	C	352	ALA	3.2
1	A	344	PRO	3.1
1	A	1	PRO	3.1
1	D	345	SER	3.1
1	B	345	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	1	PRO	2.9
1	C	353	SER	2.9
1	C	349	GLY	2.8
1	C	43	LEU	2.8
1	B	347	GLN	2.7
1	A	4	HIS	2.6
1	B	2	HIS	2.6
1	C	354	GLU	2.5
1	D	43	LEU	2.5
1	D	342	TYR	2.5
1	C	45	SER	2.4
1	C	2	HIS	2.4
1	C	44	GLN	2.4
1	D	349	GLY	2.3
1	B	42	ARG	2.3
1	D	344	PRO	2.3
1	D	347	GLN	2.3
1	D	47	GLY	2.3
1	D	155	GLU	2.2
1	D	314	GLY	2.2
1	C	355	SER	2.1
1	B	343	THR	2.1
1	A	155	GLU	2.1
1	D	354	GLU	2.1
1	C	155	GLU	2.0
1	C	320	LEU	2.0
1	D	3	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	2FP	B	3002	19/20	0.92	0.09	22,25,30,31	0
2	2FP	C	3003	19/20	0.93	0.08	19,25,28,28	0
2	2FP	A	3001	19/20	0.95	0.07	19,23,24,26	0
2	2FP	D	3004	19/20	0.96	0.07	23,26,29,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 2FP C 3003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2FP A 3001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 2FP D 3004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.