



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 12:36 AM UTC

PDB ID : 1ZBK / pdb_00001zbk
Title : Recognition of specific peptide sequences by signalling protein from sheep mammary gland (SPS-40): Crystal structure of the complex of SPS-40 with a peptide Trp-Pro-Trp at 2.9Å resolution
Authors : Srivastava, D.B.; Ethayathulla, A.S.; Kumar, J.; Singh, N.; Somvanshi, R.K.; Sharma, S.; Dey, S.; Singh, T.P.
Deposited on : 2005-04-08
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	361	
2	C	3	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3008 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chitinase-3 like protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	361	Total	C	N	O	S	0	0	0
			2869	1832	499	529	9			

- Molecule 2 is a protein called PEPTIDE TRP-PRO-TRP.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	3	Total	C	N	O	0	0	0
			36	27	5	4			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			15	8	1	6		
3	A	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	71	Total 71	O 71	0	0
4	C	2	Total 2	O 2	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: Chitinase-3 like protein 1



• Molecule 2: PEPTIDE TRP-PRO-TRP



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.64Å 66.45Å 107.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	56.00 – 2.90	Depositor
% Data completeness (in resolution range)	95.0 (56.00-2.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.19	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.207 , 0.235	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3008	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/2945	1.13	19/3995 (0.5%)
2	C	0.59	0/40	0.98	0/55
All	All	0.48	0/2985	1.13	19/4050 (0.5%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	193	GLN	OE1-CD-NE2	-10.30	112.30	122.60
1	A	192	ARG	CA-C-N	10.25	141.12	121.54
1	A	192	ARG	C-N-CA	10.25	141.12	121.54
1	A	36	SER	N-CA-C	9.77	123.82	108.67
1	A	208	ALA	N-CA-C	9.41	121.99	110.41
1	A	38	ALA	N-CA-C	-8.58	97.77	110.46
1	A	119	LEU	N-CA-C	7.51	122.06	108.17
1	A	333	LEU	N-CA-C	-7.39	103.52	112.54
1	A	37	PHE	N-CA-C	7.36	126.48	110.80
1	A	343	CYS	N-CA-C	7.19	120.92	112.72
1	A	193	GLN	CG-CD-NE2	7.07	127.00	116.40
1	A	170	ILE	N-CA-C	6.30	116.98	110.36
1	A	157	VAL	N-CA-C	5.97	117.08	108.48
1	A	305	VAL	N-CA-C	5.92	116.64	108.12
1	A	173	ILE	N-CA-C	5.75	120.47	113.00
1	A	310	GLN	N-CA-C	5.74	118.27	111.33
1	A	336	ASP	N-CA-C	-5.60	103.31	110.53
1	A	56	TYR	N-CA-C	-5.29	105.41	111.07
1	A	188	HIS	N-CA-C	-5.05	102.09	109.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2869	0	2795	108	0
2	C	36	0	29	7	0
3	A	30	0	30	3	0
4	A	71	0	0	7	0
4	C	2	0	0	0	0
All	All	3008	0	2854	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:ARG:HH11	1:A:323:ARG:HG2	1.36	0.91
1:A:270:LYS:HB2	2:C:1:TRP:CZ2	2.07	0.90
1:A:332:ALA:HB1	1:A:335:LEU:HG	1.64	0.79
1:A:195:VAL:HG23	1:A:257:VAL:CG2	2.14	0.77
1:A:262:VAL:H	1:A:303:GLN:HE22	1.31	0.76
1:A:39:ASN:ND2	3:A:363:NAG:H1	2.02	0.74
1:A:195:VAL:HG23	1:A:257:VAL:HG23	1.69	0.74
1:A:8:THR:HA	1:A:36:SER:HB2	1.67	0.74
1:A:237:ILE:HD12	1:A:328:ALA:HB1	1.70	0.72
1:A:103:PRO:HB2	1:A:104:PRO:HD3	1.69	0.72
1:A:265:ARG:HD3	1:A:266:PHE:CE1	2.25	0.71
1:A:323:ARG:HG2	1:A:323:ARG:NH1	2.01	0.70
1:A:320:LEU:HB2	1:A:325:LEU:HD12	1.74	0.69
1:A:239:THR:HG22	1:A:335:LEU:HB2	1.75	0.68
1:A:84:ARG:NH2	3:A:363:NAG:H62	2.10	0.67
1:A:34:ILE:HG12	1:A:72:LEU:HB2	1.77	0.67
1:A:78:TRP:C	1:A:80:PHE:H	2.04	0.65
1:A:345:GLN:O	1:A:345:GLN:HG2	1.98	0.64
1:A:91:LYS:HB2	1:A:94:SER:OG	1.98	0.63
1:A:319:TYR:CZ	1:A:323:ARG:HD2	2.33	0.62
1:A:344:GLY:O	1:A:345:GLN:C	2.44	0.61
1:A:120:TYR:CE2	1:A:158:SER:HB2	2.36	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:ASP:O	1:A:61:THR:HG23	2.02	0.59
1:A:269:GLU:HG2	2:C:1:TRP:HE1	1.65	0.59
1:A:118:TRP:CE3	1:A:129:LEU:HD23	2.37	0.59
1:A:39:ASN:ND2	3:A:363:NAG:C1	2.66	0.58
1:A:204:GLY:HA2	1:A:292:ASP:HB3	1.85	0.57
1:A:315:ASN:HD22	1:A:318:ARG:NH1	2.02	0.57
2:C:3:TRP:OXT	2:C:3:TRP:HE3	1.89	0.56
1:A:332:ALA:HB1	1:A:335:LEU:CG	2.37	0.55
1:A:7:TYR:O	1:A:36:SER:HB2	2.07	0.55
1:A:5:CYS:HB3	1:A:333:LEU:HG	1.89	0.54
1:A:310:GLN:O	1:A:314:LYS:HG3	2.07	0.54
1:A:82:PRO:HD3	4:A:398:HOH:O	2.07	0.54
1:A:209:SER:C	1:A:212:ARG:H	2.16	0.53
1:A:315:ASN:HD22	1:A:318:ARG:HH12	1.56	0.53
1:A:192:ARG:C	1:A:194:THR:H	2.16	0.52
1:A:237:ILE:HG21	1:A:313:VAL:HG22	1.91	0.52
1:A:22:PRO:HB2	1:A:58:THR:HG22	1.91	0.52
1:A:40:ILE:HG21	1:A:88:ILE:CD1	2.39	0.52
1:A:78:TRP:C	1:A:80:PHE:N	2.68	0.52
1:A:263:PRO:HG3	1:A:270:LYS:HG2	1.92	0.52
1:A:129:LEU:HD12	4:A:412:HOH:O	2.11	0.51
1:A:170:ILE:HD12	1:A:223:MET:HE1	1.93	0.51
1:A:206:GLU:O	1:A:207:ASP:C	2.54	0.51
1:A:189:GLY:O	1:A:190:ALA:C	2.53	0.51
1:A:206:GLU:O	1:A:208:ALA:N	2.44	0.50
1:A:37:PHE:HA	1:A:74:SER:O	2.12	0.50
1:A:234:VAL:CG1	1:A:329:MET:HB2	2.41	0.50
1:A:3:LEU:O	1:A:30:CYS:HB3	2.12	0.50
1:A:222:TYR:CE2	1:A:226:LEU:HD11	2.47	0.50
2:C:3:TRP:OXT	2:C:3:TRP:CE3	2.64	0.50
1:A:22:PRO:HB2	1:A:58:THR:CG2	2.41	0.49
1:A:239:THR:CG2	1:A:335:LEU:HB2	2.41	0.49
1:A:114:LEU:CD2	1:A:136:MET:HE3	2.42	0.49
1:A:263:PRO:HG3	1:A:270:LYS:CG	2.43	0.49
1:A:129:LEU:C	1:A:129:LEU:HD13	2.38	0.49
1:A:310:GLN:HG3	4:A:428:HOH:O	2.12	0.49
1:A:114:LEU:HD22	1:A:136:MET:HE3	1.95	0.48
1:A:348:THR:HG23	4:A:384:HOH:O	2.12	0.48
1:A:320:LEU:HD11	1:A:328:ALA:HB2	1.95	0.48
1:A:11:SER:HB2	1:A:14:ARG:NH1	2.27	0.48
1:A:39:ASN:CG	1:A:40:ILE:H	2.22	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:197:HIS:NE2	1:A:295:VAL:HB	2.28	0.48
1:A:76:GLY:CA	1:A:85:PHE:HE2	2.27	0.48
1:A:157:VAL:HG12	1:A:158:SER:O	2.13	0.48
1:A:320:LEU:CD2	1:A:320:LEU:C	2.87	0.47
1:A:239:THR:CG2	1:A:239:THR:O	2.62	0.46
1:A:54:THR:O	1:A:57:ASP:HB3	2.16	0.46
1:A:182:LEU:HD11	1:A:223:MET:HG3	1.97	0.46
1:A:348:THR:O	1:A:349:PHE:HB2	2.16	0.46
1:A:345:GLN:O	1:A:345:GLN:CG	2.64	0.46
1:A:91:LYS:O	1:A:92:THR:C	2.58	0.45
1:A:270:LYS:O	2:C:1:TRP:HZ2	1.99	0.45
1:A:200:PRO:HA	1:A:295:VAL:HG21	1.99	0.45
1:A:83:GLU:H	1:A:83:GLU:CD	2.24	0.45
1:A:91:LYS:O	1:A:93:GLN:N	2.49	0.45
1:A:142:ARG:HB2	1:A:142:ARG:NH1	2.32	0.45
1:A:289:ARG:NH2	1:A:309:ASP:OD2	2.49	0.45
1:A:332:ALA:CB	1:A:335:LEU:HD12	2.47	0.45
1:A:250:LYS:HG2	1:A:255:ALA:HB2	1.99	0.45
1:A:323:ARG:HH11	1:A:323:ARG:CG	2.14	0.45
1:A:114:LEU:HG	1:A:115:ASP:N	2.31	0.44
1:A:204:GLY:CA	1:A:292:ASP:HB3	2.45	0.44
1:A:233:LEU:HD23	1:A:233:LEU:HA	1.81	0.44
1:A:239:THR:HG22	1:A:335:LEU:CB	2.44	0.44
1:A:103:PRO:HB2	1:A:104:PRO:CD	2.45	0.44
1:A:119:LEU:HA	1:A:119:LEU:HD23	1.40	0.44
1:A:275:TYR:CE2	1:A:351:LEU:HD13	2.52	0.44
1:A:102:VAL:HB	1:A:103:PRO:HD3	1.99	0.44
1:A:142:ARG:HD3	4:A:404:HOH:O	2.18	0.44
1:A:270:LYS:C	2:C:1:TRP:HZ2	2.26	0.43
1:A:82:PRO:HD2	1:A:83:GLU:OE2	2.18	0.43
1:A:320:LEU:HD22	1:A:321:LYS:N	2.34	0.43
1:A:235:MET:CE	1:A:316:LYS:HB3	2.48	0.42
1:A:345:GLN:HE21	1:A:345:GLN:HB3	1.60	0.42
1:A:213:PHE:HB3	1:A:218:TYR:CE2	2.54	0.42
1:A:205:ASN:OD1	1:A:205:ASN:N	2.51	0.42
1:A:81:GLY:HA2	4:A:398:HOH:O	2.18	0.42
1:A:314:LYS:O	1:A:317:ALA:HB3	2.20	0.42
1:A:91:LYS:C	1:A:93:GLN:N	2.77	0.42
1:A:260:PRO:HG3	2:C:1:TRP:HH2	1.85	0.42
1:A:276:TYR:CE1	1:A:277:GLU:HG3	2.55	0.42
1:A:313:VAL:HG13	1:A:355:VAL:CG2	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:CYS:HB2	1:A:338:PHE:CZ	2.55	0.41
1:A:320:LEU:C	1:A:320:LEU:HD23	2.46	0.41
1:A:189:GLY:O	1:A:191:TRP:N	2.54	0.40
1:A:213:PHE:HB3	1:A:218:TYR:CD2	2.56	0.40
1:A:44:GLU:HG2	4:A:389:HOH:O	2.21	0.40
1:A:68:LYS:HD3	1:A:68:LYS:HA	1.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	359/361 (99%)	317 (88%)	29 (8%)	13 (4%)	2	11
2	C	1/3 (33%)	0	0	1 (100%)	0	0
All	All	360/364 (99%)	317 (88%)	29 (8%)	14 (4%)	2	10

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	193	GLN
1	A	207	ASP
1	A	209	SER
1	A	190	ALA
1	A	191	TRP
1	A	205	ASN
1	A	346	ASN
1	A	210	SER
1	A	212	ARG
1	A	345	GLN
1	A	92	THR
1	A	204	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	120	TYR
2	C	2	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/302 (100%)	260 (86%)	42 (14%)	3	11
2	C	3/3 (100%)	1 (33%)	2 (67%)	0	0
All	All	305/305 (100%)	261 (86%)	44 (14%)	3	11

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	36	SER
1	A	45	ILE
1	A	53	VAL
1	A	69	LEU
1	A	85	PHE
1	A	86	SER
1	A	90	SER
1	A	92	THR
1	A	100	LYS
1	A	106	LEU
1	A	107	ARG
1	A	127	ARG
1	A	131	THR
1	A	141	ILE
1	A	148	THR
1	A	161	LYS
1	A	192	ARG
1	A	193	GLN
1	A	195	VAL
1	A	205	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	213	PHE
1	A	234	VAL
1	A	239	THR
1	A	252	ASP
1	A	253	VAL
1	A	257	VAL
1	A	258	SER
1	A	262	VAL
1	A	265	ARG
1	A	268	LYS
1	A	282	LEU
1	A	295	VAL
1	A	299	THR
1	A	313	VAL
1	A	315	ASN
1	A	320	LEU
1	A	323	ARG
1	A	345	GLN
1	A	347	LEU
1	A	351	LEU
1	A	359	LEU
2	C	1	TRP
2	C	2	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	43	ASN
1	A	60	ASN
1	A	150	GLN
1	A	303	GLN
1	A	310	GLN
1	A	315	ASN
1	A	345	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	363	-	15,15,15	0.68	0	21,21,21	1.69	5 (23%)
3	NAG	A	364	-	15,15,15	0.46	0	21,21,21	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	363	-	-	2/6/26/26	0/1/1/1
3	NAG	A	364	-	-	4/6/26/26	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	363	NAG	C4-C3-C2	4.89	117.53	110.40
3	A	363	NAG	C3-C4-C5	2.84	115.38	110.23
3	A	363	NAG	C1-C2-C3	2.80	114.36	110.54
3	A	363	NAG	C1-C2-N2	-2.27	108.10	110.73
3	A	363	NAG	C1-O5-C5	-2.06	109.66	113.65

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	364	NAG	C8-C7-N2-C2
3	A	364	NAG	O7-C7-N2-C2
3	A	363	NAG	O5-C5-C6-O6
3	A	364	NAG	C4-C5-C6-O6
3	A	364	NAG	O5-C5-C6-O6
3	A	363	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	363	NAG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.