



Full wwPDB EM Validation Report ⓘ

Mar 30, 2026 – 02:46 AM UTC

PDB ID : 6ZBJ / pdb_00006zbj
EMDB ID : EMD-11156
Title : Plasmodium falciparum merozoite surface protein 1 dimer, conformation 1
Authors : Dijkman, P.M.; Kudryashev, M.
Deposited on : 2020-06-08
Resolution : 3.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : **NOT EXECUTED**
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	891	72% 25%
1	C	891	72% 25%
2	B	792	61% 37%
2	D	792	61% 37%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 39212 atoms, of which 19864 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Precursor of the major merozoite surface antigens.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	666	Total	C	H	N	O	S	0	0
			11322	3598	5732	918	1060	14		
1	C	666	Total	C	H	N	O	S	0	0
			11322	3598	5732	918	1060	14		


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	785	GLN	HIS	conflict	UNP Q25922
C	785	GLN	HIS	conflict	UNP Q25922

- Molecule 2 is a protein called Merozoite surface protein-1.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	501	Total	C	H	N	O	S	0	0
			8284	2617	4200	670	793	4		
2	D	501	Total	C	H	N	O	S	0	0
			8284	2617	4200	670	793	4		

Chain B: 61% . 37%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	271763	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/5681	0.76	2/7619 (0.0%)
1	C	0.57	0/5681	0.76	2/7619 (0.0%)
2	B	0.44	0/4145	0.54	0/5567
2	D	0.44	0/4145	0.54	0/5567
All	All	0.52	0/19652	0.68	4/26372 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	644	LEU	CA-C-O	-5.78	114.29	120.42
1	C	644	LEU	CA-C-O	-5.78	114.29	120.42
1	A	321	ILE	N-CA-C	-5.57	105.76	113.00
1	C	321	ILE	N-CA-C	-5.57	105.76	113.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5590	5732	5731	20	0
1	C	5590	5732	5731	20	0
2	B	4084	4200	4200	11	0
2	D	4084	4200	4200	11	0
All	All	19348	19864	19862	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:891:LEU:HD12	1:A:891:LEU:O	2.05	0.57
1:C:891:LEU:HD12	1:C:891:LEU:O	2.05	0.56
1:A:202:LEU:HD23	1:A:232:LEU:HD21	1.92	0.52
1:C:202:LEU:HD23	1:C:232:LEU:HD21	1.92	0.52
2:B:985:LYS:O	2:B:985:LYS:HG2	2.10	0.52
2:D:985:LYS:HG2	2:D:985:LYS:O	2.10	0.51
1:A:855:GLN:HB3	2:B:1064:LYS:NZ	2.26	0.50
1:C:855:GLN:HB3	2:D:1064:LYS:NZ	2.26	0.50
2:B:1523:ALA:CB	1:C:479:LYS:HD3	2.43	0.49
1:A:479:LYS:HD3	2:D:1523:ALA:CB	2.43	0.49
1:A:817:ILE:HG13	2:B:982:LEU:HD11	1.96	0.48
1:A:891:LEU:HD12	1:A:897:ILE:HD13	1.96	0.47
1:C:636:LYS:HA	1:C:639:VAL:HG12	1.97	0.47
1:A:479:LYS:HD3	2:D:1523:ALA:HB2	1.97	0.46
1:C:817:ILE:HG13	2:D:982:LEU:HD11	1.96	0.46
2:B:1523:ALA:HB2	1:C:479:LYS:HD3	1.97	0.46
1:C:891:LEU:HD12	1:C:897:ILE:HD13	1.96	0.46
1:A:636:LYS:HA	1:A:639:VAL:HG12	1.97	0.46
1:A:891:LEU:CD1	1:A:897:ILE:CD1	2.94	0.46
1:C:825:ASP:N	1:C:825:ASP:OD1	2.50	0.45
2:D:1545:LEU:HA	2:D:1548:ILE:HG22	1.98	0.45
2:B:1545:LEU:HA	2:B:1548:ILE:HG22	1.98	0.45
1:C:891:LEU:CD1	1:C:897:ILE:CD1	2.94	0.45
2:B:979:LEU:HG	2:B:982:LEU:HD12	1.99	0.44
2:D:1395:LEU:HD21	2:D:1415:LEU:HD11	2.00	0.44
1:A:825:ASP:OD1	1:A:825:ASP:N	2.50	0.44
2:B:1395:LEU:HD21	2:B:1415:LEU:HD11	2.00	0.43
2:D:979:LEU:HG	2:D:982:LEU:HD12	1.99	0.43
1:C:887:TYR:O	1:C:890:LYS:N	2.52	0.43
1:A:161:GLU:HG3	1:A:386:ASP:HB2	2.01	0.42
1:C:161:GLU:HG3	1:C:386:ASP:HB2	2.01	0.42
1:A:32:LEU:HB3	1:A:222:LEU:HD13	2.02	0.42
1:A:887:TYR:O	1:A:890:LYS:N	2.52	0.42
2:D:1009:ASN:O	2:D:1012:THR:HG22	2.19	0.42
1:A:174:ASP:OD1	1:A:175:ASN:N	2.52	0.42
1:C:386:ASP:OD1	1:C:387:PRO:HD2	2.19	0.42
1:A:386:ASP:OD1	1:A:387:PRO:HD2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:447:TYR:CE2	1:A:464:ILE:HD11	2.54	0.42
1:C:32:LEU:HB3	1:C:222:LEU:HD13	2.02	0.42
1:C:174:ASP:OD1	1:C:175:ASN:N	2.52	0.42
2:D:1003:TYR:HA	2:D:1006:ILE:HG22	2.01	0.42
2:B:1009:ASN:O	2:B:1012:THR:HG22	2.19	0.42
1:A:33:GLU:HG2	1:A:222:LEU:HD11	2.01	0.42
1:C:447:TYR:CE2	1:C:464:ILE:HD11	2.54	0.41
1:A:494:GLN:O	1:A:494:GLN:HG2	2.20	0.41
2:B:1003:TYR:HA	2:B:1006:ILE:HG22	2.01	0.41
1:C:33:GLU:HG2	1:C:222:LEU:HD11	2.01	0.41
1:C:494:GLN:HG2	1:C:494:GLN:O	2.20	0.41
1:A:425:ILE:HG21	1:A:685:ILE:HD11	2.02	0.41
1:C:425:ILE:HG21	1:C:685:ILE:HD11	2.02	0.41
1:A:202:LEU:CD2	1:A:392:TYR:CD2	3.04	0.41
2:B:1057:LEU:HD12	2:B:1061:TYR:OH	2.21	0.41
1:C:202:LEU:CD2	1:C:392:TYR:CD2	3.04	0.40
2:D:1057:LEU:HD12	2:D:1061:TYR:OH	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	654/891 (73%)	650 (99%)	4 (1%)	0	100	100
1	C	654/891 (73%)	650 (99%)	4 (1%)	0	100	100
2	B	495/792 (62%)	491 (99%)	4 (1%)	0	100	100
2	D	495/792 (62%)	491 (99%)	4 (1%)	0	100	100
All	All	2298/3366 (68%)	2282 (99%)	16 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	637/821 (78%)	637 (100%)	0	100	100
1	C	637/821 (78%)	637 (100%)	0	100	100
2	B	472/740 (64%)	472 (100%)	0	100	100
2	D	472/740 (64%)	472 (100%)	0	100	100
All	All	2218/3122 (71%)	2218 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	177	HIS
1	A	311	HIS
1	A	435	HIS
1	A	442	ASN
1	A	522	ASN
1	A	524	ASN
1	A	676	GLN
1	A	874	HIS
2	B	961	HIS
2	B	1038	ASN
2	B	1100	ASN
2	B	1137	HIS
2	B	1201	HIS
2	B	1215	ASN
2	B	1419	GLN
1	C	47	GLN
1	C	177	HIS
1	C	249	ASN
1	C	311	HIS
1	C	522	ASN
1	C	524	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	676	GLN
1	C	874	HIS
2	D	961	HIS
2	D	1038	ASN
2	D	1100	ASN
2	D	1201	HIS
2	D	1215	ASN
2	D	1419	GLN
2	D	1557	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-11156. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

This section was not generated.

6.2 Central slices

This section was not generated.

6.3 Largest variance slices

This section was not generated.

6.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

6.5 Orthogonal surface views

This section was not generated.

6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis ⓘ

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution ⓘ

This section was not generated.

7.2 Volume estimate versus contour level ⓘ

This section was not generated.

7.3 Rotationally averaged power spectrum ⓘ

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit

This section was not generated.