



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 03:08 AM UTC

PDB ID : 6ZBY / pdb_00006zby
EMDB ID : EMD-11158
Title : Cryo-EM structure of the nitrilase from *Pseudomonas fluorescens* EBC191 at 3.3 Angstroms
Authors : Eppinger, E.; Stolz, A.; Sewell, B.T.
Deposited on : 2020-06-09
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	350	11% 85% 10%
1	B	350	15% 85% 5% 10%
1	C	350	87% 10%
1	D	350	87% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	350	 87% 5% 10%
1	F	350	 84% 5% 10%
1	G	350	 86% 5% 10%
1	H	350	 86% 5% 10%
1	I	350	 85% 5% 10%
1	J	350	 85% 5% 10%
1	K	350	 85% 5% 10%
1	L	350	 88% 5% 10%

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 28836 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NitA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	B	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	C	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	D	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	E	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	F	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	G	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	H	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	I	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	J	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	K	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		
1	L	316	Total	C	N	O	S	0	0
			2403	1536	412	443	12		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	227	THR	PRO	conflict	UNP Q5EG61
B	227	THR	PRO	conflict	UNP Q5EG61
C	227	THR	PRO	conflict	UNP Q5EG61
D	227	THR	PRO	conflict	UNP Q5EG61
E	227	THR	PRO	conflict	UNP Q5EG61
F	227	THR	PRO	conflict	UNP Q5EG61

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	227	THR	PRO	conflict	UNP Q5EG61
H	227	THR	PRO	conflict	UNP Q5EG61
I	227	THR	PRO	conflict	UNP Q5EG61
J	227	THR	PRO	conflict	UNP Q5EG61
K	227	THR	PRO	conflict	UNP Q5EG61
L	227	THR	PRO	conflict	UNP Q5EG61


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: NitA



• Molecule 1: NitA




• Molecule 1: NitA




• Molecule 1: NitA

Chain D:  87% 10%




• Molecule 1: NitA

Chain E:  87% 10%




• Molecule 1: NitA

Chain F:  84% 5% 10%




• Molecule 1: NitA

Chain G:  86% 10%




• Molecule 1: NitA

Chain H:  86% 10%





• Molecule 1: NitA



Chain I:  85% 5% 10%





• Molecule 1: NitA



• Molecule 1: NitA



• Molecule 1: NitA



4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=-67.31°, rise=16.36 Å, axial sym=C1	Depositor
Number of segments used	91429	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{Å}^2$)	43.1	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.134	Depositor
Minimum map value	-0.082	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	139.384, 137.288, 154.056	wwPDB
Map dimensions	133, 131, 147	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.048, 1.048, 1.048	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	0/2462	1.49	11/3353 (0.3%)
1	B	0.80	0/2462	1.40	8/3353 (0.2%)
1	C	0.79	0/2462	1.38	4/3353 (0.1%)
1	D	0.78	0/2462	1.39	4/3353 (0.1%)
1	E	0.78	0/2462	1.41	5/3353 (0.1%)
1	F	0.77	0/2462	1.43	7/3353 (0.2%)
1	G	0.78	0/2462	1.42	9/3353 (0.3%)
1	H	0.78	0/2462	1.41	5/3353 (0.1%)
1	I	0.78	0/2462	1.41	7/3353 (0.2%)
1	J	0.80	0/2462	1.39	14/3353 (0.4%)
1	K	0.79	0/2462	1.42	13/3353 (0.4%)
1	L	0.77	0/2462	1.40	3/3353 (0.1%)
All	All	0.79	0/29544	1.41	90/40236 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	3
1	D	0	1
1	E	0	1
1	F	0	2
1	G	0	2
1	H	0	1
1	J	0	1
1	K	0	1
1	L	0	1
All	All	0	16

There are no bond length outliers.

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	237	ILE	CA-CB-CG1	14.53	135.11	110.40
1	A	124	VAL	CA-CB-CG1	13.87	133.98	110.40
1	F	265	THR	CA-CB-OG1	12.53	128.39	109.60
1	L	124	VAL	CA-CB-CG1	12.53	131.69	110.40
1	A	80	VAL	CA-CB-CG1	12.49	131.63	110.40
1	A	127	THR	CA-CB-OG1	11.80	127.30	109.60
1	K	127	THR	CA-CB-OG1	11.41	126.71	109.60
1	A	110	THR	CA-CB-OG1	11.19	126.38	109.60
1	A	155	THR	CA-CB-OG1	11.02	126.13	109.60
1	B	319	GLN	N-CA-C	10.68	123.39	109.83
1	A	134	THR	CA-CB-OG1	10.28	125.02	109.60
1	I	240	PRO	N-CA-C	9.26	127.23	113.81
1	F	168	ILE	CA-CB-CG1	7.98	123.96	110.40
1	A	247	LEU	CB-CG-CD1	7.95	134.54	110.70
1	L	51	LEU	CB-CG-CD1	7.77	134.00	110.70
1	E	275	LEU	CB-CG-CD1	7.41	132.92	110.70
1	J	275	LEU	CB-CG-CD1	7.17	132.21	110.70
1	J	306	LEU	CB-CG-CD1	7.01	131.73	110.70
1	G	306	LEU	CB-CG-CD1	6.95	131.54	110.70
1	K	195	ARG	NE-CZ-NH2	6.71	125.24	119.20
1	L	195	ARG	NE-CZ-NH2	6.69	125.22	119.20
1	A	252	PHE	CA-CB-CG	6.51	120.31	113.80
1	B	145	ASP	CA-CB-CG	6.35	118.95	112.60
1	J	301	ASP	CA-CB-CG	6.32	118.92	112.60
1	K	127	THR	CB-CA-C	6.24	121.13	109.71
1	K	278	ASP	CA-CB-CG	6.22	118.82	112.60
1	B	72	ARG	NE-CZ-NH2	6.11	124.70	119.20
1	E	195	ARG	NE-CZ-NH2	6.01	124.61	119.20
1	A	56	TRP	N-CA-C	5.99	119.42	111.75
1	J	236	LEU	N-CA-CB	-5.93	103.02	110.90
1	D	195	ARG	NE-CZ-NH2	5.91	124.52	119.20
1	F	237	ILE	CA-CB-CG1	5.90	120.44	110.40
1	H	306	LEU	CB-CG-CD1	5.80	128.10	110.70
1	C	195	ARG	NE-CZ-NH2	5.80	124.42	119.20
1	H	167	HIS	CA-C-N	5.70	130.59	122.09
1	H	167	HIS	C-N-CA	5.70	130.59	122.09
1	B	301	ASP	CA-CB-CG	5.70	118.30	112.60
1	G	236	LEU	N-CA-CB	-5.67	103.46	111.00
1	D	119	ASP	CA-CB-CG	5.63	118.23	112.60
1	I	195	ARG	NE-CZ-NH2	5.62	124.26	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	204	GLN	OE1-CD-NE2	-5.61	116.99	122.60
1	G	94	GLN	OE1-CD-NE2	-5.59	117.00	122.60
1	I	236	LEU	N-CA-CB	-5.58	103.57	111.00
1	D	152	HIS	CB-CG-CD2	-5.58	123.95	131.20
1	K	161	ALA	CA-C-N	5.51	130.91	121.87
1	K	161	ALA	C-N-CA	5.51	130.91	121.87
1	C	252	PHE	CA-CB-CG	5.46	119.25	113.80
1	F	236	LEU	N-CA-CB	-5.39	103.86	110.98
1	C	316	HIS	CB-CG-CD2	-5.39	124.19	131.20
1	K	152	HIS	CB-CG-CD2	-5.38	124.20	131.20
1	J	214	ALA	CA-C-N	5.37	127.47	120.28
1	J	214	ALA	C-N-CA	5.37	127.47	120.28
1	G	236	LEU	CA-C-N	5.35	130.00	123.10
1	G	236	LEU	C-N-CA	5.35	130.00	123.10
1	K	236	LEU	N-CA-CB	-5.35	103.89	111.00
1	B	296	HIS	CB-CG-CD2	-5.35	124.25	131.20
1	G	135	HIS	CB-CG-CD2	-5.32	124.28	131.20
1	B	55	PRO	N-CA-CB	5.30	105.96	102.25
1	I	135	HIS	CB-CG-CD2	-5.25	124.38	131.20
1	F	168	ILE	CB-CA-C	5.23	119.86	111.29
1	K	299	ARG	CA-C-N	5.21	124.82	119.56
1	K	299	ARG	C-N-CA	5.21	124.82	119.56
1	J	195	ARG	NE-CZ-NH2	5.20	123.88	119.20
1	F	168	ILE	N-CA-CB	-5.19	102.67	111.23
1	H	296	HIS	CB-CG-CD2	-5.18	124.46	131.20
1	A	195	ARG	NE-CZ-NH2	5.18	123.86	119.20
1	G	168	ILE	CA-CB-CG2	5.17	119.29	110.50
1	J	167	HIS	CA-C-N	5.16	129.60	122.28
1	J	167	HIS	C-N-CA	5.16	129.60	122.28
1	B	195	ARG	NE-CZ-NH2	5.15	123.83	119.20
1	J	161	ALA	CA-C-N	5.14	130.59	122.36
1	J	161	ALA	C-N-CA	5.14	130.59	122.36
1	I	88	LEU	CA-C-N	5.13	127.11	120.44
1	I	88	LEU	C-N-CA	5.13	127.11	120.44
1	J	135	HIS	CB-CG-CD2	-5.13	124.53	131.20
1	K	168	ILE	CA-C-N	5.12	126.79	122.28
1	K	168	ILE	C-N-CA	5.12	126.79	122.28
1	H	152	HIS	CB-CG-CD2	-5.12	124.55	131.20
1	D	278	ASP	CA-CB-CG	5.09	117.69	112.60
1	I	278	ASP	CA-CB-CG	5.08	117.69	112.60
1	E	152	HIS	CB-CG-CD2	-5.08	124.59	131.20
1	J	152	HIS	CB-CG-CD2	-5.07	124.61	131.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	195	ARG	NE-CZ-NH2	5.06	123.76	119.20
1	C	56	TRP	N-CA-C	5.06	118.55	112.38
1	E	296	HIS	CB-CG-CD2	-5.04	124.64	131.20
1	J	278	ASP	CA-CB-CG	5.04	117.64	112.60
1	G	167	HIS	CA-C-N	5.03	129.42	122.28
1	G	167	HIS	C-N-CA	5.03	129.42	122.28
1	B	152	HIS	CB-CG-CD2	-5.02	124.67	131.20
1	K	301	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

All (16) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	106	ARG	Sidechain
1	A	128	ARG	Sidechain
1	B	297	TYR	Sidechain
1	C	128	ARG	Sidechain
1	C	141	TYR	Sidechain
1	C	297	TYR	Sidechain
1	D	297	TYR	Sidechain
1	E	297	TYR	Sidechain
1	F	106	ARG	Sidechain
1	F	141	TYR	Sidechain
1	G	256	TYR	Sidechain
1	G	297	TYR	Sidechain
1	H	297	TYR	Sidechain
1	J	297	TYR	Sidechain
1	K	297	TYR	Sidechain
1	L	141	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2403	0	2368	2	0
1	B	2403	0	2368	3	0
1	C	2403	0	2368	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2403	0	2368	5	0
1	E	2403	0	2368	1	0
1	F	2403	0	2368	7	0
1	G	2403	0	2368	5	0
1	H	2403	0	2368	5	0
1	I	2403	0	2368	10	0
1	J	2403	0	2368	6	0
1	K	2403	0	2368	5	0
1	L	2403	0	2368	1	0
All	All	28836	0	28416	37	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (37) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:240:PRO:HA	1:I:243:ALA:HB3	1.83	0.60
1:F:306:LEU:HG	1:G:306:LEU:HD11	1.91	0.52
1:I:240:PRO:HA	1:I:243:ALA:CB	2.42	0.49
1:I:93:ALA:HB2	1:I:122:GLY:HA3	1.94	0.48
1:G:93:ALA:HB2	1:G:122:GLY:HA3	1.96	0.48
1:G:64:ALA:HB2	1:H:194:TYR:CZ	2.49	0.47
1:A:265:THR:HA	1:A:266:PRO:HD3	1.76	0.47
1:F:177:TYR:CE1	1:F:217:GLY:HA3	2.51	0.46
1:G:315:VAL:HG21	1:I:178:ALA:CB	2.46	0.46
1:I:178:ALA:HA	1:I:294:VAL:HG11	1.98	0.46
1:I:220:PHE:CD2	1:I:279:ILE:HD12	2.50	0.46
1:K:164:CYS:HA	1:K:188:TRP:CZ3	2.51	0.46
1:I:64:ALA:HB2	1:J:194:TYR:CZ	2.51	0.45
1:F:178:ALA:CB	1:H:315:VAL:HG21	2.46	0.45
1:J:168:ILE:HD11	1:J:209:ALA:HB2	1.99	0.45
1:D:220:PHE:CD2	1:D:279:ILE:HD12	2.53	0.44
1:C:164:CYS:HA	1:C:188:TRP:CZ3	2.53	0.44
1:H:306:LEU:HD11	1:I:306:LEU:HG	1.98	0.44
1:J:306:LEU:HD11	1:K:306:LEU:HG	1.99	0.44
1:D:178:ALA:CB	1:F:315:VAL:HG21	2.47	0.43
1:E:64:ALA:HB2	1:F:194:TYR:CZ	2.53	0.43
1:J:253:ALA:HB3	1:J:275:LEU:HD12	2.01	0.43
1:D:164:CYS:HA	1:D:188:TRP:CZ3	2.54	0.43
1:B:177:TYR:CE1	1:B:217:GLY:HA3	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:220:PHE:CD2	1:K:279:ILE:HD12	2.53	0.42
1:J:132:LYS:HE2	1:K:296:HIS:O	2.20	0.42
1:I:177:TYR:CE1	1:I:217:GLY:HA3	2.55	0.42
1:J:164:CYS:HA	1:J:188:TRP:CZ3	2.55	0.42
1:A:55:PRO:HA	1:A:57:TRP:CZ3	2.55	0.42
1:F:93:ALA:HB2	1:F:122:GLY:HA3	2.01	0.42
1:K:64:ALA:HB2	1:L:194:TYR:CZ	2.54	0.41
1:D:305:LEU:HB3	1:F:315:VAL:HG22	2.03	0.41
1:H:61:ASP:CG	1:H:242:LYS:HZ1	2.28	0.41
1:H:177:TYR:CE1	1:H:217:GLY:HA3	2.55	0.41
1:G:315:VAL:HG21	1:I:178:ALA:HB1	2.03	0.41
1:B:178:ALA:CB	1:D:315:VAL:HG21	2.51	0.41
1:B:164:CYS:HB2	1:B:188:TRP:CE3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/350 (90%)	300 (96%)	12 (4%)	2 (1%)	21	52
1	B	314/350 (90%)	303 (96%)	9 (3%)	2 (1%)	21	52
1	C	314/350 (90%)	297 (95%)	15 (5%)	2 (1%)	21	52
1	D	314/350 (90%)	300 (96%)	12 (4%)	2 (1%)	21	52
1	E	314/350 (90%)	295 (94%)	17 (5%)	2 (1%)	21	52
1	F	314/350 (90%)	299 (95%)	13 (4%)	2 (1%)	21	52
1	G	314/350 (90%)	297 (95%)	16 (5%)	1 (0%)	36	67
1	H	314/350 (90%)	295 (94%)	17 (5%)	2 (1%)	21	52
1	I	314/350 (90%)	301 (96%)	12 (4%)	1 (0%)	36	67
1	J	314/350 (90%)	296 (94%)	16 (5%)	2 (1%)	21	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	K	314/350 (90%)	302 (96%)	11 (4%)	1 (0%)	36 67
1	L	314/350 (90%)	300 (96%)	12 (4%)	2 (1%)	21 52
All	All	3768/4200 (90%)	3585 (95%)	162 (4%)	21 (1%)	23 52

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	164	CYS
1	E	164	CYS
1	F	164	CYS
1	G	164	CYS
1	H	164	CYS
1	I	164	CYS
1	J	164	CYS
1	K	164	CYS
1	A	164	CYS
1	C	164	CYS
1	D	164	CYS
1	D	189	PRO
1	F	189	PRO
1	H	189	PRO
1	L	164	CYS
1	A	109	GLY
1	B	189	PRO
1	E	109	GLY
1	C	109	GLY
1	L	109	GLY
1	J	109	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	241/268 (90%)	234 (97%)	7 (3%)	37 66
1	B	241/268 (90%)	239 (99%)	2 (1%)	73 81

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	241/268 (90%)	241 (100%)	0	100	100
1	D	241/268 (90%)	241 (100%)	0	100	100
1	E	241/268 (90%)	238 (99%)	3 (1%)	63	78
1	F	241/268 (90%)	233 (97%)	8 (3%)	33	63
1	G	241/268 (90%)	238 (99%)	3 (1%)	63	78
1	H	241/268 (90%)	239 (99%)	2 (1%)	73	81
1	I	241/268 (90%)	238 (99%)	3 (1%)	63	78
1	J	241/268 (90%)	240 (100%)	1 (0%)	84	86
1	K	241/268 (90%)	237 (98%)	4 (2%)	53	74
1	L	241/268 (90%)	238 (99%)	3 (1%)	63	78
All	All	2892/3216 (90%)	2856 (99%)	36 (1%)	61	78

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	VAL
1	A	124	VAL
1	A	127	THR
1	A	134	THR
1	A	155	THR
1	A	163	CYS
1	A	247	LEU
1	B	105	GLU
1	B	163	CYS
1	E	169	GLN
1	E	237	ILE
1	E	275	LEU
1	F	107	SER
1	F	135	HIS
1	F	168	ILE
1	F	237	ILE
1	F	265	THR
1	F	297	TYR
1	F	306	LEU
1	F	313	THR
1	G	135	HIS
1	G	238	ASP
1	G	306	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	120	ASP
1	H	306	LEU
1	I	135	HIS
1	I	136	VAL
1	I	306	LEU
1	J	306	LEU
1	K	123	ARG
1	K	127	THR
1	K	227	THR
1	K	306	LEU
1	L	51	LEU
1	L	124	VAL
1	L	134	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	115	GLN
1	B	14	GLN
1	B	35	GLN
1	B	152	HIS
1	C	115	GLN
1	D	76	ASN
1	D	94	GLN
1	D	115	GLN
1	D	206	ASN
1	E	76	ASN
1	E	200	GLN
1	E	308	ASN
1	F	76	ASN
1	G	35	GLN
1	G	115	GLN
1	H	76	ASN
1	I	76	ASN
1	I	94	GLN
1	J	76	ASN
1	J	152	HIS
1	J	308	ASN
1	K	35	GLN
1	K	76	ASN
1	K	94	GLN
1	K	115	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	180	HIS
1	K	200	GLN
1	L	76	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11158. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 66



Y Index: 65




Z Index: 73


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 99



Y Index: 37




Z Index: 79


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 198 nm³; this corresponds to an approximate mass of 179 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.11	3.50	3.21
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11158 and PDB model 6ZBY. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8120	0.5720
A	0.6630	0.5180
B	0.6470	0.5260
C	0.7960	0.5600
D	0.8170	0.5770
E	0.8470	0.5830
F	0.8730	0.5940
G	0.8760	0.5930
H	0.8850	0.5930
I	0.8700	0.5930
J	0.8510	0.5850
K	0.8180	0.5790
L	0.8010	0.5610

1.0

0.0

<0.0